

# Maryse L Lebrun

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2855670/publications.pdf>

Version: 2024-02-01

66  
papers

4,441  
citations

126708

33  
h-index

114278

63  
g-index

69  
all docs

69  
docs citations

69  
times ranked

4903  
citing authors

#	ARTICLE	IF	CITATIONS
1	Gliding motility powers invasion and egress in Apicomplexa. <i>Nature Reviews Microbiology</i> , 2017, 15, 645-660.	13.6	291
2	The RON2-AMA1 Interaction is a Critical Step in Moving Junction-Dependent Invasion by Apicomplexan Parasites. <i>PLoS Pathogens</i> , 2011, 7, e1001276.	2.1	264
3	Export of a <i>Toxoplasma gondii</i> Rhoptry Neck Protein Complex at the Host Cell Membrane to Form the Moving Junction during Invasion. <i>PLoS Pathogens</i> , 2009, 5, e1000309.	2.1	262
4	The moving junction of apicomplexan parasites: a key structure for invasion. <i>Cellular Microbiology</i> , 2011, 13, 797-805.	1.1	262
5	Microneme proteins: structural and functional requirements to promote adhesion and invasion by the apicomplexan parasite <i>Toxoplasma gondii</i> . <i>International Journal for Parasitology</i> , 2001, 31, 1293-1302.	1.3	199
6	The rhoptry neck protein RON4 relocalizes at the moving junction during <i>Toxoplasma gondii</i> invasion. <i>Cellular Microbiology</i> , 2005, 7, 1823-1833.	1.1	193
7	ROP18 Is a Rhoptry Kinase Controlling the Intracellular Proliferation of <i>Toxoplasma gondii</i> . <i>PLoS Pathogens</i> , 2007, 3, e14.	2.1	171
8	Host Cell Invasion by Apicomplexan Parasites: Insights from the Co-Structure of AMA1 with a RON2 Peptide. <i>Science</i> , 2011, 333, 463-467.	6.0	168
9	Synergistic role of micronemal proteins in <i>Toxoplasma gondii</i> virulence. <i>Journal of Experimental Medicine</i> , 2005, 201, 453-463.	4.2	156
10	Plasticity and redundancy among AMA1-RON pairs ensure host cell entry of <i>Toxoplasma</i> parasites. <i>Nature Communications</i> , 2014, 5, 4098.	5.8	138
11	The ROP2 family of <i>Toxoplasma gondii</i> rhoptry proteins: Proteomic and genomic characterization and molecular modeling. <i>Proteomics</i> , 2006, 6, 5773-5784.	1.3	131
12	A Dynamin Is Required for the Biogenesis of Secretory Organelles in <i>Toxoplasma gondii</i> . <i>Current Biology</i> , 2009, 19, 277-286.	1.8	124
13	Malaria Sporozoites Traverse Host Cells within Transient Vacuoles. <i>Cell Host and Microbe</i> , 2015, 18, 593-603.	5.1	119
14	The microneme protein MIC3 of <i>Toxoplasma gondii</i> is a secretory adhesin that binds to both the surface of the host cells and the surface of the parasite. <i>Cellular Microbiology</i> , 2000, 2, 353-364.	1.1	116
15	Structural and Functional Insights into the Malaria Parasite Moving Junction Complex. <i>PLoS Pathogens</i> , 2012, 8, e1002755.	2.1	116
16	Internalin must be on the bacterial surface to mediate entry of <i>Listeria monocytogenes</i> into epithelial cells. <i>Molecular Microbiology</i> , 1996, 21, 579-592.	1.2	90
17	The <i>Toxoplasma gondii</i> calcium-dependent protein kinase 7 is involved in early steps of parasite division and is crucial for parasite survival. <i>Cellular Microbiology</i> , 2014, 16, 95-114.	1.1	82
18	ROP2 from <i>Toxoplasma gondii</i> : A Virulence Factor with a Protein-Kinase Fold and No Enzymatic Activity. <i>Structure</i> , 2009, 17, 139-146.	1.6	76

#	ARTICLE	IF	CITATIONS
19	The <i>Toxoplasma gondii</i> protein MIC3 requires pro-peptide cleavage and dimerization to function as adhesin. <i>EMBO Journal</i> , 2002, 21, 2526-2536.	3.5	72
20	Phosphatidylinositol 3-Monophosphate Is Involved in <i>Toxoplasma</i> Apicoplast Biogenesis. <i>PLoS Pathogens</i> , 2011, 7, e1001286.	2.1	71
21	Inverted topology of the <i>Toxoplasma gondii</i> ROP5 rhoptry protein provides new insights into the association of the ROP2 protein family with the parasitophorous vacuole membrane. <i>Cellular Microbiology</i> , 2007, 9, 54-64.	1.1	70
22	Virulence factors of <i>Toxoplasma gondii</i> . <i>Microbes and Infection</i> , 2012, 14, 1403-1410.	1.0	58
23	GRA12, a <i>Toxoplasma</i> dense granule protein associated with the intravacuolar membranous nanotubular network. <i>International Journal for Parasitology</i> , 2009, 39, 299-306.	1.3	56
24	Regulation of ATG8 membrane association by ATG4 in the parasitic protist <i>Toxoplasma gondii</i> . <i>Autophagy</i> , 2013, 9, 1334-1348.	4.3	55
25	Efficient invasion by <i>Toxoplasma</i> depends on the subversion of host protein networks. <i>Nature Microbiology</i> , 2017, 2, 1358-1366.	5.9	54
26	An Alveolata secretory machinery adapted to parasite host cell invasion. <i>Nature Microbiology</i> , 2021, 6, 425-434.	5.9	53
27	Apicomplexan cytoskeleton and motors: Key regulators in morphogenesis, cell division, transport and motility. <i>International Journal for Parasitology</i> , 2009, 39, 153-162.	1.3	50
28	Mic1-3 Knockout of <i>Toxoplasma gondii</i> is a Successful Vaccine against Chronic and Congenital Toxoplasmosis in Mice. <i>Journal of Infectious Diseases</i> , 2006, 194, 1176-1183.	1.9	48
29	Molecular Dissection of Novel Trafficking and Processing of the <i>Toxoplasma gondii</i> Rhoptry Metalloprotease Toxolysin. <i>Traffic</i> , 2012, 13, 292-304.	1.3	47
30	A lipid-binding protein mediates rhoptry discharge and invasion in <i>Plasmodium falciparum</i> and <i>Toxoplasma gondii</i> parasites. <i>Nature Communications</i> , 2019, 10, 4041.	5.8	47
31	Molecular Signals in the Trafficking of <i>Toxoplasma gondii</i> Protein MIC3 to the Micronemes. <i>Eukaryotic Cell</i> , 2008, 7, 1019-1028.	3.4	45
32	Mic1-3 Knockout <i>Toxoplasma gondii</i> is a good candidate for a vaccine against <i>T. gondii</i> -induced abortion in sheep. <i>Veterinary Research</i> , 2010, 41, 49.	1.1	45
33	<i>Toxoplasma gondii</i> Vps11, a subunit of HOPS and CORVET tethering complexes, is essential for the biogenesis of secretory organelles. <i>Cellular Microbiology</i> , 2015, 17, 1157-1178.	1.1	44
34	Distinct contribution of <i>Toxoplasma gondii</i> rhomboid proteases 4 and 5 to micronemal protein protease 1 activity during invasion. <i>Molecular Microbiology</i> , 2015, 97, 244-262.	1.2	43
35	In situ ultrastructures of two evolutionarily distant apicomplexan rhoptry secretion systems. <i>Nature Communications</i> , 2021, 12, 4983.	5.8	42
36	Lipidomic analysis of <i>Toxoplasma gondii</i> tachyzoites rhoptries: further insights into the role of cholesterol. <i>Biochemical Journal</i> , 2008, 415, 87-96.	1.7	41

#	ARTICLE	IF	CITATIONS
37	Lipid kinases are essential for apicoplast homeostasis in <i>Toxoplasma gondii</i> . Cellular Microbiology, 2015, 17, 559-578.	1.1	36
38	<i>Babesia divergens</i> and <i>Neospora caninum</i> apical membrane antigen 1 structures reveal selectivity and plasticity in apicomplexan parasite host cell invasion. Protein Science, 2013, 22, 114-127.	3.1	35
39	The conserved apicomplexan Aurora kinase TgArk3 is involved in endodyogeny, duplication rate and parasite virulence. Cellular Microbiology, 2016, 18, 1106-1120.	1.1	33
40	Dissecting the interface between apicomplexan parasite and host cell: Insights from a divergent AMA1-RON2 pair. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 398-403.	3.3	33
41	<i>Toxoplasma gondii</i> Hsp20 is a stripe-arranged chaperone-like protein associated with the outer leaflet of the inner membrane complex. Biology of the Cell, 2008, 100, 479-489.	0.7	32
42	Identification and characterization of <i>Toxoplasma</i> SIP, a conserved apicomplexan cytoskeleton protein involved in maintaining the shape, motility and virulence of the parasite. Cellular Microbiology, 2015, 17, 62-78.	1.1	29
43	Characterization, biosynthesis and fate of ROP7, a ROP2 related rhoptry protein of <i>Toxoplasma gondii</i> . Molecular and Biochemical Parasitology, 2006, 146, 98-100.	0.5	28
44	Identification of Novel O-Linked Glycosylated <i>Toxoplasma</i> Proteins by <i>Vicia villosa</i> Lectin Chromatography. PLoS ONE, 2016, 11, e0150561.	1.1	26
45	Further analysis of protection induced by the MIC3 DNA vaccine against <i>T. gondii</i> : CD4 and CD8 T cells are the major effectors of the MIC3 DNA vaccine-induced protection, both Lectin-like and EGF-like domains of MIC3 conferred protection. Vaccine, 2009, 27, 2959-2966.	1.7	23
46	<i>Toxoplasma gondii</i> autophagy-related protein ATG9 is crucial for the survival of parasites in their host. Cellular Microbiology, 2017, 19, e12712.	1.1	22
47	A proteomic analysis unravels novel CORVET and HOPS proteins involved in <i>Toxoplasma gondii</i> secretory organelles biogenesis. Cellular Microbiology, 2018, 20, e12870.	1.1	22
48	<i>Toxoplasma</i> Secretory Proteins and Their Roles in Cell Invasion and Intracellular Survival. , 2014, , 389-453.		20
49	<i>Toxoplasma gondii</i> chromosomal passenger complex is essential for the organization of a functional mitotic spindle: a prerequisite for productive endodyogeny. Cellular and Molecular Life Sciences, 2018, 75, 4417-4443.	2.4	20
50	Identification of a New Rhoptry Neck Complex RON9/RON10 in the Apicomplexa Parasite <i>Toxoplasma gondii</i> . PLoS ONE, 2012, 7, e32457.	1.1	18
51	Stability of the Plasmodium falciparum AMA1-RON2 Complex Is Governed by the Domain II (DII) Loop. PLoS ONE, 2016, 11, e0144764.	1.1	17
52	Rhoptry secretion system structure and priming in Plasmodium falciparum revealed using in situ cryo-electron tomography. Nature Microbiology, 2022, 7, 1230-1238.	5.9	17
53	Computational and biophysical approaches to protein-protein interaction inhibition of Plasmodium falciparum AMA1/RON2 complex. Journal of Computer-Aided Molecular Design, 2015, 29, 525-539.	1.3	16
54	RON4L1 is a new member of the moving junction complex in <i>Toxoplasma gondii</i> . Scientific Reports, 2017, 7, 17907.	1.6	16

#	ARTICLE	IF	CITATIONS
55	Unraveling the Elusive Rhoptry Exocytic Mechanism of Apicomplexa. Trends in Parasitology, 2021, 37, 622-637.	1.5	16
56	Phosphoinositides and their functions in apicomplexan parasites. International Journal for Parasitology, 2018, 48, 493-504.	1.3	15
57	A Toxoplasma gondii patatin-like phospholipase contributes to host cell invasion. PLoS Pathogens, 2020, 16, e1008650.	2.1	12
58	Characterization of Toxoplasma DegP, a rhoptry serine protease crucial for lethal infection in mice. PLoS ONE, 2017, 12, e0189556.	1.1	10
59	Mic1-3KO tachyzoite a live attenuated vaccine candidate against toxoplasmosis derived from a type I strain shows features of type II strain. Experimental Parasitology, 2009, 123, 111-117.	0.5	8
60	Identification of Toxoplasma TgPH1, a pleckstrin homology domain-containing protein that binds to the phosphoinositide PI(3,5)P <sub>2</sub> . Molecular and Biochemical Parasitology, 2016, 207, 39-44.	0.5	7
61	Shelp2, a bacterial-like phosphatase of the malaria parasite Plasmodium falciparum, is dispensable during asexual blood stage. PLoS ONE, 2017, 12, e0187073.	1.1	7
62	TgZFP2 is a novel zinc finger protein involved in coordinating mitosis and budding in Toxoplasma. Cellular Microbiology, 2020, 22, e13120.	1.1	5
63	Toxoplasma secretory proteins and their roles in parasite cell cycle and infection. , 2020, , 607-704.		5
64	Assessing Rhoptry Secretion in T. gondii. Methods in Molecular Biology, 2020, 2071, 143-155.	0.4	5
65	Editorial overview: Host-microbe interactions: parasites. Current Opinion in Microbiology, 2017, 40, viii-xi.	2.3	1
66	P18 (SRS35/TgSAG4) Plays a Role in the Invasion and Virulence of Toxoplasma gondii. Frontiers in Immunology, 2021, 12, 643292.	2.2	1