

Adnan Tufail

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2857338/adnan-tufail-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

113
papers

3,934
citations

34
h-index

60
g-index

120
ext. papers

4,934
ext. citations

5.3
avg, IF

5.38
L-index

| # | Paper | IF | Citations |
|-----|---|-----|-----------|
| 113 | Smoking in pregnancy is associated with increased adiposity and retinal arteriolar wall-to-lumen ratio in adolescence: The Copenhagen Child Cohort Study 2000.. <i>Microvascular Research</i> , 2022 , 104364 | 3.7 | |
| 112 | Estimating excess visual loss from neovascular age-related macular degeneration in the UK during the COVID-19 pandemic: a retrospective clinical audit and simulation model.. <i>BMJ Open</i> , 2022 , 12, e057269 | 3.7 | |
| 111 | Long-term development of lens fluorescence in a twin cohort: Heritability and effects of age and lifestyle. <i>PLoS ONE</i> , 2022 , 17, e0268458 | 3.7 | |
| 110 | Contextualizing single-arm trials with real-world data: An emulated target trial comparing therapies for neovascular age-related macular degeneration. <i>Clinical and Translational Science</i> , 2021 , 14, 1166-1175 | 4.9 | 1 |
| 109 | Diagnostic accuracy of diabetic retinopathy grading by an artificial intelligence-enabled algorithm compared with a human standard for wide-field true-colour confocal scanning and standard digital retinal images. <i>British Journal of Ophthalmology</i> , 2021 , 105, 265-270 | 5.5 | 12 |
| 108 | Retinal layer segmentation in rodent OCT images: Local intensity profiles & fully convolutional neural networks. <i>Computer Methods and Programs in Biomedicine</i> , 2021 , 198, 105788 | 6.9 | 3 |
| 107 | Incidence of cilioretinal arteries in 11- to 12-year-old children and association with maternal smoking during pregnancy: the Copenhagen Child Cohort 2000 Eye Study. <i>Acta Ophthalmologica</i> , 2021 , 99, e1162-e1167 | 3.7 | 1 |
| 106 | Efficacy and Safety of Intravitreal Aflibercept Treat-and-Extend for Macular Edema in Central Retinal Vein Occlusion: the CENTERA Study. <i>American Journal of Ophthalmology</i> , 2021 , 227, 106-115 | 4.9 | 5 |
| 105 | Effect of ethnicity and other sociodemographic factors on attendance at diabetic eye screening: a 12-month retrospective cohort study. <i>BMJ Open</i> , 2021 , 11, e046264 | 3 | 0 |
| 104 | Improved Differentiation of hESC-Derived Pancreatic Progenitors by Using Human Fetal Pancreatic Mesenchymal Cells in a Micro-scalable Three-Dimensional Co-culture System. <i>Stem Cell Reviews and Reports</i> , 2021 , 1 | 7.3 | 3 |
| 103 | Visual benefit versus visual gain: what is the effect of baseline covariants in the treatment arm relative to the control arm? A pooled analysis of ANCHOR and MARINA. <i>British Journal of Ophthalmology</i> , 2020 , 104, 672-677 | 5.5 | 6 |
| 102 | Cohort Profile: The Copenhagen Child Cohort Study (CCC2000). <i>International Journal of Epidemiology</i> , 2020 , 49, 370-371 | 7.8 | 10 |
| 101 | Comparison of true-colour wide-field confocal scanner imaging with standard fundus photography for diabetic retinopathy screening. <i>British Journal of Ophthalmology</i> , 2020 , 104, 1579-1584 | 5.5 | 7 |
| 100 | Moorfields AMD database report 2: fellow eye involvement with neovascular age-related macular degeneration. <i>British Journal of Ophthalmology</i> , 2020 , 104, 684-690 | 5.5 | 12 |
| 99 | Cell targeting strategy affects the intracellular trafficking of liposomes altering loaded doxorubicin release kinetics and efficacy in endothelial cells. <i>International Journal of Pharmaceutics</i> , 2020 , 588, 1197-1205 | 6.5 | 1 |
| 98 | One- and two-year visual outcomes from the Moorfields age-related macular degeneration database: a retrospective cohort study and an open science resource. <i>BMJ Open</i> , 2019 , 9, e027441 | 3 | 17 |
| 97 | Small Hard Macular Drusen and Associations in 11- to 12-Year-Old Children in the Copenhagen Child Cohort 2000 Eye Study 2019 , 60, 1454-1460 | | 2 |

| | | | |
|----|--|------|-----|
| 96 | Artificial Intelligence Screening for Diabetic Retinopathy: the Real-World Emerging Application. <i>Current Diabetes Reports</i> , 2019 , 19, 72 | 5.6 | 60 |
| 95 | Central serous chorioretinopathy: Towards an evidence-based treatment guideline. <i>Progress in Retinal and Eye Research</i> , 2019 , 73, 100770 | 20.5 | 122 |
| 94 | Towards Automatic Glaucoma Assessment: An Encoder-decoder CNN for Retinal Layer Segmentation in Rodent OCT images 2019 , | | 3 |
| 93 | Macular spatial distribution of preserved autofluorescence in patients with choroideremia. <i>British Journal of Ophthalmology</i> , 2019 , 103, 933-937 | 5.5 | 11 |
| 92 | Evaluating the Impact of Intravitreal Aflibercept on Diabetic Retinopathy Progression in the VIVID-DME and VISTA-DME Studies. <i>Ophthalmology Retina</i> , 2018 , 2, 988-996 | 3.8 | 31 |
| 91 | Real-world outcomes in patients with neovascular age-related macular degeneration treated with intravitreal vascular endothelial growth factor inhibitors. <i>Progress in Retinal and Eye Research</i> , 2018 , 65, 127-146 | 20.5 | 128 |
| 90 | Multimodal imaging of small hard retinal drusen in young healthy adults. <i>British Journal of Ophthalmology</i> , 2018 , 102, 146-152 | 5.5 | 15 |
| 89 | Treat-and-Extend versus Monthly Regimen in Neovascular Age-Related Macular Degeneration: Results with Ranibizumab from the TREND Study. <i>Ophthalmology</i> , 2018 , 125, 57-65 | 7.3 | 145 |
| 88 | Sustained Benefits from Ranibizumab for Central Retinal Vein Occlusion with Macular Edema: 24-Month Results of the CRYSTAL Study. <i>Ophthalmology Retina</i> , 2018 , 2, 134-142 | 3.8 | 16 |
| 87 | Semaglutide, reduction in glycated haemoglobin and the risk of diabetic retinopathy. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 889-897 | 6.7 | 114 |
| 86 | Thickness mapping of individual retinal layers and sectors by Spectralis SD-OCT in Autosomal Dominant Optic Atrophy. <i>Acta Ophthalmologica</i> , 2018 , 96, 251-256 | 3.7 | 11 |
| 85 | Post-marketing surveillance study of the safety of dexamethasone intravitreal implant in patients with retinal vein occlusion or noninfectious posterior segment uveitis. <i>Clinical Ophthalmology</i> , 2018 , 12, 2519-2534 | 2.5 | 10 |
| 84 | Quantification of retinal layer thickness changes in acute macular neuroretinopathy. <i>British Journal of Ophthalmology</i> , 2017 , 101, 160-165 | 5.5 | 13 |
| 83 | Association of Maternal Smoking During Pregnancy and Birth Weight With Retinal Nerve Fiber Layer Thickness in Children Aged 11 or 12 Years: The Copenhagen Child Cohort 2000 Eye Study. <i>JAMA Ophthalmology</i> , 2017 , 135, 331-337 | 3.9 | 16 |
| 82 | Measurement and Reproducibility of Preserved Ellipsoid Zone Area and Preserved Retinal Pigment Epithelium Area in Eyes With Choroideremia. <i>American Journal of Ophthalmology</i> , 2017 , 179, 110-117 | 4.9 | 43 |
| 81 | Non-invasive imaging of retinal blood flow in myeloproliferative neoplasms. <i>Acta Ophthalmologica</i> , 2017 , 95, 146-152 | 3.7 | 13 |
| 80 | Visual function and retinal vessel diameters during hyperthermia in man. <i>Acta Ophthalmologica</i> , 2017 , 95, 690-696 | 3.7 | 5 |
| 79 | Automated Diabetic Retinopathy Image Assessment Software: Diagnostic Accuracy and Cost-Effectiveness Compared with Human Graders. <i>Ophthalmology</i> , 2017 , 124, 343-351 | 7.3 | 110 |

| | | | |
|----|--|------|-----|
| 78 | Evidence of structurally continuous collagen fibrils in tendons. <i>Acta Biomaterialia</i> , 2017 , 50, 293-301 | 10.8 | 56 |
| 77 | Outcomes of Diabetic Macular Edema Patients by Baseline Hemoglobin A1c: Analyses from VISTA and VIVID. <i>Ophthalmology Retina</i> , 2017 , 1, 382-388 | 3.8 | 12 |
| 76 | Myopic Choroidal Neovascularization: Review, Guidance, and Consensus Statement on Management. <i>Ophthalmology</i> , 2017 , 124, 1690-1711 | 7.3 | 61 |
| 75 | Relationship between retinal vessel diameters and retinopathy in the Inter99 Eye Study. <i>Journal of Clinical and Translational Endocrinology</i> , 2017 , 8, 22-28 | 2.4 | 4 |
| 74 | Intravitreal ranibizumab for diabetic macular oedema in previously vitrectomized eyes. <i>Acta Ophthalmologica</i> , 2017 , 95, 28-32 | 3.7 | 21 |
| 73 | Baseline haemoglobin A1c influences retinal function after long-term insulin pump therapy. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2016 , 254, 467-73 | 3.8 | |
| 72 | Retinal structure in young patients aged 10 years or less with Best vitelliform macular dystrophy. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2016 , 254, 215-21 | 3.8 | 6 |
| 71 | Precursors of age-related macular degeneration: associations with vitamin A and interaction with CFHY402H in the Inter99 Eye Study. <i>Acta Ophthalmologica</i> , 2016 , 94, 657-662 | 3.7 | 4 |
| 70 | Eat Your Fish or Go for Nuts. <i>JAMA Ophthalmology</i> , 2016 , 134, 1150 | 3.9 | |
| 69 | Multimodal retinal imaging in the diagnosis of intraretinal microvascular abnormality. <i>Expert Review of Ophthalmology</i> , 2016 , 11, 485-495 | 1.5 | |
| 68 | Diabetic retinopathy. <i>Nature Reviews Disease Primers</i> , 2016 , 2, 16012 | 51.1 | 367 |
| 67 | Using Patient-Level Data to Develop Meaningful Cross-Trial Comparisons of Visual Impairment in Individuals with Diabetic Macular Edema. <i>Advances in Therapy</i> , 2016 , 33, 597-609 | 4.1 | 2 |
| 66 | Defining a Minimum Set of Standardized Patient-centered Outcome Measures for Macular Degeneration. <i>American Journal of Ophthalmology</i> , 2016 , 168, 1-12 | 4.9 | 73 |
| 65 | Individualized Ranibizumab Regimen Driven by Stabilization Criteria for Central Retinal Vein Occlusion: Twelve-Month Results of the CRYSTAL Study. <i>Ophthalmology</i> , 2016 , 123, 1101-11 | 7.3 | 70 |
| 64 | Systematic Evaluation of Optical Coherence Tomography Angiography in Retinal Vein Occlusion. <i>American Journal of Ophthalmology</i> , 2016 , 163, 93-107.e6 | 4.9 | 66 |
| 63 | Vascular endothelial growth factor inhibitor use and treatment approach for choroidal neovascularization secondary to pathologic myopia. <i>Expert Opinion on Biological Therapy</i> , 2016 , 16, 873-814 | 5.4 | 2 |
| 62 | Previous Intravitreal Therapy Is Associated with Increased Risk of Posterior Capsule Rupture during Cataract Surgery. <i>Ophthalmology</i> , 2016 , 123, 1252-6 | 7.3 | 17 |
| 61 | Dexamethasone Intravitreal Implant for Diabetic Macular Edema During Pregnancy. <i>American Journal of Ophthalmology</i> , 2016 , 165, 7-15 | 4.9 | 21 |

| | | | |
|----|--|-----|-----|
| 60 | Single-Chain Antibody Fragment VEGF Inhibitor RTH258 for Neovascular Age-Related Macular Degeneration: A Randomized Controlled Study. <i>Ophthalmology</i> , 2016 , 123, 1080-9 | 7.3 | 80 |
| 59 | Enhanced-Depth Imaging Optical Coherence Tomography of the Human Choroid In Vivo Compared With Histology After Enucleation 2016 , 57, OCT371-6 | | 5 |
| 58 | Clinical Characteristics, Mutation Spectrum, and Prevalence of Blind Eye Disease/Incomplete Congenital Stationary Night Blindness in Denmark 2016 , 57, 6861-6869 | | 19 |
| 57 | Retinal Vessel Diameters and Their Relationship with Cardiovascular Risk and All-Cause Mortality in the Inter99 Eye Study: A 15-Year Follow-Up. <i>Journal of Ophthalmology</i> , 2016 , 2016, 6138659 | 2 | 13 |
| 56 | Dark adaptation in relation to choroidal thickness in healthy young subjects: a cross-sectional, observational study. <i>BMC Ophthalmology</i> , 2016 , 16, 105 | 2.3 | 8 |
| 55 | The Evaluation of Diabetic Macular Ischemia Using Optical Coherence Tomography Angiography 2016 , 57, 626-31 | | 79 |
| 54 | Cone Photoreceptor Structure in Patients With X-Linked Cone Dysfunction and Red-Green Color Vision Deficiency 2016 , 57, 3853-63 | | 26 |
| 53 | Increased steroidogenesis promotes early-onset and severe vision loss in females with OPA1 dominant optic atrophy. <i>Human Molecular Genetics</i> , 2016 , 25, 2539-2551 | 5.6 | 11 |
| 52 | Retinal characteristics during 1 year of insulin pump therapy in type 1 diabetes: a prospective, controlled, observational study. <i>Acta Ophthalmologica</i> , 2016 , 94, 540-7 | 3.7 | 12 |
| 51 | Dissociation of Pupillary Post-Illumination Responses from Visual Function in Confirmed OPA1 c.983A > G and c.2708_2711delTTAG Autosomal Dominant Optic Atrophy. <i>Frontiers in Neurology</i> , 2015 , 6, 5 | 4.1 | 13 |
| 50 | Myopic choroidal neovascularisation: current concepts and update on clinical management. <i>British Journal of Ophthalmology</i> , 2015 , 99, 289-96 | 5.5 | 103 |
| 49 | The other CNVM: a review of myopic choroidal neovascularization treatment in the age of anti-vascular endothelial growth factor agents. <i>Survey of Ophthalmology</i> , 2015 , 60, 204-15 | 6.1 | 16 |
| 48 | Reevaluating the definition of intraretinal microvascular abnormalities and neovascularization elsewhere in diabetic retinopathy using optical coherence tomography and fluorescein angiography. <i>American Journal of Ophthalmology</i> , 2015 , 159, 101-10.e1 | 4.9 | 51 |
| 47 | Visual outcomes in relation to time to treatment in neovascular age-related macular degeneration. <i>Acta Ophthalmologica</i> , 2015 , 93, 616-20 | 3.7 | 28 |
| 46 | Retinal vascular and structural dynamics during acute hyperglycaemia. <i>Acta Ophthalmologica</i> , 2015 , 93, 697-705 | 3.7 | 7 |
| 45 | Genotype-phenotype heterogeneity of ganglion cell and inner plexiform layer deficit in autosomal-dominant optic atrophy. <i>Acta Ophthalmologica</i> , 2015 , 93, 762-6 | 3.7 | 6 |
| 44 | Action spectrum for photobleaching of human lenses by short wavelength visible irradiation. <i>PLoS ONE</i> , 2015 , 10, e0123732 | 3.7 | |
| 43 | Strategies for improving early detection and diagnosis of neovascular age-related macular degeneration. <i>Clinical Ophthalmology</i> , 2015 , 9, 353-66 | 2.5 | 34 |

| | | | |
|----|--|-----|-----|
| 42 | Comparative efficacy and safety of approved treatments for macular oedema secondary to branch retinal vein occlusion: a network meta-analysis. <i>BMJ Open</i> , 2015 , 5, e007527 | 3 | 33 |
| 41 | UK AMD EMR USERS GROUP REPORT V: benefits of initiating ranibizumab therapy for neovascular AMD in eyes with vision better than 6/12. <i>British Journal of Ophthalmology</i> , 2015 , 99, 1045-50 | 5.5 | 36 |
| 40 | Choroidal thickness in relation to birth parameters in 11- to 12-year-old children: the Copenhagen Child Cohort 2000 Eye Study. <i>Investigative Ophthalmology and Visual Science</i> , 2014 , 56, 617-24 | | 32 |
| 39 | The extended clinical phenotype of dome-shaped macula. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2014 , 252, 499-508 | 3.8 | 42 |
| 38 | Guidelines for the management of neovascular age-related macular degeneration by the European Society of Retina Specialists (EURETINA). <i>British Journal of Ophthalmology</i> , 2014 , 98, 1144-67 | 5.5 | 308 |
| 37 | The neovascular age-related macular degeneration database: report 2: incidence, management, and visual outcomes of second treated eyes. <i>Ophthalmology</i> , 2014 , 121, 1966-75 | 7.3 | 87 |
| 36 | Ocular phenotype analysis of a family with biallelic mutations in the BEST1 gene. <i>American Journal of Ophthalmology</i> , 2014 , 157, 697-709.e1-2 | 4.9 | 15 |
| 35 | Retinal vascular oximetry during ranibizumab treatment of central retinal vein occlusion. <i>British Journal of Ophthalmology</i> , 2014 , 98, 1208-11 | 5.5 | 28 |
| 34 | Mortality in patients with central retinal vein occlusion. <i>Ophthalmology</i> , 2014 , 121, 637-42 | 7.3 | 38 |
| 33 | Author reply: To PMID 24120325. <i>Ophthalmology</i> , 2014 , 121, e30-1 | 7.3 | 3 |
| 32 | Reappearance of the tapetal-like reflex after prolonged dark adaptation in a female carrier of RPGR ORF15 X-linked retinitis pigmentosa. <i>Molecular Vision</i> , 2014 , 20, 852-63 | 2.3 | 1 |
| 31 | Predictors of 1-year visual outcome in neovascular age-related macular degeneration following intravitreal ranibizumab treatment. <i>Acta Ophthalmologica</i> , 2013 , 91, 42-7 | 3.7 | 46 |
| 30 | A 4-year longitudinal study of 555 patients treated with ranibizumab for neovascular age-related macular degeneration. <i>Ophthalmology</i> , 2013 , 120, 2630-2636 | 7.3 | 82 |
| 29 | Imaging of the macula indicates early completion of structural deficit in autosomal-dominant optic atrophy. <i>Ophthalmology</i> , 2013 , 120, 2672-2677 | 7.3 | 36 |
| 28 | Incidence and baseline clinical characteristics of treated neovascular age-related macular degeneration in a well-defined region of the UK. <i>British Journal of Ophthalmology</i> , 2013 , 97, 1168-72 | 5.5 | 25 |
| 27 | Ocular Diagnostics and Imaging 2013 , 581 | | |
| 26 | Ranibizumab for the treatment of choroidal neovascularisation secondary to pathological myopia: interim analysis of the REPAIR study. <i>Eye</i> , 2013 , 27, 709-15 | 4.4 | 37 |
| 25 | Verteporfin plus ranibizumab for choroidal neovascularization in age-related macular degeneration: twelve-month MONT BLANC study results. <i>Ophthalmology</i> , 2012 , 119, 992-1000 | 7.3 | 95 |

| | | | |
|----|---|-----|-----|
| 24 | Author Response: Metamorphopsia Assessment before and after Vitrectomy for Macular Hole 2010 , 51, 6896 | | |
| 23 | Bevacizumab for neovascular age related macular degeneration (ABC Trial): multicentre randomised double masked study. <i>BMJ, The</i> , 2010 , 340, c2459 | 5.9 | 152 |
| 22 | Age-related macular degeneration: diagnosis and management. <i>British Medical Bulletin</i> , 2008 , 85, 127-49 | 5.4 | 68 |
| 21 | Time-resolved and Steady-state Fluorescence Spectroscopic Studies of the Human Lens with Comparison to Argpyrimidine, Pentosidine and 3-OH-kynurenine. <i>Photochemistry and Photobiology</i> , 2007 , 76, 549-554 | 3.6 | 2 |
| 20 | Assessment of automated screening for treatment-requiring diabetic retinopathy. <i>Current Eye Research</i> , 2007 , 32, 331-6 | 2.9 | 7 |
| 19 | Unilateral macular oedema secondary to retinal venous congestion without occlusion in patients with diabetes mellitus. <i>Acta Ophthalmologica</i> , 2005 , 83, 428-35 | | 11 |
| 18 | Overnight thickness variation in diabetic macular edema. <i>Investigative Ophthalmology and Visual Science</i> , 2005 , 46, 2313-6 | | 38 |
| 17 | Retinal artery and vein diameters during pregnancy in diabetic women. <i>Investigative Ophthalmology and Visual Science</i> , 2005 , 46, 709-13 | | 29 |
| 16 | Automated detection of fundus photographic red lesions in diabetic retinopathy. <i>Investigative Ophthalmology and Visual Science</i> , 2003 , 44, 761-6 | | 91 |
| 15 | Effects of pseudophakic lens capsule opacification on optical coherence tomography of the macula. <i>Current Eye Research</i> , 2001 , 23, 415-21 | 2.9 | 19 |
| 14 | Acute orbital compartment syndrome after lateral blow-out fracture effectively relieved by lateral cantholysis. <i>Acta Ophthalmologica</i> , 1999 , 77, 232-3 | | 34 |
| 13 | Detection of shallow detachments in central serous chorioretinopathy. <i>Acta Ophthalmologica</i> , 1999 , 77, 402-5 | | 19 |
| 12 | Enhanced visualisation of acute macular neuroretinopathy by spectral imaging. <i>Acta Ophthalmologica</i> , 1999 , 77, 592-3 | | 8 |
| 11 | The effect of acetazolamide on passive and active transport of fluorescein across the blood-retina barrier in retinitis pigmentosa complicated by macular oedema. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 1998 , 236, 881-9 | 3.8 | 45 |
| 10 | Blood-retina barrier permeability is independent of trace substance lipid solubility in retinitis pigmentosa and in the healthy eye. <i>International Ophthalmology</i> , 1997 , 21, 229-34 | 2.2 | 5 |
| 9 | Fluorescein transport across the human blood-retina barrier in the direction vitreous to blood. Quantitative assessment in vivo. <i>Acta Ophthalmologica</i> , 1994 , 72, 655-62 | 3.7 | 24 |
| 8 | Probenecid inhibition of the outward transport of fluorescein across the human blood-retina barrier. <i>Acta Ophthalmologica</i> , 1994 , 72, 663-7 | 3.7 | 23 |
| 7 | Absence of foveal avascular zone demonstrated by laser scanning fluorescein angiography. <i>Acta Ophthalmologica</i> , 1994 , 72, 550-2 | 3.7 | 9 |

| | | | |
|---|---|-----|----|
| 6 | Early changes in diabetic retinopathy: capillary loss and blood-retina barrier permeability in relation to metabolic control. <i>Acta Ophthalmologica</i> , 1994 , 72, 553-9 | 3.7 | 45 |
| 5 | Interferon alpha-2a treatment of patients with subfoveal neovascular macular degeneration. A pilot investigation. <i>Acta Ophthalmologica</i> , 1993 , 71, 27-31 | 3.7 | 24 |
| 4 | Long-term results of extracapsular cataract extraction with posterior chamber lens implantation: sodium hyaluronate 1% vs hydroxypropyl methylcellulose 2%. <i>Acta Ophthalmologica</i> , 1991 , 69, 766-9 | 3.7 | 12 |
| 3 | Blood-retina barrier permeability in diabetes during acute ACE-inhibition. <i>Acta Ophthalmologica</i> , 1991 , 69, 581-5 | 3.7 | 13 |
| 2 | Fluorescein and fluorescein glucuronide in vitreous: fluorescence and binding properties in vitro. <i>Acta Ophthalmologica</i> , 1989 , 67, 137-40 | 3.7 | 2 |
| 1 | Estimating excess visual loss in people with neovascular age-related macular degeneration during the COVID-19 pandemic | | 5 |