

Robert J Mccarthy Pharm D

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2857809/robert-j-mccarthy-pharm-d-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

268
papers

11,223
citations

56
h-index

97
g-index

288
ext. papers

12,760
ext. citations

3.5
avg, IF

6.14
L-index

#	Paper	IF	Citations
268	Effect of pulmonary artery catheterization on outcome in patients undergoing coronary artery surgery. <i>Anesthesiology</i> , 1989 , 70, 199-206	4.3	524
267	Perioperative single dose systemic dexamethasone for postoperative pain: a meta-analysis of randomized controlled trials. <i>Anesthesiology</i> , 2011 , 115, 575-88	4.3	464
266	Preoperative airway assessment: predictive value of a multivariate risk index. <i>Anesthesia and Analgesia</i> , 1996 , 82, 1197-204	3.9	462
265	Effects of epidural anesthesia and analgesia on coagulation and outcome after major vascular surgery. <i>Anesthesia and Analgesia</i> , 1991 , 73, 696-704	3.9	459
264	The risk of cesarean delivery with neuraxial analgesia given early versus late in labor. <i>New England Journal of Medicine</i> , 2005 , 352, 655-65	59.2	269
263	Dexamethasone to prevent postoperative nausea and vomiting: an updated meta-analysis of randomized controlled trials. <i>Anesthesia and Analgesia</i> , 2013 , 116, 58-74	3.9	205
262	Thromboelastography as an indicator of post-cardiopulmonary bypass coagulopathies. <i>Journal of Clinical Monitoring and Computing</i> , 1987 , 3, 25-30		203
261	Surgical duration and risk of venous thromboembolism. <i>JAMA Surgery</i> , 2015 , 150, 110-7	5.4	193
260	The prevalence of burnout and depression and their association with adherence to safety and practice standards: a survey of United States anesthesiology trainees. <i>Anesthesia and Analgesia</i> , 2013 , 117, 182-93	3.9	190
259	Morbidity and duration of ICU stay after cardiac surgery. A model for preoperative risk assessment. <i>Chest</i> , 1992 , 102, 36-44	5.3	187
258	Perioperative systemic magnesium to minimize postoperative pain: a meta-analysis of randomized controlled trials. <i>Anesthesiology</i> , 2013 , 119, 178-90	4.3	178
257	Assessment of chronic hepatitis and fibrosis: comparison of MR elastography and diffusion-weighted imaging. <i>American Journal of Roentgenology</i> , 2011 , 196, 553-61	5.4	177
256	Effect of helium-neon and infrared laser irradiation on wound healing in rabbits. <i>Lasers in Surgery and Medicine</i> , 1989 , 9, 50-8	3.6	169
255	Postoperative hypoxemia in morbidly obese patients with and without obstructive sleep apnea undergoing laparoscopic bariatric surgery. <i>Anesthesia and Analgesia</i> , 2008 , 107, 138-43	3.9	167
254	A randomized comparison of programmed intermittent epidural bolus with continuous epidural infusion for labor analgesia. <i>Anesthesia and Analgesia</i> , 2006 , 102, 904-9	3.9	166
253	Comparison of the particle sizes of different steroids and the effect of dilution: a review of the relative neurotoxicities of the steroids. <i>Anesthesiology</i> , 2007 , 106, 331-8	4.3	163
252	Does choice of anesthetic agent significantly affect outcome after coronary artery surgery?. <i>Anesthesiology</i> , 1989 , 70, 189-98	4.3	158

251	Transversus abdominis plane block to ameliorate postoperative pain outcomes after laparoscopic surgery: a meta-analysis of randomized controlled trials. <i>Anesthesia and Analgesia</i> , 2014 , 118, 454-463	3.9	151
250	Effects of Progressive Blood Loss on Coagulation as Measured by Thrombelastography. <i>Anesthesia and Analgesia</i> , 1987 , 66, 856-863	3.9	137
249	Intrathecal Magnesium Prolongs Fentanyl Analgesia: A Prospective, Randomized, Controlled Trial. <i>Anesthesia and Analgesia</i> , 2002 , 95, 661-666	3.9	136
248	Comparison of Viscoelastic Measures of Coagulation after Cardiopulmonary Bypass. <i>Anesthesia and Analgesia</i> , 1989 , 69, 69-75	3.9	136
247	Efficacy of a prophylactic epidural blood patch in preventing post dural puncture headache in parturients after inadvertent dural puncture. <i>Anesthesiology</i> , 2004 , 101, 1422-7	4.3	124
246	Systemic lidocaine to improve postoperative quality of recovery after ambulatory laparoscopic surgery. <i>Anesthesia and Analgesia</i> , 2012 , 115, 262-7	3.9	122
245	The accuracy of blood loss estimation after simulated vaginal delivery. <i>Anesthesia and Analgesia</i> , 2007 , 105, 1736-40, table of contents	3.9	116
244	Magnesium Sulfate Potentiates Morphine Antinociception at the Spinal Level. <i>Anesthesia and Analgesia</i> , 2000 , 90, 913-917	3.9	116
243	Angiotensin-Converting Enzyme Inhibitors Increase Vasoconstrictor Requirements After Cardiopulmonary Bypass. <i>Anesthesia and Analgesia</i> , 1995 , 80, 473-479	3.9	113
242	Diffusion-weighted MR imaging in pancreatic endocrine tumors correlated with histopathologic characteristics. <i>Journal of Magnetic Resonance Imaging</i> , 2011 , 33, 1071-9	5.6	112
241	Intraoperative neuraxial anesthesia but not postoperative neuraxial analgesia is associated with increased relapse-free survival in ovarian cancer patients after primary cytoreductive surgery. <i>Regional Anesthesia and Pain Medicine</i> , 2011 , 36, 271-7	3.4	109
240	Diffusion-weighted magnetic resonance imaging of pancreatic adenocarcinomas: association with histopathology and tumor grade. <i>Journal of Magnetic Resonance Imaging</i> , 2011 , 33, 136-42	5.6	101
239	Gastric emptying of water in obese pregnant women at term. <i>Anesthesia and Analgesia</i> , 2007 , 105, 751-53	3.9	99
238	Evaluation of coagulation during cardiopulmonary bypass with a heparinase-modified thromboelastographic assay. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1994 , 8, 144-9	2.1	99
237	Antinociceptive Potentiation and Attenuation of Tolerance by Intrathecal Co-Infusion of Magnesium Sulfate and Morphine in Rats. <i>Anesthesia and Analgesia</i> , 1998 , 86, 830-836	3.9	92
236	Comparison of Continuous Epidural Infusion of Fentanyl-Bupivacaine and Morphine-Bupivacaine in Management of Postoperative Pain. <i>Anesthesia and Analgesia</i> , 1988 , 67, 559-563	3.9	92
235	The effects of perineural versus intravenous dexamethasone on sciatic nerve blockade outcomes: a randomized, double-blind, placebo-controlled study. <i>Anesthesia and Analgesia</i> , 2014 , 118, 1113-9	3.9	90
234	Dose ranging study on the effect of preoperative dexamethasone on postoperative quality of recovery and opioid consumption after ambulatory gynaecological surgery. <i>British Journal of Anaesthesia</i> , 2011 , 107, 362-71	5.4	89

233	Protective effect of a novel, potent inhibitor of poly(adenosine 5P-diphosphate-ribose) synthetase in a porcine model of severe bacterial sepsis. <i>Critical Care Medicine</i> , 2002 , 30, 974-80	1.4	85
232	Neurologic sequelae after interscalene brachial plexus block for shoulder/upper arm surgery: the association of patient, anesthetic, and surgical factors to the incidence and clinical course. <i>Anesthesia and Analgesia</i> , 2005 , 100, 1489-1495	3.9	84
231	A dose-ranging study of the effect of transversus abdominis block on postoperative quality of recovery and analgesia after outpatient laparoscopy. <i>Anesthesia and Analgesia</i> , 2011 , 113, 1218-25	3.9	82
230	Systemic lidocaine to improve quality of recovery after laparoscopic bariatric surgery: a randomized double-blinded placebo-controlled trial. <i>Obesity Surgery</i> , 2014 , 24, 212-8	3.7	76
229	Acquisition of critical intraoperative event management skills in novice anesthesiology residents by using high-fidelity simulation-based training. <i>Anesthesiology</i> , 2010 , 112, 202-11	4.3	75
228	Development of an objective scoring system for measurement of resident performance on the human patient simulator. <i>Anesthesiology</i> , 2006 , 105, 260-6	4.3	73
227	Autologous blood donation: hemodynamics in a high-risk patient population. <i>Transfusion</i> , 1992 , 32, 17-22	2.9	73
226	The impact of health literacy in the care of surgical patients: a qualitative systematic review. <i>BMC Surgery</i> , 2015 , 15, 86	2.3	71
225	The Relationship of Body Mass Index with the Incidence of Postdural Puncture Headache in Parturients. <i>Anesthesia and Analgesia</i> , 2015 , 121, 451-6	3.9	70
224	The effect of manipulation of the programmed intermittent bolus time interval and injection volume on total drug use for labor epidural analgesia: a randomized controlled trial. <i>Anesthesia and Analgesia</i> , 2011 , 112, 904-11	3.9	70
223	Cooled Radiofrequency Ablation of the Genicular Nerves for Chronic Pain due to Knee Osteoarthritis: Six-Month Outcomes. <i>Pain Medicine</i> , 2017 , 18, 1631-1641	2.8	69
222	Aspirin does not increase allogeneic blood transfusion in reoperative coronary artery surgery. <i>Anesthesia and Analgesia</i> , 1996 , 83, 1178-84	3.9	68
221	High incidence of burnout in academic chairpersons of anesthesiology: should we be taking better care of our leaders?. <i>Anesthesiology</i> , 2011 , 114, 181-93	4.3	65
220	Utility of diffusion-weighted MRI in characterization of adrenal lesions. <i>American Journal of Roentgenology</i> , 2010 , 194, W179-85	5.4	65
219	Monoamine Oxidase Inhibitors. <i>Anesthesia and Analgesia</i> , 1985 , 64, 592-596	3.9	65
218	Early compared with late neuraxial analgesia in nulliparous labor induction: a randomized controlled trial. <i>Obstetrics and Gynecology</i> , 2009 , 113, 1066-1074	4.9	64
217	Magnetic resonance elastography and acoustic radiation force impulse for staging hepatic fibrosis: a meta-analysis. <i>Abdominal Imaging</i> , 2015 , 40, 818-34		62
216	Estimation of effectiveness of three methods of feral cat population control by use of a simulation model. <i>Journal of the American Veterinary Medical Association</i> , 2013 , 243, 502-11	1	58

215	Efficacy of ephedrine in the prevention of postoperative nausea and vomiting. <i>Anesthesia and Analgesia</i> , 1991 , 72, 58-61	3.9	58
214	Anesthesiology residency program director burnout. <i>Journal of Clinical Anesthesia</i> , 2011 , 23, 176-82	1.9	57
213	Single-dose systemic acetaminophen to prevent postoperative pain: a meta-analysis of randomized controlled trials. <i>Clinical Journal of Pain</i> , 2015 , 31, 86-93	3.5	56
212	A Prospective Randomized Trial of Prognostic Genicular Nerve Blocks to Determine the Predictive Value for the Outcome of Cooled Radiofrequency Ablation for Chronic Knee Pain Due to Osteoarthritis. <i>Pain Medicine</i> , 2018 , 19, 1628-1638	2.8	53
211	The association between allogeneic perioperative blood transfusion on tumour recurrence and survival in patients with advanced ovarian cancer. <i>Transfusion Medicine</i> , 2012 , 22, 97-103	1.3	53
210	Intrathecal magnesium prolongs fentanyl analgesia: a prospective, randomized, controlled trial. <i>Anesthesia and Analgesia</i> , 2002 , 95, 661-6, table of contents	3.9	52
209	Ultrasound diagnosis of peroneal tendon tears. A surgical correlation. <i>Journal of Bone and Joint Surgery - Series A</i> , 2005 , 87, 1788-94	5.6	50
208	Transversus abdominis plane infiltration and quality of recovery after laparoscopic hysterectomy: a randomized controlled trial. <i>Obstetrics and Gynecology</i> , 2011 , 118, 1230-1237	4.9	48
207	Incidence of postpartum lumbosacral spine and lower extremity nerve injuries. <i>Obstetrics and Gynecology</i> , 2003 , 101, 279-88	4.9	48
206	Status of Women in Academic Anesthesiology: A 10-Year Update. <i>Anesthesia and Analgesia</i> , 2019 , 128, 137-143	3.9	48
205	Single-Dose Adductor Canal Block With Local Infiltrative Analgesia Compared With Local Infiltrate Analgesia After Total Knee Arthroplasty: A Randomized, Double-Blind, Placebo-Controlled Trial. <i>Regional Anesthesia and Pain Medicine</i> , 2016 , 41, 678-684	3.4	47
204	Lumbosacral cerebrospinal fluid volume in humans using three-dimensional magnetic resonance imaging. <i>Anesthesia and Analgesia</i> , 2006 , 103, 1306-10	3.9	46
203	Individualizing beta-adrenergic blocker therapy: patient-specific target-based heart rate control. <i>Anesthesia and Analgesia</i> , 1999 , 88, 475-6	3.9	46
202	Observational study of the effect of mu-opioid receptor genetic polymorphism on intrathecal opioid labor analgesia and post-cesarean delivery analgesia. <i>International Journal of Obstetric Anesthesia</i> , 2010 , 19, 246-53	2.1	44
201	Low-dose ketamine with multimodal postcesarean delivery analgesia: a randomized controlled trial. <i>International Journal of Obstetric Anesthesia</i> , 2011 , 20, 3-9	2.1	42
200	The association between frequency of self-reported medical errors and anesthesia trainee supervision: a survey of United States anesthesiology residents-in-training. <i>Anesthesia and Analgesia</i> , 2013 , 116, 892-7	3.9	41
199	Factors affecting admission to anesthesiology residency in the United States: choosing the future of our specialty. <i>Anesthesiology</i> , 2012 , 117, 243-51	4.3	40
198	Publication bias in the anesthesiology literature. <i>Anesthesia and Analgesia</i> , 2012 , 114, 1042-8	3.9	40

197	Predictive Factors for Developing Chronic Pain After Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2018 , 33, 3372-3378	4.4	39
196	Shortage of perioperative drugs: implications for anesthesia practice and patient safety. <i>Anesthesia and Analgesia</i> , 2011 , 113, 1429-35	3.9	39
195	The effect of live and web-based education on the accuracy of blood-loss estimation in simulated obstetric scenarios. <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 202, 400.e1-5	6.4	39
194	Systemic metoclopramide to prevent postoperative nausea and vomiting: a meta-analysis without Fujiiß studies. <i>British Journal of Anaesthesia</i> , 2012 , 109, 688-97	5.4	38
193	The Berlin Questionnaire for assessment of sleep disordered breathing risk in parturients and non-pregnant women. <i>International Journal of Obstetric Anesthesia</i> , 2011 , 20, 22-5	2.1	38
192	Intrathecal bupivacaine reduces pruritus and prolongs duration of fentanyl analgesia during labor: a prospective, randomized controlled trial. <i>Anesthesia and Analgesia</i> , 1998 , 87, 1309-15	3.9	38
191	Beneficial impact of epidural anesthesia on recovery after outpatient arthroscopy. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 1993 , 9, 91-5	5.4	38
190	Status of anesthesiology resident research education in the United States: structured education programs increase resident research productivity. <i>Anesthesia and Analgesia</i> , 2013 , 116, 205-10	3.9	36
189	A randomized controlled trial of the impact of simulation-based training on resident performance during a simulated obstetric anesthesia emergency. <i>Simulation in Healthcare</i> , 2010 , 5, 320-4	2.8	36
188	Epidural and spinal opioids. <i>Current Opinion in Anaesthesiology</i> , 1995 , 8, 337-341	2.9	36
187	The ED90 of prophylactic oxytocin infusion after delivery of the placenta during cesarean delivery in laboring compared with nonlaboring women: an up-down sequential allocation dose-response study. <i>Anesthesia and Analgesia</i> , 2015 , 121, 159-164	3.9	35
186	Sarcoma of the proximal portion of the tibia in a dog 5.5 years after tibial plateau leveling osteotomy. <i>Journal of the American Veterinary Medical Association</i> , 2005 , 227, 1613-7, 1591	1	35
185	Randomized, blinded, placebo-controlled trial of tissue factor pathway inhibitor in porcine septic shock. <i>Shock</i> , 1998 , 10, 258-64	3.4	35
184	Systemic magnesium to reduce postoperative arrhythmias after coronary artery bypass graft surgery: a meta-analysis of randomized controlled trials. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2012 , 26, 643-50	2.1	34
183	Virtual airway simulation to improve dexterity among novices performing fibreoptic intubation. <i>Anaesthesia</i> , 2013 , 68, 1053-8	6.6	34
182	Postthoracotomy pain management using continuous epidural analgesia in 1,324 patients. <i>Annals of Thoracic Surgery</i> , 1994 , 58, 924-9; discussion 929-30	2.7	34
181	A randomized controlled trial of the effect of combined spinal-epidural analgesia on the success of external cephalic version for breech presentation. <i>International Journal of Obstetric Anesthesia</i> , 2009 , 18, 328-34	2.1	33
180	Effects of age and size on development of allodynia in a chronic pain model produced by sciatic nerve ligation in rats. <i>Pain</i> , 1992 , 51, 313-316	8	33

179	Cyclooxygenase-2 Inhibition Potentiates Morphine Antinociception At the Spinal Level in a Postoperative Pain Model. <i>Regional Anesthesia and Pain Medicine</i> , 2002 , 27, 451-455	3.4	32
178	Sufentanil-midazolam anesthesia for coronary artery surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1990 , 4, 308-13		32
177	Protection from venous air embolism with fluorocarbon emulsion FC-43. <i>Journal of Surgical Research</i> , 1986 , 41, 439-44	2.5	32
176	Long-Term Function, Pain and Medication Use Outcomes of Radiofrequency Ablation for Lumbar Facet Syndrome 2015 , 2,		32
175	Factors associated with the development of chronic pain after surgery for breast cancer: a prospective cohort from a tertiary center in the United States. <i>Breast Journal</i> , 2014 , 20, 9-14	1.2	31
174	Older Adults and Unanticipated Hospital Admission within 30 Days of Ambulatory Surgery: An Analysis of 53,667 Ambulatory Surgical Procedures. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 1679-85	5.6	30
173	Discrimination of metastatic lymph nodes in patients with gastric carcinoma using diffusion-weighted imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2013 , 37, 1436-44	5.6	29
172	Reliability and validity of assessing subspecialty level of faculty anesthesiologists supervision of anesthesiology residents. <i>Anesthesia and Analgesia</i> , 2015 , 120, 209-213	3.9	28
171	Infragluteal-parabiceps sciatic nerve block: an evaluation of a novel approach using a single-injection technique. <i>Anesthesia and Analgesia</i> , 2003 , 96, 868-873	3.9	28
170	A porcine model of peritonitis and bacteremia simulates human septic shock. <i>Shock</i> , 1996 , 6, 442-51	3.4	28
169	The incidence of venous air embolism during total hip arthroplasty. <i>Journal of Clinical Anesthesia</i> , 1988 , 1, 25-30	1.9	28
168	Epidural Labor Analgesia-Fentanyl Dose and Breastfeeding Success: A Randomized Clinical Trial. <i>Anesthesiology</i> , 2017 , 127, 614-624	4.3	27
167	Perineural dexamethasone to improve postoperative analgesia with peripheral nerve blocks: a meta-analysis of randomized controlled trials. <i>Pain Research and Treatment</i> , 2014 , 2014, 179029	1.9	27
166	Clinical signs and results of treatment in cats with patellar luxation: 42 cases (1992-2002). <i>Journal of the American Veterinary Medical Association</i> , 2006 , 228, 1370-5	1	27
165	Protein-free phospholipid emulsion treatment improved cardiopulmonary function and survival in porcine sepsis. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2003 , 284, R550-7	3.2	27
164	Angiotensin-converting enzyme inhibitors increase vasoconstrictor requirements after cardiopulmonary bypass. <i>Anesthesia and Analgesia</i> , 1995 , 80, 473-9	3.9	27
163	Efficacy and side effect profile of varying doses of intrathecal fentanyl added to bupivacaine for labor analgesia. <i>International Journal of Obstetric Anesthesia</i> , 2004 , 13, 19-24	2.1	26
162	Cholesterol-Based Pericardial Effusion and Aortic Thromboembolism in a 9-Year-Old Mixed-Breed Dog with Hypothyroidism. <i>Journal of Veterinary Internal Medicine</i> , 2004 , 18, 354-358	3.1	26

161	Acute postoperative pain is an independent predictor of chronic postsurgical pain following total knee arthroplasty at 6 months: a prospective cohort study. <i>Regional Anesthesia and Pain Medicine</i> , 2019 , 44,	3.4	26
160	Can diffusion-weighted magnetic resonance imaging of clear cell renal carcinoma predict low from high nuclear grade tumors. <i>Abdominal Radiology</i> , 2017 , 42, 1241-1249	3	25
159	MDCT necrosis quantification in the assessment of hepatocellular carcinoma response to yttrium 90 radioembolization therapy: comparison of two-dimensional and volumetric techniques. <i>Academic Radiology</i> , 2012 , 19, 48-54	4.3	25
158	A dose-ranging study of 0.5% bupivacaine or ropivacaine on the success and duration of the ultrasound-guided, nerve-stimulator-assisted sciatic nerve block: a double-blind, randomized clinical trial. <i>Regional Anesthesia and Pain Medicine</i> , 2013 , 38, 492-502	3.4	25
157	Detection of hypoventilation during deep sedation in patients undergoing ambulatory gynaecological hysteroscopy: a comparison between transcutaneous and nasal end-tidal carbon dioxide measurements. <i>British Journal of Anaesthesia</i> , 2010 , 104, 774-8	5.4	25
156	Intrathecal clonidine and tizanidine in conscious dogs: comparison of analgesic and hemodynamic effects. <i>Anesthesia and Analgesia</i> , 1996 , 82, 627-35	3.9	25
155	Effects of phenylephrine or volume loading on right ventricular function in patients undergoing myocardial revascularization. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1995 , 9, 2-8	2.1	25
154	Differentiation of Papillary Renal Cell Carcinoma Subtypes on MRI: Qualitative and Texture Analysis. <i>American Journal of Roentgenology</i> , 2018 , 211, 1234-1245	5.4	25
153	When Timing Is Everything: Are Placental MRI Examinations Performed Before 24 WeeksP Gestational Age Reliable?. <i>American Journal of Roentgenology</i> , 2015 , 205, 685-92	5.4	24
152	Is dexamethasone associated with recurrence of ovarian cancer?. <i>Anesthesia and Analgesia</i> , 2014 , 118, 1213-8	3.9	24
151	Material properties of and tissue reaction to the Slocum TPLO plate. <i>American Journal of Veterinary Research</i> , 2006 , 67, 1258-65	1.1	24
150	Effect of intrathecal tizanidine on antinociception and blood pressure in the rat. <i>Pain</i> , 1990 , 40, 333-338	8	24
149	The Effect of Intraoperative Systemic Lidocaine on Postoperative Persistent Pain Using Initiative on Methods, Measurement, and Pain Assessment in Clinical Trials Criteria Assessment Following Breast Cancer Surgery: A Randomized, Double-Blind, Placebo-Controlled Trial. <i>Pain Practice</i> , 2018 , 18, 350-359	3	23
148	Effectiveness of Pharmacist Intervention to Reduce Medication Errors and Health-Care Resources Utilization After Transitions of Care: A Meta-analysis of Randomized Controlled Trials. <i>Journal of Patient Safety</i> , 2021 , 17, 375-380	1.9	23
147	Lack of association between breast reconstructive surgery and the development of chronic pain after mastectomy: a propensity matched retrospective cohort analysis. <i>Breast</i> , 2014 , 23, 329-33	3.6	23
146	The effect of esmolol pretreatment on the incidence of regional wall motion abnormalities during electroconvulsive therapy. <i>Anesthesia and Analgesia</i> , 1996 , 82, 143-7	3.9	23
145	Discrepancies Between Randomized Controlled Trial Registry Entries and Content of Corresponding Manuscripts Reported in Anesthesiology Journals. <i>Anesthesia and Analgesia</i> , 2015 , 121, 1030-1033	3.9	22
144	Incidence of intradiscal injection during lumbar fluoroscopically guided transforaminal and interlaminar epidural steroid injections. <i>Anesthesia and Analgesia</i> , 2010 , 110, 1464-7	3.9	22

143	Nausea and vomiting after dexamethasone versus droperidol following outpatient laparoscopy with a propofol-based general anesthetic. <i>Acta Anaesthesiologica Scandinavica</i> , 1998 , 42, 637-42	1.9	22
142	Readability evaluation of Internet-based patient education materials related to the anesthesiology field. <i>Journal of Clinical Anesthesia</i> , 2015 , 27, 401-5	1.9	21
141	Determination of residual antiplatelet activity of clopidogrel before neuraxial injections. <i>British Journal of Anaesthesia</i> , 2011 , 107, 966-71	5.4	21
140	Intertarsal and tarsometatarsal arthrodesis using 2.0/2.7-mm or 2.7/3.5-mm hybrid dynamic compression plates. <i>Journal of the American Animal Hospital Association</i> , 2002 , 38, 364-9	1.3	21
139	Cardiorespiratory effects of venous air embolism in dogs receiving a perfluorocarbon emulsion. <i>Journal of Neurosurgery</i> , 1986 , 65, 238-44	3.2	21
138	Labor Analgesia Consumption and Time to Neuraxial Catheter Placement in Women with a History of Surgical Correction for Scoliosis: A Case-Matched Study. <i>Anesthesia and Analgesia</i> , 2015 , 121, 981-987	3.9	20
137	Overestimation of mortality risk and preoperative anxiety in patients undergoing elective general surgery procedures: a propensity matched analysis. <i>International Journal of Surgery</i> , 2014 , 12, 1473-7	7.5	20
136	Nerve stimulator-assisted evoked motor response predicts the latency and success of a single-injection sciatic block. <i>Anesthesia and Analgesia</i> , 2004 , 99, 584-8, table of contents	3.9	20
135	A randomized trial of epidural analgesia followed by continuous femoral analgesia compared with oral opioid analgesia on short- and long-term functional recovery after total knee replacement. <i>Pain Medicine</i> , 2012 , 13, 937-47	2.8	19
134	Desflurane/fentanyl compared with sevoflurane/fentanyl on awakening and quality of recovery in outpatient surgery using a laryngeal mask airway: a randomized, double-blinded controlled trial. <i>Journal of Clinical Anesthesia</i> , 2013 , 25, 651-8	1.9	19
133	Systemic magnesium to improve quality of post-surgical recovery in outpatient segmental mastectomy: a randomized, double-blind, placebo-controlled trial. <i>Magnesium Research</i> , 2013 , 26, 156-64	1.7	19
132	Postoperative epidural morphine for postpartum tubal ligation analgesia. <i>Anesthesia and Analgesia</i> , 2005 , 101, 876-881	3.9	19
131	The impact of health literacy on shared decision making before elective surgery: a propensity matched case control analysis. <i>BMC Health Services Research</i> , 2018 , 18, 958	2.9	19
130	Effect of Epidural Infusion Bolus Delivery Rate on the Duration of Labor Analgesia: A Randomized Clinical Trial. <i>Anesthesiology</i> , 2018 , 128, 745-753	4.3	18
129	Continuous intrathecal clonidine and tizanidine in conscious dogs: analgesic and hemodynamic effects. <i>Anesthesia and Analgesia</i> , 2003 , 96, 776-782	3.9	18
128	Long-term testing of an intracranial pressure monitoring device. <i>Journal of Neurosurgery</i> , 2000 , 93, 852-8	3.2	18
127	Antinociceptive potentiation and attenuation of tolerance by intrathecal co-infusion of magnesium sulfate and morphine in rats. <i>Anesthesia and Analgesia</i> , 1998 , 86, 830-6	3.9	18
126	The effect of sevoflurane compared to propofol maintenance on post-surgical quality of recovery in patients undergoing an ambulatory gynecological surgery: A prospective, randomized, double-blinded, controlled, clinical trial. <i>Journal of Clinical Anesthesia</i> , 2017 , 43, 70-74	1.9	17

125	Impact of the introduction of neuraxial labor analgesia on mode of delivery at an urban maternity hospital in China. <i>International Journal of Gynecology and Obstetrics</i> , 2015 , 129, 17-21	4	17
124	The effect of epidural test dose on motor function after a combined spinal-epidural technique for labor analgesia. <i>Anesthesia and Analgesia</i> , 2003 , 96, 1167-1172	3.9	17
123	Effects of high-dose fentanyl on fluid and vasopressor requirements after cardiac surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1988 , 2, 419-29		17
122	The Effect of Prophylactic Phenylephrine and Ephedrine Infusions on Umbilical Artery Blood pH in Women With Preeclampsia Undergoing Cesarean Delivery With Spinal Anesthesia: A Randomized, Double-Blind Trial. <i>Anesthesia and Analgesia</i> , 2018 , 126, 1999-2006	3.9	16
121	The effect of sevoflurane versus desflurane on the incidence of upper respiratory morbidity in patients undergoing general anesthesia with a Laryngeal Mask Airway: a meta-analysis of randomized controlled trials. <i>Journal of Clinical Anesthesia</i> , 2013 , 25, 452-8	1.9	16
120	The Incidence and Severity of Physical Pain Symptoms in Marfan Syndrome: A Survey of 993 Patients. <i>Clinical Journal of Pain</i> , 2015 , 31, 1080-6	3.5	16
119	Prior lumbar discectomy surgery does not alter the efficacy of neuraxial labor analgesia. <i>Anesthesia and Analgesia</i> , 2012 , 115, 348-53	3.9	16
118	Protection from coronary air embolism by a perfluorocarbon emulsion (FC-43). <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1987 , 1, 210-5		16
117	Transcutaneous Carbon Dioxide Measurements in Women Receiving Intrathecal Morphine for Cesarean Delivery: A Prospective Observational Study. <i>Anesthesia and Analgesia</i> , 2017 , 124, 872-878	3.9	15
116	Evaluation of a proximal block site and the use of nerve-stimulator-guided needle placement for posterior tibial nerve block. <i>Anesthesia and Analgesia</i> , 2006 , 103, 1300-5	3.9	15
115	Cyclooxygenase-2 inhibition potentiates morphine antinociception at the spinal level in a postoperative pain model. <i>Regional Anesthesia and Pain Medicine</i> , 2002 , 27, 451-5	3.4	15
114	Spinal phobia: survey results of patient attitudes and preferences regarding anesthesia. <i>Journal of Clinical Anesthesia</i> , 1995 , 7, 389-94	1.9	15
113	The incidence of coagulopathy in pregnant patients with intrahepatic cholestasis: should we delay or avoid neuraxial analgesia?. <i>Journal of Clinical Anesthesia</i> , 2014 , 26, 623-7	1.9	14
112	A comparison of the SNAP II and BIS XP indices during sevoflurane and nitrous oxide anaesthesia at 1 and 1.5 MAC and at awakening. <i>British Journal of Anaesthesia</i> , 2006 , 97, 181-6	5.4	14
111	The association between propofol-induced loss of consciousness and the SNAP index. <i>Anesthesia and Analgesia</i> , 2005 , 100, 141-148	3.9	14
110	Oxygen consumption and mixed venous oxygen saturation monitoring during orthotopic liver transplantation. <i>Journal of Clinical Monitoring and Computing</i> , 1992 , 8, 7-11		14
109	The Utility of Prostate Specific Antigen Density, Prostate Health Index, and Prostate Health Index Density in Predicting Positive Prostate Biopsy Outcome is Dependent on the Prostate Biopsy Methods. <i>Urology</i> , 2019 , 129, 153-159	1.6	13
108	The effect of ketamine on hypoventilation during deep sedation with midazolam and propofol: a randomised, double-blind, placebo-controlled trial. <i>European Journal of Anaesthesiology</i> , 2014 , 31, 654-62 ³		13

107	Deep-frozen allogeneic cancellous bone grafts in 10 dogs: a case series. <i>Veterinary Surgery</i> , 1996 , 25, 18-28	1.7	13
106	A Prospective Randomized Comparative Trial of Targeted Steroid Injection Via Epidural Catheter Versus Standard C7-T1 Interlaminar Approach for the Treatment of Unilateral Cervical Radicular Pain. <i>Regional Anesthesia and Pain Medicine</i> , 2017 , 42, 82-89	3.4	12
105	Perioperative Dexamethasone and the Development of Chronic Postmastectomy Pain: A Single-Center Observational Cohort Study. <i>Regional Anesthesia and Pain Medicine</i> , 2015 , 40, 539-44	3.4	12
104	A retrospective case-controlled study of the association between request to discontinue second stage labor epidural analgesia and risk of instrumental vaginal delivery. <i>International Journal of Obstetric Anesthesia</i> , 2008 , 17, 304-8	2.1	12
103	Does the design of the Sprotte spinal needle reduce the force needed to deform the tip?. <i>Journal of Clinical Anesthesia</i> , 1994 , 6, 411-3	1.9	12
102	Effects of nitrous oxide on coronary perfusion after coronary air embolism. <i>Anesthesiology</i> , 1987 , 67, 952-9	4.3	12
101	Predictors of 30-Day Pulmonary Complications after Outpatient Surgery: Relative Importance of Body Mass Index Weight Classifications in Risk Assessment. <i>Journal of the American College of Surgeons</i> , 2017 , 225, 312-323.e7	4.4	11
100	Effect of Intrathecal Bupivacaine Dose on the Success of External Cephalic Version for Breech Presentation: A Prospective, Randomized, Blinded Clinical Trial. <i>Anesthesiology</i> , 2017 , 127, 625-632	4.3	11
99	A randomized comparison of a modified intertendinous and classic posterior approach to popliteal sciatic nerve block. <i>Anesthesia and Analgesia</i> , 2009 , 108, 359-63	3.9	11
98	Transversus abdominis plane infiltration for laparoscopic gastric banding: A pilot study. <i>World Journal of Gastrointestinal Surgery</i> , 2014 , 6, 27-32	2.4	11
97	Thermal quantitative sensory testing to predict postoperative pain outcomes following gynecologic surgery. <i>Pain Medicine</i> , 2014 , 15, 857-64	2.8	10
96	The effect of intravenous dexamethasone and lidocaine on propofol-induced vascular pain: a randomized double-blinded placebo-controlled trial. <i>Pain Research and Treatment</i> , 2013 , 2013, 734531	1.9	10
95	Dose-ranging effects of intrathecal epinephrine on anesthesia/analgesia: a meta-analysis and metaregression of randomized controlled trials. <i>Regional Anesthesia and Pain Medicine</i> , 2012 , 37, 423-32	3.4	10
94	The interaction between epidural 2-chloroprocaine and morphine: a randomized controlled trial of the effect of drug administration timing on the efficacy of morphine analgesia. <i>Anesthesia and Analgesia</i> , 2009 , 109, 168-73	3.9	10
93	The antinociceptive and histologic effect of sciatic nerve blocks with 5% butamben suspension in rats. <i>Anesthesia and Analgesia</i> , 2002 , 94, 711-6; table of contents	3.9	10
92	Bioimpedance hemodynamics compared to pulmonary artery catheter monitoring during orthotopic liver transplantation. <i>Journal of Surgical Research</i> , 1993 , 54, 52-6	2.5	10
91	Dose-ranging effect of systemic diphenhydramine on postoperative quality of recovery after ambulatory laparoscopic surgery: a randomized, placebo-controlled, double-blinded, clinical trial. <i>Journal of Clinical Anesthesia</i> , 2016 , 34, 46-52	1.9	9
90	Continent jejunal reservoir (Kock pouch) for urinary diversion in dogs. <i>Veterinary Surgery</i> , 1992 , 21, 208-16	7	9

89	Comparison of anesthetic techniques in patients undergoing heart valve replacement. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1990 , 4, 159-67		9
88	Correlation of probability scores of placenta accreta on magnetic resonance imaging with hemorrhagic morbidity. <i>Journal of Clinical Anesthesia</i> , 2016 , 34, 261-9	1.9	9
87	Preoperative cognitive-behavioral therapy for reducing pain catastrophizing and improving pain outcomes after total knee replacement: a randomized clinical trial. <i>Regional Anesthesia and Pain Medicine</i> , 2021 , 46, 313-321	3.4	9
86	Mixing Studies in Patients With Prolonged Activated Partial Thromboplastin Time or Prothrombin Time. <i>Anesthesia and Analgesia</i> , 2019 , 128, 1089-1096	3.9	8
85	Relationship between ultrasound imaging and eliciting motor response during femoral nerve stimulation. <i>Journal of Ultrasound in Medicine</i> , 2009 , 28, 345-50	2.9	8
84	Body habitus does not influence spread of sensory blockade after the intrathecal injection of a hypobaric solution in term parturients. <i>Canadian Journal of Anaesthesia</i> , 2003 , 50, 689-93	3	8
83	Nerve Blocks With 5% Butamben Suspension for the Treatment of Chronic Pain Syndromes. <i>Regional Anesthesia and Pain Medicine</i> , 1998 , 23, 395-401	3.4	8
82	The Association of Targeted Cell Salvage Blood Transfusion During Cesarean Delivery With Allogeneic Packed Red Blood Cell Transfusions in a Maternity Hospital in China. <i>Anesthesia and Analgesia</i> , 2018 , 127, 706-713	3.9	7
81	Intrathecal Bupivacaine Reduces Pruritus and Prolongs Duration of Fentanyl Analgesia During Labor. <i>Anesthesia and Analgesia</i> , 1998 , 87, 1309-1315	3.9	7
80	Vasopressor challenges during chronic MAOI or TCA treatment in anesthetized dogs. <i>Life Sciences</i> , 1987 , 40, 2587-95	6.8	7
79	Antihyperalgesia effect of AMP-activated protein kinase (AMPK) activators in a mouse model of postoperative pain. <i>Regional Anesthesia and Pain Medicine</i> , 2019 ,	3.4	7
78	Single dose systemic acetaminophen to improve patient reported quality of recovery after ambulatory segmental mastectomy: A prospective, randomized, double-blinded, placebo controlled, clinical trial. <i>Breast Journal</i> , 2018 , 24, 240-244	1.2	7
77	Comparison of laryngeal mask airway insertion methods, including the external larynx lift with pre-inflated cuff, on postoperative pharyngolaryngeal complications: A randomised clinical trial. <i>European Journal of Anaesthesiology</i> , 2017 , 34, 448-455	2.3	6
76	The relationship between the Bispectral Index (BIS) and the Observer Alertness of Sedation Scale (OASS) scores during propofol sedation with and without ketamine: a randomized, double blinded, placebo controlled clinical trial. <i>Journal of Clinical Monitoring and Computing</i> , 2016 , 30, 495-501	2	6
75	The effect of intravenous magnesium therapy on the duration of intrathecal fentanyl labor analgesia. <i>International Journal of Obstetric Anesthesia</i> , 2012 , 21, 212-6	2.1	6
74	Effects of Continuous Arteriovenous Hemofiltration on Cardiopulmonary Abnormalities during Anesthesia for Orthotopic Liver Transplantation. <i>Anesthesia and Analgesia</i> , 1988 , 67, 363-369	3.9	6
73	Predicting common solid renal tumors using machine learning models of classification of radiologist-assessed magnetic resonance characteristics. <i>Abdominal Radiology</i> , 2020 , 45, 2797-2809	3	6
72	Maternal sedation during scheduled versus unscheduled cesarean delivery: implications for skin-to-skin contact. <i>International Journal of Obstetric Anesthesia</i> , 2016 , 27, 17-24	2.1	6

71	Effect of companion presence on maternal satisfaction during neuraxial catheter placement for labor analgesia: a randomized clinical trial. <i>International Journal of Obstetric Anesthesia</i> , 2019 , 38, 66-74	2.1	6
70	Anesthetic management of parturients with Arnold Chiari malformation-I: a multicenter retrospective study. <i>International Journal of Obstetric Anesthesia</i> , 2019 , 37, 52-56	2.1	6
69	Factors associated with blood transfusion during intracranial aneurysm surgery. <i>Journal of Clinical Anesthesia</i> , 2017 , 36, 164-167	1.9	5
68	Association of the addition of a transversus abdominis plane block to an enhanced recovery program with opioid consumption, postoperative antiemetic use, and discharge time in patients undergoing laparoscopic bariatric surgery: a retrospective study. <i>Regional Anesthesia and Pain Medicine</i> , 2020 , 45, 180-186	3.4	5
67	The influence of time of day of administration on duration of opioid labor analgesia. <i>Anesthesia and Analgesia</i> , 2010 , 111, 986-91	3.9	5
66	Early Treatment With Metformin in a Mice Model of Complex Regional Pain Syndrome Reduces Pain and Edema. <i>Anesthesia and Analgesia</i> , 2020 , 130, 525-534	3.9	4
65	The effect of the arterial catheter insertion technique on the success of radial artery cannulation: a prospective and randomized study. <i>Journal of Critical Care</i> , 2014 , 29, 475.e7-10	4	4
64	Does Cervical Interlaminar Epidural Steroid Injection with Low-Dose Lidocaine Cause Objective Upper Extremity Weakness? A Preliminary Study. <i>Pain Medicine</i> , 2017 , 18, 2296-2305	2.8	4
63	Removal of a knotted stimulating femoral nerve catheter using a saline bolus injection. <i>Local and Regional Anesthesia</i> , 2010 , 3, 31-4	2.3	4
62	Sensory testing of distal sural and posterior tibial nerves provides early prediction of surgical anesthesia after single-injection infragluteal-parabiceps sciatic nerve block. <i>Anesthesia and Analgesia</i> , 2010 , 110, 951-7	3.9	4
61	Ball bearing (BB) guns, ease of purchase and potential for significant injury. <i>Annals of the Royal College of Surgeons of England</i> , 2006 , 88, 402-4	1.4	4
60	AMP-activated protein kinase (AMPK) activator drugs reduce mechanical allodynia in a mouse model of low back pain. <i>Regional Anesthesia and Pain Medicine</i> , 2019 ,	3.4	4
59	Opioid Stewardship Program and Postoperative Adverse Events: A Difference-in-differences Cohort Study. <i>Anesthesiology</i> , 2020 , 132, 1558-1568	4.3	4
58	Cholesterol-based pericardial effusion and aortic thromboembolism in a 9-year-old mixed-breed dog with hypothyroidism. <i>Journal of Veterinary Internal Medicine</i> , 2004 , 18, 354-8	3.1	4
57	Neuraxial labor analgesia is not an independent predictor of perineal lacerations after vaginal delivery of patients with intrauterine fetal demise. <i>International Journal of Obstetric Anesthesia</i> , 2017 , 32, 21-27	2.1	3
56	Pediatric Anesthesiology Fellows Perception of Quality of Attending Supervision and Medical Errors. <i>Anesthesia and Analgesia</i> , 2018 , 126, 639-643	3.9	3
55	A randomized comparison of the use of an optical compared with a rigid laryngoscope on the success rate of novices performing tracheal intubation. <i>Anesthesia and Analgesia</i> , 2011 , 112, 615-8	3.9	3
54	Recombinant activated factor VII and perioperative blood loss. <i>Lancet, The</i> , 2003 , 361, 1745; author reply 1745-6	4.0	3

53	Intrathecal Clonidine and Tizanidine in Conscious Dogs. <i>Anesthesia and Analgesia</i> , 1996 , 82, 627-635	3.9	3
52	Severe kinking of an epidural needle. <i>Anesthesia and Analgesia</i> , 1994 , 78, 607-8	3.9	3
51	The impact of liver transplant programs on anesthesia personnel and services. <i>Journal of Clinical Anesthesia</i> , 1989 , 1, 186-93	1.9	3
50	Prophylactic Intrathecal Morphine and Prevention of Post-Dural Puncture Headache: A Randomized Double-blind Trial. <i>Anesthesiology</i> , 2020 , 132, 1045-1052	4.3	3
49	Esmolol does not improve quality of postsurgical recovery after ambulatory hysteroscopy: A prospective, randomized, double-blinded, placebo-controlled, clinical trial. <i>Medicine (United States)</i> , 2018 , 97, e12647	1.8	3
48	The abrupt pancreatic duct cutoff sign on MDCT and MRI. <i>Abdominal Radiology</i> , 2020 , 45, 2476-2484	3	2
47	Anesthetic management of pediatric patients with Niemann-Pick disease type C for intrathecal 2-hydroxypropyl- β -cyclodextrin injection. <i>Paediatric Anaesthesia</i> , 2020 , 30, 766-772	1.8	2
46	Effects of Preoperatively Administered Oral Gabapentin and Acetaminophen on Opioid Consumption When Added to an Analgesic Regimen Containing Dexamethasone for Abdominal and Vaginal Hysterectomies. <i>Journal of Gynecologic Surgery</i> , 2017 , 33, 243-247	0.4	2
45	Clotting-Factor Concentrations 5 Days After Discontinuation of Warfarin. <i>Regional Anesthesia and Pain Medicine</i> , 2018 , 43, 616-620	3.4	2
44	Nerve stimulator-guided supplemental popliteal sciatic nerve block after a failed sciatic block does not increase the incidence of transient postoperative neurologic sequelae. <i>Anesthesiology</i> , 2011 , 115, 596-603	4.3	2
43	Postoperative Monitoring of Obese Patients with Obstructive Sleep Apnea. <i>Anesthesia and Analgesia</i> , 2009 , 108, 1045	3.9	2
42	A retrospective study of positive antibody screens at delivery in Rh-negative parturients. <i>Canadian Journal of Anaesthesia</i> , 2010 , 57, 811-6	3	2
41	Posterior approach to the sciatic nerve: can "common sense" replace science and logic?. <i>Anesthesiology</i> , 2003 , 99, 1237-8; author reply 1238-9	4.3	2
40	Is epidural anesthesia really better for major vascular surgery?. <i>Anesthesia and Analgesia</i> , 1992 , 75, 141-2	3.9	2
39	Perfluorocarbon emulsions and air embolism. <i>Annals of Thoracic Surgery</i> , 1987 , 44, 223	2.7	2
38	DOES MELATONIN DECREASE SEDATIVE USE AND TIME TO EXTUBATION IN PATIENTS REQUIRING PROLONGED MECHANICAL VENTILATION?. <i>Anesthesia and Analgesia</i> , 1999 , 88, 1235	3.9	2
37	First Job Search of Residents in the United States: A Survey of Anesthesiology TraineesPInterest in Academic Positions in Cities Distant from Previous Residences. <i>A & A Case Reports</i> , 2016 , 6, 34-8		2
36	Retrospective analysis of corrosion and ion release from retrieved cast stainless steel tibia plateau leveling osteotomy plates in dogs with and without peri-implant osteosarcoma. <i>American Journal of Veterinary Research</i> , 2018 , 79, 970-979	1.1	2

35	Trajectories of opioid consumption from day of surgery to 28 days postoperatively: a prospective cohort study in patients undergoing abdominal, joint, or spine surgery. <i>Regional Anesthesia and Pain Medicine</i> , 2021 , 46, 1067-1075	3.4	2
34	RNA expression preoperatively and postoperatively following total knee replacement: a pilot study in patients with and without chronic postsurgical pain. <i>Regional Anesthesia and Pain Medicine</i> , 2019 ,	3.4	1
33	Status of obstetric anesthesiology fellowship research education in the USA and Canada: a 2013 survey of fellowship program directors. <i>International Journal of Obstetric Anesthesia</i> , 2015 , 24, 193-4	2.1	1
32	Body mass index as an indicator of the likelihood of ultrasound visualization of the appendix in pregnant women with suspicion of appendicitis. <i>Abdominal Radiology</i> , 2020 , 45, 2637-2646	3	1
31	In response. <i>Anesthesia and Analgesia</i> , 2015 , 121, 251-252	3.9	1
30	Early labor neuraxial analgesia: effects on the progress and outcome of labor. <i>Anesthesiology</i> , 2010 , 112, 1053-4; author reply 1054-5	4.3	1
29	The threshold elicited motor response via an in situ femoral nerve catheter predicts analgesia following total knee replacement. <i>Local and Regional Anesthesia</i> , 2010 , 3, 109-14	2.3	1
28	A comparison of epinephrine concentrations in local anesthetic solutions using a "wash" versus measured technique. <i>Anesthesia and Analgesia</i> , 2009 , 108, 1243-5	3.9	1
27	The effect of chronic renal failure on plasma aprotinin levels during cardiac surgery. <i>Anesthesia and Analgesia</i> , 1997 , 85, 763-5	3.9	1
26	Modified subgluteal approach to the sciatic nerve. <i>Anesthesia and Analgesia</i> , 2003 , 97, 1198	3.9	1
25	Aprotinin Pretreatment Diminishes Postischemic Myocardial Contractile Dysfunction in Dogs. <i>Anesthesia and Analgesia</i> , 1999 , 89, 1096-1100	3.9	1
24	Thromboelastogram and postoperative hemorrhage. <i>Annals of Thoracic Surgery</i> , 1992 , 54, 811-2; author reply 813	2.7	1
23	Hemorrhage after bypass surgery. <i>Chest</i> , 1990 , 98, 255-6	5.3	1
22	A Comparison of Refill Procedures and Patient Outcomes Following Ultrasound-Guided and Template-Guided Intrathecal Drug Delivery Systems With Recessed Ports. <i>Neuromodulation</i> , 2020 , 23, 938-943	3.1	1
21	Institution of prothrombin complex concentrate protocols is associated with a reduction in plasma administration at a Tertiary Care Hospital. <i>Journal of Clinical Anesthesia</i> , 2021 , 70, 110164	1.9	1
20	Greater Cephalad Extent of Thoracic Epidural Sensory Anesthesia After Lidocaine and Epinephrine Test Dose Correlates With Analgesic Consumption and Pain Burden After Uterine Fibroid Artery Embolization. <i>Regional Anesthesia and Pain Medicine</i> , 2016 , 41, 56-64	3.4	1
19	The Clinical Significance of Patient Specimen Transport Modality: Pneumatic Tube System Impact on Blood Gas Analytes. <i>Respiratory Care</i> , 2016 , 61, 1311-5	2.1	1
18	The Prevalence of Burnout and Depression and Their Association With Adherence to Safety and Practice Standards. <i>Survey of Anesthesiology</i> , 2013 , 57, 279		0

- 17 On the dynamics of health capital accumulation. *Social Science and Medicine*, **2006**, 63, 817-28 5.1 0
- 16 Multi-Site Observational Study to Assess Biomarkers for Susceptibility or Resilience to Chronic Pain: The Acute to Chronic Pain Signatures (A2CPS) Study Protocol.. *Frontiers in Medicine*, **2022**, 9, 849214 4.9 0
- 15 Labor Analgesia Consumption and Time to Neuraxial Catheter Placement in Women With a History of Surgical Correction for Scoliosis. *Survey of Anesthesiology*, **2016**, 60, 153-154
- 14 Global cerebral ischemia with subsequent respiratory arrest in a cat after repeated use of a spring-loaded mouth gag. *Journal of Feline Medicine and Surgery Open Reports*, **2017**, 3, 2055116917739125 4.5
- 13 In Response. *Anesthesia and Analgesia*, **2017**, 125, 356-357 3.9
- 12 Comparison of SNAP-II and BIS Vista indices during normothermic cardiopulmonary bypass under isoflurane anesthesia. *Journal of Clinical Monitoring and Computing*, **2011**, 25, 365-70 2
- 11 Severity of Obstructive Sleep Apnea Syndrome May Affect Postoperative Hypoxemia in Morbidly Obese Patients. *Anesthesia and Analgesia*, **2009**, 108, 1044 3.9
- 10 Finds discrepancy between studies on canine tibial plateau leveling osteotomy plates. *American Journal of Veterinary Research*, **2007**, 68, 1139; author reply 1139-40 1.1
- 9 Re: Spinal phobia: survey results of patient attitudes and preferences regarding anesthesia. *Journal of Clinical Anesthesia*, **1996**, 8, 340 1.9
- 8 Is There a Place for Intrathecal Clonidine for Clinical Analgesia?. *Anesthesia and Analgesia*, **1996**, 83, 891 3.9
- 7 Is There a Place for Intrathecal Clonidine for Clinical Analgesia?. *Anesthesia and Analgesia*, **1996**, 83, 891 3.9
- 6 Walk, Don't Run. *Anesthesia and Analgesia*, **1995**, 80, 1067 3.9
- 5 Response to letter regarding Trajectories of opioid consumption from day of surgery to 28 days postoperatively: a prospective cohort study in patients undergoing abdominal, joint, or spine surgery. *Regional Anesthesia and Pain Medicine*, **2021**, 3.4
- 4 Effect of Epidural Test Dose on Ambulation after a Combined Spinal Epidural Technique for Labor Analgesia. *Anesthesiology*, **2002**, 96, A1053 4.3
- 3 Influence of Height, Weight and Patient Position on Sensory Level after Intrathecal Labor Analgesia with a Hypobaric Solution. *Anesthesiology*, **2002**, 96, A1017 4.3
- 2 Response to Antihyperalgesia effect of AMP-activated protein kinase (AMPK) activators in a mouse model of postoperative pain. *Regional Anesthesia and Pain Medicine*, **2020**, 45, 250-251 3.4
- 1 Just Who Is Burning Out ... Chairpersons or Program Directors?. *Anesthesiology*, **2011**, 115, 437-437 4.3