

# Helle A Praetorius

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2859704/publications.pdf>

Version: 2024-02-01

63  
papers

2,548  
citations

236833

25  
h-index

189801

50  
g-index

63  
all docs

63  
docs citations

63  
times ranked

2780  
citing authors

#	ARTICLE	IF	CITATIONS
1	A PHYSIOLOGICAL VIEW OF THE PRIMARY CILIUM. Annual Review of Physiology, 2005, 67, 515-529.	5.6	258
2	The renal cell primary cilium functions as a flow sensor. Current Opinion in Nephrology and Hypertension, 2003, 12, 517-520.	1.0	236
3	ATP release from non-excitabile cells. Purinergic Signalling, 2009, 5, 433-446.	1.1	202
4	Inhibition of the sarco/endoplasmic reticulum (ER) Ca <sup>2+</sup> -ATPase by thapsigargin analogs induces cell death via ER Ca <sup>2+</sup> depletion and the unfolded protein response. Journal of Biological Chemistry, 2017, 292, 19656-19673.	1.6	147
5	Low Chloride Stimulation of Prostaglandin E <sub>2</sub> Release and Cyclooxygenase-2 Expression in a Mouse Macula Densa Cell Line. Journal of Biological Chemistry, 2000, 275, 37922-37929.	1.6	145
6	Î±-Hemolysin from <i>Escherichia coli</i> uses endogenous amplification through P2X receptor activation to induce hemolysis. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 4030-4035.	3.3	113
7	Vasopressin-independent targeting of aquaporin-2 by selective E-prostanoid receptor agonists alleviates nephrogenic diabetes insipidus. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 12949-12954.	3.3	113
8	Intrarenal Purinergic Signaling in the Control of Renal Tubular Transport. Annual Review of Physiology, 2010, 72, 377-393.	5.6	111
9	Flow-Induced [Ca <sup>2+</sup> ] <sub>i</sub> Increase Depends on Nucleotide Release and Subsequent Purinergic Signaling in the Intact Nephron. Journal of the American Society of Nephrology: JASN, 2007, 18, 2062-2070.	3.0	108
10	Colonic potassium handling. Pflugers Archiv European Journal of Physiology, 2010, 459, 645-656.	1.3	88
11	Aldosterone increases K <sup>+</sup> (BK) channel-mediated colonic K <sup>+</sup> secretion. Journal of Physiology, 2008, 586, 4251-4264.	1.3	74
12	The primary cilium as sensor of fluid flow: new building blocks to the model. A Review in the Theme: Cell Signaling: Proteins, Pathways and Mechanisms. American Journal of Physiology - Cell Physiology, 2015, 308, C198-C208.	2.1	70
13	Angiotensin II mediates downregulation of aquaporin water channels and key renal sodium transporters in response to urinary tract obstruction. American Journal of Physiology - Renal Physiology, 2006, 291, F1021-F1032.	1.3	65
14	Bacterial RTX Toxins Allow Acute ATP Release from Human Erythrocytes Directly through the Toxin Pore. Journal of Biological Chemistry, 2014, 289, 19098-19109.	1.6	54
15	<i>Escherichia coli</i> Î±-Hemolysin Triggers Shrinkage of Erythrocytes via KCa <sub>3.1</sub> and TMEM16A Channels with Subsequent Phosphatidylserine Exposure. Journal of Biological Chemistry, 2010, 285, 15557-15565.	1.6	53
16	Interaction Between Na <sup>+</sup> /K <sup>+</sup> -Pump and Na <sup>+</sup> /Ca <sup>2+</sup> -Exchanger Modulates Intercellular Communication. Circulation Research, 2007, 100, 1026-1035.	2.0	52
17	Haemolysis induced by Î±-toxin from <i>Staphylococcus aureus</i> requires P2X receptor activation. Pflugers Archiv European Journal of Physiology, 2011, 462, 669-679.	1.3	47
18	17Î²-Estradiol induces nongenomic effects in renal intercalated cells through G protein-coupled estrogen receptor 1. American Journal of Physiology - Renal Physiology, 2012, 302, F358-F368.	1.3	44

#	ARTICLE	IF	CITATIONS
19	Leukotoxin from <i>Aggregatibacter actinomycetemcomitans</i> causes shrinkage and P2X receptor-dependent lysis of human erythrocytes. <i>Cellular Microbiology</i> , 2012, 14, 1904-1920.	1.1	42
20	P2X1, P2X4, and P2X7 Receptor Knock Out Mice Expose Differential Outcome of Sepsis Induced by $\hat{\pm}$ -Haemolysin Producing <i>Escherichia coli</i> . <i>Frontiers in Cellular and Infection Microbiology</i> , 2017, 7, 113.	1.8	39
21	Furosemide-induced urinary acidification is caused by pronounced H <sup>+</sup> secretion in the thick ascending limb. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 309, F146-F153.	1.3	38
22	Adrenaline-induced colonic K <sup>+</sup> secretion is mediated by KCa1.1 (BK) channels. <i>Journal of Physiology</i> , 2010, 588, 1763-1777.	1.3	34
23	Primary cilium-dependent sensing of urinary flow and paracrine purinergic signaling. <i>Seminars in Cell and Developmental Biology</i> , 2013, 24, 3-10.	2.3	33
24	Basolateral P2X receptors mediate inhibition of NaCl transport in mouse medullary thick ascending limb (mTAL). <i>American Journal of Physiology - Renal Physiology</i> , 2012, 302, F487-F494.	1.3	30
25	AVP-stimulated nucleotide secretion in perfused mouse medullary thick ascending limb and cortical collecting duct. <i>American Journal of Physiology - Renal Physiology</i> , 2009, 297, F341-F349.	1.3	29
26	Renal epithelial cells can release ATP by vesicular fusion. <i>Frontiers in Physiology</i> , 2013, 4, 238.	1.3	24
27	Comment on <i>Aggregatibacter actinomycetemcomitans</i> "induced hypercitrullination links periodontal infection to autoimmunity in rheumatoid arthritis". <i>Science Translational Medicine</i> , 2018, 10, .	5.8	24
28	Python Erythrocytes Are Resistant to $\hat{\pm}$ -Hemolysin from <i>Escherichia coli</i> . <i>Journal of Membrane Biology</i> , 2011, 244, 131-140.	1.0	23
29	Inhibition of P2X Receptors Protects Human Monocytes against Damage by Leukotoxin from <i>Aggregatibacter actinomycetemcomitans</i> and $\hat{\pm}$ -Hemolysin from <i>Escherichia coli</i> . <i>Infection and Immunity</i> , 2016, 84, 3114-3130.	1.0	22
30	Renal Autocrine and Paracrine Signaling: A Story of Self-protection. <i>Physiological Reviews</i> , 2020, 100, 1229-1289.	13.1	20
31	Effects of extracellular HCO <sub>3</sub> <sup>-</sup> on fatigue, pHi, and K <sup>+</sup> efflux in rat skeletal muscles. <i>Journal of Applied Physiology</i> , 2007, 103, 494-503.	1.2	19
32	The secretory KCa1.1 channel localises to crypts of distal mouse colon: functional and molecular evidence. <i>Pflügers Archiv European Journal of Physiology</i> , 2011, 462, 745-752.	1.3	19
33	Sialic Acid Residues Are Essential for Cell Lysis Mediated by Leukotoxin from <i>Aggregatibacter actinomycetemcomitans</i> . <i>Infection and Immunity</i> , 2014, 82, 2219-2228.	1.0	18
34	Fluid flow sensing and triggered nucleotide release in epithelia. <i>Journal of Physiology</i> , 2008, 586, 2669-2669.	1.3	16
35	P2X Receptor-Dependent Erythrocyte Damage by $\hat{\pm}$ -Hemolysin from <i>Escherichia coli</i> Triggers Phagocytosis by THP-1 Cells. <i>Toxins</i> , 2013, 5, 472-487.	1.5	16
36	[Ca <sup>2+</sup> ] Oscillations and IL-6 Release Induced by $\hat{\pm}$ -Hemolysin from <i>Escherichia coli</i> Require P2 Receptor Activation in Renal Epithelia. <i>Journal of Biological Chemistry</i> , 2015, 290, 14776-14784.	1.6	13

#	ARTICLE	IF	CITATIONS
37	Hyperaldosteronism after decreased renal K <sup>+</sup> excretion in KCNMB2 knockout mice. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 310, F1035-F1046.	1.3	13
38	Haemolysin production, as a single factor, causes fulminant sepsis in a model of <i>Escherichia coli</i> -induced bacteraemia. <i>Cellular Microbiology</i> , 2019, 21, e13017.	1.1	13
39	Lack of P2X7 Receptors Protects against Renal Fibrosis after Pyelonephritis with $\beta$ -Hemolysin-Producing <i>Escherichia coli</i> . <i>American Journal of Pathology</i> , 2019, 189, 1201-1211.	1.9	11
40	Erythrocyte P2X1 receptor expression is correlated with change in haematocrit in patients admitted to the ICU with blood pathogen-positive sepsis. <i>Critical Care</i> , 2018, 22, 181.	2.5	9
41	P2Y2 receptor knock-out mice display normal NaCl absorption in medullary thick ascending limb. <i>Frontiers in Physiology</i> , 2013, 4, 280.	1.3	8
42	Assessment of the Effect of 24-Hour Aldosterone Administration on Protein Abundance in Fluorescence-Sorted Mouse Distal Renal Tubules by Mass Spectrometry. <i>Nephron Physiology</i> , 2012, 121, p9-p15.	1.5	7
43	P2X1 receptor blockers reduce the number of circulating thrombocytes and the overall survival of urosepsis with haemolysin-producing <i>Escherichia coli</i> . <i>Purinergic Signalling</i> , 2019, 15, 265-276.	1.1	7
44	Acute pyelonephritis: Increased plasma membrane targeting of renal aquaporin $\beta$ 2. <i>Acta Physiologica</i> , 2022, 234, e13760.	1.8	7
45	P2X Receptors Inhibit NaCl Absorption in mTAL Independently of Nitric Oxide. <i>Frontiers in Physiology</i> , 2017, 8, 18.	1.3	6
46	EP <sub>1</sub> receptor antagonism mitigates early and late stage renal fibrosis. <i>Acta Physiologica</i> , 2022, 234, e13780.	1.8	6
47	Loop Diuretics Diminish Hemolysis Induced by $\beta$ -Hemolysin from <i>Escherichia coli</i> . <i>Journal of Membrane Biology</i> , 2017, 250, 301-313.	1.0	5
48	Prevention of P2 Receptor-Dependent Thrombocyte Activation by Pore-Forming Bacterial Toxins Improves Outcome in A Murine Model of Urosepsis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5652.	1.8	4
49	The bacteria and the host: a story of purinergic signaling in urinary tract infections. <i>American Journal of Physiology - Cell Physiology</i> , 2021, 321, C134-C146.	2.1	4
50	Intact colonic K <sub>C</sub> a <sub>1.1</sub> channel activity in KCNMB2 knockout mice. <i>Physiological Reports</i> , 2017, 5, e13179.	0.7	3
51	Agonists that Increase [Ca <sup>2+</sup> ] <sub>i</sub> Halt the Movement of Acidic Cytoplasmic Vesicles in MDCK Cells. <i>Journal of Membrane Biology</i> , 2011, 244, 43-53.	1.0	2
52	Measuring Cilium-Induced Ca <sup>2+</sup> Increases in Cultured Renal Epithelia. <i>Methods in Cell Biology</i> , 2009, 91, 299-313.	0.5	1
53	Spontaneous [Ca <sup>2+</sup> ] <sub>i</sub> oscillations reflect nucleotide release from cultured and intact renal epithelia. <i>FASEB Journal</i> , 2007, 21, A1327.	0.2	1
54	The adrenaline-induced colonic K <sup>+</sup> secretion is conducted by the ZERO splice variant of K <sub>Ca</sub> 1.1 (BK). <i>FASEB Journal</i> , 2009, 23, 796.21.	0.2	1

#	ARTICLE	IF	CITATIONS
55	Meeting Preview: Europhysiology 2022 Letâ€™s meet for real. , 2022, , 38.		1
56	Being dedicated. American Journal of Physiology - Renal Physiology, 2015, 309, F835-F835.	1.3	0
57	Sorting out the paracrine kidney. American Journal of Physiology - Renal Physiology, 2015, 308, F1074-F1075.	1.3	0
58	How Does Aldosterone Work in the <sup>2</sup> -Intercalated Cell?. Journal of the American Society of Nephrology: JASN, 2020, 31, 451-452.	3.0	0
59	Aldosterone upâ€™regulates K <sub>Ca</sub> 1.1 (BK) channelâ€™mediated colonic K <sup>+</sup> secretion. FASEB Journal, 2007, 21, .	0.2	0
60	Vasopressin independent trafficking of aquaporinâ€™2 by prostaglandin E2. FASEB Journal, 2010, 24, 610.3.	0.2	0
61	Isolation of single cells from murine late distal convoluted tubules and connecting tubules. FASEB Journal, 2011, 25, 863.7.	0.2	0
62	Characterizing the pathway for nucleotide release in a renal epithelial cell line. FASEB Journal, 2011, 25, 1041.12.	0.2	0
63	Europhysiology 2022: Letâ€™s meet for real. Acta Physiologica, 2022, 235, e13825.	1.8	0