

# Vincent L Wester

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2860090/publications.pdf>

Version: 2024-02-01

20  
papers

633  
citations

623734

14  
h-index

794594

19  
g-index

20  
all docs

20  
docs citations

20  
times ranked

1020  
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical applications of cortisol measurements in hair. <i>European Journal of Endocrinology</i> , 2015, 173, M1-M10.	3.7	157
2	Long-term cortisol levels measured in scalp hair of obese patients. <i>Obesity</i> , 2014, 22, 1956-1958.	3.0	77
3	Hair cortisol and cortisone are decreased by natural sunlight. <i>Psychoneuroendocrinology</i> , 2016, 72, 94-96.	2.7	62
4	Hair cortisol concentrations exhibit a positive association with salivary cortisol profiles and are increased in obese prepubertal girls. <i>Stress</i> , 2017, 20, 217-222.	1.8	36
5	Hair analysis reveals subtle HPA axis suppression associated with use of local corticosteroids: The Lifelines cohort study. <i>Psychoneuroendocrinology</i> , 2017, 80, 1-6.	2.7	33
6	Scalp hair cortisol for diagnosis of Cushing's syndrome. <i>European Journal of Endocrinology</i> , 2017, 176, 695-703.	3.7	31
7	Effect of diet-induced weight loss on lipoprotein(a) levels in obese individuals with and without type 2 diabetes. <i>Diabetologia</i> , 2017, 60, 989-997.	6.3	30
8	Associations Between Systemic and Local Corticosteroid Use With Metabolic Syndrome and Body Mass Index. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 3765-3774.	3.6	28
9	Systemic and Local Corticosteroid Use Is Associated with Reduced Executive Cognition, and Mood and Anxiety Disorders. <i>Neuroendocrinology</i> , 2020, 110, 282-291.	2.5	28
10	Hair Glucocorticoids as a Biomarker for Endogenous Cushing's Syndrome: Validation in Two Independent Cohorts. <i>Neuroendocrinology</i> , 2019, 109, 171-178.	2.5	27
11	Systematic Evaluation of Corticosteroid Use in Obese and Non-obese Individuals: A Multi-cohort Study. <i>International Journal of Medical Sciences</i> , 2017, 14, 615-621.	2.5	20
12	Advances in the assessment of cortisol exposure and sensitivity. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2014, 21, 306-311.	2.3	19
13	Glucocorticoid receptor haplotype and metabolic syndrome: the Lifelines cohort study. <i>European Journal of Endocrinology</i> , 2016, 175, 645-651.	3.7	18
14	Higher cortisol levels may precede a manic episode and are related to disease severity in patients with bipolar disorder. <i>Psychoneuroendocrinology</i> , 2020, 119, 104658.	2.7	18
15	The relation between long-term cortisol levels and the metabolic syndrome in HIV-infected patients. <i>Clinical Endocrinology</i> , 2015, 83, 167-172.	2.4	16
16	Cross-sectional relation of long-term glucocorticoids in hair with anthropometric measurements and their possible determinants: A systematic review and meta-analysis. <i>Obesity Reviews</i> , 2022, 23, e13376.	6.5	12
17	Extensive Phenotyping for Potential Weight-Inducing Factors in an Outpatient Population with Obesity. <i>Obesity Facts</i> , 2019, 12, 369-384.	3.4	11
18	Anthropometrics and Metabolic Syndrome in Relation to Glucocorticoid Receptor Polymorphisms in Corticosteroid Users. <i>Neuroendocrinology</i> , 2021, 111, 1121-1129.	2.5	7

#	ARTICLE	IF	CITATIONS
19	Obesity and Metabolic Syndrome: A Phenotype of Mild Long-Term Hypercortisolism?. , 2017, , 303-313.		2
20	The Relation Between Cortisol and Anthropometric Measurements Throughout Lifespan: A Systematic Review and Meta-Analysis. Journal of the Endocrine Society, 2021, 5, A30-A30.	0.2	1