

Jean-Noel Freund

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2860141/jean-noel-freund-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

123
papers

6,266
citations

40
h-index

76
g-index

140
ext. papers

6,862
ext. citations

7.7
avg, IF

5.03
L-index

#	Paper	IF	Citations
123	CDX2 controls genes involved in the metabolism of 5-fluorouracil and is associated with reduced efficacy of chemotherapy in colorectal cancer.. <i>Biomedicine and Pharmacotherapy</i> , 2022 , 147, 112630	7.5	1
122	Mesalazine initiates an anti-oncogenic Eatenin / MUCDHL negative feed-back loop in colon cancer cells by cell-specific mechanisms.. <i>Biomedicine and Pharmacotherapy</i> , 2021 , 146, 112543	7.5	1
121	A Core Response to the CDX2 Homeoprotein During Development and in Pathologies. <i>Frontiers in Genetics</i> , 2021 , 12, 744165	4.5	0
120	Murine intestinal stem cells are highly sensitive to modulation of the T3/TR β -dependent pathway. <i>Development (Cambridge)</i> , 2021 , 148,	6.6	3
119	CDX2 regulates ACE expression in blood development and leukemia cells. <i>Blood Advances</i> , 2021 , 5, 2012-2016	7.2	1
118	Temporal multiomic modeling reveals a B-cell receptor proliferative program in chronic lymphocytic leukemia. <i>Leukemia</i> , 2021 , 35, 1463-1474	10.7	1
117	CDX2 expression in the hematopoietic lineage promotes leukemogenesis via TGF β inhibition. <i>Molecular Oncology</i> , 2021 , 15, 2318-2329	7.9	3
116	The atypical cadherin MUCDHL antagonizes colon cancer formation and inhibits oncogenic signaling through multiple mechanisms. <i>Oncogene</i> , 2021 , 40, 522-535	9.2	4
115	Renin-angiotensin system is involved in embryonic emergence of hematopoietic stem/progenitor cells. <i>Stem Cells</i> , 2021 , 39, 636-649	5.8	6
114	Deciphering the Role of Intestinal Crypt Cell Populations in Resistance to Chemotherapy. <i>Cancer Research</i> , 2021 , 81, 2730-2744	10.1	1
113	CDX2 inducible microRNAs sustain colon cancer by targeting multiple DNA damage response pathway factors. <i>Journal of Cell Science</i> , 2021 , 134,	5.3	2
112	Actomyosin, vimentin and LINC complex pull on osteosarcoma nuclei to deform on micropillar topography. <i>Biomaterials</i> , 2020 , 234, 119746	15.6	14
111	Anticancer activity of ruthenium and osmium cyclometalated compounds: identification of ABCB1 and EGFR as resistance mechanisms. <i>Inorganic Chemistry Frontiers</i> , 2020 , 7, 678-688	6.8	20
110	Severe head dysgenesis resulting from imbalance between anterior and posterior ontogenetic programs. <i>Cell Death and Disease</i> , 2019 , 10, 812	9.8	2
109	A Core Proliferative Program Induced By B-Cell Receptor Stimulation in Chronic Lymphocytic Leukemia Cells. <i>Blood</i> , 2019 , 134, 3777-3777	2.2	
108	A redox ruthenium compound directly targets PHD2 and inhibits the HIF1 pathway to reduce tumor angiogenesis independently of p53. <i>Cancer Letters</i> , 2019 , 440-441, 145-155	9.9	19
107	The Cdx2 homeobox gene suppresses intestinal tumorigenesis through non-cell-autonomous mechanisms. <i>Journal of Experimental Medicine</i> , 2018 , 215, 911-926	16.6	24

106	Chromatin de-condensation by switching substrate elasticity. <i>Scientific Reports</i> , 2018 , 8, 12655	4.9	9
105	Fine-tuning and autoregulation of the intestinal determinant and tumor suppressor homeobox gene CDX2 by alternative splicing. <i>Cell Death and Differentiation</i> , 2017 , 24, 2173-2186	12.7	10
104	The tumor suppressor CDX2 opposes pro-metastatic biomechanical modifications of colon cancer cells through organization of the actin cytoskeleton. <i>Cancer Letters</i> , 2017 , 386, 57-64	9.9	23
103	Histone hypoacetylation contributes to CXCL12 downregulation in colon cancer: impact on tumor growth and cell migration. <i>Oncotarget</i> , 2017 , 8, 38351-38366	3.3	9
102	Estimation of subject coregistration errors during multimodal preclinical imaging using separate instruments: origins and avoidance of artifacts. <i>Journal of Medical Imaging</i> , 2017 , 4, 035503	2.6	
101	Distinct mechanisms for opposite functions of homeoproteins Cdx2 and HoxB7 in double-strand break DNA repair in colon cancer cells. <i>Cancer Letters</i> , 2016 , 374, 208-15	9.9	7
100	Enhanced Ghrelin Levels and Hypothalamic Orexigenic AgRP and NPY Neuropeptide Expression in Models of Jejuno-Colonic Short Bowel Syndrome. <i>Scientific Reports</i> , 2016 , 6, 28345	4.9	18
99	Broader expression of the mouse platelet factor β 4-cre transgene beyond the megakaryocyte lineage. <i>Journal of Thrombosis and Haemostasis</i> , 2015 , 13, 115-25	15.4	34
98	Cell guidance into quiescent state through chromatin remodeling induced by elastic modulus of substrate. <i>Biomaterials</i> , 2015 , 37, 144-55	15.6	16
97	Extending the functions of the homeotic transcription factor Cdx2 in the digestive system through nontranscriptional activities. <i>World Journal of Gastroenterology</i> , 2015 , 21, 1436-43	5.6	13
96	Transcriptional regulation of the intestinal nuclear bile acid farnesoid X receptor (FXR) by the caudal-related homeobox 2 (CDX2). <i>Journal of Biological Chemistry</i> , 2014 , 289, 28421-32	5.4	11
95	Combined NADPH oxidase 1 and interleukin 10 deficiency induces chronic endoplasmic reticulum stress and causes ulcerative colitis-like disease in mice. <i>PLoS ONE</i> , 2014 , 9, e101669	3.7	33
94	TAF4 inactivation reveals the 3 dimensional growth promoting activities of collagen 6A3. <i>PLoS ONE</i> , 2014 , 9, e87365	3.7	11
93	Gastric intrinsic factor deficiency with combined GIF heterozygous mutations and FUT2 secretor variant. <i>Biochimie</i> , 2013 , 95, 995-1001	4.6	20
92	Increasing the oxygen load by treatment with myo-inositol trispyrophosphate reduces growth of colon cancer and modulates the intestine homeobox gene Cdx2. <i>Oncogene</i> , 2013 , 32, 4313-8	9.2	17
91	Molecular and cellular effects of vitamin B12 in brain, myocardium and liver through its role as co-factor of methionine synthase. <i>Biochimie</i> , 2013 , 95, 1033-40	4.6	58
90	Regulation of the tumor suppressor homeogene Cdx2 by HNF4 β in intestinal cancer. <i>Oncogene</i> , 2013 , 32, 3782-8	9.2	28
89	Directing nuclear deformation on micropillared surfaces by substrate geometry and cytoskeleton organization. <i>Biomaterials</i> , 2013 , 34, 2991-3001	15.6	73

88	CDX2 regulation by the RNA-binding protein MEX3A: impact on intestinal differentiation and stemness. <i>Nucleic Acids Research</i> , 2013 , 41, 3986-99	20.1	60
87	Understanding epithelial homeostasis in the intestine: An old battlefield of ideas, recent breakthroughs and remaining controversies. <i>Tissue Barriers</i> , 2013 , 1, e24965	4.3	27
86	Contribution of soft substrates to malignancy and tumor suppression during colon cancer cell division. <i>PLoS ONE</i> , 2013 , 8, e78468	3.7	3
85	The control of chromosome segregation during mitosis in epithelial cells by substrate elasticity. <i>Biomaterials</i> , 2012 , 33, 798-809	15.6	14
84	Cdx2 controls expression of the protocadherin Mucdhl, an inhibitor of growth and Eatenin activity in colon cancer cells. <i>Gastroenterology</i> , 2012 , 142, 875-885.e3	13.3	34
83	Gastric intestinal metaplasia revisited: function and regulation of CDX2. <i>Trends in Molecular Medicine</i> , 2012 , 18, 555-63	11.5	50
82	The tumor suppressor Apc controls planar cell polarities central to gut homeostasis. <i>Journal of Cell Biology</i> , 2012 , 198, 331-41	7.3	27
81	Cdx2 determines the fate of postnatal intestinal endoderm. <i>Development (Cambridge)</i> , 2012 , 139, 465-74.6	7.6	65
80	Cdx2 homeoprotein inhibits non-homologous end joining in colon cancer but not in leukemia cells. <i>Nucleic Acids Research</i> , 2012 , 40, 3456-69	20.1	19
79	Immunohistochemical expression of CDX2, Eatenin, and TP53 in inflammatory bowel disease-associated colorectal cancer. <i>Inflammatory Bowel Diseases</i> , 2011 , 17, 232-40	4.5	21
78	Concerted involvement of Cdx/Hox genes and Wnt signaling in morphogenesis of the caudal neural tube and cloacal derivatives from the posterior growth zone. <i>Development (Cambridge)</i> , 2011 , 138, 3451-62	6.6	59
77	CDX2 autoregulation in human intestinal metaplasia of the stomach: impact on the stability of the phenotype. <i>Gut</i> , 2011 , 60, 290-8	19.2	45
76	Concerted involvement of Cdx/Hox genes and Wnt signaling in morphogenesis of the caudal neural tube and cloacal derivatives from the posterior growth zone. <i>Development (Cambridge)</i> , 2011 , 138, 3859-3859	6.6	6
75	NADPH oxidase 1 modulates WNT and NOTCH1 signaling to control the fate of proliferative progenitor cells in the colon. <i>Molecular and Cellular Biology</i> , 2010 , 30, 2636-50	4.8	143
74	CDX2 in congenital gut gastric-type heteroplasia and intestinal-type Meckel diverticula. <i>Pediatrics</i> , 2010 , 126, e723-7	7.4	6
73	Targeted apc;twist double-mutant mice: a new model of spontaneous osteosarcoma that mimics the human disease. <i>Translational Oncology</i> , 2010 , 3, 344-53	4.9	20
72	Pathophysiology of intestinal metaplasia of the stomach: emphasis on CDX2 regulation. <i>Biochemical Society Transactions</i> , 2010 , 38, 358-63	5.1	17
71	Intestinal lactase as an autologous beta-galactosidase reporter gene for in vivo gene expression studies. <i>Human Gene Therapy</i> , 2009 , 20, 21-30	4.8	11

70	Cdx and Hox genes differentially regulate posterior axial growth in mammalian embryos. <i>Developmental Cell</i> , 2009 , 17, 516-26	10.2	168
69	Expression and localisation of insulin receptor substrate 2 in normal intestine and colorectal tumours. Regulation by intestine-specific transcription factor CDX2. <i>Gut</i> , 2009 , 58, 1250-9	19.2	19
68	Anchoring secreted proteins in endoplasmic reticulum by plant oleosin: the example of vitamin B12 cellular sequestration by transcobalamin. <i>PLoS ONE</i> , 2009 , 4, e6325	3.7	14
67	The intestine-specific homeobox gene Cdx2 decreases mobility and antagonizes dissemination of colon cancer cells. <i>Oncogene</i> , 2008 , 27, 107-15	9.2	78
66	Cdx1, a dispensable homeobox gene for gut development with limited effect in intestinal cancer. <i>Oncogene</i> , 2008 , 27, 4497-502	9.2	26
65	Multiple regulatory regions control the complex expression pattern of the mouse Cdx2 homeobox gene. <i>Gastroenterology</i> , 2008 , 135, 1238-1247, 1247.e1-3	13.3	61
64	Differential regulation of CDX1 and CDX2 gene expression by deficiency in methyl group donors. <i>Biochimie</i> , 2008 , 90, 697-704	4.6	15
63	Key elements of the BMP/SMAD pathway co-localize with CDX2 in intestinal metaplasia and regulate CDX2 expression in human gastric cell lines. <i>Journal of Pathology</i> , 2008 , 215, 411-20	9.4	46
62	Inflammatory bowel disease in rats: bacterial and chemical interaction. <i>World Journal of Gastroenterology</i> , 2008 , 14, 4028-39	5.6	20
61	INTESTINAL LACTASE AS AN AUTOLOGOUS GALACTOSIDASE REPORTER GENE FOR IN VIVO GENE EXPRESSION STUDIES. <i>Human Gene Therapy</i> , 2008 , 081015093227032	4.8	
60	Precancerous lesions upon sporadic activation of beta-catenin in mice. <i>Gastroenterology</i> , 2007 , 132, 1299-308	13.9	12
59	Sprouty2 inhibits BDNF-induced signaling and modulates neuronal differentiation and survival. <i>Cell Death and Differentiation</i> , 2007 , 14, 1802-12	12.7	54
58	Functional interaction between the homeoprotein CDX1 and the transcriptional machinery containing the TATA-binding protein. <i>Nucleic Acids Research</i> , 2007 , 35, 175-85	20.1	7
57	The human mucin MUC4 is transcriptionally regulated by caudal-related homeobox, hepatocyte nuclear factors, forkhead box A, and GATA endodermal transcription factors in epithelial cancer cells. <i>Journal of Biological Chemistry</i> , 2007 , 282, 22638-50	5.4	40
56	Identification and characterization of human Mex-3 proteins, a novel family of evolutionarily conserved RNA-binding proteins differentially localized to processing bodies. <i>Nucleic Acids Research</i> , 2007 , 35, 1289-300	20.1	100
55	Multiple-contrast X-ray micro-CT visualization of colon malformations and tumours in situ in living mice. <i>Comptes Rendus - Biologies</i> , 2007 , 330, 821-7	1.4	15
54	Frequent rearrangements and amplification of the CDX2 homeobox gene in human sporadic colorectal cancers with chromosomal instability. <i>Cancer Letters</i> , 2007 , 247, 197-203	9.9	21
53	The microenvironment controls CDX2 homeobox gene expression in colorectal cancer cells. <i>American Journal of Pathology</i> , 2007 , 170, 733-44	5.8	22

52	Different effects of the Cdx1 and Cdx2 homeobox genes in a murine model of intestinal inflammation. <i>Gut</i> , 2007 , 56, 1688-95	19.2	29
51	Bile acids induce ectopic expression of intestinal guanylyl cyclase C Through nuclear factor-kappaB and Cdx2 in human esophageal cells. <i>Gastroenterology</i> , 2006 , 130, 1191-206	13.3	76
50	CDX-2 homeobox gene expression in human gastric carcinoma and precursor lesions. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2006 , 21, 438-42	4	31
49	Laminin isoforms: biological roles and effects on the intracellular distribution of nuclear proteins in intestinal epithelial cells. <i>Experimental Cell Research</i> , 2005 , 303, 494-503	4.2	48
48	Phosphorylation of the homeotic tumor suppressor Cdx2 mediates its ubiquitin-dependent proteasome degradation. <i>Oncogene</i> , 2005 , 24, 7955-63	9.2	37
47	Down-regulation of the homeodomain factor Cdx2 in colorectal cancer by collagen type I: an active role for the tumor environment in malignant tumor progression. <i>Cancer Research</i> , 2004 , 64, 6973-7	10.1	109
46	Down-regulation of the tumor suppressor PTEN by the tumor necrosis factor-alpha/nuclear factor-kappaB (NF-kappaB)-inducing kinase/NF-kappaB pathway is linked to a default IkappaB-alpha autoregulatory loop. <i>Journal of Biological Chemistry</i> , 2004 , 279, 4285-91	5.4	84
45	SOX9 is an intestine crypt transcription factor, is regulated by the Wnt pathway, and represses the CDX2 and MUC2 genes. <i>Journal of Cell Biology</i> , 2004 , 166, 37-47	7.3	356
44	Klotho is a novel beta-glucuronidase capable of hydrolyzing steroid beta-glucuronides. <i>Journal of Biological Chemistry</i> , 2004 , 279, 9777-84	5.4	172
43	Control of differentiation-induced calbindin-D9k gene expression in Caco-2 cells by cdx-2 and HNF-1alpha. <i>American Journal of Physiology - Renal Physiology</i> , 2004 , 287, G943-53	5.1	27
42	Homeodomain protein CDX2 regulates COX-2 expression in colorectal cancer. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 315, 93-9	3.4	24
41	Endoderm- and mesenchyme-dependent commitment of the differentiated epithelial cell types in the developing intestine of rat. <i>Differentiation</i> , 2003 , 71, 163-9	3.5	13
40	Cdx1 homeobox gene during human colon cancer progression. <i>Oncogene</i> , 2003 , 22, 7913-21	9.2	25
39	Differential regulation of the glucose-6-phosphatase TATA box by intestine-specific homeodomain proteins CDX1 and CDX2. <i>Nucleic Acids Research</i> , 2003 , 31, 5238-46	20.1	33
38	The Cdx2 homeobox gene has a tumour suppressor function in the distal colon in addition to a homeotic role during gut development. <i>Gut</i> , 2003 , 52, 1465-71	19.2	172
37	Wnt/beta-catenin/Tcf signaling induces the transcription of Axin2, a negative regulator of the signaling pathway. <i>Molecular and Cellular Biology</i> , 2002 , 22, 1172-83	4.8	1319
36	Stimulation of the intestinal Cdx2 homeobox gene by butyrate in colon cancer cells. <i>Gut</i> , 2002 , 50, 525-9	19.2	49
35	PTEN and TNF-alpha regulation of the intestinal-specific Cdx-2 homeobox gene through a PI3K, PKB/Akt, and NF-kappaB-dependent pathway. <i>Gastroenterology</i> , 2002 , 123, 1163-78	13.3	109

34	The homeobox gene Cdx1 belongs to the p53-p21(WAF)-Bcl-2 network in intestinal epithelial cells. <i>Biochemical and Biophysical Research Communications</i> , 2002 , 297, 607-15	3.4	24
33	Stimulation of Cdx1 by oncogenic beta-catenin/Tcf4 in colon cancer cells; opposite effect of the CDX2 homeoprotein. <i>FEBS Letters</i> , 2002 , 518, 83-7	3.8	27
32	Differentially expressed endoderm and mesenchyme genes along the fetal rat intestine. <i>Genesis</i> , 2001 , 29, 55-59	1.9	4
31	Functional interference between thyroid hormone receptor alpha (TRalpha) and natural truncated TRDeltaalpha isoforms in the control of intestine development. <i>Molecular and Cellular Biology</i> , 2001 , 21, 4761-72	4.8	114
30	Promotion of intestinal carcinogenesis by dietary methionine. <i>Carcinogenesis</i> , 1999 , 20, 493-7	4.6	15
29	Production of low-lactose milk by ectopic expression of intestinal lactase in the mouse mammary gland. <i>Nature Biotechnology</i> , 1999 , 17, 160-4	44.5	52
28	Downregulation of the colon tumour-suppressor homeobox gene Cdx-2 by oncogenic ras. <i>Oncogene</i> , 1999 , 18, 87-92	9.2	71
27	Involvement of T3Ralpha- and beta-receptor subtypes in mediation of T3 functions during postnatal murine intestinal development. <i>Gastroenterology</i> , 1999 , 116, 1367-78	13.3	93
26	Intestinal epithelial-mesenchymal cell interactions. <i>Annals of the New York Academy of Sciences</i> , 1998 , 859, 1-17	6.5	106
25	The Cdx-1 and Cdx-2 homeobox genes in the intestine. <i>Biochemistry and Cell Biology</i> , 1998 , 76, 957-69	3.6	168
24	Cellular and molecular partners involved in gut morphogenesis and differentiation. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 1998 , 353, 847-56	5.8	61
23	Subepithelial fibroblast cell lines from different levels of gut axis display regional characteristics. <i>American Journal of Physiology - Renal Physiology</i> , 1998 , 274, G945-54	5.1	28
22	The Cdx-1 and Cdx-2 homeobox genes in the intestine. <i>Biochemistry and Cell Biology</i> , 1998 , 76, 957-969	3.6	92
21	Key role of the Cdx2 homeobox gene in extracellular matrix-mediated intestinal cell differentiation. <i>Journal of Cell Biology</i> , 1997 , 139, 1553-65	7.3	244
20	Identification of homologues of the mammalian intestinal lactase gene in non-mammals (birds and molluscs). <i>Biochemical Journal</i> , 1997 , 322 (Pt 2), 491-8	3.8	4
19	Functional diversity and interactions between the repeat domains of rat intestinal lactase. <i>Biochemical Journal</i> , 1997 , 327 (Pt 1), 95-103	3.8	12
18	Verification of the lactase site of rat lactase-phlorizin hydrolase by site-directed mutagenesis. <i>Gastroenterology</i> , 1995 , 109, 1234-40	13.3	13
17	Ultrastructural study of intestinal lactase gene expression. <i>Biology of the Cell</i> , 1995 , 83, 211-7	3.5	9

16	Precocious and reversible expression of sucrase-isomaltase unrelated to intestinal cell turnover. <i>American Journal of Physiology - Renal Physiology</i> , 1994 , 266, G568-75	5.1	6
15	Fetal endoderm primarily holds the temporal and positional information required for mammalian intestinal development. <i>Journal of Cell Biology</i> , 1994 , 126, 211-21	7.3	92
14	The cis-element CE-LPH1 of the rat intestinal lactase gene promoter interacts in vitro with several nuclear factors present in endodermal tissues. <i>FEBS Letters</i> , 1994 , 353, 108-12	3.8	9
13	Multiple levels of control of the stage- and region-specific expression of rat intestinal lactase. <i>Journal of Cell Biology</i> , 1993 , 123, 1577-86	7.3	37
12	The rat LPH gene 5Tregion: comparative structure with the human gene. <i>DNA Sequence</i> , 1992 , 3, 119-21		10
11	Gradient expression of Cdx along the rat intestine throughout postnatal development. <i>FEBS Letters</i> , 1992 , 314, 163-6	3.8	40
10	Lactase expression is controlled differently in the jejunum and ileum during development in rats. <i>Gastroenterology</i> , 1991 , 100, 388-94	13.3	51
9	Adaptation of intestinal hydrolases to starvation in rats: effect of thyroid function. <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 1991 , 161, 357-61	2.2	11
8	Sequence of the precursor of intestinal lactase-phlorizin hydrolase from fetal rat. <i>Gene</i> , 1991 , 103, 275-63.8		30
7	Derivatives of plant beta-glucans are hydrolyzed by intestinal lactase-phlorizin hydrolase of mammals. <i>Enzyme</i> , 1991 , 45, 71-4		10
6	Specific expression of lactase in the jejunum and colon during postnatal development and hormone treatments in the rat. <i>Biochemical Journal</i> , 1990 , 268, 99-103	3.8	30
5	Type IV collagen mRNA accumulates in the mesenchymal compartment at early stages of murine developing intestine. <i>Journal of Cell Biology</i> , 1990 , 110, 849-57	7.3	65
4	Discrepancy between the intestinal lactase enzymatic activity and mRNA accumulation in sucklings and adults. Effect of starvation and thyroxine treatment. <i>FEBS Letters</i> , 1989 , 248, 39-42	3.8	40
3	The rudimentary gene of <i>Drosophila melanogaster</i> encodes four enzymic functions. <i>Journal of Molecular Biology</i> , 1987 , 193, 1-13	6.5	105
2	Organization of transcription units around the <i>Drosophila melanogaster</i> rudimentary locus and temporal pattern of expression. <i>Molecular Genetics and Genomics</i> , 1986 , 202, 493-9		13
1	Molecular organization of the rudimentary gene of <i>Drosophila melanogaster</i> . <i>Journal of Molecular Biology</i> , 1986 , 189, 25-36	6.5	28