Vahid Tabataba Vakili

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/286052/publications.pdf

Version: 2024-02-01

95 papers 516 citations

933447 10 h-index 940533 16 g-index

96 all docs 96
docs citations

96 times ranked 461 citing authors

#	Article	IF	CITATIONS
1	Active User Detection and Channel Estimation for Spatial-Based Random Access in Crowded Massive MIMO Systems via Blind Super-Resolution. IEEE Signal Processing Letters, 2022, 29, 1072-1076.	3.6	4
2	Strong Interference Alignment. Wireless Personal Communications, 2021, 116, 3397-3411.	2.7	O
3	On the performance of a novel multi-hop relay-assisted hybrid FSO / RF communication system with receive diversity. Optik, 2021, 226, 165883.	2.9	4
4	Spatial Based Pilot Allocation (SBPA) in Crowded Massive MIMO Systems. Wireless Personal Communications, 2021, 119, 239-257.	2.7	1
5	Deep Neural Network for Compressive Sensing and Application to Massive MIMO Channel Estimation. Circuits, Systems, and Signal Processing, 2021, 40, 4474-4489.	2.0	9
6	Compressive sensing-based energy consumption model for data gathering techniques in wireless sensor networks. Telecommunication Systems, 2021, 77, 83-108.	2.5	11
7	FGAF-CDG: fuzzy geographic routing protocol based on compressive data gathering in wireless sensor networks. Journal of Ambient Intelligence and Humanized Computing, 2020, 11, 2567-2589.	4.9	12
8	An Autonomous Intrusion Detection System Using an Ensemble of Advanced Learners. , 2020, , .		12
9	Performance analysis of a novel hybrid FSO/RF communication system. IET Optoelectronics, 2020, 14, 66-74.	3.3	10
10	Performance comparison of two novel relayâ€assisted hybrid FSO/RF communication systems. IET Communications, 2019, 13, 1551-1556.	2.2	12
11	Performance analysis of hybrid FSO/RF communication systems with Alamouti coding or antenna selection. Journal of Engineering, 2019, 2019, 3433-3437.	1.1	8
12	Performance of a relay-assisted hybrid FSO/RF communication system. Physical Communication, 2019, 35, 100729.	2.1	12
13	On the performance of a multi-userÂmulti-hop hybrid FSO/RF communication system. Optics Communications, 2019, 444, 172-183.	2.1	12
14	A novel hybrid FSO / RF communication system with receive diversity. Optik, 2019, 184, 293-298.	2.9	27
15	Robust Beamforming and Power Allocation in CR MISO Networks with SWIPT to Maximize the Minimum Achievable Rate. Wireless Personal Communications, 2019, 106, 927-954.	2.7	1
16	Performance evaluation of a novel relayâ€assisted hybrid FSO/RF communication system with receive diversity. IET Optoelectronics, 2019, 13, 203-214.	3.3	9
17	Mobile User-Activity Prediction Utilizing LSTM Recurrent Neural Network. , 2019, , .		1
18	A New Optimization Problem in FSO Communication System. IEEE Communications Letters, 2018, 22, 1442-1445.	4.1	29

#	Article	IF	Citations
19	Power allocation based on beamforming in cooperative cognitive radio networks with arbitrary number of secondary users. IET Communications, 2018, 12, 125-135.	2.2	5
20	Lightweight authentication scheme for smart grid using Merkle hash tree and lossless compression hybrid method. IET Communications, 2018, 12, 2478-2484.	2.2	9
21	Graph theoretical defense mechanisms against false data injection attacks in smart grids. Journal of Modern Power Systems and Clean Energy, 2018, 6, 860-871.	5.4	23
22	Three analytical approaches to combine ACB scheme and timing advance information for stationary MTC devices. IET Communications, 2018, 12, 1055-1063.	2.2	1
23	Maximizing the minimum achievable rates in Cognitive Radio networks subject to stochastic constraints. AEU - International Journal of Electronics and Communications, 2018, 92, 146-156.	2.9	3
24	Comparative Evaluation Approach for Spectrum Sensing in Cognitive Wireless Sensor Networks (C-WSNs). Canadian Journal of Electrical and Computer Engineering, 2018, 41, 77-86.	2.0	8
25	United Versus Cooperative Spectrum Sensing in Cognitive Wireless Sensor Networks (C-WSNs). Wireless Personal Communications, 2017, 95, 2461-2483.	2.7	3
26	Improving the Physical Layer Security in Cooperative Networks with Multiple Eavesdroppers. Wireless Personal Communications, 2017, 95, 3295-3320.	2.7	4
27	On the construction of polar codes for achieving the capacity of marginal channels. , 2017, , .		1
28	Secure resource allocation for the SISOâ€OFDM wiretap channel. IET Communications, 2017, 11, 2702-2712.	2.2	2
29	Detection of clone node attack in mobile wireless sensor network with optimised cost function. International Journal of Sensor Networks, 2017, 24, 149.	0.4	5
30	Outage probability improvement of a two-way relay network with MABC DF protocol by joint relay selection and optimal power allocation. , $2016, , .$		0
31	Power Allocation in Two-Way Relay Networks with MABC DF Protocol and No Instantaneous Channel State Information. Wireless Personal Communications, 2016, 87, 1415-1433.	2.7	1
32	Filter-and-forward relay design in cognitive two-way relay networks. , 2015, , .		0
33	Filterâ€andâ€forward transceiver design for cognitive twoâ€way relay networks. IET Communications, 2015, 9, 2061-2069.	2.2	6
34	Low complexity robust coordinated beamforming in multicell network with channel uncertainties. , 2014, , .		0
35	A simple relay selection algorithm in multi user OFDM based cooperative CR networks. , 2014, , .		2
36	Secure FSM-based arithmetic codes. Signal, Image and Video Processing, 2014, 8, 1263-1272.	2.7	0

3

#	Article	IF	CITATIONS
37	CBâ€REFIM: a practical coordinated beamforming in multicell networks. IET Communications, 2014, 8, 2131-2141.	2.2	1
38	Estimation of the Threshold in Energy and Kurtosis Detectors for IR-UWB OOK Systems. Wireless Personal Communications, 2014, 78, 1511-1526.	2.7	1
39	Dynamic Fractional Frequency Reuse (DFFR) with AMC and Random Access in WiMAX System. Wireless Personal Communications, 2013, 68, 1871-1881.	2.7	4
40	An improved equation based rate adaptation scheme for video streaming over UMTS. Telecommunication Systems, 2013, 52, 271-283.	2.5	3
41	Effect of Channel Estimation Error on Time Reversal UWB Communication System. Wireless Personal Communications, 2013, 68, 433-439.	2.7	6
42	Convergence of Price-Based Resource Allocation Algorithms in Multicellular Multicarrier Systems. Wireless Personal Communications, 2013, 71, 3069-3090.	2.7	1
43	A New Method for Sensing Cognitive Radio Network under Malicious Attacker. International Journal of Communications, Network and System Sciences, 2013, 06, 60-65.	0.6	2
44	New Approach for Relay and Transceiver Design for Interference Alignment in MIMO Interference Channels. Journal of Computer and Communications, 2013, 01, 1-7.	0.9	0
45	An Approach to Efficient Spectrum Sensing in Cognitive Wireless Sensor Networks (C-WSNs). Applied Mechanics and Materials, 2012, 256-259, 2303-2306.	0.2	0
46	A Novel Particle Swarm Optimization for PAPR Reduction of OFDM Systems. , 2012, , .		4
47	A Single Input-Multiple Output Time Reversal UWB Communication System. Wireless Personal Communications, 2012, 66, 367-383.	2.7	4
48	DOA Estimation Using Multiple Kernel Learning SVM Considering Mutual Coupling. , 2012, , .		10
49	An agent based particle swarm optimization for PAPR reduction of OFDM systems. , 2012, , .		4
50	A SIMO one-bit time reversal for UWB communication systems. Eurasip Journal on Wireless Communications and Networking, 2012, 2012, .	2.4	8
51	Direction finding in multipath environment with arbitrary array. , 2012, , .		0
52	Resource Allocation for OFDMA systems with trade-off between throughout and Quality of Service. , 2012, , .		1
53	Enhanced Secure Error Correction Code Schemes in Time Reversal UWB Systems. Wireless Personal Communications, 2012, 64, 403-423.	2.7	10
54	Comparison of Kurtosis and Fourth Power Detectors with Applications to IR-UWB OOK Systems. International Journal of Communications, Network and System Sciences, 2012, 05, 43-49.	0.6	6

#	Article	IF	Citations
55	Direction Finding Using Cumulant in Multipath Environment with an Arbitrary Array. Journal of Signal and Information Processing, 2012, 03, 215-222.	0.4	О
56	Performance Analysis of OFDM-Based Amplify and Forward Networks under Adaptive M-QAM., 2011,,.		0
57	Wideband direction finding using cumulant with interpolated array. , 2011, , .		5
58	Characterization of indoor time reversal UWB communication systems: Spatial, temporal and frequency properties. International Journal of Communication Systems, 2011, 24, 277-294.	2.5	24
59	A comparative study of scheduling algorithms for OFDMA-based WiMAX networks. , 2011, , .		1
60	Design and Simulation of a Secure and Robust Underwater Acoustic Communication System in the Persian Gulf. Communications and Network, 2011, 03, 99-112.	0.8	5
61	An Efficient Routing Tree Algorithm for Combined Uplink and Downlink Subframes on Centralized Scheduling in IEEE 802.16 Based Wireless Mesh Networks. International Journal of Communications, Network and System Sciences, 2011, 04, 219-226.	0.6	2
62	Secure Arithmetic Coding with Error Detection Capability. Eurasip Journal on Information Security, 2010, 2010, 1-9.	2.2	2
63	Modified Particle Swarm Optimization for Blind Deconvolution and Identification of Multichannel FIR Filters. Eurasip Journal on Advances in Signal Processing, 2010, 2010, .	1.7	6
64	Channel characterization of time reversal UWB communication systems. Annales Des Telecommunications/Annals of Telecommunications, 2010, 65, 601-614.	2.5	11
65	Blind identification and synchronization of unequal power users in CDMA systems based on eigenvalues variations in slow flat fading channels. AEU - International Journal of Electronics and Communications, 2010, 64, 697-709.	2.9	1
66	A low complexity joint compression-error detection-cryptography based on arithmetic coding. , 2010, , .		3
67	MUSIC and MVDR DOA estimation algorithms with higher resolution and accuracy. , 2010, , .		22
68	Performance enhancement of kurtosis detector using time reversal technique. , 2010, , .		3
69	Slot allocation algorithm in Combined Distributed and Centralized scheduling scheme for IEEE 802.16 based wireless mesh networks. , 2010, , .		0
70	Appropriate CCM-based algorithm for adaptive antenna array beamforming., 2010,,.		2
71	A new fast algorithm for carrier frequency offset estimation in SISO-OFDM systems. , 2010, , .		1
72	UWB Channel Modeling Improvement in Indoor Line-of-Sight (LOS) Environments. International Journal of Communications, Network and System Sciences, 2010, 03, 870-876.	0.6	2

#	Article	IF	Citations
73	A Transmitter Model for Performance Improvement and Interference Mitigation of Multi-user STBC-CDMA System in Correlated MISO Channels., 2009,,.		3
74	Performance improvement of STBC CDMA system in correlated MIMO channels. , 2009, , .		1
75	Analytical EVM, BER, and TD performances of the OFDM systems in the presence of jointly nonlinear distortion and IQ imbalance. Annales Des Telecommunications/Annals of Telecommunications, 2009, 64, 753-762.	2.5	8
76	Introducing excision switching-CFAR in K distributed sea clutter. Signal Processing, 2009, 89, 1023-1031.	3.7	36
77	Adaptive Bandwidth Allocation and Mobility Prediction in Mobile Cellular Networks. , 2009, , .		6
78	STBC CDMA System Simulation in MIMO Channels with Correlative Model. , 2009, , .		1
79	An equation based rate control for adaptive video streaming over cellular networks. , 2009, , .		0
80	New Adaptive Method for IQ Imbalance Compensation of Quadrature Modulators in Predistortion Systems. Eurasip Journal on Advances in Signal Processing, 2009, 2009, .	1.7	4
81	Introducing Switching Ordered Statistic CFAR Type I in Different Radar Environments. Eurasip Journal on Advances in Signal Processing, 2009, 2009, .	1.7	6
82	Cramer-Rao Bound for Joint Carrier Frequency Offset, Symbol Timing Offset and Channel Taps in MC-CDMA Systems. , 2008, , .		1
83	An analytical closed-form expression for the ergodic capacity of Rayleigh fading MIMO channels and optimal antenna allocation. , 2008, , .		4
84	Optimality of multichannel beamforming for spatially correlated multiple-antenna Rayleigh fading channels with channel covariance information at transmitter. , 2008, , .		0
85	Time reversal technique for ultra wideband (TR-UWB) communication systems and its performance analysis. , 2008, , .		2
86	Combination of turbo coding and cryptography in NONGEO satellite communication systems. , 2008, , .		11
87	Transmit covariance for spatially-correlated multiple-antenna Ricean fading channels with channel distribution side information at transmitter. , 2008, , .		1
88	Optimum Resource Allocation for Amplify-and-Forward Cooperative Networks with Differential Modulation. Lecture Notes in Computer Science, 2008, , 88-100.	1.3	0
89	A Game Theoretic Approach for SINR-Constrained Power Control in 3G Cellular CDMA Communication Systems., 2007,,.		4
90	Space–Time Precoding for Downlink Transmission in Multiple Antenna CDMA Systems. IEEE Transactions on Vehicular Technology, 2007, 56, 2590-2602.	6.3	2

#	Article	IF	CITATIONS
91	Comparison of Cooperative and Non-Cooperative Game Schemes for SINR-Constrained Power Allocation in Multiple Antenna CDMA Communication Systems. , 2007, , .		5
92	Secure Turbo Codes in Impulsive Noise Channel. , 2007, , .		О
93	Analytical BER Performance of M-QAM-OFDM Systems in the Presence of IQ Imbalance., 2007, , .		12
94	Blind SNR Estimation on WCDMA system with Unequal Power Signals and without any Prior Knowledge. , 2007, , .		3
95	Comparison of Several Multiple Antenna Multiuser Detectors in Wireless CDMA Systems., 2003,,.		2