
## Chloé Journo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2860954/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Human T-cell leukemia virus type 2 produces a spliced antisense transcript encoding a protein that lacks a classic bZIP domain but still inhibits Tax2-mediated transcription. Blood, 2009, 114, 2427-2438.	0.6	76
2	NRP/Optineurin Cooperates with TAX1BP1 to Potentiate the Activation of NF-κB by Human T-Lymphotropic Virus Type 1 Tax Protein. PLoS Pathogens, 2009, 5, e1000521.	2.1	71
3	HTLV-1 and Innate Immunity. Viruses, 2011, 3, 1374-1394.	1.5	50
4	The interferon stimulated gene 20 protein (ISG20) is an innate defense antiviral factor that discriminates self versus non-self translation. PLoS Pathogens, 2019, 15, e1008093.	2.1	50
5	HTLV gene regulation: because size matters, transcription is not enough. Future Microbiology, 2009, 4, 425-440.	1.0	45
6	The Multifaceted Oncoprotein Tax. Advances in Cancer Research, 2012, 113, 85-120.	1.9	44
7	Human T Cell Leukemia Virus Type 2 Tax-Mediated NF-κB Activation Involves a Mechanism Independent of Tax Conjugation to Ubiquitin and SUMO. Journal of Virology, 2013, 87, 1123-1136.	1.5	42
8	Dendritic cell maturation, but not type I interferon exposure, restricts infection by HTLV-1, and viral transmission to T-cells. PLoS Pathogens, 2017, 13, e1006353.	2.1	30
9	ADAR1 enhances HTLV-1 and HTLV-2 replication through inhibition of PKR activity. Retrovirology, 2014, 11, 93.	0.9	29
10	Alpha Interferon Restricts Human T-Lymphotropic Virus Type 1 and 2 <i>De Novo</i> Infection through PKR Activation. Journal of Virology, 2013, 87, 13386-13396.	1.5	27
11	A Transgenic Drosophila melanogaster Model To Study Human T-Lymphotropic Virus Oncoprotein Tax-1-Driven Transformation <i>In Vivo</i> . Journal of Virology, 2015, 89, 8092-8095.	1.5	25
12	Stability of HTLV-2 antisense protein is controlled by PML nuclear bodies in a SUMO-dependent manner. Oncogene, 2018, 37, 2806-2816.	2.6	18
13	SQSTM-1/p62 potentiates HTLV-1 Tax-mediated NF-κB activation through its ubiquitin binding function. Scientific Reports, 2019, 9, 16014.	1.6	15
14	TRAF3 Is Required for NF-κB Pathway Activation Mediated by HTLV Tax Proteins. Frontiers in Microbiology, 2019, 10, 1302.	1.5	14
15	Nipah virus W protein harnesses nuclear 14-3-3 to inhibit NF-κB-induced proinflammatory response. Communications Biology, 2021, 4, 1292.	2.0	9
16	A novel domain within the CIL regulates egress of IFITM3 from the Golgi and reveals a regulatory role of IFITM3 on the secretory pathway. Life Science Alliance, 2022, 5, e202101174.	1.3	3
17	HTLV-1 Disease. Pathogens, 2021, 10, 1001.	1.2	2