Marko Tainio

List of Publications by Citations

Source: https://exaly.com/author-pdf/2861042/marko-tainio-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

2,165
papers

2,165
citations

22
h-index

51
ext. papers

2,838
avg, IF

5.07
L-index

#	Paper	IF	Citations
44	Sedentary behaviour and risk of all-cause, cardiovascular and cancer mortality, and incident type 2 diabetes: a systematic review and dose response meta-analysis. <i>European Journal of Epidemiology</i> , 2018 , 33, 811-829	12.1	419
43	The health risks and benefits of cycling in urban environments compared with car use: health impact assessment study. <i>BMJ, The</i> , 2011 , 343, d4521	5.9	330
42	Can air pollution negate the health benefits of cycling and walking?. <i>Preventive Medicine</i> , 2016 , 87, 233-	-2 3 .6	226
41	Health effects of the London bicycle sharing system: health impact modelling study. <i>BMJ, The</i> , 2014 , 348, g425	5.9	222
40	Health Impacts of Active Transportation in Europe. <i>PLoS ONE</i> , 2016 , 11, e0149990	3.7	85
39	A probabilistic characterization of the relationship between fine particulate matter and mortality: elicitation of European experts. <i>Environmental Science & Environmental Sc</i>	10.3	76
38	Air pollution, physical activity and health: A mapping review of the evidence. <i>Environment International</i> , 2021 , 147, 105954	12.9	54
37	Uncertainty in mortality response to airborne fine particulate matter: Combining European air pollution experts. <i>Reliability Engineering and System Safety</i> , 2008 , 93, 732-744	6.3	49
36	Health effects of fine particulate matter in life cycle impact assessment: findings from the Basel Guidance Workshop. <i>International Journal of Life Cycle Assessment</i> , 2015 , 20, 276-288	4.6	48
35	Contrasts in active transport behaviour across four countries: how do they translate into public health benefits?. <i>Preventive Medicine</i> , 2015 , 74, 42-8	4.3	45
34	Use of the prevented fraction for the population to determine deaths averted by existing prevalence of physical activity: a descriptive study. <i>The Lancet Global Health</i> , 2020 , 8, e920-e930	13.6	41
33	Health impact modelling of different travel patterns on physical activity, air pollution and road injuries for SB Paulo, Brazil. <i>Environment International</i> , 2017 , 108, 22-31	12.9	38
32	Future climate and adverse health effects caused by fine particulate matter air pollution: case study for Poland. <i>Regional Environmental Change</i> , 2013 , 13, 705-715	4.3	34
31	Burden of disease caused by local transport in Warsaw, Poland. <i>Journal of Transport and Health</i> , 2015 , 2, 423-433	3	33
30	Health effects caused by primary fine particulate matter (PM2.5) emitted from buses in the Helsinki metropolitan area, Finland. <i>Risk Analysis</i> , 2005 , 25, 151-60	3.9	30
29	Risk-benefit analysis of eating farmed salmon. <i>Science</i> , 2004 , 305, 476-7; author reply 476-7	33.3	29
28	Cycling in Warsaw, Poland - Perceived enablers and barriers according to cyclists and non-cyclists. <i>Transportation Research, Part A: Policy and Practice</i> , 2018 , 113, 291-301	3.7	28

(2013-2009)

27	Evaluation of the European population intake fractions for European and Finnish anthropogenic primary fine particulate matter emissions. <i>Atmospheric Environment</i> , 2009 , 43, 3052-3059	5.3	27	
26	Global Effect Factors for Exposure to Fine Particulate Matter. <i>Environmental Science & Emp; Technology</i> , 2019 , 53, 6855-6868	10.3	26	
25	Integrated modeling assessments of the population exposure in Finland to primary PM2.5 from traffic and domestic wood combustion on the resolutions of 1 and 10 km. <i>Air Quality, Atmosphere and Health</i> , 2011 , 4, 179-188	5.6	26	
24	A shift from motorised travel to active transport: What are the potential health gains for an Australian city?. <i>PLoS ONE</i> , 2017 , 12, e0184799	3.7	26	
23	The carbon savings and health co-benefits from the introduction of mass rapid transit system in Greater Kuala Lumpur, Malaysia. <i>Journal of Transport and Health</i> , 2017 , 6, 187-200	3	24	
22	Burden of Mortality and Disease Attributable to Multiple Air Pollutants in Warsaw, Poland. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	22	
21	Impact of ambient air pollution on physical activity and sedentary behavior in China: A systematic review. <i>Environmental Research</i> , 2019 , 176, 108545	7.9	20	
20	Cycling behaviour in 17 countries across 6 continents: levels of cycling, who cycles, for what purpose, and how far?. <i>Transport Reviews</i> ,1-24	9.9	19	
19	Cycling in SB Paulo, Brazil (1997-2012): Correlates, time trends and health consequences. <i>Preventive Medicine Reports</i> , 2016 , 4, 540-545	2.6	17	
18	Severity of injuries in different modes of transport, expressed with disability-adjusted life years (DALYs). <i>BMC Public Health</i> , 2014 , 14, 765	4.1	17	
17	The long-term impact of restricting cycling and walking during high air pollution days on all-cause mortality: Health impact Assessment study. <i>Environment International</i> , 2020 , 140, 105679	12.9	16	
16	Development of the Impacts of Cycling Tool (ICT): A modelling study and web tool for evaluating health and environmental impacts of cycling uptake. <i>PLoS Medicine</i> , 2018 , 15, e1002622	11.6	16	
15	Estimating traffic contribution to particulate matter concentration in urban areas using a multilevel Bayesian meta-regression approach. <i>Environment International</i> , 2020 , 141, 105800	12.9	13	
14	Mortality, greenhouse gas emissions and consumer cost impacts of combined diet and physical activity scenarios: a health impact assessment study. <i>BMJ Open</i> , 2017 , 7, e014199	3	13	
13	The modelled impact of increases in physical activity: the effect of both increased survival and reduced incidence of disease. <i>European Journal of Epidemiology</i> , 2017 , 32, 235-250	12.1	13	
12	Intake fraction variability between air pollution emission sources inside an urban area. <i>Risk Analysis</i> , 2014 , 34, 2021-34	3.9	11	
11	Evaluation of intake fractions for different subpopulations due to primary fine particulate matter (PM2.5) emitted from domestic wood combustion and traffic in Finland. <i>Air Quality, Atmosphere and Health</i> , 2011 , 4, 199-209	5.6	11	
10	Perspectives to performance of environment and health assessments and modelsfrom outputs to outcomes?. <i>International Journal of Environmental Research and Public Health</i> , 2013 , 10, 2621-42	4.6	8	

9	Health co-benefits in mortality avoidance from implementation of the mass rapid transit (MRT) system in Kuala Lumpur, Malaysia. <i>Reviews on Environmental Health</i> , 2016 , 31, 179-83	3.8	8
8	Comparative risk analysis of dioxins in fish and fine particles from heavy-duty vehicles. <i>Risk Analysis</i> , 2008 , 28, 127-40	3.9	7
7	Parameter and model uncertainty in a life-table model for fine particles (PM2.5): a statistical modeling study. <i>Environmental Health</i> , 2007 , 6, 24	6	7
6	An economic way of reducing health, environmental, and other pressures of urban traffic: a decision analysis on trip aggregation. <i>BMC Public Health</i> , 2005 , 5, 123	4.1	7
5	Intra-urban variability of the intake fraction from multiple emission sources. <i>Atmospheric Pollution Research</i> , 2018 , 9, 1184-1193	4.5	5
4	Study protocol of the European Urban Burden of Disease Project: a health impact assessment study <i>BMJ Open</i> , 2022 , 12, e054270	3	2
3	A comparison of the health and environmental impacts of increasing urban density against increasing propensity to walk and cycle in Nashville, USA. <i>Cities and Health</i> , 2020 , 4, 55-65	2.8	2
2	A guide to value of information methods for prioritising research in health impact modelling <i>Epidemiologic Methods</i> , 2021 , 10, 20210012	2.2	1
1	Health impacts of changes in travel patterns in Greater Accra Metropolitan Area, Ghana. <i>Environment International</i> , 2021 , 155, 106680	12.9	1