

Paolo Moroni

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2861557/paolo-moroni-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

119 papers	2,604 citations	30 h-index	43 g-index
123 ext. papers	3,195 ext. citations	3.7 avg, IF	4.69 L-index

#	Paper	IF	Citations
119	Comparative secretome analysis of strains with different within-herd intramammary infection prevalence.. <i>Virulence</i> , 2022 , 13, 174-190	4.7	0
118	Emergence of methicillin resistance predates the clinical use of antibiotics.. <i>Nature</i> , 2022 ,	50.4	33
117	Gut microbiome modifications over time when removing in-feed antibiotics from the prophylaxis of post-weaning diarrhea in piglets.. <i>PLoS ONE</i> , 2022 , 17, e0262199	3.7	1
116	Survey of perceptions and attitudes of an international group of veterinarians regarding antibiotic use and resistance on dairy cattle farms. <i>Preventive Veterinary Medicine</i> , 2021 , 188, 105253	3.1	3
115	Public perceptions of antibiotic use on dairy farms in the United States. <i>Journal of Dairy Science</i> , 2021 , 104, 2807-2821	4	6
114	Comparison of the response of mammary gland tissue from two divergent lines of goat with high and low milk somatic cell scores to an experimental <i>Staphylococcus aureus</i> infection. <i>Veterinary Immunology and Immunopathology</i> , 2021 , 234, 110208	2	1
113	Genotyping and Antimicrobial Susceptibility Profiling of Isolated From a Clinical Bovine Mastitis Outbreak in a Dairy Farm. <i>Antibiotics</i> , 2021 , 10,	4.9	3
112	How does public perception of antibiotic use on dairy farms contribute to self-reported purchasing of organic?. <i>Journal of Food Science</i> , 2021 , 86, 2045-2060	3.4	2
111	Feeding Pre-weaned Calves With Waste Milk Containing Antibiotic Residues Is Related to a Higher Incidence of Diarrhea and Alterations in the Fecal Microbiota. <i>Frontiers in Veterinary Science</i> , 2021 , 8, 650150	3.1	3
110	New York State dairy veterinarians' perceptions of antibiotic use and resistance: A qualitative interview study. <i>Preventive Veterinary Medicine</i> , 2021 , 194, 105428	3.1	3
109	Population Genomic Analysis of Elucidates Geographical Variations and Genes associated with Host-Types. <i>Microorganisms</i> , 2020 , 8,	4.9	5
108	New York State dairy farmers' perceptions of antibiotic use and resistance: A qualitative interview study. <i>PLoS ONE</i> , 2020 , 15, e0232937	3.7	18
107	Different distribution of antimicrobial resistance genes and virulence profiles of <i>Staphylococcus aureus</i> strains isolated from clinical mastitis in six countries. <i>Journal of Dairy Science</i> , 2020 , 103, 3431-3446	4.6	11
106	Relationship of Late Lactation Milk Somatic Cell Count and Cathelicidin with Intramammary Infection in Small Ruminants. <i>Pathogens</i> , 2020 , 9,	4.5	3
105	Characterization of a novel real-time PCR assay. <i>Journal of Veterinary Diagnostic Investigation</i> , 2020 , 32, 793-801	1.5	4
104	Evaluation of a bovine cathelicidin ELISA for detecting mastitis in the dairy buffalo: Comparison with milk somatic cell count and bacteriological culture. <i>Research in Veterinary Science</i> , 2020 , 128, 129-134	3.5	6
103	Technical note: Development of multiplex PCR assays for the molecular characterization of <i>Streptococcus uberis</i> strains isolated from bovine mastitis. <i>Journal of Dairy Science</i> , 2020 , 103, 915-921	4	3

102	Heat treatment of bovine colostrum: I. Effects on bacterial and somatic cell counts, immunoglobulin, insulin, and IGF-I concentrations, as well as the colostrum proteome. <i>Journal of Dairy Science</i> , 2020 , 103, 9368-9383	4	12
101	Genomic analysis of European bovine <i>Staphylococcus aureus</i> from clinical versus subclinical mastitis. <i>Scientific Reports</i> , 2020 , 10, 18172	4.9	16
100	A Randomized Controlled Trial of Teat-Sealant and Antibiotic Dry-Cow Treatments for Mastitis Prevention Shows Similar Effect on the Healthy Milk Microbiome. <i>Frontiers in Veterinary Science</i> , 2020 , 7, 581	3.1	5
99	The Role of Innate Immune Response and Microbiome in Resilience of Dairy Cattle to Disease: The Mastitis Model. <i>Animals</i> , 2020 , 10,	3.1	7
98	<i>Staphylococcus aureus</i> intra-mammary infection affects the expression pattern of IL-R8 in goat. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2019 , 66, 101339	2.6	3
97	Milk cathelicidin and somatic cell counts in dairy goats along the course of lactation. <i>Journal of Dairy Research</i> , 2019 , 86, 217-221	1.6	10
96	Identification of Multidrug-Resistant from Bovine Clinical Mastitis Using a Ceftiofur-Supplemented Medium. <i>Foodborne Pathogens and Disease</i> , 2019 , 16, 590-596	3.8	4
95	A Longitudinal Case Study on Dissemination of ST398 Methicillin-Resistant Within a Dairy Cow Herd. <i>Foodborne Pathogens and Disease</i> , 2019 , 16, 761-768	3.8	4
94	Proteomic changes in the milk of water buffaloes (<i>Bubalus bubalis</i>) with subclinical mastitis due to intramammary infection by <i>Staphylococcus aureus</i> and by non-aureus staphylococci. <i>Scientific Reports</i> , 2019 , 9, 15850	4.9	13
93	Sand bedding as a reservoir for <i>Lactococcus garvieae</i> dissemination in dairy farms. <i>Canadian Journal of Microbiology</i> , 2019 , 65, 84-89	3.2	4
92	The secretome from bovine mammosphere-derived cells (MDC) promotes angiogenesis, epithelial cell migration, and contains factors associated with defense and immunity. <i>Scientific Reports</i> , 2018 , 8, 5378	4.9	10
91	Isolates from Bovine Mastitis in Eight Countries: Genotypes, Detection of Genes Encoding Different Toxins and Other Virulence Genes. <i>Toxins</i> , 2018 , 10,	4.9	44
90	Diseases of the Teats and Udder 2018 , 389-465		6
89	Characterization of hazards, welfare promoters and animal-based measures for the welfare assessment of dairy cows: Elicitation of expert opinion. <i>Preventive Veterinary Medicine</i> , 2018 , 150, 8-18	3.1	21
88	What we have lost: Mastitis resistance in Holstein Friesians and in a local cattle breed. <i>Research in Veterinary Science</i> , 2018 , 116, 88-98	2.5	38
87	Detection of virulence-related genes in <i>Lactococcus garvieae</i> and their expression in response to different conditions. <i>Folia Microbiologica</i> , 2018 , 63, 291-298	2.8	8
86	Association of herd-level risk factors and incidence rate of clinical mastitis in 20 Brazilian dairy herds. <i>Preventive Veterinary Medicine</i> , 2018 , 161, 9-18	3.1	15
85	Milk microbiome diversity and bacterial group prevalence in a comparison between healthy Holstein Friesian and Rendena cows. <i>PLoS ONE</i> , 2018 , 13, e0205054	3.7	40

84	Pentraxin 3 is up-regulated in epithelial mammary cells during <i>Staphylococcus aureus</i> intra-mammary infection in goat. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2018 , 59, 8-16	2.6	3
83	Relationship between milk cathelicidin abundance and microbiologic culture in clinical mastitis. <i>Journal of Dairy Science</i> , 2017 , 100, 2944-2953	4	16
82	Study of the association of atmospheric temperature and relative humidity with bulk tank milk somatic cell count in dairy herds using Generalized additive mixed models. <i>Research in Veterinary Science</i> , 2017 , 114, 511-517	2.5	4
81	Pre-milking mechanical teat stimulation and milking performance of dairy buffaloes in early lactation. <i>Journal of Agricultural Engineering</i> , 2017 , 48, 53-55	1.3	2
80	Occurrence of methicillin-resistant <i>Staphylococcus aureus</i> in dairy cattle herds, related swine farms, and humans in contact with herds. <i>Journal of Dairy Science</i> , 2017 , 100, 608-619	4	36
79	Randomized noninferiority field trial comparing 2 first-generation cephalosporin products at dry off in quarters receiving an internal teat sealant in dairy cows. <i>Journal of Dairy Science</i> , 2016 , 99, 6519-6531	4	4
78	Short communication: Methicillin-resistant <i>Staphylococcus aureus</i> in bulk tank milk of dairy cows and effect of swine population density. <i>Journal of Dairy Science</i> , 2016 , 99, 2151-2156	4	14
77	Validation of a mycoplasma molecular diagnostic test and distribution of mycoplasma species in bovine milk among New York State dairy farms. <i>Journal of Dairy Science</i> , 2016 , 99, 4668-4677	4	21
76	Existence of two groups of <i>Staphylococcus aureus</i> strains isolated from bovine mastitis based on biofilm formation, intracellular survival, capsular profile and agr-typing. <i>Veterinary Microbiology</i> , 2016 , 185, 1-6	3.3	29
75	The bovine milk microbiota: insights and perspectives from -omics studies. <i>Molecular BioSystems</i> , 2016 , 12, 2359-72		111
74	Short communication: In vitro antimicrobial susceptibility of <i>Mycoplasma bovis</i> isolates identified in milk from dairy cattle in Belgium, Germany, and Italy. <i>Journal of Dairy Science</i> , 2016 , 99, 6578-6584	4	12
73	Evaluation of milk cathelicidin for detection of bovine mastitis. <i>Journal of Dairy Science</i> , 2016 , 99, 8250-8258	4	26
72	Antimicrobial susceptibilities and random amplified polymorphic DNA-PCR fingerprint characterization of <i>Lactococcus lactis</i> ssp. <i>lactis</i> and <i>Lactococcus garvieae</i> isolated from bovine intramammary infections. <i>Journal of Dairy Science</i> , 2015 , 98, 6216-25	4	14
71	<i>Pseudomonas aeruginosa</i> in Dairy Goats: Genotypic and Phenotypic Comparison of Intramammary and Environmental Isolates. <i>PLoS ONE</i> , 2015 , 10, e0142973	3.7	18
70	Contribution of mammary epithelial cells to the immune response during early stages of a bacterial infection to <i>Staphylococcus aureus</i> . <i>Veterinary Research</i> , 2014 , 45, 16	3.8	47
69	Short communication: comparing real-time PCR and bacteriological cultures for <i>Streptococcus agalactiae</i> and <i>Staphylococcus aureus</i> in bulk-tank milk samples. <i>Journal of Dairy Science</i> , 2014 , 97, 5592-3	4	17
68	Efficacy of vaccination on <i>Staphylococcus aureus</i> and coagulase-negative staphylococci intramammary infection dynamics in 2 dairy herds. <i>Journal of Dairy Science</i> , 2014 , 97, 5250-64	4	55
67	Short communication: Genotypic and phenotypic identification of environmental streptococci and association of <i>Lactococcus lactis</i> ssp. <i>lactis</i> with intramammary infections among different dairy farms. <i>Journal of Dairy Science</i> , 2014 , 97, 6964-9	4	22

66	Simultaneous identification by multiplex PCR of major <i>Prototheca</i> spp. isolated from bovine and buffalo intramammary infection and bulk tank. <i>Letters in Applied Microbiology</i> , 2014 , 59, 642-7	2.9	16
65	Identification of virulence factors in 16S-23S rRNA intergenic spacer genotyped <i>Staphylococcus aureus</i> isolated from water buffaloes and small ruminants. <i>Journal of Dairy Science</i> , 2013 , 96, 7666-74	4	7
64	Use of PCR-restriction fragment length polymorphism analysis for identification of yeast species isolated from bovine intramammary infection. <i>Journal of Dairy Science</i> , 2013 , 96, 7692-7	4	12
63	Evaluation of internal reference genes for quantitative expression analysis by real-time reverse transcription-PCR in somatic cells from goat milk. <i>Journal of Dairy Science</i> , 2013 , 96, 7932-44	4	13
62	Effect on quarter milk somatic cell count and antimicrobial susceptibility of <i>Staphylococcus rostri</i> causing intramammary infection in dairy water buffaloes. <i>Journal of Dairy Science</i> , 2013 , 96, 3799-805	4	7
61	<i>Helcococcus kunzii</i> and <i>Helcococcus ovis</i> isolated in dairy cows with puerperal metritis. <i>Journal of General and Applied Microbiology</i> , 2013 , 59, 371-4	1.5	15
60	The "other" gram-negative bacteria in mastitis: <i>Klebsiella</i> , <i>serratia</i> , and more. <i>Veterinary Clinics of North America - Food Animal Practice</i> , 2012 , 28, 239-56	4.6	57
59	Molecular diagnostics applied to mastitis problems on dairy farms. <i>Veterinary Clinics of North America - Food Animal Practice</i> , 2012 , 28, 565-76	4.6	30
58	Genome characterization and population genetic structure of the zoonotic pathogen, <i>Streptococcus canis</i> . <i>BMC Microbiology</i> , 2012 , 12, 293	4.5	28
57	<i>Staphylococcus aureus</i> : Application of a Rapid Test for Molecular Typing of Strains Isolated from Bovine Mastitis 2012 , 41-45		
56	Response of the goat mammary gland to infection with <i>Staphylococcus aureus</i> revealed by gene expression profiling in milk somatic and white blood cells. <i>BMC Genomics</i> , 2012 , 13, 540	4.5	35
55	Cefquinome sulfate behavior after intramammary administration in healthy and infected cows. <i>Journal of Dairy Science</i> , 2011 , 94, 3455-61	4	32
54	Short communication: Epidemiology and genotyping of <i>Candida rugosa</i> strains responsible for persistent intramammary infections in dairy cows. <i>Journal of Dairy Science</i> , 2011 , 94, 4574-7	4	21
53	Multinucleated giant cells with an osteoclast phenotype derived from caprine peripheral blood mononuclear cells. <i>Veterinary Journal</i> , 2011 , 189, 361-3	2.5	3
52	Strengthening insights into host responses to mastitis infection in ruminants by combining heterogeneous microarray data sources. <i>BMC Genomics</i> , 2011 , 12, 225	4.5	38
51	Effects of intramammary infections on somatic cell score and milk yield in Sarda sheep. <i>New Zealand Veterinary Journal</i> , 2011 , 59, 128-31	1.7	20
50	CTX-M1 ESBL-producing <i>Klebsiella pneumoniae</i> subsp. <i>pneumoniae</i> isolated from cases of bovine mastitis. <i>Journal of Clinical Microbiology</i> , 2010 , 48, 3822-3	9.7	28
49	Differentially expressed genes associated with <i>Staphylococcus aureus</i> mastitis in dairy goats. <i>Veterinary Immunology and Immunopathology</i> , 2010 , 135, 208-17	2	24

48	Molecular characterization of Prototheca strains isolated from Italian dairy herds. <i>Journal of Dairy Science</i> , 2010 , 93, 4625-31	4	36
47	Cefoperazone sodium preparation behavior after intramammary administration in healthy and infected cows. <i>Journal of Dairy Science</i> , 2010 , 93, 4105-10	4	24
46	Effects of protected fish oil in the diet of periparturient dairy goats on phenotypic variation in blood and milk leukocytes. <i>Animal</i> , 2010 , 4, 1510-7	3.1	6
45	Genetic analysis of small ruminant lentiviruses following lactogenic transmission. <i>Virology</i> , 2010 , 407, 91-9	3.6	37
44	Avian mycobacteriosis in companion birds: 20-year survey. <i>Veterinary Microbiology</i> , 2009 , 133, 323-7	3.3	42
43	Milk hygiene and udder health in the periurban area of Hamdallaye, Niger. <i>Tropical Animal Health and Production</i> , 2009 , 41, 705-10	1.7	9
42	Extended-spectrum beta-lactamase production in E. coli strains isolated from clinical bovine mastitis. <i>Veterinary Research Communications</i> , 2009 , 33 Suppl 1, 141-4	2.9	14
41	Distribution of the pacemaker HCN4 channel mRNA and protein in the rabbit sinoatrial node. <i>Journal of Molecular and Cellular Cardiology</i> , 2009 , 47, 221-7	5.8	64
40	Epidemiological investigation of Streptococcus equi subspecies zooepidemicus involved in clinical mastitis in dairy goats. <i>Journal of Dairy Science</i> , 2009 , 92, 943-51	4	20
39	Pathogen detection in milk samples by ligation detection reaction-mediated universal array method. <i>Journal of Dairy Science</i> , 2009 , 92, 3027-39	4	31
38	Phenotypic alteration of blood and milk leukocytes in goats naturally infected with caprine arthritis-encephalitis virus (CAEV). <i>Small Ruminant Research</i> , 2008 , 78, 176-180	1.7	11
37	Differential alterations in the ability of bovine neutrophils to generate extracellular and intracellular reactive oxygen species during the periparturient period. <i>Veterinary Journal</i> , 2008 , 178, 208-13	2.5	36
36	Short communication: Outbreak of Nocardia neocaledoniensis mastitis in an Italian dairy herd. <i>Journal of Dairy Science</i> , 2008 , 91, 136-9	4	13
35	Differential effects of alpha1-acid glycoprotein on bovine neutrophil respiratory burst activity and IL-8 production. <i>Veterinary Immunology and Immunopathology</i> , 2008 , 126, 199-210	2	41
34	Short communication: isolation of Prototheca species strains from environmental sources in dairy herds. <i>Journal of Dairy Science</i> , 2008 , 91, 3474-7	4	17
33	Large-scale screening of the in vitro susceptibility of Prototheca zopfii towards polyene antibiotics. <i>Medical Mycology</i> , 2008 , 46, 511-4	3.9	17
32	Microarray analysis of gene expression of milk leukocytes in healthy goats. <i>Veterinary Research Communications</i> , 2008 , 32 Suppl 1, S219-21	2.9	4
31	Development of a microarray platform for detection of milk pathogens: preliminary results. <i>Veterinary Research Communications</i> , 2008 , 32 Suppl 1, S187-9	2.9	2

30	Seroprevalence, clinical incidence, and molecular and epidemiological characterisation of small ruminant lentivirus in the indigenous Passirian goat in northern Italy. <i>Archives of Virology</i> , 2008 , 153, 1581-5	2.6	7
29	Detection of enterotoxigenic <i>Staphylococcus aureus</i> isolates in raw milk cheese. <i>Letters in Applied Microbiology</i> , 2007 , 45, 586-91	2.9	53
28	Compartmentalization of small ruminant lentivirus between blood and colostrum in infected goats. <i>Virology</i> , 2007 , 369, 119-30	3.6	30
27	Monitoring goat and sheep milk somatic cell counts. <i>Small Ruminant Research</i> , 2007 , 68, 114-125	1.7	123
26	Development of DNA extraction and PCR amplification protocols for detection of <i>Mycoplasma bovis</i> directly from milk samples. <i>Veterinary Research Communications</i> , 2007 , 31 Suppl 1, 225-7	2.9	11
25	<i>Mycobacterium genavense</i> and avian polyomavirus co-infection in a European goldfinch (<i>Carduelis carduelis</i>). <i>Avian Pathology</i> , 2007 , 36, 423-6	2.4	20
24	Effect of intramammary infection in Bergamasca meat sheep on milk parameters and lamb growth. <i>Journal of Dairy Research</i> , 2007 , 74, 340-4	1.6	16
23	Demonstration of coinfection with and recombination by caprine arthritis-encephalitis virus and maedi-visna virus in naturally infected goats. <i>Journal of Virology</i> , 2007 , 81, 4948-55	6.6	57
22	Evaluation of assays for the measurement of bovine neutrophil reactive oxygen species. <i>Veterinary Immunology and Immunopathology</i> , 2007 , 115, 107-25	2	67
21	Influence of estrus of dairy goats on somatic cell count, milk traits, and sex steroid receptors in the mammary gland. <i>Journal of Dairy Science</i> , 2007 , 90, 790-7	4	20
20	Relationships between somatic cell count and intramammary infection in buffaloes. <i>Journal of Dairy Science</i> , 2006 , 89, 998-1003	4	52
19	Short communication: antimicrobial drug susceptibility of <i>Staphylococcus aureus</i> from subclinical bovine mastitis in Italy. <i>Journal of Dairy Science</i> , 2006 , 89, 2973-6	4	26
18	Phylogenetic analysis of the gag region encoding the matrix protein of small ruminant lentiviruses: comparative analysis and molecular epidemiological applications. <i>Virus Research</i> , 2006 , 116, 159-67	6.4	19
17	A structural equation model for describing relationships between somatic cell score and milk yield in dairy goats. <i>Journal of Animal Science</i> , 2006 , 84, 2934-41	0.7	37
16	Molecular typing of <i>Staphylococcus aureus</i> isolated from cows, goats and sheep with intramammary infections on the basis of gene polymorphisms and toxins genes. <i>Zoonoses and Public Health</i> , 2006 , 53, 423-8		24
15	Identification of Enterotoxin Genes in <i>Staphylococcus aureus</i> Isolates from Bovine and Caprine Milk. <i>Veterinary Research Communications</i> , 2006 , 30, 241-243	2.9	2
14	Characterization of <i>Staphylococcus aureus</i> isolated from chronically infected dairy goats. <i>Journal of Dairy Science</i> , 2005 , 88, 3500-9	4	30
13	Development of a multiplex PCR assay for the identification of <i>Staphylococcus aureus</i> enterotoxigenic strains isolated from milk and dairy products. <i>Molecular and Cellular Probes</i> , 2005 , 19, 299-305	3.3	86

12	Risk factors for intramammary infections and relationship with somatic-cell counts in Italian dairy goats. <i>Preventive Veterinary Medicine</i> , 2005 , 69, 163-73	3.1	70
11	Correlation between milk parameters in CAEV seropositive and negative primiparous goats during an eradication program in Italian farm. <i>Small Ruminant Research</i> , 2005 , 57, 73-79	1.7	29
10	Phylogenetic analysis of small-ruminant lentivirus subtype B1 in mixed flocks: evidence for natural transmission from goats to sheep. <i>Virology</i> , 2005 , 339, 147-52	3.6	67
9	Analysis of genetic polymorphisms in <i>Staphylococcus aureus</i> strains isolated from bovine milk. <i>Veterinary Research Communications</i> , 2005 , 29 Suppl 2, 257-9	2.9	1
8	Study of intramammary infections in dairy goats from mountainous regions in Italy. <i>New Zealand Veterinary Journal</i> , 2005 , 53, 375-6	1.7	6
7	Identification of the bovine alpha1-acid glycoprotein in colostrum and milk. <i>Veterinary Research</i> , 2005 , 36, 735-46	3.8	27
6	Effect of administration of fish oil on aspects of cell-mediated immune response in periparturient dairy goats. <i>Small Ruminant Research</i> , 2004 , 55, 77-83	1.7	19
5	Antibiotic susceptibility of coagulase-negative staphylococci isolated from goats' milk. <i>International Journal of Antimicrobial Agents</i> , 2004 , 23, 637-40	14.3	11
4	Relationship between mammary gland infections and some milk immune parameters in Sardinian breed ewes. <i>Small Ruminant Research</i> , 2001 , 41, 1-7	1.7	11
3	Relationship between teat tissue immune defences and intramammary infections. <i>Advances in Experimental Medicine and Biology</i> , 2000 , 480, 287-93	3.6	10
2	Study on the relationship between milk immune factors and <i>Staphylococcus aureus</i> intramammary infections in dairy cows. <i>Journal of Dairy Research</i> , 1999 , 66, 501-10	1.6	24
1	Field study on the relationship between teat thickness changes and intramammary infections. <i>Journal of Dairy Research</i> , 1996 , 63, 361-8	1.6	22