

Gene S Tan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2861941/publications.pdf>

Version: 2024-02-01

56
papers

5,797
citations

76196

40
h-index

155451

55
g-index

61
all docs

61
docs citations

61
times ranked

6090
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | A single-shot adenoviral vaccine provides hemagglutinin stalk-mediated protection against heterosubtypic influenza challenge in mice. <i>Molecular Therapy</i> , 2022, 30, 2024-2047. | 3.7 | 14 |
| 2 | Early non-neutralizing, afucosylated antibody responses are associated with COVID-19 severity. <i>Science Translational Medicine</i> , 2022, 14, eabm7853. | 5.8 | 71 |
| 3 | TNF- β + CD4+ T β cells dominate the SARS-CoV-2 specific T cell response in COVID-19 outpatients and are associated with durable antibodies. <i>Cell Reports Medicine</i> , 2022, 3, 100640. | 3.3 | 15 |
| 4 | Proinflammatory IgG Fc structures in patients with severe COVID-19. <i>Nature Immunology</i> , 2021, 22, 67-73. | 7.0 | 239 |
| 5 | The Zika virus NS1 protein as a vaccine target. , 2021, , 367-376. | | 0 |
| 6 | SARS-CoV-2 vaccines in advanced clinical trials: Where do we stand?. <i>Advanced Drug Delivery Reviews</i> , 2021, 172, 314-338. | 6.6 | 75 |
| 7 | Monoclonal Antibodies with Neutralizing Activity and Fc-Effector Functions against the Machupo Virus Glycoprotein. <i>Journal of Virology</i> , 2020, 94, . | 1.5 | 22 |
| 8 | Neutralizing Monoclonal Antibodies against the Gn and the Gc of the Andes Virus Glycoprotein Spike Complex Protect from Virus Challenge in a Preclinical Hamster Model. <i>MBio</i> , 2020, 11, . | 1.8 | 31 |
| 9 | Innate Immune Response to Influenza Virus at Single-Cell Resolution in Human Epithelial Cells Revealed Paracrine Induction of Interferon Lambda 1. <i>Journal of Virology</i> , 2019, 93, . | 1.5 | 65 |
| 10 | The L46P Mutant Confers a Novel Allosteric Mechanism of Resistance Toward the Influenza A Virus M2 S31N Proton Channel Blockers. <i>Molecular Pharmacology</i> , 2019, 96, 148-157. | 1.0 | 14 |
| 11 | Human Monoclonal Antibodies Potently Neutralize Zika Virus and Select for Escape Mutations on the Lateral Ridge of the Envelope Protein. <i>Journal of Virology</i> , 2019, 93, . | 1.5 | 12 |
| 12 | Optimization of qRT-PCR assay for zika virus detection in human serum and urine. <i>Virus Research</i> , 2019, 263, 173-178. | 1.1 | 17 |
| 13 | A Method to Assess Fc-mediated Effector Functions Induced by Influenza Hemagglutinin Specific Antibodies. <i>Journal of Visualized Experiments</i> , 2018, , . | 0.2 | 3 |
| 14 | Human antibodies targeting Zika virus NS1 provide protection against disease in a mouse model. <i>Nature Communications</i> , 2018, 9, 4560. | 5.8 | 88 |
| 15 | Alveolar macrophages are critical for broadly-reactive antibody-mediated protection against influenza A virus in mice. <i>Nature Communications</i> , 2017, 8, 846. | 5.8 | 134 |
| 16 | Increasing the breadth and potency of response to the seasonal influenza virus vaccine by immune complex immunization. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 10172-10177. | 3.3 | 42 |
| 17 | Generation of Escape Variants of Neutralizing Influenza Virus Monoclonal Antibodies. <i>Journal of Visualized Experiments</i> , 2017, , . | 0.2 | 8 |
| 18 | Broadly protective murine monoclonal antibodies against influenza B virus target highly conserved neuraminidase epitopes. <i>Nature Microbiology</i> , 2017, 2, 1415-1424. | 5.9 | 96 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Synthetic Toll-Like Receptor 4 (TLR4) and TLR7 Ligands Work Additively via MyD88 To Induce Protective Antiviral Immunity in Mice. <i>Journal of Virology</i> , 2017, 91, . | 1.5 | 32 |
| 20 | Broadly-Reactive Neutralizing and Non-neutralizing Antibodies Directed against the H7 Influenza Virus Hemagglutinin Reveal Divergent Mechanisms of Protection. <i>PLoS Pathogens</i> , 2016, 12, e1005578. | 2.1 | 124 |
| 21 | Cryo-electron Microscopy Structures of Chimeric Hemagglutinin Displayed on a Universal Influenza Vaccine Candidate. <i>MBio</i> , 2016, 7, e00257. | 1.8 | 26 |
| 22 | Epitope specificity plays a critical role in regulating antibody-dependent cell-mediated cytotoxicity against influenza A virus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 11931-11936. | 3.3 | 153 |
| 23 | Broadly Neutralizing Hemagglutinin Stalk-Specific Antibodies Induce Potent Phagocytosis of Immune Complexes by Neutrophils in an Fc-Dependent Manner. <i>MBio</i> , 2016, 7, . | 1.8 | 100 |
| 24 | Optimal activation of Fc-mediated effector functions by influenza virus hemagglutinin antibodies requires two points of contact. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E5944-E5951. | 3.3 | 108 |
| 25 | Both Neutralizing and Non-Neutralizing Human H7N9 Influenza Vaccine-Induced Monoclonal Antibodies Confer Protection. <i>Cell Host and Microbe</i> , 2016, 19, 800-813. | 5.1 | 238 |
| 26 | Influenza A Viruses Expressing Intra- or Intergroup Chimeric Hemagglutinins. <i>Journal of Virology</i> , 2016, 90, 3789-3793. | 1.5 | 42 |
| 27 | Hemagglutinin Stalk- and Neuraminidase-Specific Monoclonal Antibodies Protect against Lethal H10N8 Influenza Virus Infection in Mice. <i>Journal of Virology</i> , 2016, 90, 851-861. | 1.5 | 71 |
| 28 | Direct Administration in the Respiratory Tract Improves Efficacy of Broadly Neutralizing Anti-Influenza Virus Monoclonal Antibodies. <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 4162-4172. | 1.4 | 58 |
| 29 | Vaccination with soluble headless hemagglutinin protects mice from challenge with divergent influenza viruses. <i>Vaccine</i> , 2015, 33, 3314-3321. | 1.7 | 73 |
| 30 | Vaccination with Adjuvanted Recombinant Neuraminidase Induces Broad Heterologous, but Not Heterosubtypic, Cross-Protection against Influenza Virus Infection in Mice. <i>MBio</i> , 2015, 6, e02556. | 1.8 | 173 |
| 31 | Anti-HA Glycoforms Drive B Cell Affinity Selection and Determine Influenza Vaccine Efficacy. <i>Cell</i> , 2015, 162, 160-169. | 13.5 | 171 |
| 32 | Preexisting human antibodies neutralize recently emerged H7N9 influenza strains. <i>Journal of Clinical Investigation</i> , 2015, 125, 1255-1268. | 3.9 | 115 |
| 33 | Divergent H7 Immunogens Offer Protection from H7N9 Virus Challenge. <i>Journal of Virology</i> , 2014, 88, 3976-3985. | 1.5 | 52 |
| 34 | Broadly neutralizing hemagglutinin stalk-specific antibodies require Fc γ 3R interactions for protection against influenza virus in vivo. <i>Nature Medicine</i> , 2014, 20, 143-151. | 15.2 | 680 |
| 35 | Characterization of a Broadly Neutralizing Monoclonal Antibody That Targets the Fusion Domain of Group 2 Influenza A Virus Hemagglutinin. <i>Journal of Virology</i> , 2014, 88, 13580-13592. | 1.5 | 110 |
| 36 | Assessment of Influenza Virus Hemagglutinin Stalk-Based Immunity in Ferrets. <i>Journal of Virology</i> , 2014, 88, 3432-3442. | 1.5 | 128 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Hemagglutinin Stalk-Based Universal Vaccine Constructs Protect against Group 2 Influenza A Viruses. <i>Journal of Virology</i> , 2013, 87, 10435-10446. | 1.5 | 174 |
| 38 | <i>In Vivo</i> Bioluminescent Imaging of Influenza A Virus Infection and Characterization of Novel Cross-Protective Monoclonal Antibodies. <i>Journal of Virology</i> , 2013, 87, 8272-8281. | 1.5 | 133 |
| 39 | Hemagglutinin stalk antibodies elicited by the 2009 pandemic influenza virus as a mechanism for the extinction of seasonal H1N1 viruses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 2573-2578. | 3.3 | 244 |
| 40 | Influenza Viruses Expressing Chimeric Hemagglutinins: Globular Head and Stalk Domains Derived from Different Subtypes. <i>Journal of Virology</i> , 2012, 86, 5774-5781. | 1.5 | 241 |
| 41 | A Virus-Like Particle That Elicits Cross-Reactive Antibodies to the Conserved Stem of Influenza Virus Hemagglutinin. <i>Journal of Virology</i> , 2012, 86, 11686-11697. | 1.5 | 71 |
| 42 | A Carboxy-Terminal Trimerization Domain Stabilizes Conformational Epitopes on the Stalk Domain of Soluble Recombinant Hemagglutinin Substrates. <i>PLoS ONE</i> , 2012, 7, e43603. | 1.1 | 146 |
| 43 | Hemagglutinin Stalk-Reactive Antibodies Are Boosted following Sequential Infection with Seasonal and Pandemic H1N1 Influenza Virus in Mice. <i>Journal of Virology</i> , 2012, 86, 10302-10307. | 1.5 | 93 |
| 44 | A Pan-H1 Anti-Hemagglutinin Monoclonal Antibody with Potent Broad-Spectrum Efficacy <i>In Vivo</i> . <i>Journal of Virology</i> , 2012, 86, 6179-6188. | 1.5 | 150 |
| 45 | Broadly Protective Monoclonal Antibodies against H3 Influenza Viruses following Sequential Immunization with Different Hemagglutinins. <i>PLoS Pathogens</i> , 2010, 6, e1000796. | 2.1 | 251 |
| 46 | Attenuation of Rabies Virulence: Takeover by the Cytoplasmic Domain of Its Envelope Protein. <i>Science Signaling</i> , 2010, 3, ra5. | 1.6 | 100 |
| 47 | Vaccination with a synthetic peptide from the influenza virus hemagglutinin provides protection against distinct viral subtypes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 18979-18984. | 3.3 | 273 |
| 48 | Replication-Deficient Rabies Virus-Based Vaccines Are Safe and Immunogenic in Mice and Nonhuman Primates. <i>Journal of Infectious Diseases</i> , 2009, 200, 1251-1260. | 1.9 | 49 |
| 49 | Intravenous Inoculation of a Bat-Associated Rabies Virus Causes Lethal Encephalopathy in Mice through Invasion of the Brain via Neurosecretory Hypothalamic Fibers. <i>PLoS Pathogens</i> , 2009, 5, e1000485. | 2.1 | 35 |
| 50 | Immune modulating effect by a phosphoprotein-deleted rabies virus vaccine vector expressing two copies of the rabies virus glycoprotein gene. <i>Vaccine</i> , 2008, 26, 6405-6414. | 1.7 | 46 |
| 51 | Guanylyl Cyclase-Induced Immunotherapeutic Responses Opposing Tumor Metastases Without Autoimmunity. <i>Journal of the National Cancer Institute</i> , 2008, 100, 950-961. | 3.0 | 48 |
| 52 | PPEY Motif within the Rabies Virus (RV) Matrix Protein Is Essential for Efficient Virion Release and RV Pathogenicity. <i>Journal of Virology</i> , 2008, 82, 9730-9738. | 1.5 | 76 |
| 53 | The dynein light chain 8 binding motif of rabies virus phosphoprotein promotes efficient viral transcription. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 7229-7234. | 3.3 | 122 |
| 54 | The application of reverse genetics technology in the study of rabies virus (RV) pathogenesis and for the development of novel RV vaccines. <i>Journal of NeuroVirology</i> , 2005, 11, 76-81. | 1.0 | 44 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Strong cellular and humoral anti-HIV Env immune responses induced by a heterologous rhabdoviral prime-boost approach. <i>Virology</i> , 2005, 331, 82-93. | 1.1 | 44 |
| 56 | Rabies virus nucleoprotein as a carrier for foreign antigens. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 9405-9410. | 3.3 | 31 |