

Elaine Fuchs

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2863617/elaine-fuchs-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

205 papers	40,337 citations	108 h-index	200 g-index
225 ext. papers	45,879 ext. citations	24.8 avg, IF	7.86 L-index

#	Paper	IF	Citations
205	Lymphatics act as a signaling hub to regulate intestinal stem cell activity. <i>Cell Stem Cell</i> , 2022 ,	18	2
204	Stem cells expand potency and alter tissue fitness by accumulating diverse epigenetic memories. <i>Science</i> , 2021 , 374, eabh2444	33.3	4
203	Environmental control of lineage plasticity and stem cell memory. <i>Current Opinion in Cell Biology</i> , 2021 , 69, 88-95	9	2
202	Inflammatory adaptation in barrier tissues. <i>Cell</i> , 2021 , 184, 3361-3375	56.2	6
201	Trained immunity, tolerance, priming and differentiation: distinct immunological processes. <i>Nature Immunology</i> , 2021 , 22, 2-6	19.1	85
200	Dietary interventions as regulators of stem cell behavior in homeostasis and disease. <i>Genes and Development</i> , 2021 , 35, 199-211	12.6	4
199	Establishment, maintenance, and recall of inflammatory memory. <i>Cell Stem Cell</i> , 2021 , 28, 1758-1774.e818	18	14
198	Skin Cancers and the Contribution of Rho GTPase Signaling Networks to Their Progression. <i>Cancers</i> , 2021 , 13,	6.6	1
197	Highly efficient manipulation of nervous system gene expression with NEPTUNE. <i>Cell Reports Methods</i> , 2021 , 1, 100043-100043		1
196	Stem cell progeny liaisons in regeneration. <i>Nature Cell Biology</i> , 2021 , 23, 932-933	23.4	
195	Desmoplakin maintains transcellular keratin scaffolding and protects from intestinal injury.. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2021 ,	7.9	2
194	NFI transcription factors provide chromatin access to maintain stem cell identity while preventing unintended lineage fate choices. <i>Nature Cell Biology</i> , 2020 , 22, 640-650	23.4	14
193	High Throughput strategies Aimed at Closing the GAP in Our Knowledge of Rho GTPase Signaling. <i>Cells</i> , 2020 , 9,	7.9	4
192	Liquid-liquid phase separation drives skin barrier formation. <i>Science</i> , 2020 , 367,	33.3	81
191	Defining trained immunity and its role in health and disease. <i>Nature Reviews Immunology</i> , 2020 , 20, 375-388	38.5	587
190	The aging skin microenvironment dictates stem cell behavior. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 5339-5350	11.5	32
189	Progenitors oppositely polarize WNT activators and inhibitors to orchestrate tissue development. <i>ELife</i> , 2020 , 9,	8.9	10

188	m6A RNA methylation impacts fate choices during skin morphogenesis. <i>ELife</i> , 2020 , 9,	8.9	9
187	Extracellular serine controls epidermal stem cell fate and tumour initiation. <i>Nature Cell Biology</i> , 2020 , 22, 779-790	23.4	33
186	Adult stem cells and regenerative medicine-a symposium report. <i>Annals of the New York Academy of Sciences</i> , 2020 , 1462, 27-36	6.5	20
185	Epithelial cells: liaisons of immunity. <i>Current Opinion in Immunology</i> , 2020 , 62, 45-53	7.8	36
184	Tissue Stem Cells: Architects of Their Niches. <i>Cell Stem Cell</i> , 2020 , 27, 532-556	18	44
183	BMP signaling: at the gate between activated melanocyte stem cells and differentiation. <i>Genes and Development</i> , 2020 , 34, 1713-1734	12.6	4
182	Mechanics of a multilayer epithelium instruct tumour architecture and function. <i>Nature</i> , 2020 , 585, 433-439	50.4	38
181	A Metabolic Bottleneck for Stem Cell Transformation. <i>Cell</i> , 2020 , 182, 1377-1378	56.2	2
180	Distinct modes of cell competition shape mammalian tissue morphogenesis. <i>Nature</i> , 2019 , 569, 497-502	50.4	69
179	Adaptive Immune Resistance Emerges from Tumor-Initiating Stem Cells. <i>Cell</i> , 2019 , 177, 1172-1186.e14	56.2	108
178	The cellular basis of mechanosensory Merkel-cell innervation during development. <i>ELife</i> , 2019 , 8,	8.9	11
177	Stem cell-driven lymphatic remodeling coordinates tissue regeneration. <i>Science</i> , 2019 , 366, 1218-1225	33.3	53
176	An RNAi screen unravels the complexities of Rho GTPase networks in skin morphogenesis. <i>ELife</i> , 2019 , 8,	8.9	4
175	Author response: An RNAi screen unravels the complexities of Rho GTPase networks in skin morphogenesis 2019 ,		2
174	WNT Signaling in Cancer Immunosurveillance. <i>Trends in Cell Biology</i> , 2019 , 29, 44-65	18.3	102
173	Stretching the limits: from homeostasis to stem cell plasticity in wound healing and cancer. <i>Nature Reviews Genetics</i> , 2018 , 19, 311-325	30.1	87
172	Temporal Layering of Signaling Effectors Drives Chromatin Remodeling during Hair Follicle Stem Cell Lineage Progression. <i>Cell Stem Cell</i> , 2018 , 22, 398-413.e7	18	53
171	Stem cells: Aging and transcriptional fingerprints. <i>Journal of Cell Biology</i> , 2018 , 217, 79-92	7.3	44

170	The human CIB1-EVER1-EVER2 complex governs keratinocyte-intrinsic immunity to Papillomaviruses. <i>Journal of Experimental Medicine</i> , 2018 , 215, 2289-2310	16.6	56
169	Skin Stem Cells in Silence, Action, and Cancer. <i>Stem Cell Reports</i> , 2018 , 10, 1432-1438	8	19
168	Stem cells repurpose proliferation to contain a breach in their niche barrier. <i>ELife</i> , 2018 , 7,	8.9	27
167	Two to Tango: Dialog between Immunity and Stem Cells in Health and Disease. <i>Cell</i> , 2018 , 175, 908-920	56.2	104
166	Translation of dipeptide repeat proteins from the C9ORF72 expanded repeat is associated with cellular stress. <i>Neurobiology of Disease</i> , 2018 , 116, 155-165	7.5	43
165	Coupling organelle inheritance with mitosis to balance growth and differentiation. <i>Science</i> , 2017 , 355,	33.3	56
164	Translation from unconventional 5Sstart sites drives tumour initiation. <i>Nature</i> , 2017 , 541, 494-499	50.4	185
163	Epithelial-Mesenchymal Micro-niches Govern Stem Cell Lineage Choices. <i>Cell</i> , 2017 , 169, 483-496.e13	56.2	142
162	Stem Cell Lineage Infidelity Drives Wound Repair and Cancer. <i>Cell</i> , 2017 , 169, 636-650.e14	56.2	161
161	Structure of the ACF7 EF-Hand-GAR Module and Delineation of Microtubule Binding Determinants. <i>Structure</i> , 2017 , 25, 1130-1138.e6	5.2	11
160	Inflammatory memory sensitizes skin epithelial stem cells to tissue damage. <i>Nature</i> , 2017 , 550, 475-480	50.4	249
159	Skin and Its Regenerative Powers: An Alliance between Stem Cells and Their Niche. <i>Developmental Cell</i> , 2017 , 43, 387-401	10.2	190
158	Impaired Epidermal to Dendritic T Cell Signaling Slows Wound Repair in Aged Skin. <i>Cell</i> , 2016 , 167, 1323-1338.e14	56.2	124
157	A Presenilin-2-ARF4 trafficking axis modulates Notch signaling during epidermal differentiation. <i>Journal of Cell Biology</i> , 2016 , 214, 89-101	7.3	16
156	WNT-SHH Antagonism Specifies and Expands Stem Cells prior to Niche Formation. <i>Cell</i> , 2016 , 164, 156-169.e14	56.2	102
155	The Yin and Yang of Chromatin Dynamics In Stem Cell Fate Selection. <i>Trends in Genetics</i> , 2016 , 32, 89-100	8.5	38
154	LIM Homeobox Domain 2 Is Required for Corneal Epithelial Homeostasis. <i>Stem Cells</i> , 2016 , 34, 493-503	5.8	5
153	Epithelial Skin Biology: Three Decades of Developmental Biology, a Hundred Questions Answered and a Thousand New Ones to Address. <i>Current Topics in Developmental Biology</i> , 2016 , 116, 357-74	5.3	82

152	Strand-specific in vivo screen of cancer-associated miRNAs unveils a role for miR-21(*) in SCC progression. <i>Nature Cell Biology</i> , 2016 , 18, 111-21	23.4	42
151	Spatiotemporal antagonism in mesenchymal-epithelial signaling in sweat versus hair fate decision. <i>Science</i> , 2016 , 354,	33.3	75
150	Susan Lee Lindquist (1949-2016). <i>Molecular Cell</i> , 2016 , 64, 851-853	17.6	2
149	FOXC1 maintains the hair follicle stem cell niche and governs stem cell quiescence to preserve long-term tissue-regenerating potential. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, E1506-15	11.5	88
148	TGF- β promotes heterogeneity and drug resistance in squamous cell carcinoma. <i>Cell</i> , 2015 , 160, 963-976	56.2	303
147	Wdr1-mediated cell shape dynamics and cortical tension are essential for epidermal planar cell polarity. <i>Nature Cell Biology</i> , 2015 , 17, 592-604	23.4	44
146	Pioneer factors govern super-enhancer dynamics in stem cell plasticity and lineage choice. <i>Nature</i> , 2015 , 521, 366-70	50.4	255
145	Chronic centrosome amplification without tumorigenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, E6321-30	11.5	53
144	An unconventional route to becoming a cell biologist. <i>Molecular Biology of the Cell</i> , 2015 , 26, 3697-9	3.5	
143	Cell biology: More than skin deep. <i>Journal of Cell Biology</i> , 2015 , 209, 629-31	7.3	10
142	A novel two-step genome editing strategy with CRISPR-Cas9 provides new insights into telomerase action and TERT gene expression. <i>Genome Biology</i> , 2015 , 16, 231	18.3	58
141	Tissue patterning and cellular mechanics. <i>Journal of Cell Biology</i> , 2015 , 211, 219-31	7.3	59
140	ETS family transcriptional regulators drive chromatin dynamics and malignancy in squamous cell carcinomas. <i>ELife</i> , 2015 , 4, e10870	8.9	47
139	Epidermal development, growth control, and homeostasis in the face of centrosome amplification. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, E6311-20	11.5	36
138	Cancer. TERT promoter mutations and telomerase reactivation in urothelial cancer. <i>Science</i> , 2015 , 347, 1006-10	33.3	214
137	Insights into the biological functions of Dock family guanine nucleotide exchange factors. <i>Genes and Development</i> , 2014 , 28, 533-47	12.6	99
136	Forces generated by cell intercalation tow epidermal sheets in mammalian tissue morphogenesis. <i>Developmental Cell</i> , 2014 , 28, 617-32	10.2	71
135	Transit-amplifying cells orchestrate stem cell activity and tissue regeneration. <i>Cell</i> , 2014 , 157, 935-49	56.2	211

134	Direct in vivo RNAi screen unveils myosin IIa as a tumor suppressor of squamous cell carcinomas. <i>Science</i> , 2014 , 343, 309-13	33.3	185
133	In vivo transcriptional governance of hair follicle stem cells by canonical Wnt regulators. <i>Nature Cell Biology</i> , 2014 , 16, 179-90	23.4	135
132	Sweat gland progenitors in development, homeostasis, and wound repair. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2014 , 4,	5.4	90
131	Par3-mInsc and GfB cooperate to promote oriented epidermal cell divisions through LGN. <i>Nature Cell Biology</i> , 2014 , 16, 758-69	23.4	95
130	Emerging interactions between skin stem cells and their niches. <i>Nature Medicine</i> , 2014 , 20, 847-56	50.5	363
129	BMP signaling and its pSMAD1/5 target genes differentially regulate hair follicle stem cell lineages. <i>Cell Stem Cell</i> , 2014 , 15, 619-33	18	103
128	Wnt some lose some: transcriptional governance of stem cells by Wnt/βcatenin signaling. <i>Genes and Development</i> , 2014 , 28, 1517-32	12.6	175
127	Stem cell plasticity. Plasticity of epithelial stem cells in tissue regeneration. <i>Science</i> , 2014 , 344, 1242281	33.3	352
126	Architectural Niche Organization by LHX2 is Linked to Hair Follicle Stem Cell Function. <i>Microscopy and Microanalysis</i> , 2014 , 20, 1382-1383	0.5	1
125	Comparison of REST cistromes across human cell types reveals common and context-specific functions. <i>PLoS Computational Biology</i> , 2014 , 10, e1003671	5	27
124	SOX9: a stem cell transcriptional regulator of secreted niche signaling factors. <i>Genes and Development</i> , 2014 , 28, 328-41	12.6	127
123	miR-125b can enhance skin tumor initiation and promote malignant progression by repressing differentiation and prolonging cell survival. <i>Genes and Development</i> , 2014 , 28, 2532-46	12.6	48
122	Oriented divisions, fate decisions. <i>Current Opinion in Cell Biology</i> , 2013 , 25, 749-58	9	80
121	Sept4/ARTS regulates stem cell apoptosis and skin regeneration. <i>Science</i> , 2013 , 341, 286-9	33.3	62
120	RNAi-mediated gene function analysis in skin. <i>Methods in Molecular Biology</i> , 2013 , 961, 351-61	1.4	16
119	Architectural niche organization by LHX2 is linked to hair follicle stem cell function. <i>Cell Stem Cell</i> , 2013 , 13, 314-27	18	64
118	RNAi screens in mice identify physiological regulators of oncogenic growth. <i>Nature</i> , 2013 , 501, 185-90	50.4	117
117	Nfatc1 orchestrates aging in hair follicle stem cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, E4950-9	11.5	104

116	A matter of life and death: self-renewal in stem cells. <i>EMBO Reports</i> , 2013 , 14, 39-48	6.5	117
115	NFIB is a governor of epithelial-melanocyte stem cell behaviour in a shared niche. <i>Nature</i> , 2013 , 495, 98-102	50.4	116
114	Spindle orientation and epidermal morphogenesis. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2013 , 368, 20130016	5.8	48
113	What does the concept of the stem cell niche really mean today?. <i>BMC Biology</i> , 2012 , 10, 19	7.3	131
112	A miR image of stem cells and their lineages. <i>Current Topics in Developmental Biology</i> , 2012 , 99, 175-99	5.3	12
111	The harmonies played by TGF- β in stem cell biology. <i>Cell Stem Cell</i> , 2012 , 11, 751-64	18	145
110	Paracrine TGF- β signaling counterbalances BMP-mediated repression in hair follicle stem cell activation. <i>Cell Stem Cell</i> , 2012 , 10, 63-75	18	246
109	The impact of cell culture on stem cell research. <i>Cell Stem Cell</i> , 2012 , 10, 640-641	18	9
108	CÉric Blanpain: ISSCR's outstanding young investigator for 2012. <i>Cell Stem Cell</i> , 2012 , 10, 751-752	18	3
107	Identification of stem cell populations in sweat glands and ducts reveals roles in homeostasis and wound repair. <i>Cell</i> , 2012 , 150, 136-50	56.2	218
106	A family business: stem cell progeny join the niche to regulate homeostasis. <i>Nature Reviews Molecular Cell Biology</i> , 2012 , 13, 103-14	48.7	225
105	DNA methylation dynamics during in vivo differentiation of blood and skin stem cells. <i>Molecular Cell</i> , 2012 , 47, 633-47	17.6	271
104	An RNA interference screen uncovers a new molecule in stem cell self-renewal and long-term regeneration. <i>Nature</i> , 2012 , 485, 104-8	50.4	82
103	Function of Wnt/ β -catenin in counteracting Tcf3 repression through the Tcf3- β -catenin interaction. <i>Development (Cambridge)</i> , 2012 , 139, 2118-29	6.6	85
102	Governing epidermal homeostasis by coupling cell-cell adhesion to integrin and growth factor signaling, proliferation, and apoptosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 4886-91	11.5	49
101	MicroRNAs and their roles in mammalian stem cells. <i>Journal of Cell Science</i> , 2011 , 124, 1775-83	5.3	79
100	Dynamics between stem cells, niche, and progeny in the hair follicle. <i>Cell</i> , 2011 , 144, 92-105	56.2	419
99	Skin stem cells orchestrate directional migration by regulating microtubule-ACF7 connections through GSK3 β . <i>Cell</i> , 2011 , 144, 341-52	56.2	140

98	A role for the primary cilium in Notch signaling and epidermal differentiation during skin development. <i>Cell</i> , 2011 , 145, 1129-41	56.2	229
97	Specific microRNAs are preferentially expressed by skin stem cells to balance self-renewal and early lineage commitment. <i>Cell Stem Cell</i> , 2011 , 8, 294-308	18	142
96	Reflections of an ISSCR president, 2010-2011. <i>Cell Stem Cell</i> , 2011 , 8, 629-30	18	
95	Genome-wide maps of histone modifications unwind in vivo chromatin states of the hair follicle lineage. <i>Cell Stem Cell</i> , 2011 , 9, 219-32	18	159
94	Developmental roles for Srf, cortical cytoskeleton and cell shape in epidermal spindle orientation. <i>Nature Cell Biology</i> , 2011 , 13, 203-14	23.4	127
93	Ferretting out stem cells from their niches. <i>Nature Cell Biology</i> , 2011 , 13, 513-8	23.4	72
92	A decade of molecular cell biology: achievements and challenges. <i>Nature Reviews Molecular Cell Biology</i> , 2011 , 12, 669-74	48.7	18
91	Asymmetric cell divisions promote Notch-dependent epidermal differentiation. <i>Nature</i> , 2011 , 470, 353-8	50.4	326
90	Mitotic internalization of planar cell polarity proteins preserves tissue polarity. <i>Nature Cell Biology</i> , 2011 , 13, 893-902	23.4	106
89	Yes-associated protein (YAP) transcriptional coactivator functions in balancing growth and differentiation in skin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 2270-5	11.5	264
88	Tumor-initiating stem cells of squamous cell carcinomas and their control by TGF- β and integrin/focal adhesion kinase (FAK) signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 10544-9	11.5	196
87	EZH1 and EZH2 cogovern histone H3K27 trimethylation and are essential for hair follicle homeostasis and wound repair. <i>Genes and Development</i> , 2011 , 25, 485-98	12.6	288
86	Rapid functional dissection of genetic networks via tissue-specific transduction and RNAi in mouse embryos. <i>Nature Medicine</i> , 2010 , 16, 821-7	50.5	135
85	Hedgehog signaling regulates the generation of ameloblast progenitors in the continuously growing mouse incisor. <i>Development (Cambridge)</i> , 2010 , 137, 3753-61	6.6	126
84	Epidermolysis bullosa simplex: a paradigm for disorders of tissue fragility. <i>Journal of Clinical Investigation</i> , 2009 , 119, 1784-93	15.9	139
83	Epithelial Hair Follicle Stem Cells 2009 , 189-197		1
82	DGCR8-dependent microRNA biogenesis is essential for skin development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 498-502	11.5	190
81	Building confidence: the transition from student to professor. <i>Nature Cell Biology</i> , 2009 , 11, 786	23.4	

80	Tcf3 and Tcf4 are essential for long-term homeostasis of skin epithelia. <i>Nature Genetics</i> , 2009 , 41, 1068-75.	75.3	165
79	Epidermal homeostasis: a balancing act of stem cells in the skin. <i>Nature Reviews Molecular Cell Biology</i> , 2009 , 10, 207-17	48.7	877
78	Ezh2 orchestrates gene expression for the stepwise differentiation of tissue-specific stem cells. <i>Cell</i> , 2009 , 136, 1122-35	56.2	458
77	Cyfp1 is a putative invasion suppressor in epithelial cancers. <i>Cell</i> , 2009 , 137, 1047-61	56.2	63
76	The tortoise and the hair: slow-cycling cells in the stem cell race. <i>Cell</i> , 2009 , 137, 811-9	56.2	313
75	A two-step mechanism for stem cell activation during hair regeneration. <i>Cell Stem Cell</i> , 2009 , 4, 155-69	18	530
74	Finding one's niche in the skin. <i>Cell Stem Cell</i> , 2009 , 4, 499-502	18	130
73	Isolation and culture of epithelial stem cells. <i>Methods in Molecular Biology</i> , 2009 , 482, 215-32	1.4	133
72	A skin microRNA promotes differentiation by repressing Stemness. <i>Nature</i> , 2008 , 452, 225-9	50.4	636
71	Planar polarization in embryonic epidermis orchestrates global asymmetric morphogenesis of hair follicles. <i>Nature Cell Biology</i> , 2008 , 10, 1257-68	23.4	255
70	Hair follicle stem cells are specified and function in early skin morphogenesis. <i>Cell Stem Cell</i> , 2008 , 3, 33-43	18	425
69	NFATc1 balances quiescence and proliferation of skin stem cells. <i>Cell</i> , 2008 , 132, 299-310	56.2	325
68	ACF7 regulates cytoskeletal-focal adhesion dynamics and migration and has ATPase activity. <i>Cell</i> , 2008 , 135, 137-48	56.2	218
67	Skin stem cells: rising to the surface. <i>Journal of Cell Biology</i> , 2008 , 180, 273-84	7.3	327
66	More than one way to skin . . . <i>Genes and Development</i> , 2008 , 22, 976-85	12.6	179
65	AP-2 factors act in concert with Notch to orchestrate terminal differentiation in skin epidermis. <i>Journal of Cell Biology</i> , 2008 , 183, 37-48	7.3	69
64	New insights into cadherin function in epidermal sheet formation and maintenance of tissue integrity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 15405-10	11.5	97
63	BMP signaling in dermal papilla cells is required for their hair follicle-inductive properties. <i>Genes and Development</i> , 2008 , 22, 543-57	12.6	279

62	Skin stem cells: rising to the surface. <i>Journal of Experimental Medicine</i> , 2008 , 205, i5-i5	16.6	
61	Stem Cells: Biology, Ethics and potential for Medicine. <i>L'Annuaire Du Collège De France</i> , 2008 , 897-902	0.2	
60	Focal adhesion kinase modulates tension signaling to control actin and focal adhesion dynamics. <i>Journal of Cell Biology</i> , 2007 , 176, 667-80	7.3	192
59	Scratching the surface of skin development. <i>Nature</i> , 2007 , 445, 834-42	50.4	640
58	Loss of TGFbeta signaling destabilizes homeostasis and promotes squamous cell carcinomas in stratified epithelia. <i>Cancer Cell</i> , 2007 , 12, 313-27	24.3	210
57	Desmoplakin: an unexpected regulator of microtubule organization in the epidermis. <i>Journal of Cell Biology</i> , 2007 , 176, 147-54	7.3	151
56	Loss of a quiescent niche but not follicle stem cells in the absence of bone morphogenetic protein signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 10063-8	11.5	224
55	Epithelial stem cells: turning over new leaves. <i>Cell</i> , 2007 , 128, 445-58	56.2	429
54	Stem cells and morphogenesis. <i>FASEB Journal</i> , 2007 , 21, A44	0.9	
53	Canonical notch signaling functions as a commitment switch in the epidermal lineage. <i>Genes and Development</i> , 2006 , 20, 3022-35	12.6	311
52	Links between alpha-catenin, NF-kappaB, and squamous cell carcinoma in skin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 2322-7	11.5	108
51	Epidermal stem cells of the skin. <i>Annual Review of Cell and Developmental Biology</i> , 2006 , 22, 339-73	12.6	554
50	Lhx2 maintains stem cell character in hair follicles. <i>Science</i> , 2006 , 312, 1946-9	33.3	264
49	p120-catenin mediates inflammatory responses in the skin. <i>Cell</i> , 2006 , 124, 631-44	56.2	231
48	Blimp1 defines a progenitor population that governs cellular input to the sebaceous gland. <i>Cell</i> , 2006 , 126, 597-609	56.2	352
47	Tcf3 governs stem cell features and represses cell fate determination in skin. <i>Cell</i> , 2006 , 127, 171-83	56.2	238
46	Catenins: keeping cells from getting their signals crossed. <i>Developmental Cell</i> , 2006 , 11, 601-12	10.2	230
45	Morphogenesis in skin is governed by discrete sets of differentially expressed microRNAs. <i>Nature Genetics</i> , 2006 , 38, 356-62	36.3	440

44	A signaling pathway involving TGF-beta2 and snail in hair follicle morphogenesis. <i>PLoS Biology</i> , 2005 , 3, e11	9.7	108
43	Mice in the world of stem cell biology. <i>Nature Genetics</i> , 2005 , 37, 1201-6	36.3	29
42	Asymmetric cell divisions promote stratification and differentiation of mammalian skin. <i>Nature</i> , 2005 , 437, 275-80	50.4	774
41	Sgk3 links growth factor signaling to maintenance of progenitor cells in the hair follicle. <i>Journal of Cell Biology</i> , 2005 , 170, 559-70	7.3	43
40	Molecular dissection of mesenchymal-epithelial interactions in the hair follicle. <i>PLoS Biology</i> , 2005 , 3, e331	9.7	350
39	Defining the impact of beta-catenin/Tcf transactivation on epithelial stem cells. <i>Genes and Development</i> , 2005 , 19, 1596-611	12.6	308
38	Conditional targeting of E-cadherin in skin: insights into hyperproliferative and degenerative responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 552-7	11.5	160
37	Defining the epithelial stem cell niche in skin. <i>Science</i> , 2004 , 303, 359-63	33.3	1636
36	Self-renewal, multipotency, and the existence of two cell populations within an epithelial stem cell niche. <i>Cell</i> , 2004 , 118, 635-48	56.2	1146
35	Socializing with the neighbors: stem cells and their niche. <i>Cell</i> , 2004 , 116, 769-78	56.2	1494
34	Stem cells in the skin: waste not, Wnt not. <i>Genes and Development</i> , 2003 , 17, 1189-200	12.6	260
33	Sticky business: orchestrating cellular signals at adherens junctions. <i>Cell</i> , 2003 , 112, 535-48	56.2	636
32	ACF7: an essential integrator of microtubule dynamics. <i>Cell</i> , 2003 , 115, 343-54	56.2	260
31	A role for alphabeta1 integrins in focal adhesion function and polarized cytoskeletal dynamics. <i>Developmental Cell</i> , 2003 , 5, 415-27	10.2	64
30	Links between signal transduction, transcription and adhesion in epithelial bud development. <i>Nature</i> , 2003 , 422, 317-22	50.4	485
29	Defining BMP functions in the hair follicle by conditional ablation of BMP receptor 1A. <i>Journal of Cell Biology</i> , 2003 , 163, 609-23	7.3	204
28	GATA-3: an unexpected regulator of cell lineage determination in skin. <i>Genes and Development</i> , 2003 , 17, 2108-22	12.6	264
27	Getting under the skin of epidermal morphogenesis. <i>Nature Reviews Genetics</i> , 2002 , 3, 199-209	30.1	570

26	A role for skin gammadelta T cells in wound repair. <i>Science</i> , 2002 , 296, 747-9	33.3	492
25	Actin cable dynamics and Rho/Rock orchestrate a polarized cytoskeletal architecture in the early steps of assembling a stratified epithelium. <i>Developmental Cell</i> , 2002 , 3, 367-81	10.2	289
24	Desmoplakin is essential in epidermal sheet formation. <i>Nature Cell Biology</i> , 2001 , 3, 1076-85	23.4	243
23	Tcf3 and Lef1 regulate lineage differentiation of multipotent stem cells in skin. <i>Genes and Development</i> , 2001 , 15, 1688-705	12.6	445
22	At the roots of a never-ending cycle. <i>Developmental Cell</i> , 2001 , 1, 13-25	10.2	233
21	Hyperproliferation and defects in epithelial polarity upon conditional ablation of alpha-catenin in skin. <i>Cell</i> , 2001 , 104, 605-17	56.2	361
20	Conditional ablation of beta1 integrin in skin. Severe defects in epidermal proliferation, basement membrane formation, and hair follicle invagination. <i>Journal of Cell Biology</i> , 2000 , 150, 1149-60	7.3	324
19	Directed actin polymerization is the driving force for epithelial cell-cell adhesion. <i>Cell</i> , 2000 , 100, 209-19	56.2	953
18	Klf4 is a transcription factor required for establishing the barrier function of the skin. <i>Nature Genetics</i> , 1999 , 22, 356-60	36.3	615
17	A common human skin tumour is caused by activating mutations in beta-catenin. <i>Nature Genetics</i> , 1999 , 21, 410-3	36.3	751
16	Myelin formation by Schwann cells in the absence of beta4 integrin. <i>Glia</i> , 1999 , 27, 269-74	9	21
15	De Novo hair follicle morphogenesis and hair tumors in mice expressing a truncated beta-catenin in skin. <i>Cell</i> , 1998 , 95, 605-14	56.2	1160
14	Progressive kidney degeneration in mice lacking tensin. <i>Journal of Cell Biology</i> , 1997 , 136, 1349-61	7.3	108
13	The cytoskeleton and disease: genetic disorders of intermediate filaments. <i>Annual Review of Genetics</i> , 1996 , 30, 197-231	14.5	151
12	Inhibition of skin development by targeted expression of a dominant-negative retinoic acid receptor. <i>Nature</i> , 1995 , 374, 159-62	50.4	166
11	Keratins and the skin. <i>Annual Review of Cell and Developmental Biology</i> , 1995 , 11, 123-53	12.6	322
10	Epidermal differentiation and keratin gene expression. <i>Journal of Cell Science</i> , 1993 , 17, 197-208	5.3	115
9	The genetic basis of epidermolytic hyperkeratosis: a disorder of differentiation-specific epidermal keratin genes. <i>Cell</i> , 1992 , 70, 811-9	56.2	308

8	Keratin genes, epidermal differentiation and animal models for the study of human skin diseases. <i>Biochemical Society Transactions</i> , 1991 , 19, 1112-5	5.1	16
7	Mutant keratin expression in transgenic mice causes marked abnormalities resembling a human genetic skin disease. <i>Cell</i> , 1991 , 64, 365-80	56.2	378
6	The nature and significance of differential keratin gene expression. <i>Annals of the New York Academy of Sciences</i> , 1985 , 455, 436-50	6.5	19
5	Remarkable conservation of structure among intermediate filament genes. <i>Cell</i> , 1984 , 39, 491-8	56.2	175
4	The cDNA sequence of a Type II cytoskeletal keratin reveals constant and variable structural domains among keratins. <i>Cell</i> , 1983 , 33, 915-24	56.2	318
3	The cDNA sequence of a human epidermal keratin: divergence of sequence but conservation of structure among intermediate filament proteins. <i>Cell</i> , 1982 , 31, 243-52	56.2	300
2	Changes in keratin gene expression during terminal differentiation of the keratinocyte. <i>Cell</i> , 1980 , 19, 1033-42	56.2	958
1	The expression of keratin genes in epidermis and cultured epidermal cells. <i>Cell</i> , 1978 , 15, 887-97	56.2	259