
Souradet Y Shaw

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2865326/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Association Between the Use of Antibiotics in the First Year of Life and Pediatric Inflammatory Bowel Disease. American Journal of Gastroenterology, 2010, 105, 2687-2692.	0.4	373
2	Association Between the Use of Antibiotics and New Diagnoses of Crohn's Disease and Ulcerative Colitis. American Journal of Gastroenterology, 2011, 106, 2133-2142.	0.4	211
3	Condom use within non-commercial partnerships of female sex workers in southern India. BMC Public Health, 2011, 11, S11.	2.9	71
4	Using multiple data features improved the validity of osteoporosis case ascertainment from administrative databases. Journal of Clinical Epidemiology, 2008, 61, 1250-1260.	5.0	66
5	The effects of COVID-19 on the health and socio-economic security of sex workers in Nairobi, Kenya: Emerging intersections with HIV. Global Public Health, 2020, 15, 1073-1082.	2.0	66
6	Determinants of injection drug user (IDU) syringe sharing: the relationship between availability of syringes and risk network member characteristics in Winnipeg, Canada. Addiction, 2007, 102, 1626-1635.	3.3	63
7	Factors Associated with Sexual Violence against Men Who Have Sex with Men and Transgendered Individuals in Karnataka, India. PLoS ONE, 2012, 7, e31705.	2.5	63
8	High HIV risk in a cohort of male sex workers from Nairobi, Kenya. Sexually Transmitted Infections, 2014, 90, 237-242.	1.9	62
9	The Diagnostic Accuracy of Tests for Latent Tuberculosis Infection in Hemodialysis Patients. Transplantation, 2015, 99, 1084-1091.	1.0	48
10	Molecular Signatures of Immune Activation and Epithelial Barrier Remodeling Are Enhanced during the Luteal Phase of the Menstrual Cycle: Implications for HIV Susceptibility. Journal of Virology, 2015, 89, 8793-8805.	3.4	45
11	Risk Factors for HIV Acquisition in a Prospective Nairobi-Based Female Sex Worker Cohort. AIDS and Behavior, 2015, 19, 2204-2213.	2.7	40
12	Identifying Heterogeneity Among Injection Drug Users: A Cluster Analysis Approach. American Journal of Public Health, 2008, 98, 1430-1437.	2.7	35
13	Prevalence of HIV and sexually transmitted infections among clients of female sex workers in Karnataka, India: a cross-sectional study. BMC Public Health, 2011, 11, S4.	2.9	31
14	Association between Early Childhood Otitis Media and Pediatric Inflammatory Bowel Disease: An Exploratory Population-Based Analysis. Journal of Pediatrics, 2013, 162, 510-514.	1.8	28
15	Comparing administrative and survey data for ascertaining cases of irritable bowel syndrome: a population-based investigation. BMC Health Services Research, 2010, 10, 31.	2.2	27
16	The descriptive epidemiology of male sex workers in Pakistan: a biological and behavioural examination. Sexually Transmitted Infections, 2011, 87, 73-80.	1.9	26
17	Prevention of mother-to-child transmission of HIV in Kenya: challenges to implementation. BMC Health Services Research, 2014, 14, S10.	2.2	24
18	Model for Equitable Care and Outcomes for Remote Full Care Hemodialysis Units. Clinical Journal of the American Society of Nephrology: CJASN, 2010, 5, 645-651.	4.5	21

#	Article	IF	CITATIONS
19	A Cross-Sectional Study of Sexually Transmitted Pathogen Prevalence and Condom Use With Commercial and Noncommercial Sex Partners Among Clients of Female Sex Workers in Southern India. Sexually Transmitted Diseases, 2013, 40, 482-489.	1.7	19
20	Fertility intentions, power relations and condom use within intimate and other non-paying partnerships of women in sex work in Bagalkot District, South India. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2015, 27, 1241-1249.	1.2	19
21	From individuals to complex systems: exploring the sexual networks of men who have sex with men in three cities of Karnataka, India. Sexually Transmitted Infections, 2010, 86, iii70-iii78.	1.9	18
22	Intimate relationships of <i>Devadasi</i> sex workers in South India: An exploration of risks of HIV/STI transmission. Global Public Health, 2014, 9, 1198-1210.	2.0	17
23	Association Between Spring Season of Birth and Crohn's Disease. Clinical Gastroenterology and Hepatology, 2014, 12, 277-282.	4.4	15
24	Heterogeneity Among Sex Workers in Overlapping HIV Risk Interactions With People Who Inject Drugs. Medicine (United States), 2016, 95, e3085.	1.0	15
25	Declines in HIV prevalence in female sex workers accessing an HIV treatment and prevention programme in Nairobi, Kenya over a 10-year period. Aids, 2021, 35, 317-324.	2.2	15
26	Can enhanced screening of men with a history of prior syphilis infection stem the epidemic in men who have sex with men? A mathematical modelling study. Sexually Transmitted Infections, 2018, 94, 105-110.	1.9	14
27	Secondary attack rate of COVID-19 in household contacts in the Winnipeg Health Region, Canada. Canadian Journal of Public Health, 2021, 112, 12-16.	2.3	14
28	Substance use and its impact on care outcomes among HIV-infected individuals in Manitoba. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2015, 27, 1168-1173.	1.2	13
29	Mx2 expression is associated with reduced susceptibility to HIV infection in highly exposed HIV seronegative Kenyan sex workers. Aids, 2015, 29, 35-41.	2.2	12
30	Geographical and temporal variation of injection drug users in Pakistan. Sexually Transmitted Infections, 2013, 89, ii18-ii28.	1.9	11
31	Early Childhood Measles Vaccinations are not Associated with Paediatric IBD: A Population-based Analysis. Journal of Crohn's and Colitis, 2015, 9, 334-338.	1.3	11
32	Infectious syphilis in women: what's old is new again?. International Journal of STD and AIDS, 2017, 28, 77-87.	1.1	11
33	Descriptive Epidemiology of Factors Associated with HIV Infections Among Men and Transgender Women Who Have Sex with Men in South India. LGBT Health, 2016, 3, 292-299.	3.4	9
34	HIV-1 Clade D Is Associated with Increased Rates of CD4 Decline in a Kenyan Cohort. PLoS ONE, 2012, 7, e49797.	2.5	6
35	Epidemiology of incident chlamydia and gonorrhoea infections and population attributable fractions associated with living in the inner-core of Winnipeg, Canada. International Journal of STD and AIDS, 2017, 28, 550-557.	1.1	6
36	An Exploration of Depression Symptom Trajectories, and Their Predictors, in a Canadian Sample of Emerging Adults. Emerging Adulthood, 2019, 7, 352-362.	2.4	6

SOURADET Y SHAW

#	Article	IF	CITATIONS
37	Creating Clinical Cohorts: Challenges Encountered in Two Canadian Provinces. Healthcare Policy, 2019, 15, 11-18.	0.6	5
38	Increased risk for hepatitis C associated with solvent use among Canadian Aboriginal injection drug users. Harm Reduction Journal, 2010, 7, 16.	3.2	4
39	Teen clinics: missing the mark? Comparing pregnancy and sexually transmitted infections rates among enrolled and non-enrolled adolescents. International Journal for Equity in Health, 2016, 15, 95.	3.5	4
40	Prior history of testing for syphilis, hepatitis B and hepatitis C among a population-based cohort of HIV-positive individuals and their HIV-negative controls. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2017, 29, 67-72.	1.2	4
41	Enhancing the capacity and effectiveness of community health volunteers to improve maternal, newborn and child health: Experience from Kenya. Canadian Journal of Public Health, 2017, 108, 427-434.	2.3	4
42	Protocol for establishing an infant feeding database linkable with population-based administrative data: a prospective cohort study in Manitoba, Canada. BMJ Open, 2017, 7, e017981.	1.9	3
43	Comparing the Ecological Niches of Chlamydial and Gonococcal Infections in Winnipeg, Canada: 2007–2016. Sexually Transmitted Diseases, 2021, 48, 837-843.	1.7	3
44	Outlier Populations: Individual and Social Network Correlates of Solvent-Using Injection Drug Users. PLoS ONE, 2014, 9, e88623.	2.5	1
45	Mx2 Expression Is Associated with Reduced Susceptibility to HIV Infection in Highly Exposed HIV Seronegative Sex Workers from Nairobi, Kenya. AIDS Research and Human Retroviruses, 2014, 30, A82-A82.	1.1	0
46	Healthcare utilization among persons living with HIV in Manitoba, Canada, prior to HIV diagnosis: A case-control analysis. International Journal of STD and AIDS, 2022, 33, 265-274.	1.1	0