# Edmund Yung

List of Publications by Year
in descending order



| | | | |
|---|---|---|---|
| 24 papers | 739 citations | 623734 14 h-index | 752698 20 g-index |
| 24 all docs | 24 docs citations | 24 times ranked | 1017 citing authors |

| # | Article | IF | Citations |
|---|---|---|---|
| 1 | Parentâ€reported adverse food reactions in Hong Kong Chinese preâ€schoolers: epidemiology, clinical spectrum and risk factors. Pediatric Allergy and Immunology, 2009, 20, 339-346. | 2.6 | 100 |
| 2 | High levels and gender difference of exhaled nitric oxide in Chinese schoolchildren. Clinical and Experimental Allergy, 2005, 35, 889-893. | 2.9 | 77 |
| 3 | The relation between obesity and asthmatic airway inflammation. Pediatric Allergy and Immunology, 2004, 15, 344-350. | 2.6 | 70 |
| 4 | Clinical and Technical Factors Affecting pH and Other Biomarkers in Exhaled Breath Condensate. Pediatric Pulmonology, 2006, 41, 87-94. | 2.0 | 65 |
| 5 | Analysis of Growth Factors and Inflammatory Cytokines in Exhaled Breath Condensate from Asthmatic Children. International Archives of Allergy and Immunology, 2005, 137, 66-72. | 2.1 | 55 |
| 6 | Symptoms of asthma and atopic disorders in preschool children: prevalence and risk factors. Clinical and Experimental Allergy, 2007, 37, 174-179. | 2.9 | 55 |
| 7 | Aberrant Expression of Novel Cytokine IL-38 and Regulatory T Lymphocytes in Childhood Asthma. Molecules, 2016, 21, 933. | 3.8 | 49 |
| 8 | Asthma and atopy are associated with DEFB1 polymorphisms in Chinese children. Genes and Immunity, 2006, 7, 59-64. | 4.1 | 44 |
| 9 | CTLAâ€4 gene Aâ€“G polymorphism and childhood Gravesâ€™ disease. Clinical Endocrinology, 2002, 56, 649-653. | 2.4 | 41 |
| 10 | Qualityâ€ofâ€life assessment in Chinese families with foodâ€allergic children. Clinical and Experimental Allergy, 2009, 39, 890-896. | 2.9 | 36 |
| 11 | Identifying Uncontrolled Asthma in Young Children: Clinical Scores or Objective Variables?. Journal of Asthma, 2009, 46, 130-135. | 1.7 | 29 |
| 12 | Association between candidate genes and lung function growth in Chinese asthmatic children. Clinical and Experimental Allergy, 2007, 37, 070806205546004-???. | 2.9 | 21 |
| 13 | Indoor Determinants of Endotoxin and Dust Mite Exposures in Hong Kong Homes with Asthmatic Children. International Archives of Allergy and Immunology, 2010, 152, 279-287. | 2.1 | 21 |
| 14 | Lack of association betweenNOS2 pentanucleotide repeat polymorphism and asthma phenotypes or exhaled nitric oxide concentration. Pediatric Pulmonology, 2006, 41, 649-655. | 2.0 | 15 |
| 15 | Predicting changes in clinical status of young asthmatics: Clinical scores or objective parameters?. Pediatric Pulmonology, 2009, 44, 442-449. | 2.0 | 14 |
| 16 | Domestic exposure to aeroallergens in Hong Kong families with asthmatic children. Pediatric Pulmonology, 2011, 46, 632-639. | 2.0 | 13 |
| 17 | Pro-oxidative effects of Chinese herbal medicine on G6PD-deficient erythrocytes in vitro. Toxicology in Vitro, 2008, 22, 1222-1227. | 2.4 | 11 |
| 18 | Pro-oxidative effects of tea and polyphenols, epigallocatechin-3-gallate and epigallocatechin, on G6PD-deficient erythrocytes in vitro. International Journal of Molecular Medicine, 2006, 18, 987. | 4.0 | 10 |

| # | Article | IF | Citations |
|---|---|---|---|
| 19 | Exhaled Nitric Oxide Levels are not Correlated with Eczema Severity in Chinese Children with Atopic Dermatitis. Journal of Asthma, 2006, 43, 417-419. | 1.7 | 8 |
| 20 | Multiplex primer extension reaction screening and oxidative challenge of glucose-6-phosphate dehydrogenase mutants in hemizygous and heterozygous subjects. Blood Cells, Molecules, and Diseases, 2006, 37, 21-26. | 1.4 | 5 |
| 21 | Prostanoid DP receptor gene is not a major candidate gene for asthma and atopy in Chinese children. World Allergy Organization Journal, 2007, &NA;, S30. | 3.5 | 0 |
| 22 | Asthma severity is influenced by indoor dust mites but not endotoxin or nitrogen dioxide exposure in Hong Kong children. World Allergy Organization Journal, 2007, &NA;, S196. | 3.5 | 0 |
| 23 | Plant homeodomain finger protein gene polymorphisms are associated with plasma total IgE and exhaled nitric oxide levels in Chinese children. World Allergy Organization Journal, 2007, &NA;, S29. | 3.5 | 0 |
| 24 | Food allergy in Chinese preschool children. World Allergy Organization Journal, 2007, &NA;, S309. | 3.5 | 0 |