

Douglas C Noll

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2865939/douglas-c-noll-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

156
papers

21,600
citations

62
h-index

146
g-index

164
ext. papers

23,188
ext. citations

6.3
avg, IF

6.32
L-index

#	Paper	IF	Citations
156	Transcranial Magnetic Resonance-Guided Histotripsy for Brain Surgery: Pre-clinical Investigation. <i>Ultrasound in Medicine and Biology</i> , 2022 , 48, 98-110	3.5	1
155	A retrospective physiological noise correction method for oscillating steady-state imaging. <i>Magnetic Resonance in Medicine</i> , 2021 , 85, 936-944	4.4	0
154	Across-vendor standardization of semi-LASER for single-voxel MRS at 3T. <i>NMR in Biomedicine</i> , 2021 , 34, e4218	4.4	16
153	Transcranial MR-Guided Histotripsy System. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2021 , 68, 2917-2929	3.2	5
152	Joint Design of RF and Gradient Waveforms via Auto-differentiation for 3D Tailored Excitation in MRI. <i>IEEE Transactions on Medical Imaging</i> , 2021 , 40, 3305-3314	11.7	1
151	High-Resolution Oscillating Steady-State fMRI Using Patch-Tensor Low-Rank Reconstruction. <i>IEEE Transactions on Medical Imaging</i> , 2020 , 39, 4357-4368	11.7	4
150	Oscillating steady-state imaging (OSSI): A novel method for functional MRI. <i>Magnetic Resonance in Medicine</i> , 2020 , 84, 698-712	4.4	2
149	A GRAPPA algorithm for arbitrary 2D/3D non-Cartesian sampling trajectories with rapid calibration. <i>Magnetic Resonance in Medicine</i> , 2019 , 82, 1101-1112	4.4	7
148	Improved sensitivity and temporal resolution in perfusion FMRI using velocity selective inversion ASL. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 1004-1015	4.4	9
147	Estimation of perfusion properties with MR Fingerprinting Arterial Spin Labeling. <i>Magnetic Resonance Imaging</i> , 2018 , 50, 68-77	3.3	28
146	Design of spectral-spatial phase prewinding pulses and their use in small-tip fast recovery steady-state imaging. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 1377-1386	4.4	
145	TOPPE: A framework for rapid prototyping of MR pulse sequences. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 3128-3134	4.4	11
144	Fast Spatial Resolution Analysis of Quadratic Penalized Least-Squares Image Reconstruction With Separate Real and Imaginary Roughness Penalty: Application to fMRI. <i>IEEE Transactions on Medical Imaging</i> , 2018 , 37, 604-614	11.7	4
143	A parametric model of the brain vascular system for estimation of the arterial input function (AIF) at the tissue level. <i>NMR in Biomedicine</i> , 2017 , 30, e3695	4.4	10
142	An extended vascular model for less biased estimation of permeability parameters in DCE-T1 images. <i>NMR in Biomedicine</i> , 2017 , 30, e3698	4.4	7
141	A regularized, model-based approach to phase-based conductivity mapping using MRI. <i>Magnetic Resonance in Medicine</i> , 2017 , 78, 2011-2021	4.4	39
140	Decreased Fronto-Limbic Activation and Disrupted Semantic-Cued List Learning in Major Depressive Disorder. <i>Journal of the International Neuropsychological Society</i> , 2016 , 22, 412-25	3.1	9

139	Rapid inner-volume imaging in the steady-state with 3D selective excitation and small-tip fast recovery imaging. <i>Magnetic Resonance in Medicine</i> , 2016 , 76, 1217-23	4.4	2
138	Coil compression in simultaneous multislice functional MRI with concentric ring slice-GRAPPA and SENSE. <i>Magnetic Resonance in Medicine</i> , 2016 , 76, 1196-209	4.4	9
137	Joint Design of Excitation k-Space Trajectory and RF Pulse for Small-Tip 3D Tailored Excitation in MRI. <i>IEEE Transactions on Medical Imaging</i> , 2016 , 35, 468-79	11.7	8
136	Dynamic filtering improves attentional state prediction with fNIRS. <i>Biomedical Optics Express</i> , 2016 , 7, 979-1002	3.5	8
135	Improved spoiling efficiency in dynamic RF-spoiled imaging by ghost phase modulation and temporal filtering. <i>Magnetic Resonance in Medicine</i> , 2016 , 75, 2388-93	4.4	3
134	Balanced SSFP-like steady-state imaging using small-tip fast recovery with a spectral prewinding pulse. <i>Magnetic Resonance in Medicine</i> , 2016 , 75, 839-44	4.4	5
133	Comorbid anxiety increases cognitive control activation in Major Depressive Disorder. <i>Depression and Anxiety</i> , 2016 , 33, 967-977	8.4	23
132	Simultaneous fat saturation and magnetization transfer contrast imaging with steady-state incoherent sequences. <i>Magnetic Resonance in Medicine</i> , 2015 , 74, 739-46	4.4	4
131	Arterial cerebral blood volume-weighted functional MRI using pseudocontinuous arterial spin tagging (AVAST). <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 1053-64	4.4	12
130	Steady-state functional MRI using spoiled small-tip fast recovery imaging. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 536-43	4.4	9
129	An eight-channel T/R head coil for parallel transmit MRI at 3T using ultra-low output impedance amplifiers. <i>Journal of Magnetic Resonance</i> , 2014 , 246, 62-8	3	4
128	Pretreatment worry and neurocognitive responses in women with breast cancer. <i>Health Psychology</i> , 2014 , 33, 222-31	5	57
127	Four dimensional spectral-spatial fat saturation pulse design. <i>Magnetic Resonance in Medicine</i> , 2014 , 72, 1637-47	4.4	3
126	Regularized estimation of magnitude and phase of multi-coil b1 field via Bloch-Siegert B1 mapping and coil combination optimizations. <i>IEEE Transactions on Medical Imaging</i> , 2014 , 33, 2020-30	11.7	4
125	Strategies for improved 3D small-tip fast recovery imaging. <i>Magnetic Resonance in Medicine</i> , 2014 , 72, 389-98	4.4	7
124	Small-tip fast recovery imaging using non-slice-selective tailored tip-up pulses and radiofrequency-spoiling. <i>Magnetic Resonance in Medicine</i> , 2013 , 69, 657-66	4.4	9
123	What is a representative brain? Neuroscience meets population science. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 17615-22	11.5	131
122	Prospective motion correction for functional MRI using sparsity and Kalman filtering 2013 ,		1

121	Shifted inferior frontal laterality in women with major depressive disorder is related to emotion-processing deficits. <i>Psychological Medicine</i> , 2013 , 43, 1433-45	6.9	27
120	Optimized linear combinations of channels for complex multiple-coil B1 field estimation with Bloch-Siegert B1 mapping in MRI 2013 ,		2
119	Multivariate Classification of Complex and Multi-echo fMRI Data 2013 ,		1
118	Monitoring attentional state with fNIRS. <i>Frontiers in Human Neuroscience</i> , 2013 , 7, 861	3.3	31
117	Separate magnitude and phase regularization via compressed sensing. <i>IEEE Transactions on Medical Imaging</i> , 2012 , 31, 1713-23	11.7	73
116	Impact of chronic hypercortisolemia on affective processing. <i>Neuropharmacology</i> , 2012 , 62, 217-25	5.5	41
115	An approach for computer-aided detection of brain metastases in post-Gd T1-W MRI. <i>Magnetic Resonance Imaging</i> , 2012 , 30, 824-36	3.3	23
114	Fast joint design method for parallel excitation radiofrequency pulse and gradient waveforms considering off-resonance. <i>Magnetic Resonance in Medicine</i> , 2012 , 68, 278-85	4.4	15
113	Symbolic representations in motor sequence learning. <i>NeuroImage</i> , 2011 , 54, 417-26	7.9	22
112	Age differences in symbolic representations of motor sequence learning. <i>Neuroscience Letters</i> , 2011 , 504, 68-72	3.3	18
111	B0 field inhomogeneity considerations in pseudo-continuous arterial spin labeling (pCASL): effects on tagging efficiency and correction strategy. <i>NMR in Biomedicine</i> , 2011 , 24, 1202-9	4.4	55
110	Prechemotherapy alterations in brain function in women with breast cancer. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2010 , 32, 324-31	2.1	114
109	Support vector machine classification of complex fMRI data. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2009 , 2009, 5381-4	0.9	9
108	Fast large-tip-angle multidimensional and parallel RF pulse design in MRI. <i>IEEE Transactions on Medical Imaging</i> , 2009 , 28, 1548-59	11.7	54
107	Spectral-spatial pulse design for through-plane phase precompensatory slice selection in T2*-weighted functional MRI. <i>Magnetic Resonance in Medicine</i> , 2009 , 61, 1137-47	4.4	19
106	Brain mediators of cardiovascular responses to social threat: part I: Reciprocal dorsal and ventral sub-regions of the medial prefrontal cortex and heart-rate reactivity. <i>NeuroImage</i> , 2009 , 47, 821-35	7.9	324
105	Fast joint reconstruction of dynamic R2* and field maps in functional MRI. <i>IEEE Transactions on Medical Imaging</i> , 2008 , 27, 1177-88	11.7	27
104	Regularized field map estimation in MRI. <i>IEEE Transactions on Medical Imaging</i> , 2008 , 27, 1484-94	11.7	85

103	The neural correlates of trait resilience when anticipating and recovering from threat. <i>Social Cognitive and Affective Neuroscience</i> , 2008 , 3, 322-32	4	93
102	Apparent wall thickening of cystic renal lesions on MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2008 , 28, 103-10	5.6	8
101	Additive angle method for fast large-tip-angle RF pulse design in parallel excitation. <i>Magnetic Resonance in Medicine</i> , 2008 , 59, 779-87	4.4	36
100	Neuroanatomical correlates of motor acquisition and motor transfer. <i>Journal of Neurophysiology</i> , 2008 , 99, 1836-45	3.2	85
99	Frontal and limbic activation during inhibitory control predicts treatment response in major depressive disorder. <i>Biological Psychiatry</i> , 2007 , 62, 1272-80	7.9	155
98	Functional imaging with Turbo-CASL: transit time and multislice imaging considerations. <i>Magnetic Resonance in Medicine</i> , 2007 , 57, 661-9	4.4	10
97	Reduction of transmitter B1 inhomogeneity with transmit SENSE slice-select pulses. <i>Magnetic Resonance in Medicine</i> , 2007 , 57, 842-7	4.4	90
96	Joint design of trajectory and RF pulses for parallel excitation. <i>Magnetic Resonance in Medicine</i> , 2007 , 58, 598-604	4.4	23
95	Neural correlates associated with intermanual transfer of sensorimotor adaptation. <i>Brain Research</i> , 2007 , 1185, 136-51	3.7	78
94	2007 ,		8
93	REGULARIZED B1+ MAP ESTIMATION IN MRI 2007 ,		4
92	Magnetic field perturbation of neural recording and stimulating microelectrodes. <i>Physics in Medicine and Biology</i> , 2007 , 52, 2073-88	3.8	18
91	Bilateral basal ganglia activation associated with sensorimotor adaptation. <i>Experimental Brain Research</i> , 2006 , 175, 544-55	2.3	104
90	Magnetic resonance compatibility of multichannel silicon microelectrode systems for neural recording and stimulation: design criteria, tests, and recommendations. <i>IEEE Transactions on Biomedical Engineering</i> , 2006 , 53, 547-58	5	26
89	Application of selective saturation to image the dynamics of arterial blood flow during brain activation using magnetic resonance imaging. <i>Magnetic Resonance in Medicine</i> , 2006 , 55, 816-25	4.4	8
88	Fast-kz three-dimensional tailored radiofrequency pulse for reduced B1 inhomogeneity. <i>Magnetic Resonance in Medicine</i> , 2006 , 55, 719-24	4.4	142
87	Spatial domain method for the design of RF pulses in multicoil parallel excitation. <i>Magnetic Resonance in Medicine</i> , 2006 , 56, 620-9	4.4	241
86	Excitation UNFOLD (XUNFOLD) to improve the temporal resolution of multishot tailored RF pulses. <i>Magnetic Resonance in Medicine</i> , 2006 , 56, 692-7	4.4	5

85	Advanced three-dimensional tailored RF pulse for signal recovery in T2*-weighted functional magnetic resonance imaging. <i>Magnetic Resonance in Medicine</i> , 2006 , 56, 1050-9	4.4	53
84	Vascular dynamics and BOLD fMRI: CBF level effects and analysis considerations. <i>NeuroImage</i> , 2006 , 32, 1642-55	7.9	43
83	Working memory for order and the parietal cortex: an event-related functional magnetic resonance imaging study. <i>Neuroscience</i> , 2006 , 139, 311-6	3.9	55
82	Quantification of perfusion fMRI using a numerical model of arterial spin labeling that accounts for dynamic transit time effects. <i>Magnetic Resonance in Medicine</i> , 2005 , 54, 955-64	4.4	24
81	Accounting for nonlinear BOLD effects in fMRI: parameter estimates and a model for prediction in rapid event-related studies. <i>NeuroImage</i> , 2005 , 25, 206-18	7.9	87
80	Conjugate phase MRI reconstruction with spatially variant sample density correction. <i>IEEE Transactions on Medical Imaging</i> , 2005 , 24, 325-36	11.7	66
79	. <i>IEEE Transactions on Signal Processing</i> , 2005 , 53, 3393-3402	4.8	87
78	Small tip angle three-dimensional tailored radiofrequency slab-select pulse for reduced B1 inhomogeneity at 3 T. <i>Magnetic Resonance in Medicine</i> , 2005 , 53, 479-84	4.4	77
77	Iterative RF pulse design for multidimensional, small-tip-angle selective excitation. <i>Magnetic Resonance in Medicine</i> , 2005 , 54, 908-17	4.4	66
76	Contrast mechanisms and acquisition methods in functional MRI. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2004 , 2004, 5219-22		
75	Fast, pseudo-continuous arterial spin labeling for functional imaging using a two-coil system. <i>Magnetic Resonance in Medicine</i> , 2004 , 51, 577-85	4.4	30
74	Dynamic field map estimation using a spiral-in/spiral-out acquisition. <i>Magnetic Resonance in Medicine</i> , 2004 , 51, 1194-204	4.4	72
73	Feedforward and feedback processes in motor control. <i>NeuroImage</i> , 2004 , 22, 1775-83	7.9	163
72	Cortical plasticity during three-week motor skill learning. <i>Journal of Clinical Neurophysiology</i> , 2004 , 21, 180-91	2.2	69
71	Working memory for complex scenes: age differences in frontal and hippocampal activations. <i>Journal of Cognitive Neuroscience</i> , 2003 , 15, 1122-34	3.1	115
70	Detecting low-frequency functional connectivity in fMRI using a self-organizing map (SOM) algorithm. <i>Human Brain Mapping</i> , 2003 , 20, 220-6	5.9	68
69	Variable-density spiral 3D tailored RF pulses. <i>Magnetic Resonance in Medicine</i> , 2003 , 50, 1100-6	4.4	18
68	Fast, iterative image reconstruction for MRI in the presence of field inhomogeneities. <i>IEEE Transactions on Medical Imaging</i> , 2003 , 22, 178-88	11.7	267

67	Activation of the medial prefrontal cortex and extended amygdala by individual ratings of emotional arousal: a fMRI study. <i>Biological Psychiatry</i> , 2003 , 53, 211-5	7.9	166
66	Prefrontal cortex dysfunction mediates deficits in working memory and prepotent responding in schizophrenia. <i>Biological Psychiatry</i> , 2003 , 53, 25-38	7.9	234
65	Multishot 3D slice-select tailored RF pulses for MRI. <i>Magnetic Resonance in Medicine</i> , 2002 , 48, 157-65	4.4	49
64	Cerebellar hemispheric activation ipsilateral to the paretic hand correlates with functional recovery after stroke. <i>Brain</i> , 2002 , 125, 1544-57	11.2	186
63	Functional lateralization of the human premotor cortex during sequential movements. <i>Brain and Cognition</i> , 2002 , 49, 54-62	2.7	44
62	Temporal Sensitivity of Event-Related fMRI. <i>NeuroImage</i> , 2002 , 17, 1018-1026	7.9	28
61	T(2)(*) dependence of low frequency functional connectivity. <i>NeuroImage</i> , 2002 , 16, 985-92	7.9	81
60	Temporal Sensitivity of Event-Related fMRI 2002 , 17, 1018-1018		3
59	Temporal sensitivity of event-related fMRI. <i>NeuroImage</i> , 2002 , 17, 1018-26	7.9	14
58	Lateralization of motor circuits and handedness during finger movements. <i>European Journal of Neurology</i> , 2001 , 8, 425-34	6	167
57	Sensitivity of prefrontal cortex to changes in target probability: a functional MRI study. <i>Human Brain Mapping</i> , 2001 , 13, 26-33	5.9	127
56	Somatotopy in human primary motor and somatosensory hand representations revisited. <i>Cerebral Cortex</i> , 2001 , 11, 312-21	5.1	152
55	Selective deficits in prefrontal cortex function in medication-naive patients with schizophrenia. <i>Archives of General Psychiatry</i> , 2001 , 58, 280-8		492
54	Relation of prefrontal cortex dysfunction to working memory and symptoms in schizophrenia. <i>American Journal of Psychiatry</i> , 2001 , 158, 1105-13	11.9	509
53	The anatomy of auditory word processing: individual variability. <i>Brain and Language</i> , 2001 , 77, 119-31	2.9	74
52	Three-dimensional tailored RF pulses for the reduction of susceptibility artifacts in T(*)2-weighted functional MRI. <i>Magnetic Resonance in Medicine</i> , 2000 , 44, 525-31	4.4	144
51	Anterior cingulate and the monitoring of response conflict: evidence from an fMRI study of overt verb generation. <i>Journal of Cognitive Neuroscience</i> , 2000 , 12, 298-309	3.1	239
50	Parsing executive processes: strategic vs. evaluative functions of the anterior cingulate cortex. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 1944-8	11.5	805

49	Working memory for letters, shapes, and locations: fMRI evidence against stimulus-based regional organization in human prefrontal cortex. <i>NeuroImage</i> , 2000 , 11, 424-46	7.9	307
48	3D spiral cardiac/respiratory ordered fMRI data acquisition at 3 Tesla. <i>Magnetic Resonance in Medicine</i> , 1999 , 41, 983-91	4.4	15
47	A developmental functional MRI study of spatial working memory. <i>NeuroImage</i> , 1999 , 10, 327-38	7.9	256
46	A direct comparison between whole-brain PET and BOLD fMRI measurements of single-subject activation response. <i>NeuroImage</i> , 1999 , 9, 430-8	7.9	33
45	Overt verbal responding during fMRI scanning: empirical investigations of problems and potential solutions. <i>NeuroImage</i> , 1999 , 10, 642-57	7.9	162
44	A modified electrode cap for EEG recordings in MRI scanners. <i>Clinical Neurophysiology</i> , 1999 , 110, 2189-93	4.3	18
43	Anterior cingulate cortex, error detection, and the online monitoring of performance. <i>Science</i> , 1998 , 280, 747-9	33.3	2714
42	Functional MRI using steady-state arterial water labeling. <i>Magnetic Resonance in Medicine</i> , 1998 , 39, 179-83	4.3	38
41	Simultaneous multislice acquisition using rosette trajectories (SMART): a new imaging method for functional MRI. <i>Magnetic Resonance in Medicine</i> , 1998 , 39, 709-16	4.4	30
40	Partial Fourier reconstruction for three-dimensional gradient echo functional MRI: comparison of phase correction methods. <i>Magnetic Resonance in Medicine</i> , 1998 , 40, 481-90	4.4	18
39	Evaluation of respiratory artifact correction techniques in multishot spiral functional MRI using receiver operator characteristic analyses. <i>Magnetic Resonance in Medicine</i> , 1998 , 40, 633-9	4.4	20
38	Nonlinear aspects of the BOLD response in functional MRI. <i>NeuroImage</i> , 1998 , 7, 108-18	7.9	262
37	Suppression of vascular artifacts in functional magnetic resonance images using MR angiograms. <i>NeuroImage</i> , 1998 , 7, 224-31	7.9	27
36	Reproducibility of fMRI results across four institutions using a spatial working memory task. <i>NeuroImage</i> , 1998 , 8, 249-61	7.9	184
35	Different neural circuits subserve reading before and after therapy for acquired dyslexia. <i>Brain and Language</i> , 1998 , 62, 298-308	2.9	86
34	Multishot rosette trajectories for spectrally selective MR imaging. <i>IEEE Transactions on Medical Imaging</i> , 1997 , 16, 372-7	11.7	84
33	A Developmental Functional MRI Study of Prefrontal Activation during Performance of a Go-No-Go Task. <i>Journal of Cognitive Neuroscience</i> , 1997 , 9, 835-47	3.1	857
32	A parametric study of prefrontal cortex involvement in human working memory. <i>NeuroImage</i> , 1997 , 5, 49-62	7.9	1393

31	Temporal dynamics of brain activation during a working memory task. <i>Nature</i> , 1997 , 386, 604-8	50.4	1653
30	Dissociating working memory from task difficulty in human prefrontal cortex. <i>Neuropsychologia</i> , 1997 , 35, 1373-80	3.2	510
29	Online Analysis of Functional MRI Datasets on Parallel Platforms. <i>Journal of Supercomputing</i> , 1997 , 11, 295-318	2.5	28
28	A spectral approach to analyzing slice selection in planar imaging: optimization for through-plane interpolation. <i>Magnetic Resonance in Medicine</i> , 1997 , 38, 151-60	4.4	28
27	Estimating test-retest reliability in functional MR imaging. I: Statistical methodology. <i>Magnetic Resonance in Medicine</i> , 1997 , 38, 497-507	4.4	104
26	Estimating test-retest reliability in functional MR imaging. II: Application to motor and cognitive activation studies. <i>Magnetic Resonance in Medicine</i> , 1997 , 38, 508-17	4.4	101
25	Data acquisition and postprocessing strategies for fast quantitative sodium imaging. <i>International Journal of Imaging Systems and Technology</i> , 1997 , 8, 544-550	2.5	13
24	Preoperative cortical localization with functional MRI for use in stereotactic radiosurgery. <i>Stereotactic and Functional Neurosurgery</i> , 1996 , 66, 24-9	1.6	15
23	Localizing the lexicon for reading aloud: replication of a PET study using fMRI. <i>NeuroReport</i> , 1996 , 7, 961-57		39
22	Improved image registration by using Fourier interpolation. <i>Magnetic Resonance in Medicine</i> , 1996 , 36, 923-31	4.4	118
21	Functional Imaging Analysis Software [Computational Olio 1996 , 39-49		13
20	Functional Magnetic Resonance Imaging 1996 , 299-330		
19	Comparison of Functional Magnetic Resonance Imaging with Positron Emission Tomography and Magnetoencephalography to Identify the Motor Cortex in a Patient with an Arteriovenous Malformation. <i>Computer Aided Surgery</i> , 1995 , 1, 191-197		1
18	Parallel data resampling and Fourier inversion by the scan-line method. <i>IEEE Transactions on Medical Imaging</i> , 1995 , 14, 454-63	11.7	6
17	Activation of prefrontal cortex in children during a nonspatial working memory task with functional MRI. <i>NeuroImage</i> , 1995 , 2, 221-9	7.9	291
16	Spiral K-space MR imaging of cortical activation. <i>Journal of Magnetic Resonance Imaging</i> , 1995 , 5, 49-56	5.6	219
15	Tracking of cyclic motion with phase-contrast cine MR velocity data. <i>Journal of Magnetic Resonance Imaging</i> , 1995 , 5, 339-45	5.6	105
14	Improved assessment of significant activation in functional magnetic resonance imaging (fMRI): use of a cluster-size threshold. <i>Magnetic Resonance in Medicine</i> , 1995 , 33, 636-47	4.4	2826

13	Methodologic considerations for spiral k-space functional MRI. <i>International Journal of Imaging Systems and Technology</i> , 1995 , 6, 175-183	2.5	15
12	Comparison of functional magnetic resonance imaging with positron emission tomography and magnetoencephalography to identify the motor cortex in a patient with an arteriovenous malformation. <i>Journal of Image Guided Surgery</i> , 1995 , 1, 191-7		49
11	Variable-averaging RARE. <i>Magnetic Resonance in Medicine</i> , 1994 , 31, 323-7	4.4	2
10	Functional MRI mapping of stimulus rate effects across visual processing stages. <i>Human Brain Mapping</i> , 1994 , 1, 117-133	5.9	35
9	Activation of the prefrontal cortex in a nonspatial working memory task with functional MRI. <i>Human Brain Mapping</i> , 1994 , 1, 293-304	5.9	385
8	Consistent projection reconstruction (CPR) techniques for MRI. <i>Magnetic Resonance in Medicine</i> , 1993 , 29, 345-51	4.4	52
7	Functional topographic mapping of the cortical ribbon in human vision with conventional MRI scanners. <i>Nature</i> , 1993 , 365, 150-3	50.4	170
6	Functional magnetic resonance imaging: Overview and methods for psychological research. <i>Behavior Research Methods</i> , 1993 , 25, 101-113		36
5	MR imaging of lung parenchyma: a solution to susceptibility. <i>Radiology</i> , 1992 , 183, 673-6	20.5	63
4	Deblurring for non-2D Fourier transform magnetic resonance imaging. <i>Magnetic Resonance in Medicine</i> , 1992 , 25, 319-33	4.4	184
3	Magnetic resonance reconstruction from projections using half the data 1991 , 1443, 29		3
2	A homogeneity correction method for magnetic resonance imaging with time-varying gradients. <i>IEEE Transactions on Medical Imaging</i> , 1991 , 10, 629-37	11.7	203
1	Homodyne detection in magnetic resonance imaging. <i>IEEE Transactions on Medical Imaging</i> , 1991 , 10, 154-63	11.7	419