

Peter Ojiambo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2866355/publications.pdf>

Version: 2024-02-01

82
papers

2,390
citations

185998

28
h-index

223531

46
g-index

85
all docs

85
docs citations

85
times ranked

1849
citing authors

#	ARTICLE	IF	CITATIONS
1	A Systematic Review and Quantitative Synthesis of the Efficacy of Quaternary Ammonium Disinfectants Against Fungal Plant Pathogens. <i>Plant Disease</i> , 2023, 107, 480-492.	0.7	4
2	Temporal Dynamics and Severity of Cucurbit Downy Mildew Epidemics as Affected by Chemical Control and Cucurbit Host Type. <i>Plant Disease</i> , 2022, 106, 1009-1019.	0.7	5
3	Development of sexual structures influences metabolomic and transcriptomic profiles in <i>Aspergillus flavus</i> . <i>Fungal Biology</i> , 2022, 126, 187-200.	1.1	4
4	Field Occurrence and Overwintering of Oospores of <i>Pseudoperonospora cubensis</i> in the Southeastern United States. <i>Phytopathology</i> , 2022, 112, 1946-1955.	1.1	4
5	Dataset for transcriptomic profiles associated with development of sexual structures in <i>Aspergillus flavus</i> . <i>Data in Brief</i> , 2022, 42, 108033.	0.5	1
6	Need for speed: bacterial effector <i>XopJ2</i> is associated with increased dispersal velocity of <i>Xanthomonas perforans</i> . <i>Environmental Microbiology</i> , 2021, 23, 5850-5865.	1.8	5
7	Efficacy of Hypochlorite in Disinfecting Nonfungal Plant Pathogens in Agricultural and Horticultural Plant Production: A Meta-Analysis. <i>Plant Disease</i> , 2021, 105, 4084-4094.	0.7	7
8	“Jumping Jack” Genomic Microsatellites Underscore the Distinctiveness of Closely Related <i>Pseudoperonospora cubensis</i> and <i>Pseudoperonospora humuli</i> and Provide New Insights Into Their Evolutionary Past. <i>Frontiers in Microbiology</i> , 2021, 12, 686759.	1.5	3
9	Efficacy of Hypochlorite as a Disinfectant Against Fungal Pathogens in Agricultural and Horticultural Plant Production: A Systematic Review and Meta-Analysis. <i>Phytopathology</i> , 2021, 111, 1369-1379.	1.1	7
10	A General Framework for Spatio-Temporal Modeling of Epidemics With Multiple Epicenters: Application to an Aerially Dispersed Plant Pathogen. <i>Frontiers in Applied Mathematics and Statistics</i> , 2021, 7, .	0.7	1
11	Field Characterization of Partial Resistance to Gray Leaf Spot in Elite Maize Germplasm. <i>Phytopathology</i> , 2020, 110, 1668-1679.	1.1	8
12	Characterization of morphological changes within stromata during sexual reproduction in <i>Aspergillus flavus</i> . <i>Mycologia</i> , 2020, 112, 908-920.	0.8	7
13	Biocontrol Strains Differentially Shift the Genetic Structure of Indigenous Soil Populations of <i>Aspergillus flavus</i> . <i>Frontiers in Microbiology</i> , 2019, 10, 1738.	1.5	32
14	Spread of <i>Aspergillus flavus</i> and aflatoxin accumulation in postharvested maize treated with biocontrol products. <i>Journal of Stored Products Research</i> , 2019, 84, 101519.	1.2	20
15	Predicting the risk of cucurbit downy mildew in the eastern United States using an integrated aerobiological model. <i>International Journal of Biometeorology</i> , 2018, 62, 655-668.	1.3	13
16	Evaluation of a Model for Predicting the Infection Risk of Squash and Cantaloupe by <i>Pseudoperonospora cubensis</i> . <i>Plant Disease</i> , 2018, 102, 855-862.	0.7	3
17	Resistance to Fluopicolide and Propamocarb and Baseline Sensitivity to Ethaboxam Among Isolates of <i>Pseudoperonospora cubensis</i> From the Eastern United States. <i>Plant Disease</i> , 2018, 102, 1619-1626.	0.7	30
18	Cultural and Genetic Approaches to Manage Aflatoxin Contamination: Recent Insights Provide Opportunities for Improved Control. <i>Phytopathology</i> , 2018, 108, 1024-1037.	1.1	51

#	ARTICLE	IF	CITATIONS
19	<i>Pseudoperonospora cubensis</i> virulence and pathotype structure in Kazakhstan. Plant Pathology, 2018, 67, 1924-1935.	1.2	1
20	A Model for Predicting Onset of Stagonospora nodorum Blotch in Winter Wheat Based on Preplanting and Weather Factors. Phytopathology, 2017, 107, 635-644.	1.1	7
21	Virulence Structure Within Populations of <i>Pseudoperonospora cubensis</i> in the United States. Phytopathology, 2017, 107, 777-785.	1.1	22
22	Occurrence and Distribution of Mating Types of <i>Pseudoperonospora cubensis</i> in the United States. Phytopathology, 2017, 107, 313-321.	1.1	25
23	Resurgence of cucurbit downy mildew in the United States: Insights from comparative genomic analysis of <i>Pseudoperonospora cubensis</i> . Ecology and Evolution, 2017, 7, 6231-6246.	0.8	30
24	Epidemiology: Past, Present, and Future Impacts on Understanding Disease Dynamics and Improving Plant Disease Management—A Summary of Focus Issue Articles. Phytopathology, 2017, 107, 1092-1094.	1.1	25
25	Revisiting Graduate Student Training to Address Agricultural and Environmental Societal Challenges. Agricultural and Environmental Letters, 2017, 2, 170019.	0.8	7
26	Focus expansion and stability of the spread parameter estimate of the power law model for dispersal gradients. PeerJ, 2017, 5, e3465.	0.9	10
27	Predicting Pre-planting Risk of Stagonospora nodorum blotch in Winter Wheat Using Machine Learning Models. Frontiers in Plant Science, 2016, 7, 390.	1.7	47
28	Using Next-Generation Sequencing to Develop Molecular Diagnostics for <i>Pseudoperonospora cubensis</i> , the Cucurbit Downy Mildew Pathogen. Phytopathology, 2016, 106, 1105-1116.	1.1	58
29	Environmental distribution and genetic diversity of vegetative compatibility groups determine biocontrol strategies to mitigate aflatoxin contamination of maize by <i>Aspergillus flavus</i> . Microbial Biotechnology, 2016, 9, 75-88.	2.0	66
30	Quantifying the Effects of Wheat Residue on Severity of Stagonospora nodorum Blotch and Yield in Winter Wheat. Phytopathology, 2015, 105, 1417-1426.	1.1	16
31	Resurgence of <i>Pseudoperonospora cubensis</i> : The Causal Agent of Cucurbit Downy Mildew. Phytopathology, 2015, 105, 998-1012.	1.1	80
32	Epidemiology and Population Biology of <i>Pseudoperonospora cubensis</i> : A Model System for Management of Downy Mildews. Annual Review of Phytopathology, 2015, 53, 223-246.	3.5	84
33	Resurgence of Cucurbit Downy Mildew in the United States: A Watershed Event for Research and Extension. Plant Disease, 2015, 99, 428-441.	0.7	117
34	Initial Inoculum and Spatial Dispersal of <i>Colletotrichum gloeosporioides</i> , the Causal Agent of Strawberry Anthracnose Crown Rot. Plant Disease, 2015, 99, 80-86.	0.7	20
35	Use of Quantitative Traits to Assess Aggressiveness of <i>Phakopsora pachyrhizi</i> Isolates from Nigeria and the United States. Plant Disease, 2014, 98, 1261-1266.	0.7	4
36	First Report of <i>Pseudoperonospora cubensis</i> Causing Downy Mildew on <i>Momordica balsamina</i> and <i>M. charantia</i> in North Carolina. Plant Disease, 2014, 98, 1279-1279.	0.7	18

#	ARTICLE	IF	CITATIONS
37	Pathogenic variation of <i>Mycosphaerella</i> species infecting banana and plantain in Nigeria. <i>Plant Pathology</i> , 2013, 62, 298-308.	1.2	11
38	Modeling Spatial Frailties in Survival Analysis of Cucurbit Downy Mildew Epidemics. <i>Phytopathology</i> , 2013, 103, 216-227.	1.1	17
39	Relationship between disease severity and escape of <i>Pseudoperonospora cubensis</i> sporangia from a cucumber canopy during downy mildew epidemics. <i>Plant Pathology</i> , 2013, 62, 1366-1377.	1.2	17
40	Effects of Host Plant Resistance and Fungicides on Severity of Cucumber Downy Mildew. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2013, 48, 53-59.	0.5	19
41	Optimization of Late Blight and Bacterial Wilt Management in Potato Production Systems in the Highland Tropics of Africa. , 2012, , 509-531.		2
42	Interactive Effects of Temperature and Leaf Wetness Duration on Sporangia Germination and Infection of Cucurbit Hosts by <i>Pseudoperonospora cubensis</i> . <i>Plant Disease</i> , 2012, 96, 345-353.	0.7	31
43	Novel Necrotrophic Effectors from <i>Stagonospora nodorum</i> and Corresponding Host Sensitivities in Winter Wheat Germplasm in the Southeastern United States. <i>Phytopathology</i> , 2012, 102, 498-505.	1.1	29
44	A Degree-Day Model for the Latent Period of <i>Stagonospora nodorum</i> Blotch in Winter Wheat. <i>Plant Disease</i> , 2011, 95, 561-567.	0.7	10
45	Cucurbit Downy Mildew ipmPIPE: A Next Generation Web-based Interactive Tool for Disease Management and Extension Outreach. <i>Plant Health Progress</i> , 2011, 12, .	0.8	31
46	Dynamics of Soybean Rust Epidemics in Sequential Plantings of Soybean Cultivars in Nigeria. <i>Plant Disease</i> , 2011, 95, 43-50.	0.7	26
47	Spatiotemporal Spread of Cucurbit Downy Mildew in the Eastern United States. <i>Phytopathology</i> , 2011, 101, 451-461.	1.1	66
48	<i>Aspergillus</i> Colonization and Aflatoxin Contamination of Maize and Sesame Kernels in Two Agro-ecological Zones in Senegal. <i>Journal of Phytopathology</i> , 2011, 159, 268-275.	0.5	54
49	Genetic structure and diversity of <i>Phakopsora pachyrhizi</i> isolates from soyabean. <i>Plant Pathology</i> , 2011, 60, 719-729.	1.2	28
50	Validation of tuber blight (<i>Phytophthora infestans</i>) prediction model. <i>Crop Protection</i> , 2011, 30, 547-553.	1.0	7
51	Efficiency of Adaptive Cluster Sampling for Estimating Plant Disease Incidence. <i>Phytopathology</i> , 2010, 100, 663-670.	1.1	14
52	Quantitative Models for Germination and Infection of <i>Pseudoperonospora cubensis</i> in Response to Temperature and Duration of Leaf Wetness. <i>Phytopathology</i> , 2010, 100, 959-967.	1.1	42
53	A Quantitative Review of Fungicide Efficacy for Managing Downy Mildew in Cucurbits. <i>Phytopathology</i> , 2010, 100, 1066-1076.	1.1	52
54	Survival of <i>Pseudoperonospora cubensis</i> sporangia exposed to solar radiation. <i>Plant Pathology</i> , 2010, 59, 313-323.	1.2	29

#	ARTICLE	IF	CITATIONS
55	Identification and genetic diversity of <i>Mycosphaerella</i> species on banana and plantain in Nigeria. <i>Plant Pathology</i> , 2009, 58, 536-546.	1.2	17
56	Permanent Genetic Resources added to Molecular Ecology Resources Database 1 May 2009–31 July 2009. <i>Molecular Ecology Resources</i> , 2009, 9, 1460-1466.	2.2	128
57	Pathogenic Variation of <i>Phakopsora pachyrhizi</i> Infecting Soybean in Nigeria. <i>Phytopathology</i> , 2009, 99, 353-361.	1.1	36
58	Distribution and toxigenicity of <i>Aspergillus</i> species isolated from maize kernels from three agro-ecological zones in Nigeria. <i>International Journal of Food Microbiology</i> , 2008, 122, 74-84.	2.1	176
59	Evaluation of Soybean Germplasm for Resistance to Soybean Rust (<i>Phakopsora pachyrhizi</i>) in Nigeria. <i>Plant Disease</i> , 2008, 92, 947-952.	0.7	44
60	Evaluation of atoxigenic isolates of <i>Aspergillus flavus</i> as potential biocontrol agents for aflatoxin in maize. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2008, 25, 1264-1271.	1.1	142
61	Novel Sources of Resistance to Fusarium Stalk Rot of Maize in Tropical Africa. <i>Plant Disease</i> , 2008, 92, 772-780.	0.7	25
62	Development of Tuber Blight (<i>Phytophthora infestans</i>) on Potato Cultivars Based on In Vitro Assays and Field Evaluations. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2008, 43, 1501-1508.	0.5	5
63	Relationship between late blight [<i>Phytophthora infestans</i>] of potato on tuber and foliage, as affected by the disease severity on foliage, cultivar resistance, and atmospheric and soil variables. <i>Canadian Journal of Plant Pathology</i> , 2007, 29, 372-387.	0.8	11
64	Rapid Screening of Musa Species for Resistance to Black Leaf Streak Using In Vitro Plantlets in Tubes and Detached Leaves. <i>Plant Disease</i> , 2007, 91, 308-314.	0.7	31
65	Comparison of Field, Greenhouse, and Detached-Leaf Evaluations of Soybean Germplasm for Resistance to <i>Phakopsora pachyrhizi</i> . <i>Plant Disease</i> , 2007, 91, 1161-1169.	0.7	47
66	Evaluation of Maize Inbred Lines for Resistance to Fusarium Ear Rot and Fumonisin Accumulation in Grain in Tropical Africa. <i>Plant Disease</i> , 2007, 91, 279-286.	0.7	58
67	Temporal Dynamics of Septoria Leaf Spot of Blueberry and its Relationship to Defoliation and Yield. <i>Plant Health Progress</i> , 2007, 8, .	0.8	4
68	First Report of Rust Caused by <i>Phakopsora pachyrhizi</i> on Soybean in Democratic Republic of Congo. <i>Plant Disease</i> , 2007, 91, 1204-1204.	0.7	8
69	Dynamics of development of late blight [<i>Phytophthora infestans</i>] in potato, and comparative resistance of cultivars in the highland tropics. <i>Canadian Journal of Plant Pathology</i> , 2006, 28, 84-94.	0.8	14
70	Septoria Leaf Spot Reduces Flower Bud Set and Yield Potential of Rabbiteye and Southern Highbush Blueberries. <i>Plant Disease</i> , 2006, 90, 51-57.	0.7	16
71	Optimum Sample Size for Determining Disease Severity and Defoliation Associated with Septoria Leaf Spot of Blueberry. <i>Plant Disease</i> , 2006, 90, 1209-1213.	0.7	4
72	Biological and Application-Oriented Factors Influencing Plant Disease Suppression by Biological Control: A Meta-Analytical Review. <i>Phytopathology</i> , 2006, 96, 1168-1174.	1.1	63

#	ARTICLE	IF	CITATIONS
73	Trends in Theoretical Plant Epidemiology. European Journal of Plant Pathology, 2006, 115, 61-73.	0.8	31
74	Trends in theoretical plant epidemiology. , 2006, , 61-73.		7
75	Temporal Progress of Septoria Leaf Spot on Rabbiteye Blueberry (<i>Vaccinium ashei</i>). Plant Disease, 2005, 89, 1090-1096.	0.7	10
76	Survival Analysis of Time to Abscission of Blueberry Leaves Affected by Septoria Leaf Spot. Phytopathology, 2005, 95, 108-113.	1.1	30
77	Applications of Survival Analysis in Botanical Epidemiology. Phytopathology, 2004, 94, 1022-1026.	1.1	53
78	Field transmission efficiency of <i>Alternaria sesami</i> in sesame from infected seed. Crop Protection, 2003, 22, 1107-1115.	1.0	11
79	Evaluation of potato germplasm (Population A & B) for resistance to late blight in Kenya. African Crop Science Journal, 2001, 9, .	0.1	4
80	TOLERANCE LEVEL OF <i>ALTERNARIA SESAMI</i> AND THE EFFECT OF SEED INFECTION ON YIELD OF SESAME IN KENYA. Experimental Agriculture, 2000, 36, 335-342.	0.4	5
81	Host adaptation to potato and tomato within the US-1 clonal lineage of <i>Phytophthora infestans</i> in Uganda and Kenya. Plant Pathology, 2000, 49, 531-539.	1.2	72
82	Yield stability analysis of promising potato clones in mid and high altitude regions of Kenya. African Crop Science Journal, 1998, 6, .	0.1	2