José Geraldo Mill

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2867808/publications.pdf

Version: 2024-02-01

		172207	123241
145	4,533	29	61
papers	citations	h-index	g-index
165	165	165	5799
103	103	103	3799
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Associations of depression and intake of antioxidants and vitamin B complex: Results of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Journal of Affective Disorders, 2022, 297, 259-268.	2.0	10
2	REATOGENICIDADE COM MEIA DOSE DA VACINA CHADOX1 NCOV-19 (AZD1222). Brazilian Journal of Infectious Diseases, 2022, 26, 102069.	0.3	O
3	Diferenças entre os Bloqueadores dos Receptores da Angiotensina (BRA) no Tratamento da Hipertensão Arterial. Arquivos Brasileiros De Cardiologia, 2022, 118, 1083-1084.	0.3	0
4	Insulin resistance may be misdiagnosed by HOMA-IR in adults with greater fat-free mass: the ELSA-Brasil Study. Acta Diabetologica, 2021, 58, 73-80.	1.2	2
5	Ultrarapid On-Site Detection of SARS-CoV-2 Infection Using Simple ATR-FTIR Spectroscopy and an Analysis Algorithm: High Sensitivity and Specificity. Analytical Chemistry, 2021, 93, 2950-2958.	3.2	92
6	Depression is associated with increased adiposity in a 4-year follow-up: results from the ELSA-Brasil. Journal of Affective Disorders, 2021, 282, 179-186.	2.0	1
7	Diretrizes Brasileiras de Hipertensão Arterial – 2020. Arquivos Brasileiros De Cardiologia, 2021, 116, 516-658.	0.3	340
8	Incidence of thyroid diseases: Results from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Archives of Endocrinology and Metabolism, 2021, 65, 468-478.	0.3	3
9	Reference values for the triglyceride to high-density lipoprotein ratio and its association with cardiometabolic diseases in a mixed adult population: The ELSA-Brasil study. Journal of Clinical Lipidology, 2021, 15, 699-711.	0.6	6
10	A review on the role of dispersion and receptor models in asthma research. Environmental Pollution, 2021, 287, 117529.	3.7	4
11	Urinary iodine and sodium concentration and thyroid status in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Journal of Trace Elements in Medicine and Biology, 2021, 68, 126805.	1.5	2
12	Chagas disease is not associated with diabetes, metabolic syndrome, insulin resistance and beta cell dysfunction at baseline of Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Parasitology International, 2021, 85, 102440.	0.6	2
13	Effects of shortâ€ŧerm aerobic training versus CPAP therapy on heart rate variability in moderate to severe OSA patients. Psychophysiology, 2021, 58, e13771.	1.2	4
14	Pulmonary function evaluation after hospital discharge of patients with severe COVID-19. Clinics, 2021, 76, e2848.	0.6	15
15	Indicadores de obesidade e resistência à insulina: uma revisão sistemática. Saúde E Pesquisa, 2021, 14, 1-19.	0.0	1
16	Prediction of Liver Steatosis Applying a New Score in Subjects from the Brazilian Longitudinal Study of Adult Health. Journal of Clinical Gastroenterology, 2020, 54, e1-e10.	1.1	7
17	Identifying patterns of diurnal blood pressure variation among ELSAâ€Brasil participants. Journal of Clinical Hypertension, 2020, 22, 2315-2324.	1.0	2
18	Arterial stiffness in black adults from Angola and Brazil. Journal of Clinical Hypertension, 2020, 22, 1469-1475.	1.0	1

#	Article	IF	Citations
19	High fructose intake and the route towards cardiometabolic diseases. Life Sciences, 2020, 259, 118235.	2.0	24
20	Muscle mass is the main somatic growth indicator associated with increasing blood pressure with age in children and adolescents. Journal of Clinical Hypertension, 2020, 22, 1908-1914.	1.0	7
21	Association between the incidence of acute respiratory diseases in children and ambient concentrations of SO2, PM10 and chemical elements in fine particles. Environmental Research, 2020, 188, 109619.	3.7	22
22	Acute hypotensive effect of diminazene aceturate in spontaneously hypertensive rats: role of NO and Mas receptor. Clinical and Experimental Pharmacology and Physiology, 2020, 47, 1723-1730.	0.9	11
23	Genomic insight into the origins and dispersal of the Brazilian coastal natives. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 2372-2377.	3.3	27
24	Ambulatory blood pressure reduction after running session in normotensive middle-aged runners. Science and Sports, 2020, 35, 314-317.	0.2	0
25	Mortality risks due to long-term ambient sulphur dioxide exposure: large variability of relative risk in the literature. Environmental Science and Pollution Research, 2020, 27, 35908-35917.	2.7	9
26	Longitudinal study of the sympathovagal balance in women submitted to bariatric surgery. Anais Da Academia Brasileira De Ciencias, 2020, 92, e20181184.	0.3	1
27	Association between dietary patterns and renal function in a cross-sectional study using baseline data from the ELSA-Brasil cohort. Brazilian Journal of Medical and Biological Research, 2020, 53, e10230.	0.7	3
28	TRI-PONDERAL MASS INDEX IS USEFUL FOR SCREENING CHILDREN AND ADOLESCENTS WITH INSULIN RESISTANCE. Revista Paulista De Pediatria, 2020, 38, e2019066.	0.4	11
29	A Prevalência da Hipotensão Ortostática e a Distribuição da Variação Pressórica no Estudo Longitudinal da Saêde do Adulto. Arquivos Brasileiros De Cardiologia, 2020, 114, 1040-1048.	0.3	2
30	Age and Sex Differences in Heart Rate Variability and Vagal Specific Patterns – Baependi Heart Study. Global Heart, 2020, 15, 71.	0.9	42
31	FATORES ASSOCIADOS À HIPERTENSÃO ARTERIAL DE ESTUDANTES DO MUNICÃPIO DE VITÓRIA/ES / FACTORS ASSOCIATED WITH ARTERIAL HYPERTENSION IN STUDENTS IN THE MUNICIPALITY OF VITÓRIA/ES. Brazilian Journal of Development, 2020, 6, 88235-88249.	0.0	0
32	Waist-to-height ratio is as reliable as biochemical markers to discriminate pediatric insulin resistance. Jornal De Pediatria, 2019, 95, 428-434.	0.9	8
33	Polymorphisms of the renin-angiotensin system are not associated with overweight and obesity in a general adult population. Archives of Endocrinology and Metabolism, 2019, 63, 402-410.	0.3	5
34	Fatores associados \tilde{A} rela \tilde{A} § \tilde{A} £o s \tilde{A} 3dio/pot \tilde{A} issio urin \tilde{A} iria em participantes do ELSA-Brasil. Cadernos De Saude Publica, 2019, 35, e00039718.	0.4	2
35	Sex-specific characteristics associated with the elevated triglyceride to high-density lipoprotein cholesterol ratio in a population-based study. Obesity Medicine, 2019, 16, 100151.	0.5	1
36	LOW-INTENSITY ENDURANCE TRAINING AND RIGHT VENTRICULAR MYOCYTES OF HYPERTENSIVE RATS. Revista Brasileira De Medicina Do Esporte, 2019, 25, 196-201.	0.1	0

#	Article	IF	CITATIONS
37	Greater aortic stiffness is associated with renal dysfunction in participants of the ELSA-Brasil cohort with and without hypertension and diabetes. PLoS ONE, 2019, 14, e0210522.	1.1	14
38	Ponderal index classifies obesity in children and adolescents more accurately than body mass index z-scores. Pediatric Research, 2019, 86, 128-133.	1.1	17
39	Sexâ€specific patterns in the association between salt intake and blood pressure: The ELSAâ€Brasil study. Journal of Clinical Hypertension, 2019, 21, 502-509.	1.0	25
40	Racial differences in the association between early socioeconomic position, birth weight, and arterial stiffness in adults from ELSA-Brasil. Annals of Epidemiology, 2019, 34, 45-51.	0.9	6
41	Linear and nonlinear analyses of heart rate variability following orthostatism in subclinical hypothyroidism. Medicine (United States), 2019, 98, e14140.	0.4	15
42	Effect of urinary sodium-to-potassium ratio change on blood pressure in participants of the longitudinal health of adults study - ELSA-Brasil. Medicine (United States), 2019, 98, e16278.	0.4	7
43	Job Stress and Heart Rate Variability: Findings From the ELSA-Brasil Cohort. Psychosomatic Medicine, 2019, 81, 536-544.	1.3	5
44	Arterial Stiffness and Blood Pressure in a Multicultural Child Sample (Angola, Brazil, and Spain). American Journal of Hypertension, 2019, 32, 265-271.	1.0	5
45	Influences on the Functional Behavior of Great Arteries during Orthostasis. Arquivos Brasileiros De Cardiologia, 2019, 113, 1072-1081.	0.3	2
46	Social Determinants of Hypertension. Arquivos Brasileiros De Cardiologia, 2019, 113, 696-698.	0.3	4
47	Spironolactone Versus Clonidine as a Fourth-Drug Therapy for Resistant Hypertension. Hypertension, 2018, 71, 681-690.	1.3	123
48	Reference values for shortâ€term restingâ€state heart rate variability in healthy adults: Results from the Brazilian Longitudinal Study of Adult Healthâ€"ELSAâ€Brasil study. Psychophysiology, 2018, 55, e13052.	1.2	47
49	Influence of Long-Term Salt Diets on Cardiac Ca2+ Handling and Contractility Proteins in Hypertensive Rats. American Journal of Hypertension, 2018, 31, 726-734.	1.0	5
50	Carotid-femoral pulse wave velocity in a healthy adult sample: The ELSA-Brasil study. International Journal of Cardiology, 2018, 251, 90-95.	0.8	27
51	Early sex differences in central arterial wave reflection are mediated by different timing of forward and reflected pressure waves. Clinical and Experimental Pharmacology and Physiology, 2018, 45, 166-173.	0.9	4
52	Lipid disorders among Black Africans non-users of lipid-lowering medication. Archives of Endocrinology and Metabolism, 2018, 62, 552-559.	0.3	5
53	Adherence to physical activity in adults with chronic diseases: ELSA-Brasil. Revista De Saude Publica, 2018, 52, 31.	0.7	46
54	Validation of single measurement of 12-hour urine excretion for estimation of sodium and potassium intake. A longitudinal study. Sao Paulo Medical Journal, 2018, 136, 150-156.	0.4	6

#	Article	IF	CITATIONS
55	SP311ASSOCIATION BETWEEN DIETARY PATTERNS, METABOLIC SYNDROME AND RENAL FUNCTION IN THE LONGITUDINAL STUDY OF ADULT HEALTH (ELSA-BRASIL). Nephrology Dialysis Transplantation, 2018, 33, i449-i449.	0.4	0
56	Prevalence and Clinical Correlates of Left Ventricular Hypertrophy in Black Africans. High Blood Pressure and Cardiovascular Prevention, 2018, 25, 283-289.	1.0	12
57	The ACE 2 activator diminazene aceturate (DIZE) improves left ventricular diastolic dysfunction following myocardial infarction in rats. Biomedicine and Pharmacotherapy, 2018, 107, 212-218.	2.5	30
58	Racial disparities in renal function: the role of racial discrimination. The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Journal of Epidemiology and Community Health, 2018, 72, 1027-1032.	2.0	5
59	Sugar-Sweetened Soft Drinks and Fructose Consumption Are Associated with Hyperuricemia: Cross-Sectional Analysis from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Nutrients, 2018, 10, 981.	1.7	47
60	Associations of Dairy Intake with Arterial Stiffness in Brazilian Adults: The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Nutrients, 2018, 10, 701.	1.7	10
61	Aging-related compensated hypogonadism: Role of metabolomic analysis in physiopathological and therapeutic evaluation. Journal of Steroid Biochemistry and Molecular Biology, 2018, 183, 39-50.	1.2	30
62	Consumption of alcohol and blood pressure: Results of the ELSA-Brasil study. PLoS ONE, 2018, 13, e0190239.	1.1	53
63	Association between demand–control model components and blood pressure in the ELSA-Brasil study: exploring heterogeneity using quantile regression analyses. Scandinavian Journal of Work, Environment and Health, 2018, 44, 601-612.	1.7	6
64	Gender-specific determinants of blood pressure elevation in Angolan adults. Blood Pressure, 2017, 26, 9-17.	0.7	3
65	Chronic enalapril treatment increases transient outward potassium current in cardiomyocytes isolated from right ventricle of spontaneously hypertensive rats. Naunyn-Schmiedeberg's Archives of Pharmacology, 2017, 390, 225-234.	1.4	2
66	Racial Differences in Arterial Stiffness are Mainly Determined by Blood Pressure Levels: Results From the ELSAâ∈Brasil Study. Journal of the American Heart Association, 2017, 6, .	1.6	26
67	Lack of Association Between Subclinical Hypothyroidism and Carotid–Femoral Pulse Wave Velocity in a Cross-Sectional Analysis of the ELSA–Brasil. American Journal of Hypertension, 2017, 30, 81-87.	1.0	11
68	Association between the concentration of fine particles in the atmosphere and acute respiratory diseases in children. Revista De Saude Publica, 2017, 51, 3.	0.7	24
69	Non-HDL cholesterol is a good predictor of the risk of increased arterial stiffness in postmenopausal women in an urban Brazilian population. Clinics, 2017, 72, 106-110.	0.6	22
70	Electrocardiographic Findings in Brazilian Adults without Heart Disease: ELSA-Brasil. Arquivos Brasileiros De Cardiologia, 2017, 109, 416-424.	0.3	10
71	Pressão arterial e indicadores de função vascular de corredores com diferentes nÃveis de desempenho no teste cardiopulmonar. Revista Brasileira De Educação FÃsica E Esporte: RBEFE, 2017, 31, 747-758.	0.1	0
72	Consumo de antioxidantes em participantes do ELSA-Brasil: resultados da linha de base. Revista Brasileira De Epidemiologia, 2016, 19, 149-159.	0.3	12

#	Article	IF	CITATIONS
73	Epicardial fat thickness: distribution and association with diabetes mellitus, hypertension and the metabolic syndrome in the ELSA-Brasil study. International Journal of Cardiovascular Imaging, 2016, 32, 563-572.	0.7	9
74	Predictors and Reference Values of Pulse Wave Velocity in Prepubertal Angolan Children. Journal of Clinical Hypertension, 2016, 18, 725-732.	1.0	19
75	Cardiovascular Health in Brazil. Circulation, 2016, 133, 422-433.	1.6	237
76	Prevalence, awareness, treatment, and control ofÂhigh low-density lipoprotein cholesterol in Brazil: Baseline of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Journal of Clinical Lipidology, 2016, 10, 568-576.	0.6	30
77	Chronic kidney disease among adult participants of the ELSA-Brasil cohort: association with race and socioeconomic position. Journal of Epidemiology and Community Health, 2016, 70, 380-389.	2.0	83
78	Chronic fructose intake accelerates non-alcoholic fatty liver disease in the presence of essential hypertension. Journal of Diabetes and Its Complications, 2016, 30, 85-92.	1.2	23
79	Use of the Method of Triads in the Validation of Sodium and Potassium Intake in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). PLoS ONE, 2016, 11, e0169085.	1.1	12
80	Reliable Quantification of the Potential for Equations Based on Spot Urine Samples to Estimate Population Salt Intake: Protocol for a Systematic Review and Meta-Analysis. JMIR Research Protocols, 2016, 5, e190.	0.5	4
81	Cardiovascular risk factors in pre-pubertal schoolchildren in Angola. Cardiovascular Journal of Africa, 2016, 27, 315-321.	0.2	5
82	Comparison between symbolic and spectral analyses of short-term heart rate variability in a subsample of the ELSA-Brasil study. Physiological Measurement, 2015, 36, 2119-2134.	1.2	9
83	ECG-based detection of left ventricle hypertrophy. Research on Biomedical Engineering, 2015, 31, 125-132.	1.5	4
84	Factors associated with arterial stiffness in children aged 9-10 years. Revista De Saude Publica, 2015, 49, 23.	0.7	13
85	Estudo de validação das equações de Tanaka e de Kawasaki para estimar a excreção diária de sódio através da coleta da urina casual. Revista Brasileira De Epidemiologia, 2015, 18, 224-237.	0.3	26
86	Sodium and potassium intake estimated using two methods in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Sao Paulo Medical Journal, 2015, 133, 510-516.	0.4	16
87	Transição metabólica no teste progressivo de pessoas treinadas com musculação e corrida. Revista Brasileira De Medicina Do Esporte, 2015, 21, 279-283.	0.1	1
88	Prevalence, Awareness, Treatment and Influence of Socioeconomic Variables on Control of High Blood Pressure: Results of the ELSA-Brasil Study. PLoS ONE, 2015, 10, e0127382.	1.1	132
89	High salt intake as a multifaceted cardiovascular disease: new support from cellular and molecular evidence. Heart Failure Reviews, 2015, 20, 461-474.	1.7	27
90	Cohort Profile: Longitudinal Study of Adult Health (ELSA-Brasil). International Journal of Epidemiology, 2015, 44, 68-75.	0.9	416

#	Article	IF	Citations
91	Serum Uric Acid and Pulse Wave Velocity Among Healthy Adults: Baseline Data From the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). American Journal of Hypertension, 2015, 28, 966-970.	1.0	32
92	Effects of high and low salt intake on left ventricular remodeling after myocardial infarction in normotensive rats. Journal of the American Society of Hypertension, 2015, 9, 77-85.	2.3	7
93	Resistant Hypertension: Risk Factors, Subclinical Atherosclerosis, and Comorbidities Among Adults—The Brazilian Longitudinal Study of Adult Health (<scp>ELSA</scp> â€Brasil). Journal of Clinical Hypertension, 2015, 17, 74-80.	1.0	39
94	QT interval prolongation associated with low magnesium in chronic alcoholics. Drug and Alcohol Dependence, 2015, 155, 195-201.	1.6	9
95	Renal Effects and Underlying Molecular Mechanisms of Long-Term Salt Content Diets in Spontaneously Hypertensive Rats. PLoS ONE, 2015, 10, e0141288.	1.1	28
96	Temporal Profile and Mechanisms of the Prompt Sympathoexcitation following Coronary Ligation in Wistar Rats. PLoS ONE, 2014, 9, e101886.	1.1	5
97	Heart rate at 4 s after the onset of exercise in endurance-trained men. Canadian Journal of Physiology and Pharmacology, 2014, 92, 476-480.	0.7	6
98	Resistant Hypertension Optimal Treatment Trial: A Randomized Controlled Trial. Clinical Cardiology, 2014, 37, 1-6.	0.7	21
99	High potassium intake blunts the effect of elevated sodium intake onÂblood pressure levels. Journal of the American Society of Hypertension, 2014, 8, 232-238.	2.3	64
100	High salt intake does not produce additional impairment in the coronary artery relaxation of spontaneously hypertensive aged rats. Food and Chemical Toxicology, 2013, 58, 193-197.	1.8	4
101	Carvedilol recovers normal blood pressure variability in rats with myocardial infarction. Autonomic Neuroscience: Basic and Clinical, 2013, 177, 231-236.	1.4	8
102	The benefits of endurance training in cardiomyocyte function in hypertensive rats are reversed within four weeks of detraining. Journal of Molecular and Cellular Cardiology, 2013, 57, 119-128.	0.9	51
103	Regional effects of low-intensity endurance training on structural and mechanical properties of rat ventricular myocytes. Journal of Applied Physiology, 2013, 115, 107-115.	1.2	21
104	Heart rate variability is a trait marker of major depressive disorder: evidence from the sertraline vs. electric current therapy to treat depression clinical study. International Journal of Neuropsychopharmacology, 2013, 16, 1937-1949.	1.0	118
105	Comparação da resposta autonômica cardiovascular de praticantes de musculação, corredores de longa distância e não praticantes de exercÃcio. Revista Brasileira De Educação FÃsica E Esporte: RBEFE, 2013, 27, 531-541.	0.1	1
106	Exercise training prior to myocardial infarction attenuates cardiac deterioration and cardiomyocyte dysfunction in rats. Clinics, 2013, 68, 549-556.	0.6	24
107	Relationship Between Left Atrial Volume and Diastolic Dysfunction in 500 Brazilian Patients. Arquivos Brasileiros De Cardiologia, 2013, 101, 52-8.	0.3	18
108	Correlation Between the Intima-Media Thickness of the Proximal and Distal Common Carotids. Arquivos Brasileiros De Cardiologia, 2013, 101, 211-6.	0.3	5

#	Article	IF	Citations
109	Brazilian Longitudinal Study of Adult Health (ELSA-Brasil): Objectives and Design. American Journal of Epidemiology, 2012, 175, 315-324.	1.6	558
110	Acute arrhythmogenesis after myocardial infarction in normotensive rats: Influence of high salt intake. Food and Chemical Toxicology, 2012, 50, 473-477.	1.8	10
111	Spectral analysis of heart rate variability with the autoregressive method: What model order to choose?. Computers in Biology and Medicine, 2012, 42, 164-170.	3.9	65
112	Kinetics of the electrocardiographic changes after permanent coronary occlusion in rats: Relationship with infarct size. Pathophysiology, 2012, 19, 277-281.	1.0	4
113	Association between the C242T polymorphism in the <i>p22phox</i> gene with arterial stiffness in the Brazilian population. Physiological Genomics, 2012, 44, 587-592.	1.0	11
114	Terapia antirretroviral altamente eficaz para infecção pelo vÃrus da imunodeficiência humana aumenta a rigidez aórtica. Arquivos Brasileiros De Cardiologia, 2012, 99, 1100-1107.	0.3	18
115	Distribuição por gênero de ácido úrico sérico e fatores de risco cardiovascular: estudo populacional. Arquivos Brasileiros De Cardiologia, 2012, 98, 13-21.	0.3	50
116	Acute effects of granulocyte colony-stimulating factor on early ventricular arrhythmias after coronary occlusion in rats. Journal of Pharmacology and Pharmacotherapeutics, 2012, 3, 39.	0.2	4
117	Prospective Study To Investigate The Prevalence Of The 90 kDa Isoform Of Angiotensin Converting Enzyme In Vitória ―Brazil – Preliminary Results. FASEB Journal, 2012, 26, lb141.	0.2	0
118	Influência do uso de fluoxetina sobre o tempo de corrida em esteira ergométrica em ratos não treinados. Revista Brasileira De Educação FÃsica E Esporte: RBEFE, 2012, 26, 375-381.	0.1	0
119	Long-term use of low-dose spironolactone in spontaneously hypertensive rats: Effects on left ventricular hypertrophy and stiffness. Pharmacological Reports, 2011, 63, 975-982.	1.5	28
120	Ethnicity and Arterial Stiffness in Brazil. American Journal of Hypertension, 2011, 24, 278-284.	1.0	59
121	Short-term in vivo inhibition of nitric oxide synthase with <scp>L</scp> -NAME influences the contractile function of single left ventricular myocytes in rats. Canadian Journal of Physiology and Pharmacology, 2011, 89, 305-310.	0.7	5
122	Sensibilidade e especificidade no diagnóstico de hipertensão por diferentes métodos. Revista De Saude Publica, 2011, 45, 837-844.	0.7	5
123	Body Weight Loss After Myocardial Infarction in Rats as a Marker of Early Heart Failure Development. Archives of Medical Research, 2011, 42, 274-280.	1.5	13
124	Effects of spironolactone in spontaneously hypertensive adult rats subjected to high salt intake. Clinics, 2011, 66, 477-482.	0.6	12
125	Granulocyte colony-stimulating factor for ischemic heart failure: should we use it?. Heart Failure Reviews, 2010, 15, 613-623.	1.7	8
126	Associa \tilde{A} S \tilde{A} £o entre a raz \tilde{A} £o cintura-estatura e hipertens \tilde{A} £o e s \tilde{A} ndrome metab \tilde{A} 3lica: estudo de base populacional. Arquivos Brasileiros De Cardiologia, 2010, 95, 186-191.	0.3	40

#	Article	IF	Citations
127	Anthropometric measures of increased central and overall adiposity in association with echocardiographic left ventricular hypertrophy. Hypertension Research, 2010, 33, 83-87.	1.5	19
128	Efeitos agudos do alongamento estático no desempenho da força dinâmica em homens jovens. Revista Brasileira De Medicina Do Esporte, 2009, 15, 200-203.	0.1	18
129	Salt excretion in normotensive individuals with metabolic syndrome: a population-based study. Hypertension Research, 2009, 32, 906-910.	1.5	20
130	Diet with isolated soy protein reduces oxidative stress and preserves ventricular function in rats with myocardial infarction. Nutrition, Metabolism and Cardiovascular Diseases, 2009, 19, 91-97.	1.1	19
131	Determinants of left ventricular mass and presence of metabolic risk factors in normotensive individuals. International Journal of Cardiology, 2009, 135, 323-330.	0.8	18
132	Revisão dos critérios de Sokolow-Lyon-Rappaport e cornell para hipertrofia do ventrÃculo esquerdo. Arquivos Brasileiros De Cardiologia, 2008, 90, 46-53.	0.3	18
133	Risco cardiovascular em vegetarianos e onÃvoros: um estudo comparativo. Arquivos Brasileiros De Cardiologia, 2007, 89, 237-44.	0.3	29
134	Regulation of cardiac and renal mineralocorticoid receptor expression by captopril following myocardial infarction in rats. Life Sciences, 2006, 78, 3066-3073.	2.0	22
135	Estado nutricional e estilo de vida em vegetarianos e onÃvoros - Grande Vitória - ES. Revista Brasileira De Epidemiologia, 2006, 9, 131-143.	0.3	11
136	G-CSF does not improve systolic function in a rat model of acute myocardial infarction. Basic Research in Cardiology, 2006, 101, 494-501.	2.5	32
137	Ectopic ossification in the scar tissue of rats with myocardial infarction. Cell Transplantation, 2006, 15, 389-97.	1.2	3
138	Role of nitric oxide in mediating cardiovascular alterations accompanying heart failure in rats. Canadian Journal of Physiology and Pharmacology, 2004, 82, 372-379.	0.7	8
139	Spironolactone prevents cardiac collagen proliferation after myocardial infarction in rats. Clinical and Experimental Pharmacology and Physiology, 2003, 30, 739-744.	0.9	36
140	Reduction in left ventricular hypertrophy in hypertensive patients treated with enalapril, losartan or the combination of enalapril and losartan. Arquivos Brasileiros De Cardiologia, 2000, 74, 111-117.	0.3	18
141	Ventricular Action Potential and L-Type Calcium Channel in Infarct-Induced Hypertrophy in Rats. Journal of Cardiovascular Electrophysiology, 1995, 6, 1004-1014.	0.8	42
142	Electrophysiological effects of labetalol on canine atrial, cardiac Purkinje fibres and ventricular muscle. British Journal of Pharmacology, 1987, 92, 627-633.	2.7	1
143	Physical training attenuates right ventricular dysfunction in rats exposed to cigarette smoke. Motriz Revista De Educacao Fisica, 0, 27, .	0.3	0
144	QT Interval Dispersion Behavior in Patients With and Without Obstructive Coronary Artery Disease Undergoing Exercise Test. International Journal of Cardiovascular Sciences, 0, , .	0.0	0

#	Article	IF	CITATIONS
145	Comparison of methods for assessment of children exposure to air pollution: dispersion model, ambient monitoring, and personal samplers. Air Quality, Atmosphere and Health, 0, , 1.	1.5	3