## Chien-Hung Lee

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2868246/publications.pdf

Version: 2024-02-01

168	6,258	<sup>70961</sup>	<sup>82410</sup> <b>72</b>
papers	citations	h-index	g-index
173	173	173	7636
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Betel quid chewing, cigarette smoking and alcohol consumption related to oral cancer in Taiwan. Journal of Oral Pathology and Medicine, 1995, 24, 450-453.	1.4	636
2	Risk factors for primary lung cancer among non-smoking women in Taiwan International Journal of Epidemiology, 1997, 26, 24-31.	0.9	288
3	Chinese Food Cooking and Lung Cancer in Women Nonsmokers. American Journal of Epidemiology, 2000, 151, 140-147.	1.6	238
4	The precancer risk of betel quid chewing, tobacco use and alcohol consumption in oral leukoplakia and oral submucous fibrosis in southern Taiwan. British Journal of Cancer, 2003, 88, 366-372.	2.9	236
5	Ambient Influenza and Avian Influenza Virus during Dust Storm Days and Background Days. Environmental Health Perspectives, 2010, 118, 1211-1216.	2.8	216
6	Independent and combined effects of alcohol intake, tobacco smoking and betel quid chewing on the risk of esophageal cancer in Taiwan. International Journal of Cancer, 2005, 113, 475-482.	2.3	199
7	Association between the metabolic syndrome and chronic kidney disease in Chinese adults. Nephrology Dialysis Transplantation, 2007, 22, 1100-1106.	0.4	138
8	Intercountry prevalences and practices of betelâ€quid use in south, southeast and eastern asia regions and associated oral preneoplastic disorders: An international collaborative study by asian betelâ€quid consortium of south and east Asia. International Journal of Cancer, 2011, 129, 1741-1751.	2.3	133
9	Consumption of Sugar-Sweetened Beverages Is Associated with Components of the Metabolic Syndrome in Adolescents. Nutrients, 2014, 6, 2088-2103.	1.7	111
10	Mutagenicity and polycyclic aromatic hydrocarbon content of fumes from heated cooking oils produced in Taiwan. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 1997, 381, 157-161.	0.4	105
11	Decreased Plsma Visfatin Concentrations in Women With Gestational Diabetes Mellitus. Journal of the Society for Gynecologic Investigation, 2006, 13, 364-367.	1.9	102
12	Carcinogenetic impact of ADH1B and ALDH2 genes on squamous cell carcinoma risk of the esophagus with regard to the consumption of alcohol, tobacco and betel quid. International Journal of Cancer, 2008, 122, 1347-1356.	2.3	102
13	Different impact from betel quid, alcohol and cigarette: Risk factors for pharyngeal and laryngeal cancer. International Journal of Cancer, 2005, 117, 831-836.	2.3	98
14	Lifetime environmental exposure to tobacco smoke and primary lung cancer of non-smoking Taiwanese women. International Journal of Epidemiology, 2000, 29, 224-231.	0.9	89
15	Gâ€2548A Polymorphism of the <i>Leptin</i> Gene Is Correlated with Extreme Obesity in Taiwanese Aborigines. Obesity, 2006, 14, 183-187.	1.5	85
16	Carcinogenetic impact of alcohol intake on squamous cell carcinoma risk of the oesophagus in relation to tobacco smoking. European Journal of Cancer, 2007, 43, 1188-1199.	1.3	84
17	Interactive effects of lifetime alcohol consumption and alcohol and aldehyde dehydrogenase polymorphisms on esophageal cancer risks. International Journal of Cancer, 2006, 119, 2827-2831.	2.3	82
18	Longâ€term late toxicities and quality of life for survivors of nasopharyngeal carcinoma treated with intensityâ€modulated radiotherapy versus non–intensityâ€modulated radiotherapy. Head and Neck, 2016, 38, E1026-32.	0.9	72

#	Article	IF	Citations
19	Computer-Aided Diagnosis of Skin Lesions Using Conventional Digital Photography: A Reliability and Feasibility Study. PLoS ONE, 2013, 8, e76212.	1.1	69
20	Increased plasma visfatin concentrations in women with polycystic ovary syndrome. Fertility and Sterility, 2007, 88, 401-405.	0.5	68
21	Low exposure to melamine increases the risk of urolithiasis in adults. Kidney International, 2011, 80, 746-752.	2.6	67
22	Effects on uric acid, body mass index and blood pressure in adolescents of consuming beverages sweetened with high-fructose corn syrup. International Journal of Obesity, 2013, 37, 532-539.	1.6	67
23	Up-regulation of Inflammatory Signalings by Areca Nut Extract and Role of <i>Cyclooxygenase-2</i> â~1195G&gt;A Polymorphism Reveal Risk of Oral Cancer. Cancer Research, 2008, 68, 8489-8498.	0.4	64
24	Betelâ€quid dependence domains and syndrome associated with betelâ€quid ingredients among chewers: an <scp>A</scp> sian multiâ€country evidence. Addiction, 2014, 109, 1194-1204.	1.7	64
25	Increased Serum Retinol-Binding Protein 4 Concentrations in Women With Gestational Diabetes Mellitus. Reproductive Sciences, 2007, 14, 169-174.	1.1	63
26	The effect of maternal betel quid exposure during pregnancy on adverse birth outcomes among aborigines in Taiwan. Drug and Alcohol Dependence, 2008, 95, 134-139.	1.6	59
27	The heterogeneity in risk factors of lung cancer and the difference of histologic distribution between genders in Taiwan. Cancer Causes and Control, 2001, 12, 289-300.	0.8	58
28	Food intake and the occurrence of squamous cell carcinoma in different sections of the esophagus in Taiwanese men. Nutrition, 2009, 25, 753-761.	1.1	57
29	Population Burden of Betel Quid Abuse and Its Relation to Oral Premalignant Disorders in South, Southeast, and East Asia: An Asian Betel-Quid Consortium Study. American Journal of Public Health, 2012, 102, e17-e24.	1.5	57
30	Associations of a non-synonymous variant in SLC2A9 with gouty arthritis and uric acid levels in Han Chinese subjects and Solomon Islanders. Annals of the Rheumatic Diseases, 2010, 69, 887-890.	0.5	55
31	Betel-quid dependence and oral potentially malignant disorders in six Asian countries. British Journal of Psychiatry, 2012, 201, 383-391.	1.7	55
32	Fructose-Rich Beverage Intake and Central Adiposity, Uric Acid, andÂPediatric Insulin Resistance. Journal of Pediatrics, 2016, 171, 90-96.e1.	0.9	55
33	Inadequate Energy and Excess Protein Intakes May Be Associated With Worsening Renal Function in Chronic Kidney Disease., 2008, 18, 187-194.		52
34	Association of Dialysis with the Risks of Cancers. PLoS ONE, 2015, 10, e0122856.	1.1	52
35	Anatomical subsite discrepancy in relation to the impact of the consumption of alcohol, tobacco and betel quid on esophageal cancer. International Journal of Cancer, 2007, 120, 1755-1762.	2.3	50
36	Pretreatment Quality of Life As a Predictor of Distant Metastasis and Survival for Patients With Nasopharyngeal Carcinoma. Journal of Clinical Oncology, 2010, 28, 4384-4389.	0.8	50

#	Article	IF	CITATIONS
37	Association of <i>DSM-5</i> Betel-Quid Use Disorder With Oral Potentially Malignant Disorder in 6 Betel-Quid Endemic Asian Populations. JAMA Psychiatry, 2018, 75, 261.	6.0	45
38	The neoplastic impact of tobaccoâ€free betelâ€quid on the histological type and the anatomical site of aerodigestive tract cancers. International Journal of Cancer, 2012, 131, E733-43.	2.3	44
39	Risks of Exposure to Occupational Asthmogens in Atopic and Nonatopic Asthma. American Journal of Respiratory and Critical Care Medicine, 2010, 182, 1369-1376.	2.5	43
40	Areca Nut Induces miR-23a and Inhibits Repair of DNA Double-Strand Breaks by Targeting FANCG. Toxicological Sciences, 2011, 123, 480-490.	1.4	43
41	Endoscopic screening for synchronous esophageal neoplasia among patients with incident head and neck cancer: Prevalence, risk factors, and outcomes. International Journal of Cancer, 2017, 141, 1987-1996.	2.3	43
42	Intoxication and substance use disorder to Areca catechu nut containing betel quid: A review of epidemiological evidence, pharmacological basis and social factors influencing quitting strategies. Drug and Alcohol Dependence, 2017, 179, 187-197.	1.6	43
43	RELATIONSHIP BETWEEN WATER HARDNESS AND CORONARY MORTALITY IN TAIWAN. Journal of Toxicology and Environmental Health - Part A: Current Issues, 1996, 49, 1-10.	1.1	43
44	Lifestyle and Psychosocial Factors Associated with Chronic Periodontitis in Taiwanese Adults. Journal of Periodontology, 2003, 74, 1169-1175.	1.7	42
45	The concentrations of visfatin in the follicular fluids of women undergoing controlled ovarian stimulation are correlated to the number of oocytes retrieved. Fertility and Sterility, 2010, 93, 1844-1850.	0.5	42
46	Quantification of Airborne Influenza and Avian Influenza Virus in a Wet Poultry Market using a Filter/Real-time qPCR Method. Aerosol Science and Technology, 2009, 43, 290-297.	1.5	41
47	The precancerous effect of emitted cooking oil fumes on precursor lesions of cervical cancer. International Journal of Cancer, 2010, 127, 932-941.	2.3	41
48	Association between tamoxifen treatment and the development of different stages ofÂnonalcoholic fatty liver disease among breast cancer patients. Journal of the Formosan Medical Association, 2016, 115, 411-417.	0.8	39
49	Hand eczema among University Hospital nursing staff: identification of highâ€risk sector and impact on quality of life. Contact Dermatitis, 2008, 59, 301-306.	0.8	38
50	Hand dermatitis among university hospital nursing staff with or without atopic eczema: assessment of risk factors. Contact Dermatitis, 2011, 64, 73-79.	0.8	38
51	Effects of arecoline, safrole, and nicotine on collagen phagocytosis by human buccal mucosal fibroblasts as a possible mechanism for oral submucous fibrosis in Taiwan. Journal of Oral Pathology and Medicine, 2004, 33, 581-587.	1.4	36
52	Factors Associated with CKD in the Elderly and Nonelderly Population. Clinical Journal of the American Society of Nephrology: CJASN, 2013, 8, 33-40.	2.2	36
53	ALPK1 genetic regulation and risk in relation to gout. International Journal of Epidemiology, 2013, 42, 466-474.	0.9	35
54	Genetic modulation of <i>ADH1B</i> and <i>ALDH2</i> polymorphisms with regard to alcohol and tobacco consumption for younger aged esophageal squamous cell carcinoma diagnosis. International Journal of Cancer, 2009, 125, 1134-1142.	2.3	33

#	Article	IF	CITATIONS
55	Somatic Mutations and Genetic Variants of NOTCH1 in Head and Neck Squamous Cell Carcinoma Occurrence and Development. Scientific Reports, 2016, 6, 24014.	1.6	33
56	Interrelationship of environmental melamine exposure, biomarkers of oxidative stress and early kidney injury. Journal of Hazardous Materials, 2020, 396, 122726.	6.5	33
57	Joint Effects of Alcohol Consumption and <i>ABCG2</i> Q141K on Chronic Tophaceous Gout Risk. Journal of Rheumatology, 2014, 41, 749-758.	1.0	31
58	Quantification of Blood Betel Quid Alkaloids and Urinary 8-Hydroxydeoxyguanosine in Humans and their Association with Betel Chewing Habits. Journal of Analytical Toxicology, 2010, 34, 325-331.	1.7	30
59	Chewing areca nut increases the risk of coronary artery disease in taiwanese men: a case-control study. BMC Public Health, 2012, 12, 162.	1.2	30
60	Lower serum apelin levels in women with polycystic ovary syndrome. Fertility and Sterility, 2011, 95, 2520-2523.e2.	0.5	29
61	The Impact of Emergency Physician Seniority on Clinical Efficiency, Emergency Department Resource Use, Patient Outcomes, and Disposition Accuracy. Medicine (United States), 2016, 95, e2706.	0.4	29
62	Dysphagia and masticatory performance as a mediator of the xerostomia to quality of life relation in the older population. BMC Geriatrics, 2020, 20, 521.	1.1	28
63	Serum Adiponectin Levels Increase after Human Chorionic Gonadotropin Treatment during in vitro Fertilization. Gynecologic and Obstetric Investigation, 2006, 62, 61-65.	0.7	27
64	Differentiation between Malignant and Benign Gastric Ulcers: CT Virtual Gastroscopy versus Optical Gastroendoscopy. Radiology, 2009, 252, 410-417.	3.6	26
65	Second-hand smoke and chronic bronchitis in Taiwanese women: a health-care based study. BMC Public Health, 2010, 10, 44.	1.2	26
66	Second-hand smoke exposure and the factors associated with avoidance behavior among the mothers of pre-school children: a school-based cross-sectional study. BMC Public Health, 2010, 10, 606.	1.2	26
67	Plasma matrix metalloproteinase 1 improves the detection and survival prediction of esophageal squamous cell carcinoma. Scientific Reports, 2016, 6, 30057.	1.6	26
68	Prevalence of adult atopic dermatitis among nursing staff in a Taiwanese medical center: A pilot study on validation of diagnostic questionnaires. Journal of the American Academy of Dermatology, 2009, 61, 806-812.	0.6	25
69	The association between sugar-sweetened beverages intake, body mass index, and inflammation in US adults. International Journal of Public Health, 2020, 65, 45-53.	1.0	25
70	MDCT of Giant Gastric Folds: Differential Diagnosis. American Journal of Roentgenology, 2010, 195, 1124-1130.	1.0	24
71	Association of Parental Overweight and Cardiometabolic Diseases and Pediatric Adiposity and Lifestyle Factors with Cardiovascular Risk Factor Clustering in Adolescents. Nutrients, 2016, 8, 567.	1.7	24
72	Risk evaluation for the development of cervical intraepithelial neoplasia: Development and validation of risk-scoring schemes. International Journal of Cancer, 2015, 136, 340-349.	2.3	23

#	Article	lF	Citations
73	A Cohort Study on Mortality and Exposure to Polychlorinated Biphenyls. Archives of Environmental Health, 1996, 51, 417-424.	0.4	22
74	Association Between Serum Leptin and Adiponectin Levels with Risk of Insulin Resistance and Impaired Glucose Tolerance in Non-diabetic Women. Kaohsiung Journal of Medical Sciences, 2009, 25, 116-125.	0.8	22
75	The <i>SLC22A12</i> gene is associated with gout in Han Chinese and Solomon Islanders: Table 1. Annals of the Rheumatic Diseases, 2010, 69, 1252-1254.	0.5	22
76	Monoamine oxidase A variants are associated with heavy betel quid use. Addiction Biology, 2012, 17, 786-797.	1.4	22
77	Lack of Associations Between Several Polymorphisms in Cytokine Genes and the Risk of Chronic Obstructive Pulmonary Diseases in Taiwan. Kaohsiung Journal of Medical Sciences, 2008, 24, 126-137.	0.8	21
78	CYP26B1 is a novel candidate gene for betel quid-related oral squamous cell carcinoma. Oral Oncology, 2011, 47, 594-600.	0.8	21
79	The use of tobacco-free betel-quid in conjunction with alcohol/tobacco impacts early-onset age and carcinoma distribution for upper aerodigestive tract cancer. Journal of Oral Pathology and Medicine, 2011, 40, 684-692.	1.4	20
80	Prevention of Tamoxifen-related Nonalcoholic Fatty Liver Disease in Breast Cancer Patients. Clinical Breast Cancer, 2018, 18, e677-e685.	1.1	20
81	MDCT for Differentiation of Category T1 and T2 Malignant Lesions from Benign Gastric Ulcers. American Journal of Roentgenology, 2008, 190, 1505-1511.	1.0	19
82	Elevated Serum Triglyceride and Retinol-Binding Protein 4 Levels Associated with Fructose-Sweetened Beverages in Adolescents. PLoS ONE, 2014, 9, e82004.	1.1	19
83	Monoamine oxidase A gene polymorphisms and enzyme activity associated with risk of gout in Taiwan aborigines. Human Genetics, 2010, 127, 223-229.	1.8	18
84	Rubella seroepidemiology and estimations of the catch-up immunisation rate and persistence of antibody titers in pregnant women in Taiwan. BJOG: an International Journal of Obstetrics and Gynaecology, 2011, 118, 706-712.	1.1	18
85	Prediction of chronic kidney disease stages by renal ultrasound imaging. Enterprise Information Systems, 2020, 14, 178-195.	3.3	18
86	Immigrant-native differences in caries-related knowledge, attitude, and oral health behaviors: a cross-sectional study in Taiwan. BMC Oral Health, 2014, 14, 3.	0.8	17
87	PP2A deactivation is a common event in oral cancer and reactivation by FTY720 shows promising therapeutic potential. Journal of Cellular Physiology, 2018, 233, 1300-1311.	2.0	17
88	Betel quid–associated cancer: Prevention strategies and targeted treatment. Cancer Letters, 2020, 477, 60-69.	3.2	17
89	Betel quid dependence mechanism and potential cessation therapy. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2020, 103, 109982.	2.5	17
90	Serum resistin level is a predictor of ovarian response in <i>in vitro</i> fertilisation cycle. Acta Obstetricia Et Gynecologica Scandinavica, 2007, 86, 963-967.	1.3	16

#	Article	IF	CITATIONS
91	Polymorphism in COX-2 modifies the inverse association between Helicobacter pyloriseropositivity and esophageal squamous cell carcinoma risk in Taiwan: a case control study. BMC Gastroenterology, 2009, 9, 37.	0.8	16
92	Acrolein is involved in the synergistic potential of cigarette smoking- and betel quid chewing-related human oral cancer Cancer Epidemiology Biomarkers and Prevention, 2019, 28, cebp.1033.2018.	1.1	16
93	A multilevel-based study of school policy for tobacco control in relation to cigarette smoking among children in elementary schools: gender differences. Health Education Research, 2010, 25, 451-463.	1.0	15
94	The Positive Correlation between Cord Serum Retinol-Binding Protein 4 Concentrations and Fetal Growth. Gynecologic and Obstetric Investigation, 2011, 72, 98-102.	0.7	15
95	Validity of a Short Food Frequency Questionnaire Assessing Macronutrient and Fiber Intakes in Patients of Han Chinese Descent with Type 2 Diabetes. International Journal of Environmental Research and Public Health, 2018, 15, 1142.	1.2	15
96	Schoolâ€level contextual factors associated with betel quid chewing among schoolchildren in Taiwan. Community Dentistry and Oral Epidemiology, 2009, 37, 58-67.	0.9	14
97	Prevalence of prehypertension and associated risk factors in a rural Taiwanese adult population. International Journal of Cardiology, 2010, 144, 269-273.	0.8	14
98	AURKA Phe31lle polymorphism interacted with use of alcohol, betel quid, and cigarettes at multiplicative risk of oral cancer occurrence. Clinical Oral Investigations, 2015, 19, 1825-1832.	1.4	14
99	Time-Lagging Interplay Effect and Excess Risk of Meteorological/Mosquito Parameters and Petrochemical Gas Explosion on Dengue Incidence. Scientific Reports, 2016, 6, 35028.	1.6	14
100	Changes in Trace Elements During Early Stages of Chronic Kidney Disease in Type 2 Diabetic Patients. Biological Trace Element Research, 2018, 186, 330-336.	1.9	14
101	Effectiveness of a health belief model intervention using a lay health advisor strategy on mouth self-examination and cancer screening in remote aboriginal communities: A randomized controlled trial. Patient Education and Counseling, 2019, 102, 2263-2269.	1.0	14
102	Effect of antidepressants for cessation therapy in betel-quid use disorder: a randomised, double-blind, placebo-controlled trial. Epidemiology and Psychiatric Sciences, 2020, 29, e125.	1.8	14
103	Acidic leucine-rich nuclear phosphoprotein-32A (ANP32A) association with lymph node metastasis predicts poor survival in oral squamous cell carcinoma patients. Oncotarget, 2016, 7, 10879-10890.	0.8	14
104	Concurrent Thrombosis of Cerebral and Femoral Arteries in a Patient with Nephrotic Syndrome. American Journal of Nephrology, 2000, 20, 483-486.	1.4	13
105	Polarity of Response to Transforming Growth Factor- $\hat{l}^21$ in Proximal Tubular Epithelial Cells Is Regulated by $\hat{l}^2$ -Catenin. Journal of Biological Chemistry, 2007, 282, 28639-28647.	1.6	13
106	Household secondhand smoke exposure of elementary schoolchildren in Southern Taiwan and factors associated with their confidence in avoiding exposure: a cross-sectional study. BMC Public Health, 2012, 12, 40.	1.2	13
107	Additive composite ABCG2, SLC2A9 and SLC22A12 scores of high-risk alleles with alcohol use modulate gout risk. Journal of Human Genetics, 2016, 61, 803-810.	1.1	13
108	Utility of the Iodine Overlay Technique and Virtual Nonenhanced Images for the Preoperative T Staging of Colorectal Cancer by Dual-Energy CT with Tin Filter Technology. PLoS ONE, 2014, 9, e113589.	1.1	13

#	Article	IF	CITATIONS
109	Do physical disabilities affect self-perceived quality of life in adolescents?. Disability and Rehabilitation, 2009, 31, 181-188.	0.9	12
110	Serum retinol-binding protein 4 levels in nonobese women with polycystic ovary syndrome. Fertility and Sterility, 2010, 93, 869-873.	0.5	12
111	Combined Genetic Biomarkers and Betel Quid Chewing for Identifying High-Risk Group for Oral Cancer Occurrence. Cancer Prevention Research, 2017, 10, 355-362.	0.7	12
112	Clustering of Metabolic Risk Components and Associated Lifestyle Factors: A Nationwide Adolescent Study in Taiwan. Nutrients, 2019, 11, 584.	1.7	12
113	Rapid green analytical methodology for simultaneous biomonitoring of five toxic areca nut alkaloids using UHPLC-MS/MS for predicting health hazardous risks. Journal of Hazardous Materials, 2022, 422, 126923.	6.5	12
114	Expression of tumor necrosis factor-alpha and its soluble receptors in betel-quid-chewing patients at different stages of treatment for oral squamous cell carcinoma. Oral Oncology, 2004, 40, 804-810.	0.8	11
115	The Divalent Elements Changes in Early Stages of Chronic Kidney Disease. Biological Trace Element Research, 2018, 185, 30-35.	1.9	11
116	Variants in FAT1 and COL9A1 genes in male population with or without substance use to assess the risk factors for oral malignancy. PLoS ONE, 2019, 14, e0210901.	1.1	11
117	Quality of Life as a Mediator between Cancer Stage and Long-Term Mortality in Nasopharyngeal Cancer Patients Treated with Intensity-Modulated Radiotherapy. Cancers, 2021, 13, 5063.	1.7	11
118	Influence of CT utilisation on patient flow in the emergency department: a retrospective 1-year cohort study. BMJ Open, 2016, 6, e010815.	0.8	10
119	Seniority of Emergency Physician, Patient Disposition and Outcome Following Disposition. American Journal of the Medical Sciences, 2016, 351, 582-588.	0.4	10
120	Antidepressant-induced reduction in betel-quid use in patients with depression. Medicine (United) Tj ETQq0 0 0	rgBT /Over	rlock 10 Tf 50
121	Cigarette Smoke Containing Acrolein Upregulates EGFR Signaling Contributing to Oral Tumorigenesis In Vitro and In Vivo. Cancers, 2021, 13, 3544.	1.7	10
122	Physical Frailty and Oral Frailty Associated with Late-Life Depression in Community-Dwelling Older Adults. Journal of Personalized Medicine, 2022, 12, 459.	1.1	10
123	Noninvasive cutaneous blood flow as a response predictor for visible light therapy on segmental vitiligo: a prospective pilot study. British Journal of Dermatology, 2011, 164, 759-764.	1.4	9
124	Effects of Push/Pull Perfusion and Ultrasonication on the Extraction Efficiencies of Phthalate Esters in Sports Drink Samples Using On-line Hollow-Fiber Liquid-Phase Microextraction. Journal of Agricultural and Food Chemistry, 2013, 61, 8063-8071.	2.4	9
125	Trends in the incidence of pre-eclampsia and eclampsia in Taiwan between 1998 and 2010. Taiwanese Journal of Obstetrics and Gynecology, 2015, 54, 270-274.	0.5	9
126	Betel quid containing safrole enhances metabolic activation of tobacco specific 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone (NNK). Environmental Pollution, 2019, 251, 13-21.	3.7	9

#	Article	IF	CITATIONS
127	Child dental fear in low-income and non-low-income families: A school-based survey study. Journal of Dental Sciences, 2014, 9, 165-171.	1.2	8
128	Significant caries and the interactive effects of maternalâ€related oral hygiene factors in urban preschool children. Journal of Public Health Dentistry, 2017, 77, 188-196.	0.5	8
129	Birth cohort effect on lung cancer incidence in Taiwanese women 1981–1998. European Journal of Cancer, 2005, 41, 1170-1177.	1.3	7
130	Perceived smoking prevalence at school-level and children's smoking initiation: A multi-level analysis of a cross-sectional data in Taiwan. Health Policy, 2008, 86, 213-221.	1.4	7
131	Body Mass Index–Mortality Relationship in Severe Hypoglycemic Patients With Type 2 Diabetes. American Journal of the Medical Sciences, 2015, 349, 192-198.	0.4	7
132	Characteristic-Grouped Adiposity Indicators for Identifying Metabolic Syndrome in Adolescents: Develop and Valid Risk Screening Tools Using Dual Population. Nutrients, 2020, 12, 3165.	1.7	7
133	Lowering radiation dose during dedicated colorectal cancer MDCT: comparison of low tube voltage and sinogram-affirmed iterative reconstruction at 80ÅkVp versus blended dual-energy images in a population of patients with low body mass index. Abdominal Imaging, 2015, 40, 2867-2876.	2.0	6
134	Effects of insulin resistance on the association between the circulating retinol-binding protein 4 level and clustering of pediatric cardiometabolic risk factors. Pediatric Diabetes, 2018, 19, 611-621.	1.2	6
135	Contribution of insulin resistance to the relationship between sugar-sweetened beverage intake and a constellation of cardiometabolic abnormalities in adolescents. International Journal of Obesity, 2021, 45, 828-839.	1.6	6
136	Increased sugar-sweetened beverage use tendency in pregnancy positively associates with peripartum Edinburgh postpartum depression scores. Scientific Reports, 2021, 11, 15324.	1.6	6
137	High Skin Sympathetic Nerve Activity in Patients with Recurrent Syncope. Journal of Personalized Medicine, 2021, 11, 1053.	1.1	6
138	Consumption of Cigarettes but not Betel Quid or Alcohol Increases Colorectal Cancer Risk. Journal of the Formosan Medical Association, 2009, 108, 155-163.	0.8	5
139	The effects of NOS1 gene on asthma and total IgE levels in Taiwanese children, and the interactions with environmental factors. Pediatric Allergy and Immunology, 2010, 21, 1064-1071.	1.1	5
140	The influence of resident seniority on supervised practice in the emergency department. Medicine (United States), 2017, 96, e5987.	0.4	5
141	Immigrant–Native Differences in Sugar-Sweetened Beverage and Snack Consumption and Preventive Behaviors Associated with Severe Early Childhood Caries: A Large-Scale Survey in Taiwan. International Journal of Environmental Research and Public Health, 2019, 16, 1047.	1.2	5
142	Genderâ€specific factors associated with the suicidal ideation of children in Taiwan: A largeâ€scale crossâ€sectional study. International Journal of Psychology, 2019, 54, 53-60.	1.7	5
143	Effectiveness of a theory of planned behavior-based intervention for promoting periodontal preventive behaviors among medical students in Taiwan. Journal of American College Health, 2020, 68, 883-890.	0.8	5
144	Reduction in and Preventive Effects for Oral-Cancer Risk with Antidepressant Treatment. Journal of Personalized Medicine, 2021, 11, 591.	1.1	5

#	Article	IF	CITATIONS
145	Temporal Clustering of Skin Sympathetic Nerve Activity Bursts in Acute Myocardial Infarction Patients. Frontiers in Neuroscience, 2021, 15, 720827.	1.4	5
146	Stability and Transformation of Metabolic Syndrome in Adolescents: A Prospective Assessment in Relation to the Change of Cardiometabolic Risk Factors. Nutrients, 2022, 14, 744.	1.7	5
147	Adiponectin and glucose levels in women with negative or false positive glucose challenge test. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2006, 129, 31-35.	0.5	4
148	Analysis of Influential Factors Associated With the Smoking Behavior of Aboriginal Schoolchildren in Remote Taiwanese Mountainous Areas. Journal of School Health, 2012, 82, 318-327.	0.8	4
149	Area Disparity in Children's Perceptions of Access to Tobacco and Cigarette Purchasing Experiences in Taiwan. Journal of School Health, 2014, 84, 507-515.	0.8	4
150	Evaluating the Effect of a Community-Based Lay Health Advisor Training Curriculum to Address Immigrant Children's Caries Disparities. Caries Research, 2015, 49, 147-156.	0.9	4
151	High rates of colonization and antimicrobial resistance of group B streptococcus highlight the need for vaccination even after implementation of guidelines for intrapartum antibiotic prophylaxis. Vaccine, 2022, 40, 282-287.	1.7	4
152	LC-MS/MS measurement of alkaloids in alkaline extracts of Areca nut preparations and their physiological effects. Process Biochemistry, 2022, 118, 65-73.	1.8	4
153	Breastfeeding effects on visfatin levels in postpartum women. Taiwanese Journal of Obstetrics and Gynecology, 2015, 54, 217-220.	0.5	3
154	High Levels of 25-OH-Vitamin D and Copper in Pregnant Women with Abnormal Glucose Challenge Test. Biological Trace Element Research, 2022, 200, 3060-3069.	1.9	3
155	Seroepidemiology of Hepatitis B Virus Infection in Native and Immigrant Pregnant Women: A 20-Year Retrospective Study in Taiwan. American Journal of Tropical Medicine and Hygiene, 2019, 101, 899-904.	0.6	3
156	Skin sympathetic nerve activity and ventricular arrhythmias in acute coronary syndrome. Heart Rhythm, 2022, 19, 1613-1619.	0.3	3
157	Rubella Immunity in Pregnant Native Taiwanese and Immigrants from Asian Countries. American Journal of Tropical Medicine and Hygiene, 2017, 96, 411-414.	0.6	2
158	Promoter methylation status of the tumor suppressor genes p16 and cadherin 1 in cervical intraepithelial neoplasia. Oncology Letters, 2017, 13, 4397-4401.	0.8	2
159	Interaction Between Rare Variants in <i>NOTCH1</i> and Betel Quid Chewing in Oral Squamous Cell Carcinoma. Genetic Testing and Molecular Biomarkers, 2017, 21, 608-612.	0.3	2
160	Betel-Quid Chewing, Heart Failure, and Premature Ventricular Contractions in Patients with Cardiopulmonary Symptoms. International Journal of Environmental Research and Public Health, 2020, 17, 7472.	1.2	2
161	Combination of low ankle-brachial index and high ankle-brachial index difference for mortality prediction. Hypertension Research, 2021, 44, 850-857.	1.5	2
162	Betel Quid Dependence Effects on Working Memory and Remote Memory in Chewers with Concurrent Use of Cigarette and Alcohol. Substance Use and Misuse, 2022, 57, 105-113.	0.7	2

#	Article	IF	CITATIONS
163	Epidemic prediction of dengue fever based on vector compartment model and Markov chain Monte Carlo method. BMC Bioinformatics, 2021, 22, 118.	1.2	2
164	A haplotypeâ€specific linkage disequilibrium pattern of monoamine oxidase A gene associated with regular smoking in women. Journal of Gene Medicine, 2019, 21, e3142.	1.4	1
165	Age difference in the combined effect of soda drinks consumption and body adiposity on hyperuricaemia in US adults. Public Health Nutrition, 2021, 24, 1-13.	1.1	1
166	Multilevel Understanding of the Impact of Individual- and School-Level Determinants on Lipid Profiles in Adolescents: The Cross-Level Interaction of Food Environment and Body Mass Index. Nutrients, 2022, 14, 2068.	1.7	1
167	Harmful Alcohol Use Among Aboriginal People in Southern Taiwan. Journal of Addictions Nursing, 2014, 25, 41-47.	0.2	0
168	Association of Hyperuricemia with Chronic Kidney Disease in the Metabolically Healthy Population. Annals of Epidemiology, 2017, 27, 511.	0.9	0