Mohamed Haddad

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/286962/mohamed-haddad-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

42 572 14 23 g-index

44 656 3.1 3.34 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
42	Medicinal plants from West Africa used as antimalarial agents: an overview 2022 , 267-306		
41	A Citrullus colocynthis fruit extract acutely enhances insulin-induced GLUT4 translocation and glucose uptake in adipocytes by increasing PKB phosphorylation. <i>Journal of Ethnopharmacology</i> , 2021 , 270, 113772	5	2
40	Dynamics of Chemical Diversity during Co-Cultures: An Integrative Time-Scale Metabolomics Study of Fungal Endophytes Cophinforma mamane and Fusarium solani. <i>Chemistry and Biodiversity</i> , 2021 , 18, e2000672	2.5	2
39	Variation in chemical composition and antimalarial activities of two samples of Terminalia albida collected from separate sites in Guinea. <i>BMC Complementary Medicine and Therapies</i> , 2021 , 21, 64	2.9	1
38	Glycosides of polygalacic acid from the stem barks of Piper guineense Schum and Thonn. <i>Carbohydrate Research</i> , 2021 , 507, 108374	2.9	
37	Triterpenoid saponins and others glycosides from the stem barks of Pancovia turbinata Radlk. <i>Carbohydrate Research</i> , 2021 , 508, 108393	2.9	1
36	Pharmacological validation of Solanum mammosum L. as an anti-infective agent: Role of solamargine. <i>Journal of Ethnopharmacology</i> , 2021 , 280, 114473	5	1
35	Evaluation of Anti-inflammatory, Anti-pyretic, Analgesic, and Hepatoprotective Properties of Terminalia macroptera. <i>Planta Medica International Open</i> , 2020 , 07, e58-e67	0.8	1
34	Triterpenoid saponins from Calliandra calothyrsus Meisn. and their antiproliferative activity against two digestive carcinoma human cell lines. <i>Flioterap</i> [1 2020 , 146, 104669	3.2	2
33	Triterpenoid saponins from the stem barks of Chytranthus klaineanus Radlk. ex Engl. <i>Phytochemistry Letters</i> , 2020 , 37, 37-41	1.9	5
32	Farnesyl glycosides and one new triterpenoid saponin from the roots of Lecaniodiscus cupanioides Planch. ex Benth. <i>Carbohydrate Research</i> , 2020 , 495, 108092	2.9	1
31	New triterpenoid saponin from the stems of (Schumach.) W.Wight. <i>Natural Product Research</i> , 2020 , 1-9	2.3	1
30	Terminalia albida treatment improves survival in experimental cerebral malaria through reactive oxygen species scavenging and anti-inflammatory properties. <i>Malaria Journal</i> , 2019 , 18, 431	3.6	12
29	Thiodiketopiperazines with two spirocyclic centers extracted from Botryosphaeria mamane, an endophytic fungus isolated from Bixa orellana L. <i>Phytochemistry</i> , 2019 , 158, 142-148	4	12
28	How Histone Deacetylase Inhibitors Alter the Secondary Metabolites of Botryosphaeria mamane, an Endophytic Fungus Isolated from Bixa orellana. <i>Chemistry and Biodiversity</i> , 2019 , 16, e1800485	2.5	10
27	A metabolomic approach to identify anti-hepatocarcinogenic compounds from plants used traditionally in the treatment of liver diseases. Floterap 2018, 127, 226-236	3.2	30
26	Natural Products as Antiparasitic Agents. Sustainable Development and Biodiversity, 2018, 215-245	2.1	2

(2008-2018)

25	In vivo validation of anti-malarial activity of crude extracts of Terminalia macroptera, a Malian medicinal plant. <i>Malaria Journal</i> , 2018 , 17, 68	3.6	16
24	Adaptation of a microbead assay for the easy evaluation of traditional anti-sickling medicines: application to DREPANOSTAT and FACA. <i>Pharmaceutical Biology</i> , 2018 , 56, 385-392	3.8	1
23	New oleanane saponins from the roots of Dendrobangia boliviana identified by LC-SPE-NMR. <i>Magnetic Resonance in Chemistry</i> , 2017 , 55, 1036-1044	2.1	2
22	Impact of metal stress on the production of secondary metabolites in Pteris vittata L. and associated rhizosphere bacterial communities. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 16735-16750	5.1	12
21	A new phthalide derivative from Peperomia nivalis. Natural Product Research, 2017, 31, 138-142	2.3	2
20	Biological activities of triterpenoids from Poraqueiba sericea stems. <i>Natural Product Research</i> , 2017 , 31, 1333-1338	2.3	6
19	A new 5-alkylresorcinol glucoside derivative from Cybianthus magnus. <i>Natural Product Research</i> , 2016 , 30, 293-8	2.3	3
18	Zebiriosides A-L, oleanane saponins from the roots of Dendrobangia boliviana. <i>Phytochemistry</i> , 2016 , 130, 262-72	4	3
17	Analysis and fragmentation mechanisms of hirsutinolide-type sesquiterpene lactones by ultra-high-performance liquid chromatography/electrospray ionization linear ion trap Orbitrap mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2016 , 30, 569-80	2.2	6
16	Development and validation of liquid chromatography combined with tandem mass spectrometry methods for the quantitation of simalikalactone E in extracts of Quassia amara L. and in mouse blood. <i>Phytochemical Analysis</i> , 2015 , 26, 111-8	3.4	2
15	Evaluation of antiplasmodial and antileishmanial activities of herbal medicine Pseudelephantopus spiralis (Less.) Cronquist and isolated hirsutinolide-type sesquiterpenoids. <i>Journal of Ethnopharmacology</i> , 2015 , 170, 167-74	5	16
14	In vitro growth inhibitory effects of 13,28-epoxyoleanane triterpene saponins in cancer cells. <i>Phytochemistry Letters</i> , 2013 , 6, 128-134	1.9	8
13	Protective effect of Heliotropium foertherianum (Boraginaceae) folk remedy and its active compound, rosmarinic acid, against a Pacific ciguatoxin. <i>Journal of Ethnopharmacology</i> , 2012 , 143, 33-40) ⁵	33
12	Activity-guided isolation of antileishmanial compounds from Piper hispidum. <i>Phytochemistry Letters</i> , 2011 , 4, 363-366	1.9	18
11	A review of traditional remedies of ciguatera fish poisoning in the Pacific. <i>Phytotherapy Research</i> , 2011 , 25, 947-58	6.7	25
10	Curcuma as a parasiticidal agent: a review. <i>Planta Medica</i> , 2011 , 77, 672-8	3.1	47
9	NL MIND-BEST: a web server for ligands and proteins discoverytheoretic-experimental study of proteins of Giardia lamblia and new compounds active against Plasmodium falciparum. <i>Journal of Theoretical Biology</i> , 2011 , 276, 229-49	2.3	29
8	Anti-inflammatory compounds from leaves and root bark of Alchornea cordifolia (Schumach. & Thonn.) Ml. Arg. <i>Journal of Ethnopharmacology</i> , 2008 , 115, 25-9	5	64

7	Effect of gamma and e-beam radiation on the essential oils of Thymus vulgaris thymoliferum, Eucalyptus radiata, and Lavandula angustifolia. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 608	82-6	14
6	New Triterpene Saponins from Acanthophyllum pachystegium. <i>Helvetica Chimica Acta</i> , 2004 , 87, 73-81	2	16
5	New Triterpenoidal Saponins Acylated with Monoterpenic Acid from Albizia adianthifolia. <i>Helvetica Chimica Acta</i> , 2004 , 87, 1228-1238	2	25
4	Induction of apoptosis in a leukemia cell line by triterpene saponins from Albizia adianthifolia. <i>Bioorganic and Medicinal Chemistry</i> , 2004 , 12, 4725-34	3.4	42
3	New Acylated Saponins from Polygala myrtifolia. <i>Helvetica Chimica Acta</i> , 2003 , 86, 3055-3065	2	12
2	Two new biologically active triterpenoidal saponins acylated with salicylic acid from Albizia adianthifolia. <i>Journal of Natural Products</i> , 2003 , 66, 372-7	4.9	75
1	Structural analysis of the oligosaccharide alditols released from the jelly coat of Rana dalmatina eggs by reductive beta-elimination. <i>Biochimie</i> , 2002 , 84, 611-24	4.6	12