

Wan Aini Wan Ibrahim

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2869886/wan-aini-wan-ibrahim-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

110
papers

3,086
citations

32
h-index

49
g-index

113
ext. papers

3,458
ext. citations

3.8
avg, IF

5.58
L-index

#	Paper	IF	Citations
110	Magnetic Solid-Phase-Based Sorbents for Isolation/Preconcentration and Removal of Pesticides. <i>Environmental Chemistry for A Sustainable World</i> , 2021 , 313-345	0.8	
109	New efficient chitosan derivative for Cu(II) ions removal: Characterization and adsorption performance. <i>International Journal of Biological Macromolecules</i> , 2020 , 153, 513-522	7.9	25
108	Molecular docking and density functional theory calculations of vinpocetine and teicoplanin aglycone chiral selector. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2020 , 98, 187-195	1.7	0
107	New effective 3-aminopropyltrimethoxysilane functionalized magnetic sporopollenin-based silica coated graphene oxide adsorbent for removal of Pb(II) from aqueous environment. <i>Journal of Environmental Management</i> , 2020 , 253, 109658	7.9	33
106	New magnetic oil palm fiber activated carbon-reinforced polypyrrole solid phase extraction combined with gas chromatography-electron capture detection for determination of organochlorine pesticides in water samples. <i>Journal of Chromatography A</i> , 2020 , 1612, 460638	4.5	16
105	Vinyl-functionalized mesoporous carbon for dispersive micro-solid phase extraction of azole antifungal agents from aqueous matrices. <i>Separation Science and Technology</i> , 2020 , 55, 3102-3112	2.5	1
104	Removal of rhodamine 6G and crystal violet dyes from water sample using cellulose acetate-(3-aminopropyl)-triethoxysilane sorbent 2019 ,		2
103	Enantioseparation of Selected Imidazole Drugs Using Dual Cyclodextrin-Modified Micellar Electrokinetic Chromatography. <i>Methods in Molecular Biology</i> , 2019 , 1985, 407-416	1.4	
102	Enhanced removal of Orange G from aqueous solutions by modified chitosan beads: Performance and mechanism. <i>International Journal of Biological Macromolecules</i> , 2019 , 133, 1260-1267	7.9	17
101	Equilibrium, kinetic and thermodynamic study of pesticides removal from water using novel glucamine-calix[4]arene functionalized magnetic graphene oxide. <i>Environmental Sciences: Processes and Impacts</i> , 2019 , 21, 714-726	4.3	23
100	p-Sulphonatocalix[8]arene functionalized silica resin for the enhanced removal of methylene blue from wastewater: equilibrium and kinetic study. <i>Separation Science and Technology</i> , 2019 , 54, 2240-2251 ^{2.5}	2.5	7
99	A novel cyanopropylsilane-functionalized titanium oxide magnetic nanoparticle for the adsorption of nickel and lead ions from industrial wastewater: Equilibrium, kinetic and thermodynamic studies. <i>Microchemical Journal</i> , 2019 , 145, 914-920	4.8	32
98	Fabrication of calixarene-grafted magnetic nanocomposite for the effective removal of lead(II) from aqueous solution. <i>Environmental Technology (United Kingdom)</i> , 2019 , 40, 2482-2493	2.6	9
97	Equilibrium and kinetic study of novel methyltrimethoxysilane magnetic titanium dioxide nanocomposite for methylene blue adsorption from aqueous media. <i>Applied Organometallic Chemistry</i> , 2018 , 32, e4331	3.1	11
96	Graphene-magnetite as adsorbent for magnetic solid phase extraction of 4-hydroxybenzoic acid and 3,4-dihydroxybenzoic acid in stingless bee honey. <i>Food Chemistry</i> , 2018 , 265, 165-172	8.5	41
95	Calcium Alginate-Caged Multiwalled Carbon Nanotubes Dispersive Microsolid Phase Extraction Combined With Gas Chromatography-Flame Ionization Detection for the Determination of Polycyclic Aromatic Hydrocarbons in Water Samples. <i>Journal of Chromatographic Science</i> , 2018 , 56, 177-186	1.4	7
94	Rapid Determination of Non-steroidal Anti-inflammatory Drugs in Aquatic Matrices by Two-phase Micro-electrodriven Membrane Extraction Combined with Liquid Chromatography. <i>Journal of Chromatographic Science</i> , 2018 , 56, 166-176	1.4	7

93	Provenance Establishment of Stingless Bee Honey Using Multi-element Analysis in Combination with Chemometrics Techniques. <i>Journal of Forensic Sciences</i> , 2018 , 63, 80-85	1.8	12
92	Magnetic graphene sol-gel hybrid as clean-up adsorbent for acrylamide analysis in food samples prior to GC-MS. <i>Food Chemistry</i> , 2018 , 239, 208-216	8.5	21
91	New crosslinked-chitosan graft poly(N-vinyl-2-pyrrolidone) for the removal of Cu(II) ions from aqueous solutions. <i>International Journal of Biological Macromolecules</i> , 2018 , 107, 891-897	7.9	18
90	Advances in organic-inorganic hybrid sorbents for the extraction of organic and inorganic pollutants in different types of food and environmental samples. <i>Journal of Separation Science</i> , 2018 , 41, 195-208	3.4	21
89	New sporopollenin-based β -cyclodextrin functionalized magnetic hybrid adsorbent for magnetic solid-phase extraction of nonsteroidal anti-inflammatory drugs from water samples. <i>Royal Society Open Science</i> , 2018 , 5, 171311	3.3	6
88	Equilibrium, kinetic and mechanism studies of Cu(II) and Cd(II) ions adsorption by modified chitosan beads. <i>International Journal of Biological Macromolecules</i> , 2018 , 116, 255-263	7.9	58
87	Solid-phase microextraction based on an agarose-chitosan-multiwalled carbon nanotube composite film combined with HPLC-UV for the determination of nonsteroidal anti-inflammatory drugs in aqueous samples. <i>Journal of Separation Science</i> , 2018 , 41, 2942	3.4	15
86	Fabrication of calixarene-grafted bio-polymeric magnetic composites for magnetic solid phase extraction of non-steroidal anti-inflammatory drugs in water samples. <i>PeerJ</i> , 2018 , 6, e5108	3.1	4
85	Magnetic sporopollenin-cyanopropyltriethoxysilane-dispersive micro-solid phase extraction coupled with high performance liquid chromatography for the determination of selected non-steroidal anti-inflammatory drugs in water samples. <i>Journal of Chromatography A</i> , 2018 , 1532, 50-57	4.5	27
84	BoxBehnken Experimental Design for the Synthesis of MagnetitePolypyrrole Composite for the Magnetic Solid Phase Extraction of Non-steroidal Anti-inflammatory Drug Residues. <i>Analytical Letters</i> , 2018 , 51, 2221-2239	2.2	3
83	Ionic liquid-impregnated agarose film two-phase micro-electrodriven membrane extraction (IL-AF- β EME) for the analysis of antidepressants in water samples. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017 , 1046, 73-80	3.2	11
82	Agarose-chitosan-C film micro-solid phase extraction combined with high performance liquid chromatography for the determination of phenanthrene and pyrene in chrysanthemum tea samples. <i>Food Chemistry</i> , 2017 , 222, 28-34	8.5	26
81	Magnetic micro-solid-phase extraction based on magnetite-MCM-41 with gas chromatography-mass spectrometry for the determination of antidepressant drugs in biological fluids. <i>Journal of Separation Science</i> , 2017 , 40, 4222-4233	3.4	15
80	Polypyrrole-magnetite dispersive micro-solid-phase extraction combined with ultraviolet-visible spectrophotometry for the determination of rhodamine 6G and crystal violet in textile wastewater. <i>Journal of Separation Science</i> , 2017 , 40, 4256-4263	3.4	5
79	A rapid MCM-41 dispersive micro-solid phase extraction coupled with LC/MS/MS for quantification of ketoconazole and voriconazole in biological fluids. <i>Biomedical Chromatography</i> , 2017 , 31, e3803	1.7	5
78	New magnetic graphene-based inorganic-organic sol-gel hybrid nanocomposite for simultaneous analysis of polar and non-polar organophosphorus pesticides from water samples using solid-phase extraction. <i>Chemosphere</i> , 2017 , 166, 21-30	8.4	83
77	Graphene-Based Materials as Solid Phase Extraction Sorbent for Trace Metal Ions, Organic Compounds, and Biological Sample Preparation. <i>Critical Reviews in Analytical Chemistry</i> , 2016 , 46, 267-83 ^{5.2}	5.2	87
76	Preparation and characterization of starch grafted with methacrylamide using ammonium persulphate initiator. <i>Materials Letters</i> , 2016 , 185, 173-176	3.3	8

75	Preparation of methacrylamide-functionalized crosslinked chitosan by free radical polymerization for the removal of lead ions. <i>Carbohydrate Polymers</i> , 2016 , 151, 1091-1099	10.3	58
74	Alginate graft polyacrylonitrile beads for the removal of lead from aqueous solutions. <i>Polymer Bulletin</i> , 2016 , 73, 519-537	2.4	20
73	Continuous microwave flow synthesis (CMFS) of nano-sized tin oxide: Effect of precursor concentration. <i>Ceramics International</i> , 2016 , 42, 8613-8619	5.1	28
72	Micro-extraction of Xenobiotics and Biomolecules from Different Matrices on Nanostructures. <i>Separation and Purification Reviews</i> , 2016 , 45, 28-49	7.3	6
71	Removal of lead ions from aqueous solutions using sodium alginate-graft-poly(methyl methacrylate) beads. <i>Desalination and Water Treatment</i> , 2016 , 57, 15353-15361		12
70	Development of magnetic graphene oxide adsorbent for the removal and preconcentration of As(III) and As(V) species from environmental water samples. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 9759-73	5.1	126
69	Magnetic graphene-based cyanopropyltriethoxysilane as an adsorbent for simultaneous determination of polar and non-polar organophosphorus pesticides in cow's milk. <i>RSC Advances</i> , 2016 , 6, 24853-24864	3.7	28
68	The removal of organophosphorus pesticides from water using a new amino-substituted calixarene-based magnetic sporopollenin. <i>New Journal of Chemistry</i> , 2016 , 40, 3130-3138	3.6	60
67	New Sol-Gel Hybrid Material in Solid Phase Extraction Combined with Liquid Chromatography for the Determination of Non-steroidal Anti-inflammatory Drugs in Water Samples. <i>Chromatographia</i> , 2016 , 79, 421-429	2.1	15
66	New chrysin-functionalized silica-core shell magnetic nanoparticles for the magnetic solid phase extraction of copper ions from water samples. <i>Talanta</i> , 2016 , 148, 191-9	6.2	40
65	Agarose- and alginate-based biopolymers for sample preparation: Excellent green extraction tools for this century. <i>Journal of Separation Science</i> , 2016 , 39, 1152-9	3.4	11
64	Simultaneous preconcentration of polar and non-polar organophosphorus pesticides from water samples by using a new sorbent based on mesoporous silica. <i>Journal of Separation Science</i> , 2016 , 39, 1144-51	3.4	20
63	Theoretical and Molecular Docking Study of Ketoconazole on Heptakis(2,3,6-tri-O-methyl)- β -cyclodextrin as Chiral Selector. <i>Chirality</i> , 2016 , 28, 209-14	2.1	14
62	Ultrasonic-Assisted Extraction of Curcumin Complexed with Methyl- β -Cyclodextrin. <i>Food Analytical Methods</i> , 2015 , 8, 1373-1381	3.4	13
61	Chiral separation of four stereoisomers of ketoconazole drugs using capillary electrophoresis. <i>Chirality</i> , 2015 , 27, 223-7	2.1	18
60	Multi-walled carbon nanotubes-agarose gel micro-solid phase extraction for the determination of triazine herbicides in water samples. <i>Analytical Methods</i> , 2015 , 7, 2862-2868	3.2	8
59	Microwave-Assisted Extraction of Methyl β -Cyclodextrin-Complexed Curcumin from Turmeric Rhizome Oleoresin. <i>Food Analytical Methods</i> , 2015 , 8, 2447-2456	3.4	5
58	Continuous microwave flow synthesis (CMFS) of nanosized titania: Structural, optical and photocatalytic properties. <i>Materials Letters</i> , 2015 , 158, 95-98	3.3	12

57	Liquid Chromatographic Determination of NSAIDs in Urine After Dispersive Liquid-Liquid Microextraction Based on Solidification of Floating Organic Droplets. <i>Chromatographia</i> , 2015 , 78, 987-994 ^{2,1}		24
56	Continuous microwave flow synthesis of mesoporous hydroxyapatite. <i>Materials Science and Engineering C</i> , 2015 , 56, 356-62	8.3	29
55	Nano iron porphyrinated poly(amidoamine) dendrimer mobil composition matter-41 for extraction of N-nitrosodiphenylamine nitrosamine from water samples. <i>Microporous and Mesoporous Materials</i> , 2015 , 213, 68-77	5.3	17
54	Magnetic solid-phase extraction based on modified ferum oxides for enrichment, preconcentration, and isolation of pesticides and selected pollutants. <i>Critical Reviews in Analytical Chemistry</i> , 2015 , 45, 270-37	5.2	87
53	Dispersive micro-solid phase extraction method using newly prepared poly(methyl methacrylate) grafted agarose combined with ICP-MS for the simultaneous determination of Cd, Ni, Cu and Zn in vegetable and natural water samples. <i>Analytical Methods</i> , 2015 , 7, 3215-3223	3.2	40
52	Continuous microwave flow synthesis and characterization of nanosized tin oxide. <i>Materials Letters</i> , 2015 , 160, 146-149	3.3	19
51	Dispersive graphene-based silica coated magnetic nanoparticles as a new adsorbent for preconcentration of chlorinated pesticides from environmental water. <i>RSC Advances</i> , 2015 , 5, 76424-76434	3.7	46
50	Analyses of Biguanides and Related Compounds in Biological and Environmental Samples by HPLC. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2015 , 38, 303-321	1.3	3
49	Sol-gel coated polypropylene hollow fiber-based liquid-phase microextraction of triazine herbicides in real water samples. <i>Desalination and Water Treatment</i> , 2015 , 55, 1488-1500		8
48	A green method for the quantitative assessment of neutral oil in palm fatty acid distillates by single bounce attenuated total reflectance Fourier-transform infrared spectroscopy. <i>RSC Advances</i> , 2015 , 5, 50591-50596	3.7	5
47	Dispersive Micro-Solid Phase Extraction Combined with High-Performance Liquid Chromatography for the Determination of Three Penicillins in Milk Samples. <i>Food Analytical Methods</i> , 2015 , 8, 1079-1087	3.4	25
46	Determination of 4-Allyl Resorcinol and Chavibetol from Piper beetle Leaves by Subcritical Water Extraction Combined with High-Performance Liquid Chromatography. <i>Food Analytical Methods</i> , 2014 , 7, 893-901	3.4	11
45	Solid-phase membrane tip extraction combined with liquid chromatography for the determination of azole antifungal drugs in human plasma. <i>Analytical Methods</i> , 2014 , 6, 3375-3381	3.2	20
44	Sol-gel hybrid methyltrimethoxysilane-tetraethoxysilane as a new dispersive solid-phase extraction material for acrylamide determination in food with direct gas chromatography-mass spectrometry analysis. <i>Food Chemistry</i> , 2014 , 158, 302-9	8.5	35
43	Application of solid-phase extraction for trace elements in environmental and biological samples: a review. <i>Critical Reviews in Analytical Chemistry</i> , 2014 , 44, 233-54	5.2	57
42	Two-phase electrodriven membrane extraction combined with liquid chromatography for the determination of tricyclic antidepressants in aqueous matrices. <i>Analytical Methods</i> , 2014 , 6, 8802-8809	3.2	13
41	Portable micro-solid phase extraction for the determination of polycyclic aromatic hydrocarbons in water samples. <i>Analytical Methods</i> , 2014 , 6, 5512-5518	3.2	17
40	Acrylamide analysis in food by liquid chromatographic and gas chromatographic methods. <i>Critical Reviews in Analytical Chemistry</i> , 2014 , 44, 107-41	5.2	37

39	Sol-Gel Hybrid Cyanopropyltriethoxysilane-methyltrimethoxysilane as Adsorbent for Dispersive-Micro Solid Phase Extraction of Selected Organophosphorus Pesticides in Water Samples. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2014 , 71,	1.2	3
38	Extracting hydroxyapatite and its precursors from natural resources. <i>Journal of Materials Science</i> , 2014 , 49, 1461-1475	4.3	213
37	Solvent-impregnated agarose gel liquid phase microextraction of polycyclic aromatic hydrocarbons in water. <i>Journal of Chromatography A</i> , 2013 , 1302, 14-9	4.5	25
36	Multi-walled carbon nanotube-impregnated agarose film microextraction of polycyclic aromatic hydrocarbons in green tea beverage. <i>Talanta</i> , 2013 , 106, 200-5	6.2	39
35	Rapid Dispersive Micro-Solid Phase Extraction Using Mesoporous Carbon COU-2 in the Analysis of Cloxacillin in Water. <i>Journal of Pharmaceutical Innovation</i> , 2013 , 8, 240-246	1.8	18
34	Molecularly imprinted polymer solid-phase extraction for the analysis of organophosphorus pesticides in fruit samples. <i>Journal of Food Composition and Analysis</i> , 2013 , 32, 155-161	4.1	104
33	Comparison of HPLC and MEEKC for Miconazole Nitrate Determination in Pharmaceutical Formulation. <i>Chromatographia</i> , 2013 , 76, 1527-1536	2.1	2
32	MCM-41 solid phase membrane tip extraction combined with liquid chromatography for the determination of non-steroidal anti-inflammatory drugs in human urine. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013 , 940, 59-65	3.2	34
31	Determination of polycyclic aromatic hydrocarbons in fresh milk by hollow fiber liquid-phase microextraction-gas chromatography mass spectrometry. <i>Journal of Chromatographic Science</i> , 2013 , 51, 112-6	1.4	16
30	A simple microextraction and preconcentration approach based on a mixed matrix membrane. <i>Analytica Chimica Acta</i> , 2013 , 783, 24-30	6.6	24
29	Cyclodextrin-modified micellar electrokinetic chromatography for enantioseparations. <i>Methods in Molecular Biology</i> , 2013 , 970, 349-61	1.4	2
28	Separation of selected imidazole enantiomers using dual cyclodextrin system in micellar electrokinetic chromatography. <i>Chirality</i> , 2013 , 25, 328-35	2.1	19
27	Selective and Simultaneous Solid Phase Extraction of Polar and NonPolar Organophosphorus Pesticides Using SolGel Hybrid SilicaBased Sorbent. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2013 , 62,	1.2	3
26	Agarose film liquid phase microextraction combined with gas chromatography-mass spectrometry for the determination of polycyclic aromatic hydrocarbons in water. <i>Journal of Chromatography A</i> , 2012 , 1262, 43-8	4.5	21
25	Surface Treatment and Characterization of Polypropylene Hollow Fibers by Sol-Gel Method for Liquid Phase Microextraction 2012 , 179-189		
24	Determination of Triazole Fungicides Using Hollow Fiber Liquid Phase Microextraction Prior to Gas ChromatographyMass Spectrometry Analysis. <i>Industrial & Engineering Chemistry Research</i> , 2012 , 51, 3101-3107	3.9	28
23	Chiral separation of vinpocetine using cyclodextrin-modified micellar electrokinetic chromatography. <i>Chirality</i> , 2012 , 24, 252-4	2.1	12
22	Novel sol-gel hybrid methyltrimethoxysilane-tetraethoxysilane as solid phase extraction sorbent for organophosphorus pesticides. <i>Journal of Chromatography A</i> , 2012 , 1229, 55-62	4.5	63

21	Dispersive liquid-liquid microextraction method based on solidification of floating organic droplet for the determination of triazine herbicides in water and sugarcane samples. <i>Food Chemistry</i> , 2012 , 133, 557-62	8.5	94
20	Preparation and characterization of a new sol-gel hybrid based tetraethoxysilane-polydimethylsiloxane as a stir bar extraction sorbent materials. <i>Journal of Sol-Gel Science and Technology</i> , 2011 , 58, 602-611	2.3	36
19	Synthesis and characterization of polydimethylsiloxane-cyanopropyltriethoxysilane-derived hybrid coating for stir bar sorptive extraction. <i>Journal of Sol-Gel Science and Technology</i> , 2011 , 59, 128-134	2.3	35
18	ANALYSIS OF ORGANOPHOSPHORUS PESTICIDES IN VEGETABLE SAMPLES BY HOLLOW FIBER LIQUID PHASE MICROEXTRACTION COUPLED WITH GAS CHROMATOGRAPHY-ELECTRON CAPTURE DETECTION. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2010 , 33, 693-703	1.3	12
17	Headspace Single Drop Microextraction for the Analysis of Fire Accelerants in Fire Debris Samples. <i>Analytical Letters</i> , 2010 , 43, 2257-2266	2.2	14
16	Stacking and Sweeping in Cyclodextrin-Modified MEKC for Chiral Separation of Hexaconazole, Penconazole and Myclobutanil. <i>Chromatographia</i> , 2010 , 71, 305-309	2.1	26
15	Application of Double-Phase Liquid Phase Microextraction in the Determination of Partition Coefficients and Analysis of Pesticides in Water Samples. <i>Chromatographia</i> , 2010 , 71, 461-467	2.1	13
14	Chiral separation of econazole using micellar electrokinetic chromatography with hydroxypropyl-gamma-cyclodextrin. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 53, 1244-935	3.5	26
13	Rapid and direct determination of glyphosate, glufosinate, and aminophosphonic acid by online preconcentration CE with contactless conductivity detection. <i>Electrophoresis</i> , 2010 , 31, 575-82	3.6	52
12	Determination of triazine herbicides using membrane-protected carbon nanotubes solid phase membrane tip extraction prior to micro-liquid chromatography. <i>Journal of Chromatography A</i> , 2010 , 1217, 1767-72	4.5	103
11	Solid phase microextraction using new sol-gel hybrid polydimethylsiloxane-2-hydroxymethyl-18-crown-6-coated fiber for determination of organophosphorous pesticides. <i>Journal of Chromatography A</i> , 2010 , 1217, 4890-7	4.5	67
10	Dynamic supported liquid membrane tip extraction of glyphosate and aminomethylphosphonic acid followed by capillary electrophoresis with contactless conductivity detection. <i>Journal of Chromatography A</i> , 2010 , 1217, 5832-8	4.5	28
9	Simultaneous enantioseparation of cyproconazole, bromuconazole, and diniconazole enantiomers by CD-modified MEKC. <i>Electrophoresis</i> , 2009 , 30, 1976-82	3.6	15
8	Cyclodextrin-modified MEKC for enantioseparation of hexaconazole, penconazole, and myclobutanil. <i>Journal of Separation Science</i> , 2009 , 32, 466-71	3.4	19
7	Comparison of Signal-to-Noise, Blank Determination, and Linear Regression Methods for the Estimation of Detection and Quantification Limits for Volatile Organic Compounds by Gas Chromatography. <i>Journal of AOAC INTERNATIONAL</i> , 2009 , 92, 1833-1838	1.7	78
6	Rapid Estimation of Octanol/Water Partition Coefficient for Triazole Fungicides by MEKC with Sodium Deoxycholate as Surfactant. <i>Chromatographia</i> , 2008 , 68, 415-419	2.1	9
5	Determination of pesticides in water by cone-shaped membrane protected liquid phase microextraction prior to micro-liquid chromatography. <i>Journal of Chromatography A</i> , 2007 , 1152, 215-9	4.5	39
4	On-line preconcentration and chiral separation of propiconazole by cyclodextrin-modified micellar electrokinetic chromatography. <i>Journal of Chromatography A</i> , 2007 , 1170, 107-13	4.5	43

3	Determination of carotene, tocopherols and tocotrienols in residue oil from palm pressed fiber using pressurized liquid extraction-normal phase liquid chromatography. <i>Analytica Chimica Acta</i> , 2005 , 538, 71-76	6.6	58
2	High Temperature Liquid Chromatography of Tocol-Derivatives on Polybutadiene-Coated Zirconia Stationary Phases. <i>Chromatographia</i> , 2005 , 61, 567-571	2.1	5
1	High temperature liquid chromatography of triazole fungicides on polybutadiene-coated zirconia stationary phase. <i>Journal of Chromatography A</i> , 2004 , 1059, 95-101	4.5	44