

Andreas Reif

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2870292/publications.pdf>

Version: 2024-02-01

289
papers

20,397
citations

23879

60
h-index

18400

124
g-index

317
all docs

317
docs citations

317
times ranked

23073
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Changes in the pattern of suicides and suicide attempt admissions in relation to the COVID-19 pandemic. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2023, 273, 357-365. | 1.8 | 8 |
| 2 | Consortium neuroscience of attention deficit/hyperactivity disorder and autism spectrum disorder: The <sc>ENIGMA</sc> adventure. <i>Human Brain Mapping</i> , 2022, 43, 37-55. | 1.9 | 61 |
| 3 | Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. <i>Biological Psychiatry</i> , 2022, 91, 102-117. | 0.7 | 61 |
| 4 | The impact of physical fitness on resilience to modern life stress and the mediating role of general self-efficacy. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 679-692. | 1.8 | 10 |
| 5 | Non-mental diseases associated with ADHD across the lifespan: Fidgety Philipp and Pippi Longstocking at risk of multimorbidity?. <i>Neuroscience and Biobehavioral Reviews</i> , 2022, 132, 1157-1180. | 2.9 | 22 |
| 6 | Neuronal response to high negative affective stimuli in major depressive disorder: An fMRI study. <i>Journal of Affective Disorders</i> , 2022, 298, 239-247. | 2.0 | 8 |
| 7 | ADHD symptoms in neurometabolic diseases: Underlying mechanisms and clinical implications. <i>Neuroscience and Biobehavioral Reviews</i> , 2022, 132, 838-856. | 2.9 | 18 |
| 8 | Comprehensive exploration of the genetic contribution of the dopaminergic and serotonergic pathways to psychiatric disorders. <i>Translational Psychiatry</i> , 2022, 12, 11. | 2.4 | 17 |
| 9 | Evidence From Imaging Resilience Genetics for a Protective Mechanism Against Schizophrenia in the Ventral Visual Pathway. <i>Schizophrenia Bulletin</i> , 2022, 48, 551-562. | 2.3 | 4 |
| 10 | A pilot study of multilevel analysis of BDNF in paternal and maternal perinatal depression. <i>Archives of Women's Mental Health</i> , 2022, 25, 237-249. | 1.2 | 8 |
| 11 | Depressive symptoms in youth with ADHD: the role of impairments in cognitive emotion regulation. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 793-806. | 1.8 | 6 |
| 12 | Uncovering associations between mental illness diagnosis, nitric oxide synthase gene variation, and peripheral nitric oxide concentration. <i>Brain, Behavior, and Immunity</i> , 2022, 101, 275-283. | 2.0 | 12 |
| 13 | The dynamical association between physical activity and affect in the daily life of individuals with ADHD. <i>European Neuropsychopharmacology</i> , 2022, 57, 69-74. | 0.3 | 3 |
| 14 | Sharing knowledge about ADHD comorbidity: lessons learned. <i>Neuroscience and Biobehavioral Reviews</i> , 2022, 135, 104586. | 2.9 | 0 |
| 15 | Equivalency of four research-grade movement sensors to assess movement behaviors and its implications for population surveillance. <i>Scientific Reports</i> , 2022, 12, 5525. | 1.6 | 4 |
| 16 | Exploring the Contribution to ADHD of Genes Involved in Mendelian Disorders Presenting with Hyperactivity and/or Inattention. <i>Genes</i> , 2022, 13, 93. | 1.0 | 4 |
| 17 | Rationale, Mission and Vision for a National Centre of Affective Disorders in Germany. <i>Pharmacopsychiatry</i> , 2022, 55, 65-72. | 1.7 | 0 |
| 18 | Exome sequencing in bipolar disorder identifies AKAP11 as a risk gene shared with schizophrenia. <i>Nature Genetics</i> , 2022, 54, 541-547. | 9.4 | 65 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Peripheral blood inflammatory markers in patients with attention deficit/hyperactivity disorder (ADHD): A systematic review and meta-analysis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 118, 110581. | 2.5 | 18 |
| 20 | Influence of NOS1AP Risk Variants on the Corrected QT (QTc) Interval in the Pharmacotherapy of Schizophrenia. <i>Pharmacopsychiatry</i> , 2022, 55, 266-273. | 1.7 | 3 |
| 21 | Is genetic risk of ADHD mediated via dopaminergic mechanism? A study of functional connectivity in ADHD and pharmacologically challenged healthy volunteers with a genetic risk profile. <i>Translational Psychiatry</i> , 2022, 12, . | 2.4 | 7 |
| 22 | The role of comorbid depressive symptoms on long-range temporal correlations in resting EEG in adults with ADHD. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 1421-1435. | 1.8 | 2 |
| 23 | ADHD co-morbidities: A review of implication of gene \times environment effects with dopamine-related genes. <i>Neuroscience and Biobehavioral Reviews</i> , 2022, 139, 104757. | 2.9 | 11 |
| 24 | Genome-wide association study of panic disorder reveals genetic overlap with neuroticism and depression. <i>Molecular Psychiatry</i> , 2021, 26, 4179-4190. | 4.1 | 58 |
| 25 | Longitudinal determination of resilience in humans to identify mechanisms of resilience to modern-life stressors: the longitudinal resilience assessment (LORA) study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 1035-1051. | 1.8 | 31 |
| 26 | Expression of the adult ADHD-associated gene <i>ADGRL3</i> is dysregulated by risk variants and environmental risk factors. <i>World Journal of Biological Psychiatry</i> , 2021, 22, 335-349. | 1.3 | 6 |
| 27 | Comedication and Polypharmacy With ADHD Medications in Adults: A Swedish Nationwide Study. <i>Journal of Attention Disorders</i> , 2021, 25, 1519-1528. | 1.5 | 5 |
| 28 | Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 2457-2470. | 4.1 | 44 |
| 29 | Knockdown of the ADHD Candidate Gene <i>Diras2</i> in Murine Hippocampal Primary Cells. <i>Journal of Attention Disorders</i> , 2021, 25, 572-583. | 1.5 | 6 |
| 30 | No effect of a dopaminergic modulation fMRI task by amisulpride and L-DOPA on reward anticipation in healthy volunteers. <i>Psychopharmacology</i> , 2021, 238, 1333-1342. | 1.5 | 12 |
| 31 | Low cardiorespiratory fitness and obesity for ADHD in childhood and adolescence: A 6-year cohort study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021, 31, 903-913. | 1.3 | 6 |
| 32 | Anxiety disorders. <i>Lancet</i> , The, 2021, 397, 914-927. | 6.3 | 210 |
| 33 | Association of dietary fat composition with cognitive performance and brain morphology in cognitively healthy individuals. <i>Acta Neuropsychiatrica</i> , 2021, 33, 134-140. | 1.0 | 7 |
| 34 | Differential impact of COVID-related lockdown on mental health in Germany. <i>World Psychiatry</i> , 2021, 20, 140-141. | 4.8 | 78 |
| 35 | Cognitive mechanisms underlying depressive disorders in ADHD: A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 121, 307-345. | 2.9 | 16 |
| 36 | Characterizing neuroanatomic heterogeneity in people with and without ADHD based on subcortical brain volumes. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021, 62, 1140-1149. | 3.1 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Therapygenetic effects of 5-HTTLPR on cognitive-behavioral therapy in anxiety disorders: A meta-analysis. <i>European Neuropsychopharmacology</i> , 2021, 44, 105-120. | 0.3 | 5 |
| 38 | Transdiagnostic comparison of visual working memory capacity in bipolar disorder and schizophrenia. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 12. | 0.8 | 6 |
| 39 | Comorbidity of ADHD and adult bipolar disorder: A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 124, 100-123. | 2.9 | 71 |
| 40 | Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021, 53, 817-829. | 9.4 | 629 |
| 41 | Parental ADHD in pregnancy and the postpartum period – A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 124, 63-77. | 2.9 | 14 |
| 42 | ADHD and accidents over the life span – A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 125, 582-591. | 2.9 | 41 |
| 43 | Impact of COVID-19 lockdown on mental health in Germany: longitudinal observation of different mental health trajectories and protective factors. <i>Translational Psychiatry</i> , 2021, 11, 392. | 2.4 | 78 |
| 44 | Effects of body-oriented yoga: a RCT study for patients with major depressive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 1217-1229. | 1.8 | 7 |
| 45 | The Frequent Stressor and Mental Health Monitoring-Paradigm: A Proposal for the Operationalization and Measurement of Resilience and the Identification of Resilience Processes in Longitudinal Observational Studies. <i>Frontiers in Psychology</i> , 2021, 12, 710493. | 1.1 | 33 |
| 46 | Hippocampal overexpression of NOS1AP promotes endophenotypes related to mental disorders. <i>EBioMedicine</i> , 2021, 71, 103565. | 2.7 | 8 |
| 47 | Transdiagnostic neuroimaging of reward system phenotypes in ADHD and comorbid disorders. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 128, 165-181. | 2.9 | 26 |
| 48 | Alcohol use disorders and ADHD. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 128, 648-660. | 2.9 | 27 |
| 49 | Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 26. | 0.8 | 6 |
| 50 | HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. <i>Scientific Reports</i> , 2021, 11, 17823. | 1.6 | 10 |
| 51 | Individuals at increased risk for development of bipolar disorder display structural alterations similar to people with manifest disease. <i>Translational Psychiatry</i> , 2021, 11, 485. | 2.4 | 13 |
| 52 | Studying dietary intake in daily life through multilevel two-part modelling: a novel analytical approach and its practical application. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 130. | 2.0 | 2 |
| 53 | Sphingolipid and Endocannabinoid Profiles in Adult Attention Deficit Hyperactivity Disorder. <i>Biomedicines</i> , 2021, 9, 1173. | 1.4 | 11 |
| 54 | The World Federation of ADHD International Consensus Statement: 208 Evidence-based conclusions about the disorder. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 128, 789-818. | 2.9 | 483 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Investigating rare pathogenic/likely pathogenic exonic variation in bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 5239-5250. | 4.1 | 15 |
| 56 | The clinical effectiveness of using a predictive algorithm to guide antidepressant treatment in primary care (PReDiCT): an open-label, randomised controlled trial. <i>Neuropsychopharmacology</i> , 2021, 46, 1307-1314. | 2.8 | 33 |
| 57 | Studying Microtemporal, Within-Person Processes of Diet, Physical Activity, and Related Factors Using the APPetite-Mobile-App: Feasibility, Usability, and Validation Study. <i>Journal of Medical Internet Research</i> , 2021, 23, e25850. | 2.1 | 9 |
| 58 | A Within-Sample Comparison of Two Innovative Neuropsychological Tests for Assessing ADHD. <i>Brain Sciences</i> , 2021, 11, 36. | 1.1 | 5 |
| 59 | Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. <i>Translational Psychiatry</i> , 2021, 11, 606. | 2.4 | 25 |
| 60 | The German research consortium for the study of bipolar disorder (BipoLife): a magnetic resonance imaging study protocol. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 37. | 0.8 | 5 |
| 61 | P.0328 Adult bipolar disorder and attention deficit/hyperactivity disorder - a common comorbidity?. <i>European Neuropsychopharmacology</i> , 2021, 53, S238-S239. | 0.3 | 0 |
| 62 | P.0819 Usefulness of haircortisol as a biological correlate for resilience to everyday life stress. <i>European Neuropsychopharmacology</i> , 2021, 53, S598-S599. | 0.3 | 0 |
| 63 | Effects of comorbid disorders on reward processing and connectivity in adults with ADHD. <i>Translational Psychiatry</i> , 2021, 11, 636. | 2.4 | 8 |
| 64 | Nitric oxide interacts with monoamine oxidase to modulate aggression and anxiety-like behaviour. <i>European Neuropsychopharmacology</i> , 2020, 30, 30-43. | 0.3 | 36 |
| 65 | <i>KCNJ6</i> variants modulate reward-related brain processes and impact executive functions in attention-deficit/hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2020, 183, 247-257. | 1.1 | 9 |
| 66 | Longitudinal multi-level biomarker analysis of BDNF in major depression and bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 169-181. | 1.8 | 45 |
| 67 | Identification of ADHD risk genes in extended pedigrees by combining linkage analysis and whole-exome sequencing. <i>Molecular Psychiatry</i> , 2020, 25, 2047-2057. | 4.1 | 17 |
| 68 | Nitric oxide synthase genotype interacts with stressful life events to increase aggression in male subjects in a population-representative sample. <i>European Neuropsychopharmacology</i> , 2020, 30, 56-65. | 0.3 | 7 |
| 69 | The Genetics of the Mood Disorder Spectrum: Genome-wide Association Analyses of More Than 185,000 Cases and 439,000 Controls. <i>Biological Psychiatry</i> , 2020, 88, 169-184. | 0.7 | 137 |
| 70 | An examination of the quality and performance of the Alda scale for classifying lithium response phenotypes. <i>Bipolar Disorders</i> , 2020, 22, 255-265. | 1.1 | 24 |
| 71 | Cross-disorder genetic analyses implicate dopaminergic signaling as a biological link between Attention-Deficit/Hyperactivity Disorder and obesity measures. <i>Neuropsychopharmacology</i> , 2020, 45, 1188-1195. | 2.8 | 23 |
| 72 | Special Issue on the Neurobiology of aggressive behaviour in the context of ADHD and related disorders. <i>European Neuropsychopharmacology</i> , 2020, 30, 1-4. | 0.3 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Amisulpride and α -DOPA modulate subcortical brain nuclei connectivity in resting-state pharmacologic magnetic resonance imaging. <i>Human Brain Mapping</i> , 2020, 41, 1806-1818. | 1.9 | 12 |
| 74 | Intrinsic functional connectivity, CSF biomarker profiles and their relation to cognitive function in mild cognitive impairment. <i>Acta Neuropsychiatrica</i> , 2020, 32, 206-213. | 1.0 | 5 |
| 75 | The role of resources in the face of psychopathology. <i>Journal of Clinical Psychology</i> , 2020, 76, 406-422. | 1.0 | 5 |
| 76 | Is brain arousal regulation a predictor of response to psychostimulant therapy in adult ADHD patients?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 1073-1076. | 1.8 | 4 |
| 77 | S177. IMPACT OF NOS1AP AND ITS INTERACTION PARTNERS AT THE GLUTAMATERGIC SYNAPSE ON WORKING MEMORY NETWORKS - AN FMRI IMAGING GENETICS STUDY. <i>Schizophrenia Bulletin</i> , 2020, 46, S105-S105. | 2.3 | 0 |
| 78 | Disease burden and direct medical costs of incident adult ADHD: A retrospective longitudinal analysis based on German statutory health insurance claims data. <i>European Psychiatry</i> , 2020, 63, e86. | 0.1 | 7 |
| 79 | Risk Stratification for Bipolar Disorder Using Polygenic Risk Scores Among Young High-Risk Adults. <i>Frontiers in Psychiatry</i> , 2020, 11, 552532. | 1.3 | 5 |
| 80 | The genetic architecture of human brainstem structures and their involvement in common brain disorders. <i>Nature Communications</i> , 2020, 11, 4016. | 5.8 | 26 |
| 81 | Energy Metabolism Disturbances in Cell Models of PARK2 CNV Carriers with ADHD. <i>Journal of Clinical Medicine</i> , 2020, 9, 4092. | 1.0 | 7 |
| 82 | Neural correlates of NOS1 ex1f-VNTR allelic variation in panic disorder and agoraphobia during fear conditioning and extinction in fMRI. <i>NeuroImage: Clinical</i> , 2020, 27, 102268. | 1.4 | 1 |
| 83 | Prevalence of Prediabetes and Diabetes Mellitus Type II in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 314. | 1.3 | 8 |
| 84 | Proteomic Profiling as a Diagnostic Biomarker for Discriminating Between Bipolar and Unipolar Depression. <i>Frontiers in Psychiatry</i> , 2020, 11, 189. | 1.3 | 9 |
| 85 | An investigation of genetic variability of DNA methyltransferases DNMT3A and 3B does not provide evidence for a major role in the pathogenesis of panic disorder and dimensional anxiety phenotypes. <i>Journal of Neural Transmission</i> , 2020, 127, 1527-1537. | 1.4 | 2 |
| 86 | Subcortical Brain Volume, Regional Cortical Thickness, and Cortical Surface Area Across Disorders: Findings From the ENIGMA ADHD, ASD, and OCD Working Groups. <i>American Journal of Psychiatry</i> , 2020, 177, 834-843. | 4.0 | 120 |
| 87 | Involvement of the 14-3-3 Gene Family in Autism Spectrum Disorder and Schizophrenia: Genetics, Transcriptomics and Functional Analyses. <i>Journal of Clinical Medicine</i> , 2020, 9, 1851. | 1.0 | 14 |
| 88 | Efficacy of cognitive-behavioral group therapy in patients at risk for serious mental illness presenting with subthreshold bipolar symptoms: Results from a prespecified interim analysis of a multicenter, randomized, controlled study. <i>Bipolar Disorders</i> , 2020, 22, 517-529. | 1.1 | 14 |
| 89 | Cumulative Dopamine Genetic Score predicts behavioral and electrophysiological correlates of response inhibition via interactions with task demand. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2020, 20, 59-75. | 1.0 | 9 |
| 90 | Whole-exome sequencing of 81 individuals from 27 multiply affected bipolar disorder families. <i>Translational Psychiatry</i> , 2020, 10, 57. | 2.4 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Genetics of ADHD: What Should the Clinician Know?. <i>Current Psychiatry Reports</i> , 2020, 22, 18. | 2.1 | 43 |
| 92 | Treating impulsivity with probiotics in adults (PROBIA): study protocol of a multicenter, double-blind, randomized, placebo-controlled trial. <i>Trials</i> , 2020, 21, 161. | 0.7 | 21 |
| 93 | Shared genetic background between children and adults with attention deficit/hyperactivity disorder. <i>Neuropsychopharmacology</i> , 2020, 45, 1617-1626. | 2.8 | 72 |
| 94 | The Quantified Behavioral Test—A Confirmatory Test in the Diagnostic Process of Adult ADHD?. <i>Frontiers in Psychiatry</i> , 2020, 11, 216. | 1.3 | 19 |
| 95 | Simvastatin add-on to escitalopram in patients with comorbid obesity and major depression (SIMCODE): study protocol of a multicentre, randomised, double-blind, placebo-controlled trial. <i>BMJ Open</i> , 2020, 10, e040119. | 0.8 | 18 |
| 96 | Improving early recognition and intervention in people at increased risk for the development of bipolar disorder: study protocol of a prospective-longitudinal, naturalistic cohort study (Early-BipoLife). <i>International Journal of Bipolar Disorders</i> , 2020, 8, 22. | 0.8 | 18 |
| 97 | Impulsivity and Venturesomeness in an Adult ADHD Sample: Relation to Personality, Comorbidity, and Polygenic Risk. <i>Frontiers in Psychiatry</i> , 2020, 11, 557160. | 1.3 | 7 |
| 98 | Establishing an effective dose for chronic intracerebroventricular administration of clozapine in mice. <i>Acta Neuropsychiatrica</i> , 2019, 31, 305-315. | 1.0 | 2 |
| 99 | Ultra-Rare Genetic Variation in the Epilepsies: A Whole-Exome Sequencing Study of 17,606 Individuals. <i>American Journal of Human Genetics</i> , 2019, 105, 267-282. | 2.6 | 237 |
| 100 | Prevalence of ADHD in Accident Victims: Results of the PRADA Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 1643. | 1.0 | 24 |
| 101 | Association of rs7688285 allelic variation coding for GLRB with fear reactivity and exposure-based therapy in patients with panic disorder and agoraphobia. <i>European Neuropsychopharmacology</i> , 2019, 29, 1138-1151. | 0.3 | 4 |
| 102 | A genome-wide association meta-analysis of prognostic outcomes following cognitive behavioural therapy in individuals with anxiety and depressive disorders. <i>Translational Psychiatry</i> , 2019, 9, 150. | 2.4 | 35 |
| 103 | Aberrant brain network topology in fronto-limbic circuitry differentiates euthymic bipolar disorder from recurrent major depressive disorder. <i>Brain and Behavior</i> , 2019, 9, e01257. | 1.0 | 22 |
| 104 | Accident patterns in trauma surgery patients with and without self-reported ADHD. <i>Journal of Neural Transmission</i> , 2019, 126, 1163-1173. | 1.4 | 7 |
| 105 | Brain Imaging of the Cortex in ADHD: A Coordinated Analysis of Large-Scale Clinical and Population-Based Samples. <i>American Journal of Psychiatry</i> , 2019, 176, 531-542. | 4.0 | 261 |
| 106 | Influence of two functional polymorphisms in NOS1 on baseline cortisol and working memory in healthy subjects. <i>Nitric Oxide - Biology and Chemistry</i> , 2019, 88, 45-49. | 1.2 | 3 |
| 107 | Limited effects of early life manipulations on sex-specific gene expression and behavior in adulthood. <i>Behavioural Brain Research</i> , 2019, 369, 111927. | 1.2 | 10 |
| 108 | Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019, 51, 793-803. | 9.4 | 1,191 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | Dissociation of impulsivity and aggression in mice deficient for the ADHD risk gene <i>Adgrl3</i> : Evidence for dopamine transporter dysregulation. <i>Neuropharmacology</i> , 2019, 156, 107557. | 2.0 | 34 |
| 110 | Associative Memory Impairments Are Associated With Functional Alterations Within the Memory Network in Schizophrenia Patients and Their Unaffected First-Degree Relatives: An fMRI Study. <i>Frontiers in Psychiatry</i> , 2019, 10, 33. | 1.3 | 8 |
| 111 | Association between solar insolation and a history of suicide attempts in bipolar I disorder. <i>Journal of Psychiatric Research</i> , 2019, 113, 1-9. | 1.5 | 25 |
| 112 | Direct medical costs of ADHD and its comorbid conditions on basis of a claims data analysis. <i>European Psychiatry</i> , 2019, 58, 38-44. | 0.1 | 59 |
| 113 | Orexin in the anxiety spectrum: association of a <i>HCRTR1</i> polymorphism with panic disorder/agoraphobia, CBT treatment response and fear-related intermediate phenotypes. <i>Translational Psychiatry</i> , 2019, 9, 75. | 2.4 | 29 |
| 114 | Cross-species models of attention-deficit/hyperactivity disorder and autism spectrum disorder. <i>Psychiatric Genetics</i> , 2019, 29, 1-17. | 0.6 | 23 |
| 115 | A Data Science-Based Analysis Points at Distinct Patterns of Lipid Mediator Plasma Concentrations in Patients With Dementia. <i>Frontiers in Psychiatry</i> , 2019, 10, 41. | 1.3 | 7 |
| 116 | The role of pre-, peri-, and postnatal risk factors in bipolar disorder and adult ADHD. <i>Journal of Neural Transmission</i> , 2019, 126, 1117-1126. | 1.4 | 12 |
| 117 | C-reactive protein concentration in bipolar disorder: association with genetic variants. <i>International Journal of Bipolar Disorders</i> , 2019, 7, 26. | 0.8 | 18 |
| 118 | Individual differences in human fear generalizationâ€”pattern identification and implications for anxiety disorders. <i>Translational Psychiatry</i> , 2019, 9, 307. | 2.4 | 36 |
| 119 | P.664 Influence of <i>NOS1AP</i> risk variants on the corrected QT (QTc) interval in the pharmacotherapy of schizophrenia. <i>European Neuropsychopharmacology</i> , 2019, 29, S449-S450. | 0.3 | 0 |
| 120 | Genetic risk factors and geneâ€”environment interactions in adult and childhood attention-deficit/hyperactivity disorder. <i>Psychiatric Genetics</i> , 2019, 29, 63-78. | 0.6 | 58 |
| 121 | Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , 2019, 179, 1469-1482.e11. | 13.5 | 935 |
| 122 | Prenatal and postnatal experiences associated with epigenetic changes in the adult mouse brain. <i>Behavioural Brain Research</i> , 2019, 359, 143-148. | 1.2 | 11 |
| 123 | Human <i>BDNF</i> rs6265 polymorphism as a mediator for the generalization of contextual anxiety. <i>Journal of Neuroscience Research</i> , 2019, 97, 300-312. | 1.3 | 16 |
| 124 | Discovery of the first genome-wide significant risk loci for attention deficit/hyperactivity disorder. <i>Nature Genetics</i> , 2019, 51, 63-75. | 9.4 | 1,594 |
| 125 | Does prior traumatization affect the treatment outcome of CBT for panic disorder? The potential role of the <i>MAOA</i> gene and depression symptoms. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 161-170. | 1.8 | 4 |
| 126 | Neural correlates of response inhibition in patients with bipolar disorder during acute versus remitted phase. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 637-646. | 1.3 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder. <i>JAMA Psychiatry</i> , 2018, 75, 65-74. | 6.0 | 102 |
| 128 | 18.3 DISTURBED AND INTACT ATTENTIONAL PROCESSES DURING WORKING MEMORY ENCODING IN SCHIZOPHRENIA: CONVERGING BEHAVIORAL AND IMAGING GENETICS EVIDENCE. <i>Schizophrenia Bulletin</i> , 2018, 44, S30-S30. | 2.3 | 0 |
| 129 | Bright light therapy versus physical exercise to prevent co-morbid depression and obesity in adolescents and young adults with attention-deficit / hyperactivity disorder: study protocol for a randomized controlled trial. <i>Trials</i> , 2018, 19, 140. | 0.7 | 26 |
| 130 | Recent developments in the genetics of attention-deficit hyperactivity disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2018, 72, 654-672. | 1.0 | 14 |
| 131 | The protocadherin 17 gene affects cognition, personality, amygdala structure and function, synapse development and risk of major mood disorders. <i>Molecular Psychiatry</i> , 2018, 23, 400-412. | 4.1 | 60 |
| 132 | A Genetic Investigation of Sex Bias in the Prevalence of Attention-Deficit/Hyperactivity Disorder. <i>Biological Psychiatry</i> , 2018, 83, 1044-1053. | 0.7 | 146 |
| 133 | Explorative results from multistep screening for potential genetic risk loci of Alzheimer's disease in the longitudinal VITA study cohort. <i>Journal of Neural Transmission</i> , 2018, 125, 77-87. | 1.4 | 8 |
| 134 | White Matter Microstructural Changes and Episodic Memory Disturbances in Late-Onset Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 480. | 1.3 | 11 |
| 135 | A functional genetic variation of SLC6A2 repressor hsa-miR-579-3p upregulates sympathetic noradrenergic processes of fear and anxiety. <i>Translational Psychiatry</i> , 2018, 8, 226. | 2.4 | 13 |
| 136 | Plasticity of Functional MAOA Gene Methylation in Acrophobia. <i>International Journal of Neuropsychopharmacology</i> , 2018, 21, 822-827. | 1.0 | 36 |
| 137 | Live fast, die young? A review on the developmental trajectories of ADHD across the lifespan. <i>European Neuropsychopharmacology</i> , 2018, 28, 1059-1088. | 0.3 | 398 |
| 138 | Family environment interacts with CRHR1 rs17689918 to predict mental health and behavioral outcomes. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 86, 45-51. | 2.5 | 10 |
| 139 | Genetic variation in serotonin function impacts on altruistic punishment in the ultimatum game: A longitudinal approach. <i>Brain and Cognition</i> , 2018, 125, 37-44. | 0.8 | 6 |
| 140 | Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 207. | 1.3 | 28 |
| 141 | Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018, 360, . | 6.0 | 1,085 |
| 142 | <i>SLC2A3</i> single-nucleotide polymorphism and duplication influence cognitive processing and population-specific risk for attention-deficit/hyperactivity disorder. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2017, 58, 798-809. | 3.1 | 25 |
| 143 | Subcortical brain volume differences in participants with attention deficit hyperactivity disorder in children and adults: a cross-sectional mega-analysis. <i>Lancet Psychiatry</i> , 2017, 4, 310-319. | 3.7 | 565 |
| 144 | CRHR1 promoter hypomethylation: An epigenetic readout of panic disorder?. <i>European Neuropsychopharmacology</i> , 2017, 27, 360-371. | 0.3 | 46 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | GLRB allelic variation associated with agoraphobic cognitions, increased startle response and fear network activation: a potential neurogenetic pathway to panic disorder. <i>Molecular Psychiatry</i> , 2017, 22, 1431-1439. | 4.1 | 47 |
| 146 | Cognitive remediation for bipolar patients with objective cognitive impairment: a naturalistic study. <i>International Journal of Bipolar Disorders</i> , 2017, 5, 8. | 0.8 | 33 |
| 147 | Intensified emotion perception in depression: Differences in physiological arousal and subjective perceptions. <i>Psychiatry Research</i> , 2017, 253, 303-310. | 1.7 | 28 |
| 148 | Genome-wide association study of borderline personality disorder reveals genetic overlap with bipolar disorder, major depression and schizophrenia. <i>Translational Psychiatry</i> , 2017, 7, e1155-e1155. | 2.4 | 150 |
| 149 | Neuropsychological Symptoms in Sporadic Creutzfeldt-Jakob Disease Patients in Germany. <i>Journal of Alzheimer's Disease</i> , 2017, 59, 329-337. | 1.2 | 15 |
| 150 | A functional variant of the neuropeptide S receptor gene modulates clinical outcomes and healthcare utilization in patients with systolic heart failure: results from the Interdisciplinary Network Heart Failure (INH) Study. <i>European Journal of Heart Failure</i> , 2017, 19, 314-323. | 2.9 | 13 |
| 151 | The resilience framework as a strategy to combat stress-related disorders. <i>Nature Human Behaviour</i> , 2017, 1, 784-790. | 6.2 | 420 |
| 152 | Personalized translational epilepsy research – Novel approaches and future perspectives. <i>Epilepsy and Behavior</i> , 2017, 76, 7-12. | 0.9 | 14 |
| 153 | Personalized translational epilepsy research – Novel approaches and future perspectives. <i>Epilepsy and Behavior</i> , 2017, 76, 13-18. | 0.9 | 26 |
| 154 | Modulation of defensive reactivity by GLRB allelic variation: converging evidence from an intermediate phenotype approach. <i>Translational Psychiatry</i> , 2017, 7, e1227-e1227. | 2.4 | 12 |
| 155 | Solar insolation in springtime influences age of onset of bipolar I disorder. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 571-582. | 2.2 | 24 |
| 156 | Genetic variation of dopamine and serotonin function modulates the feedback-related negativity during altruistic punishment. <i>Scientific Reports</i> , 2017, 7, 2996. | 1.6 | 17 |
| 157 | The regulation of tetraspanin 8 gene expression – A potential new mechanism in the pathogenesis of bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017, 174, 740-750. | 1.1 | 6 |
| 158 | Common variants at 2q11.2, 8q21.3, and 11q13.2 are associated with major mood disorders. <i>Translational Psychiatry</i> , 2017, 7, 1273. | 2.4 | 9 |
| 159 | International multi-site survey on the use of online support groups in bipolar disorder. <i>Nordic Journal of Psychiatry</i> , 2017, 71, 473-476. | 0.7 | 4 |
| 160 | Genetic Overlap Between Attention-Deficit/Hyperactivity Disorder and Bipolar Disorder: Evidence From Genome-wide Association Study Meta-analysis. <i>Biological Psychiatry</i> , 2017, 82, 634-641. | 0.7 | 99 |
| 161 | Altered apolipoprotein C expression in association with cognition impairments and hippocampus volume in schizophrenia and bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 199-212. | 1.8 | 19 |
| 162 | [P4367]: DIETARY FAT COMPOSITION CORRELATES WITH VERBAL MEMORY AND FRONTAL GREY AND WHITE MATTER VOLUME IN HEALTHY INDIVIDUALS: AN MRI STUDY. <i>Alzheimer's and Dementia</i> , 2017, 13, P1432. | 0.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | The effects of using the PReDicT Test to guide the antidepressant treatment of depressed patients: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 558. | 0.7 | 32 |
| 164 | Effects of an Anxiety-Specific Psychometric Factor on Fear Conditioning and Fear Generalization. <i>Zeitschrift Fur Psychologie / Journal of Psychology</i> , 2017, 225, 200-213. | 0.7 | 6 |
| 165 | Microglia ablation alleviates myelin-associated catatonic signs in mice. <i>Journal of Clinical Investigation</i> , 2017, 128, 734-745. | 3.9 | 88 |
| 166 | Preventing the Return of Fear Using Reconsolidation Update Mechanisms Depends on the Met-Allele of the Brain Derived Neurotrophic Factor Val66Met Polymorphism. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, pyv137. | 1.0 | 26 |
| 167 | Whole-Exome Sequencing Reveals Increased Burden of Rare Functional and Disruptive Variants in Candidate Risk Genes in Individuals With Persistent Attention-Deficit/Hyperactivity Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2016, 55, 521-523. | 0.3 | 28 |
| 168 | White matter abnormalities in the fornix are linked to cognitive performance in SZ but not in BD disorder: An exploratory analysis with DTI deterministic tractography. <i>Journal of Affective Disorders</i> , 2016, 201, 64-78. | 2.0 | 22 |
| 169 | Time to wake up: No impact of COMT Val158Met gene variation on circadian preferences, arousal regulation and sleep. <i>Chronobiology International</i> , 2016, 33, 893-905. | 0.9 | 21 |
| 170 | MAOA gene hypomethylation in panic disorder – reversibility of an epigenetic risk pattern by psychotherapy. <i>Translational Psychiatry</i> , 2016, 6, e773-e773. | 2.4 | 138 |
| 171 | Neurobiological markers predicting treatment response in anxiety disorders: A systematic review and implications for clinical application. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 66, 143-162. | 2.9 | 101 |
| 172 | Cognitive deficits in first-degree relatives of bipolar patients: the use of homogeneous subgroups in the search of cognitive endophenotypes. <i>Journal of Neural Transmission</i> , 2016, 123, 1001-1011. | 1.4 | 11 |
| 173 | Fear conditioning and stimulus generalization in patients with social anxiety disorder. <i>Journal of Anxiety Disorders</i> , 2016, 44, 36-46. | 1.5 | 50 |
| 174 | Functional Impact of An ADHD-Associated DIRAS2 Promoter Polymorphism. <i>Neuropsychopharmacology</i> , 2016, 41, 3025-3031. | 2.8 | 9 |
| 175 | Meta-analysis of the DRD5 VNTR in persistent ADHD. <i>European Neuropsychopharmacology</i> , 2016, 26, 1527-1532. | 0.3 | 4 |
| 176 | Online information seeking by patients with bipolar disorder: results from an international multisite survey. <i>International Journal of Bipolar Disorders</i> , 2016, 4, 17. | 0.8 | 35 |
| 177 | Internet use by patients with bipolar disorder: Results from an international multisite survey. <i>Psychiatry Research</i> , 2016, 242, 388-394. | 1.7 | 36 |
| 178 | Exome chip analyses in adult attention deficit hyperactivity disorder. <i>Translational Psychiatry</i> , 2016, 6, e923-e923. | 2.4 | 27 |
| 179 | Impaired working memory for visual motion direction in schizophrenia: Absence of recency effects and association with psychopathology. <i>Neuropsychology</i> , 2016, 30, 653-663. | 1.0 | 7 |
| 180 | Tor1a ^{+/-} mice develop dystonia-like movements via a striatal dopaminergic dysregulation triggered by peripheral nerve injury. <i>Acta Neuropathologica Communications</i> , 2016, 4, 108. | 2.4 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Developing excellence in developmental psychiatry. <i>Journal of Neural Transmission</i> , 2016, 123, 807-808. | 1.4 | 0 |
| 182 | Aims and structure of the German Research Consortium BipoLife for the study of bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2016, 4, 26. | 0.8 | 29 |
| 183 | The role of ASTN2 variants in childhood and adult ADHD, comorbid disorders and associated personality traits. <i>Journal of Neural Transmission</i> , 2016, 123, 849-858. | 1.4 | 7 |
| 184 | Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human Molecular Genetics</i> , 2016, 25, 3383-3394. | 1.4 | 182 |
| 185 | Influence of 5-HTT variation, childhood trauma and self-efficacy on anxiety traits: a gene-environment-coping interaction study. <i>Journal of Neural Transmission</i> , 2016, 123, 895-904. | 1.4 | 46 |
| 186 | Panic disorder with agoraphobia from a behavioral neuroscience perspective: Applying the research principles formulated by the Research Domain Criteria (RDoC) initiative. <i>Psychophysiology</i> , 2016, 53, 312-322. | 1.2 | 65 |
| 187 | Human fear acquisition deficits in relation to genetic variants of the corticotropin-releasing hormone receptor 1 and the serotonin transporter – revisited. <i>Genes, Brain and Behavior</i> , 2016, 15, 209-220. | 1.1 | 14 |
| 188 | Interaction of NOS1AP with the NOS-I PDZ domain: Implications for schizophrenia-related alterations in dendritic morphology. <i>European Neuropsychopharmacology</i> , 2016, 26, 741-755. | 0.3 | 29 |
| 189 | Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet, The</i> , 2016, 387, 1085-1093. | 6.3 | 306 |
| 190 | Converging evidence for an impact of a functional <i>NOS</i> gene variation on anxiety-related processes. <i>Social Cognitive and Affective Neuroscience</i> , 2016, 11, 803-812. | 1.5 | 15 |
| 191 | Sex- and Subtype-Related Differences of Personality Disorders (Axis II) and Personality Traits in Persistent ADHD. <i>Journal of Attention Disorders</i> , 2016, 20, 1056-1065. | 1.5 | 14 |
| 192 | Developmental aspects of fear: Comparing the acquisition and generalization of conditioned fear in children and adults. <i>Developmental Psychobiology</i> , 2016, 58, 471-481. | 0.9 | 62 |
| 193 | Shared and distinct gray matter abnormalities in schizophrenia, schizophrenia relatives and bipolar disorder in association with cognitive impairment. <i>Schizophrenia Research</i> , 2016, 171, 140-148. | 1.1 | 30 |
| 194 | Cytogenetic Effects of Chronic Methylphenidate Treatment and Chronic Social Stress in Adults with Attention-Deficit/Hyperactivity Disorder. <i>Pharmacopsychiatry</i> , 2016, 49, 146-154. | 1.7 | 8 |
| 195 | Successful treatment of an adult with symptomatic attention deficit, hyperactivity, and impulsivity after temporal lobe resection: case report. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2016, 8, 59-62. | 1.7 | 2 |
| 196 | Cognitive deficits in bipolar disorder: from acute episode to remission. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 225-237. | 1.8 | 33 |
| 197 | Candidate genes in panic disorder: meta-analyses of 23 common variants in major anxiogenic pathways. <i>Molecular Psychiatry</i> , 2016, 21, 665-679. | 4.1 | 83 |
| 198 | Allelic variation in CRHR1 predisposes to panic disorder: evidence for biased fear processing. <i>Molecular Psychiatry</i> , 2016, 21, 813-822. | 4.1 | 54 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Type 2 diabetes and pre-diabetic abnormalities in patients with bipolar disorders. <i>Journal of Affective Disorders</i> , 2016, 189, 240-245. | 2.0 | 17 |
| 200 | On the role of <i>NOS1</i> ex1fâ€œVNTNTR in ADHDâ€”allelic, subgroup, and metaâ€œanalysis. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015, 168, 445-458. | 1.1 | 20 |
| 201 | Modulation of prefrontal functioning in attention systems by <i>NPSR1</i> gene variation. <i>NeuroImage</i> , 2015, 114, 199-206. | 2.1 | 28 |
| 202 | Further evidence for the association of the <i>NPSR1</i> gene A/T polymorphism (Asn ¹⁰⁷ Ile) with impulsivity and hyperactivity. <i>Journal of Psychopharmacology</i> , 2015, 29, 878-883. | 2.0 | 21 |
| 203 | Does lithium reduce acute suicidal ideation and behavior? A protocol for a randomized, placebo-controlled multicenter trial of lithium plus Treatment As Usual (TAU) in patients with suicidal major depressive episode. <i>BMC Psychiatry</i> , 2015, 15, 117. | 1.1 | 20 |
| 204 | Evidence for cognitive subgroups in bipolar disorder and the influence of subclinical depression and sleep disturbances. <i>European Neuropsychopharmacology</i> , 2015, 25, 192-202. | 0.3 | 65 |
| 205 | 5HTT is associated with the phenotype psychological flexibility: results from a randomized clinical trial. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 399-406. | 1.8 | 21 |
| 206 | Neuronal nitric oxide synthase (<i>NOS1</i>) and its adaptor, <i>NOS1AP</i> , as a genetic risk factors for psychiatric disorders. <i>Genes, Brain and Behavior</i> , 2015, 14, 46-63. | 1.1 | 90 |
| 207 | Oxytocin Receptor Gene Methylation: Converging Multilevel Evidence for a Role in Social Anxiety. <i>Neuropsychopharmacology</i> , 2015, 40, 1528-1538. | 2.8 | 155 |
| 208 | Therapygenetics: anterior cingulate cortexâ€”amygdala coupling is associated with 5-HTTLPR and treatment response in panic disorder with agoraphobia. <i>Journal of Neural Transmission</i> , 2015, 122, 135-144. | 1.4 | 31 |
| 209 | Reliance on functional resting-state network for stable task control predicts behavioral tendency for cooperation. <i>NeuroImage</i> , 2015, 118, 231-236. | 2.1 | 18 |
| 210 | Predicting Treatment Response to Cognitive Behavioral Therapy in Panic Disorder With Agoraphobia by Integrating Local Neural Information. <i>JAMA Psychiatry</i> , 2015, 72, 68. | 6.0 | 110 |
| 211 | MicroRNA hsa-miR-4717-5p regulates <i>RGS2</i> and may be a risk factor for anxiety-related traits. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015, 168, 296-306. | 1.1 | 23 |
| 212 | Common and rare variants of microRNA genes in autism spectrum disorders. <i>World Journal of Biological Psychiatry</i> , 2015, 16, 376-386. | 1.3 | 27 |
| 213 | Serotonin transporter polymorphism modulates neural correlates of real-life joint action. An investigation with functional near-infrared spectroscopy (fNIRS). <i>Neuroscience</i> , 2015, 292, 129-136. | 1.1 | 5 |
| 214 | Genome-wide analysis implicates microRNAs and their target genes in the development of bipolar disorder. <i>Translational Psychiatry</i> , 2015, 5, e678-e678. | 2.4 | 67 |
| 215 | Multi-level biomarker analysis of nitric oxide synthase isoforms in bipolar disorder and adult ADHD. <i>Journal of Psychopharmacology</i> , 2015, 29, 31-38. | 2.0 | 28 |
| 216 | Caseâ€œControl Genome-Wide Association Study of Persistent Attention-Deficit Hyperactivity Disorder Identifies <i>FBXO33</i> as a Novel Susceptibility Gene for the Disorder. <i>Neuropsychopharmacology</i> , 2015, 40, 915-926. | 2.8 | 59 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Linking Online Gaming and Addictive Behavior: Converging Evidence for a General Reward Deficiency in Frequent Online Gamers. <i>Frontiers in Behavioral Neuroscience</i> , 2014, 8, 385. | 1.0 | 30 |
| 218 | Prenatal stress-induced programming of genome-wide promoter DNA methylation in 5-HTT-deficient mice. <i>Translational Psychiatry</i> , 2014, 4, e473-e473. | 2.4 | 44 |
| 219 | Genome-wide analysis of rare copy number variations reveals PARK2 as a candidate gene for attention-deficit/hyperactivity disorder. <i>Molecular Psychiatry</i> , 2014, 19, 115-121. | 4.1 | 76 |
| 220 | Interaction of the neuropeptide S receptor gene Asn107Ile variant and environment: contribution to affective and anxiety disorders, and suicidal behaviour. <i>International Journal of Neuropsychopharmacology</i> , 2014, 17, 541-552. | 1.0 | 42 |
| 221 | The functional $\hat{\sim}1019C/G$ HTR1A polymorphism and mechanisms of fear. <i>Translational Psychiatry</i> , 2014, 4, e490-e490. | 2.4 | 37 |
| 222 | Predominant polarity in bipolar disorder and validation of the polarity index in a German sample. <i>BMC Psychiatry</i> , 2014, 14, 322. | 1.1 | 15 |
| 223 | Further evidence for plasma progranulin as a biomarker in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014, 157, 87-91. | 2.0 | 30 |
| 224 | Internalizing and externalizing behavior in adult ADHD. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2014, 6, 101-110. | 1.7 | 30 |
| 225 | Genome-wide association study reveals two new risk loci for bipolar disorder. <i>Nature Communications</i> , 2014, 5, 3339. | 5.8 | 294 |
| 226 | The genetic contribution of the NO system at the glutamatergic post-synapse to schizophrenia: Further evidence and meta-analysis. <i>European Neuropsychopharmacology</i> , 2014, 24, 65-85. | 0.3 | 38 |
| 227 | The BDNF Val66Met Polymorphism Modulates the Generalization of Cued Fear Responses to a Novel Context. <i>Neuropsychopharmacology</i> , 2014, 39, 1187-1195. | 2.8 | 61 |
| 228 | The C9ORF72 hexanucleotide repeat expansion is a rare cause of schizophrenia. <i>Neurobiology of Aging</i> , 2014, 35, 1214.e7-1214.e10. | 1.5 | 49 |
| 229 | Relationship between sunlight and the age of onset of bipolar disorder: An international multisite study. <i>Journal of Affective Disorders</i> , 2014, 167, 104-111. | 2.0 | 43 |
| 230 | The phenomenology of the first panic attack in clinical and community-based samples. <i>Journal of Anxiety Disorders</i> , 2014, 28, 522-529. | 1.5 | 16 |
| 231 | MAOA and mechanisms of panic disorder revisited: from bench to molecular psychotherapy. <i>Molecular Psychiatry</i> , 2014, 19, 122-128. | 4.1 | 89 |
| 232 | The tricks of the trait: Neural implementation of personality varies with genotype-dependent serotonin levels. <i>NeuroImage</i> , 2013, 81, 393-399. | 2.1 | 15 |
| 233 | IMpACTing on adult ADHD research. <i>European Neuropsychopharmacology</i> , 2013, 23, 413-415. | 0.3 | 3 |
| 234 | Epigenetic signature of panic disorder: A role of glutamate decarboxylase 1 (GAD1) DNA hypomethylation?. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 46, 189-196. | 2.5 | 62 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | KCNIP4 as a candidate gene for personality disorders and adult ADHD. <i>European Neuropsychopharmacology</i> , 2013, 23, 436-447. | 0.3 | 30 |
| 236 | Neuropeptide S receptor gene: Fear-specific modulations of prefrontal activation. <i>NeuroImage</i> , 2013, 66, 353-360. | 2.1 | 28 |
| 237 | Dopamine D4 receptor gene variation impacts self-reported altruism. <i>Molecular Psychiatry</i> , 2013, 18, 402-403. | 4.1 | 27 |
| 238 | High Loading of Polygenic Risk for ADHD in Children With Comorbid Aggression. <i>American Journal of Psychiatry</i> , 2013, 170, 909-916. | 4.0 | 127 |
| 239 | Contextual fear conditioning in virtual reality is affected by 5HTTLPR and NPSR1 polymorphisms: effects on fear-potentiated startle. <i>Frontiers in Behavioral Neuroscience</i> , 2013, 7, 31. | 1.0 | 45 |
| 240 | Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. <i>PLoS ONE</i> , 2013, 8, e65636. | 1.1 | 156 |
| 241 | Association of a functional variant of the nitric oxide synthase 1 gene with personality, anxiety, and depressiveness. <i>Development and Psychopathology</i> , 2012, 24, 1225-1235. | 1.4 | 25 |
| 242 | Genome-Wide Analysis of Copy Number Variants in Attention Deficit Hyperactivity Disorder: The Role of Rare Variants and Duplications at 15q13.3. <i>American Journal of Psychiatry</i> , 2012, 169, 195-204. | 4.0 | 242 |
| 243 | Replication and meta-analysis of TMEM132D gene variants in panic disorder. <i>Translational Psychiatry</i> , 2012, 2, e156-e156. | 2.4 | 74 |
| 244 | The genetics of attention deficit/hyperactivity disorder in adults, a review. <i>Molecular Psychiatry</i> , 2012, 17, 960-987. | 4.1 | 317 |
| 245 | Meta-analysis argues for a female-specific role of <i>MAOA</i> -VNTR in panic disorder in four European populations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 786-793. | 1.1 | 63 |
| 246 | Genome-wide copy number variation study associates metabotropic glutamate receptor gene networks with attention deficit hyperactivity disorder. <i>Nature Genetics</i> , 2012, 44, 78-84. | 9.4 | 334 |
| 247 | <i>NOS1</i> ex1f-VNTR polymorphism affects prefrontal oxygenation during response inhibition tasks. <i>Human Brain Mapping</i> , 2012, 33, 2561-2571. | 1.9 | 10 |
| 248 | Monoamine oxidase A gene DNA hypomethylation – a risk factor for panic disorder?. <i>International Journal of Neuropsychopharmacology</i> , 2012, 15, 1217-1228. | 1.0 | 100 |
| 249 | The Relationship Between Valence, Task Difficulty, and the <i>COMT</i> Val ¹⁵⁸ Met Polymorphism in Disengagement Processes. <i>Journal of Psychophysiology</i> , 2012, 26, 124-131. | 0.3 | 4 |
| 250 | <i>NOS1</i> ex1f-VNTR polymorphism influences prefrontal brain oxygenation during a working memory task. <i>NeuroImage</i> , 2011, 57, 1617-1623. | 2.1 | 19 |
| 251 | Association of a Functional <i>NOS1</i> Promoter Repeat with Alzheimer's Disease in the VITA Cohort. <i>Journal of Alzheimer's Disease</i> , 2011, 23, 327-333. | 1.2 | 16 |
| 252 | Genome-wide copy number variation analysis in attention-deficit/hyperactivity disorder: association with neuropeptide Y gene dosage in an extended pedigree. <i>Molecular Psychiatry</i> , 2011, 16, 491-503. | 4.1 | 145 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | Neuropeptide S receptor geneâ€™s converging evidence for a role in panic disorder. <i>Molecular Psychiatry</i> , 2011, 16, 938-948. | 4.1 | 157 |
| 254 | Genetic variation in the choline O-acetyltransferase gene in depression and Alzheimerâ€™s disease: The VITA and Milano studies. <i>Journal of Psychiatric Research</i> , 2011, 45, 1250-1256. | 1.5 | 15 |
| 255 | Reduced prefrontal oxygenation during object and spatial visual working memory in unipolar and bipolar depression. <i>Psychiatry Research - Neuroimaging</i> , 2011, 194, 378-384. | 0.9 | 54 |
| 256 | Genome-wide Association Study Identifies Genetic Variation in Neurocan as a Susceptibility Factor for Bipolar Disorder. <i>American Journal of Human Genetics</i> , 2011, 88, 372-381. | 2.6 | 257 |
| 257 | A functional NOS1 promoter polymorphism interacts with adverse environment on functional and dysfunctional impulsivity. <i>Psychopharmacology</i> , 2011, 214, 239-248. | 1.5 | 39 |
| 258 | Genome-wide association study in German patients with attention deficit/hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 888-897. | 1.1 | 76 |
| 259 | Serotonin transporter gene and childhood trauma - a G Ã— E effect on anxiety sensitivity. <i>Depression and Anxiety</i> , 2011, 28, 1048-1057. | 2.0 | 58 |
| 260 | A functional promoter polymorphism of neuronal nitric oxide synthase moderates prefrontal functioning in schizophrenia. <i>International Journal of Neuropsychopharmacology</i> , 2011, 14, 887-897. | 1.0 | 38 |
| 261 | DIRAS2 is Associated with Adult ADHD, Related Traits, and Co-Morbid Disorders. <i>Neuropsychopharmacology</i> , 2011, 36, 2318-2327. | 2.8 | 49 |
| 262 | The effect of a functional NOS1 promoter polymorphism on impulsivity is moderated by platelet MAO activity. <i>Psychopharmacology</i> , 2010, 209, 255-261. | 1.5 | 34 |
| 263 | Is NOS1 a genetic link between RLS and ADHD?. <i>Journal of Psychiatric Research</i> , 2010, 44, 60-61. | 1.5 | 12 |
| 264 | Meta-analysis of brain-derived neurotrophic factor p.Val66Met in adult ADHD in four European populations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 512-523. | 1.1 | 55 |
| 265 | Functional variants of <i>TSPAN8</i> are associated with bipolar disorder and schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 967-972. | 1.1 | 18 |
| 266 | An international multicenter association study of the serotonin transporter gene in persistent ADHD. <i>Genes, Brain and Behavior</i> , 2010, 9, 449-458. | 1.1 | 55 |
| 267 | The International Consortium on Lithium Genetics (ConLiGen): An Initiative by the NIMH and IGSLI to Study the Genetic Basis of Response to Lithium Treatment. <i>Neuropsychobiology</i> , 2010, 62, 72-78. | 0.9 | 134 |
| 268 | Dopamine Transporter (SLC6A3) Genotype Impacts Neurophysiological Correlates of Cognitive Response Control in an Adult Sample of Patients with ADHD. <i>Neuropsychopharmacology</i> , 2010, 35, 2193-2202. | 2.8 | 37 |
| 269 | Multicenter Analysis of the SLC6A3/DAT1 VNTR Haplotype in Persistent ADHD Suggests Differential Involvement of the Gene in Childhood and Persistent ADHD. <i>Neuropsychopharmacology</i> , 2010, 35, 656-664. | 2.8 | 180 |
| 270 | Meta-Analysis of Genome-Wide Association Studies of Attention-Deficit/Hyperactivity Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010, 49, 884-897. | 0.3 | 423 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 271 | Case-Control Genome-Wide Association Study of Attention-Deficit/Hyperactivity Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010, 49, 906-920. | 0.3 | 150 |
| 272 | Influence of Functional Variant of Neuronal Nitric Oxide Synthase on Impulsive Behaviors in Humans. <i>Archives of General Psychiatry</i> , 2009, 66, 41. | 13.8 | 136 |
| 273 | Molecular genetics of adult ADHD: converging evidence from genome-wide association and extended pedigree linkage studies. <i>Journal of Neural Transmission</i> , 2008, 115, 1573-1585. | 1.4 | 356 |
| 274 | Meta-analysis of genome-wide linkage scans of attention deficit hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 1392-1398. | 1.1 | 160 |
| 275 | Genome-wide linkage analysis of ADHD using high-density SNP arrays: novel loci at 5q13.1 and 14q12. <i>Molecular Psychiatry</i> , 2008, 13, 522-530. | 4.1 | 104 |
| 276 | The functional MAOA-uVNTR promoter polymorphism in patients with frontotemporal dementia. <i>European Journal of Neurology</i> , 2008, 15, 637-639. | 1.7 | 6 |
| 277 | Association of a NOS1 promoter repeat with Alzheimer's disease. <i>Neurobiology of Aging</i> , 2008, 29, 1359-1365. | 1.5 | 31 |
| 278 | Nature and Nurture Predispose to Violent Behavior: Serotonergic Genes and Adverse Childhood Environment. <i>Neuropsychopharmacology</i> , 2007, 32, 2375-2383. | 2.8 | 230 |
| 279 | Behavioural and expressional phenotyping of nitric oxide synthase-I knockdown animals. , 2007, , 69-85. | | 40 |
| 280 | Co-morbidity of adult attention-deficit/hyperactivity disorder with focus on personality traits and related disorders in a tertiary referral center. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007, 257, 309-317. | 1.8 | 196 |
| 281 | FZD3 is not a risk gene for schizophrenia: a case-control study in a Caucasian sample. , 2007, , 297-301. | | 6 |
| 282 | A NOS-III haplotype that includes functional polymorphisms is associated with bipolar disorder. <i>International Journal of Neuropsychopharmacology</i> , 2006, 9, 13. | 1.0 | 33 |
| 283 | A neuronal nitric oxide synthase (NOS-I) haplotype associated with schizophrenia modifies prefrontal cortex function. <i>Molecular Psychiatry</i> , 2006, 11, 286-300. | 4.1 | 204 |
| 284 | Homocysteinemia as well as methylenetetrahydrofolate reductase polymorphism are associated with affective psychoses. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2005, 29, 1162-1168. | 2.5 | 77 |
| 285 | Encephalopathy and myoclonus triggered by valproic acid. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2004, 28, 1061-1063. | 2.5 | 21 |
| 286 | Duplication 15q14 â†’ pter: a rare chromosomal abnormality underlying bipolar affective disorder. <i>European Psychiatry</i> , 2004, 19, 179-181. | 0.1 | 8 |
| 287 | Toward a molecular architecture of personality. <i>Behavioural Brain Research</i> , 2003, 139, 1-20. | 1.2 | 231 |
| 288 | Delusional Paralysis: An Unusual Variant of Cotardâ€™s Syndrome. <i>Psychopathology</i> , 2003, 36, 218-220. | 1.1 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|----|-----------|
| 289 | Neurogenetics of Personality Disorders. , 0, , 1387-1412. | | 0 |