## Carla Vignaroli

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2870743/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Zooplankton as a Transitional Host for <i>Escherichia coli</i> in Freshwater. Applied and Environmental Microbiology, 2022, 88, e0252221.	3.1	2
2	First IncHI2 Plasmid Carrying <i>mcr-9.1</i> , <i>bla</i> <sub>VIM-1</sub> , and Double Copies of <i>bla</i> <sub>KPC-3</sub> in a Multidrug-Resistant Escherichia coli Human Isolate. MSphere, 2021, 6, e0030221.	2.9	11
3	Gastrointestinal survival and adaptation of antibiotic-resistant enterococci subjected to an in vitro digestion model. Food Control, 2020, 110, 107033.	5.5	2
4	Trend of clinical vancomycin-resistant enterococci isolated in a regional Italian hospital from 2001 to 2018. Brazilian Journal of Microbiology, 2020, 51, 1607-1613.	2.0	5
5	Plasmid Replicon Typing of Antibiotic-Resistant Escherichia coli From Clams and Marine Sediments. Frontiers in Microbiology, 2020, 11, 1101.	3.5	12
6	Antibacterial activity of novel dual bacterial DNA type II topoisomerase inhibitors. PLoS ONE, 2020, 15, e0228509.	2.5	13
7	Synthesis, Structural Insights and Activity of Different Classes of Biomolecules. , 2020, , 463-482.		1
8	Erythromycin-resistant lactic acid bacteria in the healthy gut of vegans, ovo-lacto vegetarians and omnivores. PLoS ONE, 2019, 14, e0220549.	2.5	9
9	Characterization of a new transferable MDR plasmid carrying thepbp5gene from a clade B commensalEnterococcus faecium. Journal of Antimicrobial Chemotherapy, 2019, 74, 843-850.	3.0	12
10	Antibiotic and heavy metal resistance in enterococci from coastal marine sediment. Environmental Pollution, 2018, 237, 406-413.	7.5	43
11	Multicellular behavior of environmental Escherichia coli isolates grown under nutrient-poor and low-temperature conditions. Microbiological Research, 2018, 210, 43-50.	5.3	6
12	Detection of viable but non-culturable Pseudomonas aeruginosa in cystic fibrosis by qPCR: a validation study. BMC Infectious Diseases, 2018, 18, 701.	2.9	20
13	Characterization of a Multiresistance Plasmid Carrying the optrA and cfr Resistance Genes From an Enterococcus faecium Clinical Isolate. Frontiers in Microbiology, 2018, 9, 2189.	3.5	45
14	Influence of sublethal concentrations of vancomycin and quinupristin/dalfopristin on the persistence of viable but non-culturable Staphylococcus aureus growing in biofilms. Journal of Antimicrobial Chemotherapy, 2018, 73, 3526-3529.	3.0	4
15	Venus clam (Chamelea gallina): A reservoir of multidrug-resistant enterococci. Food Control, 2017, 82, 184-189.	5.5	5
16	pHTβ-promoted mobilization of non-conjugative resistance plasmids from Enterococcus faecium to Enterococcus faecalis. Journal of Antimicrobial Chemotherapy, 2017, 72, 2447-2453.	3.0	27
17	Co-production of NDM-1 and OXA-232 by ST16 <i>Klebsiella pneumoniae</i> , Italy, 2016. Future Microbiology, 2017, 12, 1119-1122.	2.0	36
18	Commentary: Nationwide Surveillance of Novel Oxazolidinone Resistance Gene optrA in Enterococcus Isolates in China from 2004 to 2014. Frontiers in Microbiology, 2017, 8, 1631.	3.5	26

CARLA VIGNAROLI

#	Article	IF	CITATIONS
19	Recurrent skin infection associated with nasal carriage of Panton–Valentine leukocidin-positive methicillin-susceptible Staphylococcus aureus closely related to the EMRSA-15 clone. Future Microbiology, 2016, 11, 17-21.	2.0	1
20	<i>Enterococcus faecium</i> ST17 from Coastal Marine Sediment Carrying Transferable Multidrug Resistance Plasmids. Microbial Drug Resistance, 2016, 22, 523-530.	2.0	12
21	Adhesion of marine cryptic <i>Escherichia</i> isolates to human intestinal epithelial cells. ISME Journal, 2015, 9, 508-515.	9.8	28
22	Understanding the association of Escherichia coli with diverse macroalgae in the lagoon of Venice. Scientific Reports, 2015, 5, 10969.	3.3	25
23	Adherence and intracellular survival within human macrophages of Enterococcus faecalis isolates from coastal marine sediment. Microbes and Infection, 2015, 17, 660-664.	1.9	13
24	Composite SCC <i>mec</i> Element in Single-locus Variant (ST217) of Epidemic MRSA-15 Clone. Emerging Infectious Diseases, 2014, 20, 905-907.	4.3	11
25	The marine environment as a reservoir of enterococci carrying resistance and virulence genes strongly associated with clinical strains. Environmental Microbiology Reports, 2014, 6, 184-190.	2.4	33
26	Erythromycin- and copper-resistant Enterococcus hirae from marine sediment and co-transfer of erm(B) and tcrB to human Enterococcus faecalis. Diagnostic Microbiology and Infectious Disease, 2014, 80, 26-28.	1.8	25
27	Epidemic <i>Escherichia coli</i> ST131 and <i>Enterococcus faecium</i> ST17 in Coastal Marine Sediments from an Italian Beach. Environmental Science & Technology, 2013, 47, 13772-13780.	10.0	46
28	Antibiotic pressure can induce the viable but non-culturable state in Staphylococcus aureus growing in biofilms. Journal of Antimicrobial Chemotherapy, 2013, 68, 1812-1817.	3.0	137
29	Aquaculture Can Promote the Presence and Spread of Antibiotic-Resistant Enterococci in Marine Sediments. PLoS ONE, 2013, 8, e62838.	2.5	126
30	New Sequence Types and Multidrug Resistance among Pathogenic Escherichia coli Isolates from Coastal Marine Sediments. Applied and Environmental Microbiology, 2012, 78, 3916-3922.	3.1	55
31	Antibiotic-Resistant Enterococci in Seawater and Sediments from a Coastal Fish Farm. Microbial Drug Resistance, 2012, 18, 502-509.	2.0	69
32	Detection of viable but non-culturable staphylococci in biofilms from central venous catheters negative on standard microbiological assays. Clinical Microbiology and Infection, 2012, 18, E259-E261.	6.0	73
33	Multidrug-Resistant Enterococci in Animal Meat and Faeces and Co-Transfer of Resistance from an Enterococcus durans to a Human Enterococcus faecium. Current Microbiology, 2011, 62, 1438-1447.	2.2	84
34	Striking "Seesaw Effect―between Daptomycin Nonsusceptibility and β-Lactam Susceptibility in Staphylococcus haemolyticus. Antimicrobial Agents and Chemotherapy, 2011, 55, 2495-2497.	3.2	15
35	Φm46.1, the Main <i>Streptococcus pyogenes</i> Element Carrying <i>mef</i> (A) and <i>tet</i> (O) Genes. Antimicrobial Agents and Chemotherapy, 2010, 54, 221-229.	3.2	75
36	Extraintestinal <i>Escherichia coli</i> Carrying Virulence Genes in Coastal Marine Sediments. Applied and Environmental Microbiology, 2010, 76, 5659-5668.	3.1	58

CARLA VIGNAROLI

#	Article	IF	CITATIONS
37	Methicillin-ResistantStaphylococcus aureusUSA400 Clone, Italy. Emerging Infectious Diseases, 2009, 15, 995-996.	4.3	8
38	Isolation and Molecular Characterization of Antibiotic-Resistant Lactic Acid Bacteria from Poultry and Swine Meat Products. Journal of Food Protection, 2007, 70, 557-565.	1.7	79
39	Direct detection of antibiotic resistance genes in specimens of chicken and pork meat. International Journal of Food Microbiology, 2007, 113, 75-83.	4.7	91
40	Interactions between Glycopeptides and β-Lactams against Isogenic Pairs of Teicoplanin-Susceptible and -Resistant Strains of Staphylococcus haemolyticus. Antimicrobial Agents and Chemotherapy, 2006, 50, 2577-2582.	3.2	4
41	Molecular analysis of Tn1546-like elements mediating high-level vancomycin resistance in Enterococcus gallinarum. Journal of Antimicrobial Chemotherapy, 2003, 52, 881-881.	3.0	0
42	Molecular analysis of Tn1546-like elements mediating high-level vancomycin resistance in Enterococcus gallinarum. Journal of Antimicrobial Chemotherapy, 2003, 52, 772-775.	3.0	14
43	Glycopeptide Susceptibility Profiles of Staphylococcus haemolyticus Bloodstream Isolates. Antimicrobial Agents and Chemotherapy, 2000, 44, 3122-3126.	3.2	26
44	In vitro antibacterial activity of LY333328, a new semisynthetic glycopeptide. Antimicrobial Agents and Chemotherapy, 1997, 41, 2165-2172.	3.2	74
45	In vitro conjugative transfer of VanA vancomycin resistance betweenEnterococci andListeriae of different species. European Journal of Clinical Microbiology and Infectious Diseases, 1996, 15, 50-59.	2.9	69
46	Genotypic Characterization of a Nosocomial Outbreak of VanA <i>Enterococcus faecalis</i> . Microbial Drug Resistance, 1996, 2, 231-237.	2.0	37