

Andrew Forge

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2871448/publications.pdf>

Version: 2024-02-01

104
papers

7,793
citations

57758

44
h-index

53230

85
g-index

111
all docs

111
docs citations

111
times ranked

6115
citing authors

#	ARTICLE	IF	CITATIONS
1	The timing of auditory sensory deficits in Norrie disease has implications for therapeutic intervention. <i>JCI Insight</i> , 2022, 7, .	5.0	6
2	Ultrastructural defects in stereocilia and tectorial membrane in aging mouse and human cochlea. <i>Journal of Neuroscience Research</i> , 2020, 98, 1745-1763.	2.9	18
3	Restoring the balance: regeneration of hair cells in the vestibular system of the inner ear. <i>Current Opinion in Physiology</i> , 2020, 14, 35-40.	1.8	0
4	Localized disorganization of the cochlear inner hair cell synaptic region after noise exposure. <i>Biology Open</i> , 2019, 8, .	1.2	18
5	Mechanotransduction is required for establishing and maintaining mature inner hair cells and regulating efferent innervation. <i>Nature Communications</i> , 2018, 9, 4015.	12.8	54
6	GÎ±i Proteins are Indispensable for Hearing. <i>Cellular Physiology and Biochemistry</i> , 2018, 47, 1509-1532.	1.6	25
7	Regenerating hair cells in vestibular sensory epithelia from humans. <i>ELife</i> , 2018, 7, .	6.0	39
8	A synthetic AAV vector enables safe and efficient gene transfer to the mammalian inner ear. <i>Nature Biotechnology</i> , 2017, 35, 280-284.	17.5	248
9	Defective Gpsm2/GÎ±13 signalling disrupts stereocilia development and growth cone actin dynamics in Chudley-McCullough syndrome. <i>Nature Communications</i> , 2017, 8, 14907.	12.8	69
10	Disruption of SorCS2 reveals differences in the regulation of stereociliary bundle formation between hair cell types in the inner ear. <i>PLoS Genetics</i> , 2017, 13, e1006692.	3.5	14
11	The contribution of TRPC1, TRPC3, TRPC5 and TRPC6 to touch and hearing. <i>Neuroscience Letters</i> , 2016, 610, 36-42.	2.1	34
12	Association of intracellular and synaptic organization in cochlear inner hair cells revealed by 3D electron microscopy. <i>Journal of Cell Science</i> , 2015, 128, 2529-40.	2.0	21
13	Connexins and gap junctions in the inner ear " itâ€™s not just about K+ recycling. <i>Cell and Tissue Research</i> , 2015, 360, 633-644.	2.9	80
14	Characterizing human vestibular sensory epithelia for experimental studies: new hair bundles on old tissue and implications for therapeutic interventions in ageing. <i>Neurobiology of Aging</i> , 2015, 36, 2068-2084.	3.1	61
15	ILDR1 null mice, a model of human deafness DFNB42, show structural aberrations of tricellular tight junctions and degeneration of auditory hair cells. <i>Human Molecular Genetics</i> , 2015, 24, 609-624.	2.9	58
16	Junctions in human health and inherited disease. <i>Cell and Tissue Research</i> , 2015, 360, 435-438.	2.9	8
17	Absence of plastin 1 causes abnormal maintenance of hair cell stereocilia and a moderate form of hearing loss in mice. <i>Human Molecular Genetics</i> , 2015, 24, 37-49.	2.9	47
18	Spinster Homolog 2 (Spns2) Deficiency Causes Early Onset Progressive Hearing Loss. <i>PLoS Genetics</i> , 2014, 10, e1004688.	3.5	54

#	ARTICLE	IF	CITATIONS
19	Gap Junctional Coupling is Essential for Epithelial Repair in the Avian Cochlea. <i>Journal of Neuroscience</i> , 2014, 34, 15851-15860.	3.6	13
20	Cochlear implantation in the mouse via the round window: Effects of β -array insertion. <i>Hearing Research</i> , 2014, 312, 81-90.	2.0	23
21	Selective Ablation of Pillar and Deiters' Cells Severely Affects Cochlear Postnatal Development and Hearing in Mice. <i>Journal of Neuroscience</i> , 2013, 33, 1564-1576.	3.6	54
22	The enigmatic root cell β Emerging roles contributing to fluid homeostasis within the cochlear outer sulcus. <i>Hearing Research</i> , 2013, 303, 1-11.	2.0	30
23	Connexin30 mediated intercellular communication plays an essential role in epithelial repair in the cochlea. <i>Journal of Cell Science</i> , 2013, 126, 1703-12.	2.0	24
24	Hearing Loss in a Mouse Model of 22q11.2 Deletion Syndrome. <i>PLoS ONE</i> , 2013, 8, e80104.	2.5	23
25	Tricellulin deficiency affects tight junction architecture and cochlear hair cells. <i>Journal of Clinical Investigation</i> , 2013, 123, 4036-4049.	8.2	88
26	TRPC3 and TRPC6 are essential for normal mechanotransduction in subsets of sensory neurons and cochlear hair cells. <i>Open Biology</i> , 2012, 2, 120068.	3.6	135
27	Hair Bundle Defects and Loss of Function in the Vestibular End Organs of Mice Lacking the Receptor-Like Inositol Lipid Phosphatase PTPRQ. <i>Journal of Neuroscience</i> , 2012, 32, 2762-2772.	3.6	43
28	Hearing in 44-45 year olds with m.1555A>G, a genetic mutation predisposing to aminoglycoside-induced deafness: a population based cohort study. <i>BMJ Open</i> , 2012, 2, e000411.	1.9	40
29	Motor-driven motility of fungal nuclear pores organizes chromosomes and fosters nucleocytoplasmic transport. <i>Journal of Cell Biology</i> , 2012, 198, 343-355.	5.2	33
30	Defining the Cellular Environment in the Organ of Corti following Extensive Hair Cell Loss: A Basis for Future Sensory Cell Replacement in the Cochlea. <i>PLoS ONE</i> , 2012, 7, e30577.	2.5	69
31	Contractility in Type III Cochlear Fibrocytes Is Dependent on Non-muscle Myosin II and Intercellular Gap Junctional Coupling. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2012, 13, 473-484.	1.8	23
32	β 3-integrin is required for differentiation in OC-2 cells derived from mammalian embryonic inner ear. <i>BMC Cell Biology</i> , 2012, 13, 5.	3.0	6
33	Assessing PCP in the Cochlea of Mammalian Ciliopathy Models. <i>Methods in Molecular Biology</i> , 2012, 839, 239-248.	0.9	5
34	Alström Syndrome protein ALMS1 localizes to basal bodies of cochlear hair cells and regulates cilium-dependent planar cell polarity. <i>Human Molecular Genetics</i> , 2011, 20, 466-481.	2.9	84
35	The aneurogenic limb identifies developmental cell interactions underlying vertebrate limb regeneration. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 13588-13593.	7.1	45
36	A congenital activating mutant of WASp causes altered plasma membrane topography and adhesion under flow in lymphocytes. <i>Blood</i> , 2010, 115, 5355-5365.	1.4	14

#	ARTICLE	IF	CITATIONS
37	The Membrane Properties of Cochlear Root Cells are Consistent with Roles in Potassium Recirculation and Spatial Buffering. JARO - Journal of the Association for Research in Otolaryngology, 2010, 11, 435-448.	1.8	35
38	Asymmetric distribution of cadherin 23 and protocadherin 15 in the kinocilial links of avian sensory hair cells. Journal of Comparative Neurology, 2010, 518, 4288-4297.	1.6	67
39	A comparative study of gland cells implicated in the nerve dependence of salamander limb regeneration. Journal of Anatomy, 2010, 217, 16-25.	1.5	42
40	Tonotopic Gradient in the Developmental Acquisition of Sensory Transduction in Outer Hair Cells of the Mouse Cochlea. Journal of Neurophysiology, 2009, 101, 2961-2973.	1.8	148
41	Patterns of expression of Bardet-Biedl syndrome proteins in the mammalian cochlea suggest noncentrosomal functions. Journal of Comparative Neurology, 2009, 514, 174-188.	1.6	42
42	The endolymphatic surface of the stria vascularis in the guinea-pig and the effects of ethacrynic acid as shown by scanning electron microscopy. Clinical Otolaryngology, 2009, 5, 87-95.	0.0	1
43	Connexins in the Inner Ear. , 2009, , 419-434.		3
44	Rapid Hair Cell Loss: A Mouse Model for Cochlear Lesions. JARO - Journal of the Association for Research in Otolaryngology, 2008, 9, 44-64.	1.8	144
45	Sox2 and Jagged1 Expression in Normal and Drug-Damaged Adult Mouse Inner Ear. JARO - Journal of the Association for Research in Otolaryngology, 2008, 9, 65-89.	1.8	218
46	Tonotopic Variation in the Calcium Dependence of Neurotransmitter Release and Vesicle Pool Replenishment at Mammalian Auditory Ribbon Synapses. Journal of Neuroscience, 2008, 28, 7670-7678.	3.6	115
47	Gap junctions and connexins in the inner ear: their roles in homeostasis and deafness. Current Opinion in Otolaryngology and Head and Neck Surgery, 2008, 16, 452-457.	1.8	104
48	MicroRNAs and regeneration: Let-7 members as potential regulators of dedifferentiation in lens and inner ear hair cell regeneration of the adult newt. Biochemical and Biophysical Research Communications, 2007, 362, 940-945.	2.1	81
49	Structural Support of Hair Cell Transduction. Imaging & Microscopy, 2007, 9, 40-41.	0.1	0
50	Tricellulin Is a Tight-Junction Protein Necessary for Hearing. American Journal of Human Genetics, 2006, 79, 1040-1051.	6.2	248
51	The existence of opioid receptors in the cochlea of guinea pigs. European Journal of Neuroscience, 2006, 23, 2701-2711.	2.6	24
52	Asymmetric Localization of Vangl2 and Fz3 Indicate Novel Mechanisms for Planar Cell Polarity in Mammals. Journal of Neuroscience, 2006, 26, 5265-5275.	3.6	283
53	Compartmentalized and Signal-Selective Gap Junctional Coupling in the Hearing Cochlea. Journal of Neuroscience, 2006, 26, 1260-1268.	3.6	99
54	Molecular and Functional Characterization of Gap Junctions in the Avian Inner Ear. Journal of Neuroscience, 2006, 26, 6190-6199.	3.6	18

#	ARTICLE	IF	CITATIONS
55	Disruption of Bardet-Biedl syndrome ciliary proteins perturbs planar cell polarity in vertebrates. <i>Nature Genetics</i> , 2005, 37, 1135-1140.	21.4	536
56	Hair cell regeneration in sensory epithelia from the inner ear of a urodele amphibian. <i>Journal of Comparative Neurology</i> , 2005, 484, 105-120.	1.6	73
57	DEVELOPMENTAL BIOLOGY: Life After Deaf for Hair Cells?. <i>Science</i> , 2005, 307, 1056-1058.	12.6	17
58	The Differentiation of Hair Cells. , 2005, , 158-203.		2
59	Opioid modulation of GABA release in the rat inferior colliculus. <i>BMC Neuroscience</i> , 2004, 5, 31.	1.9	22
60	Low density of membrane particles in auditory hair cells of lizards and birds suggests an absence of somatic motility. <i>Journal of Comparative Neurology</i> , 2004, 479, 149-155.	1.6	30
61	Gap junctions in the inner ear: Comparison of distribution patterns in different vertebrates and assesment of connexin composition in mammals. <i>Journal of Comparative Neurology</i> , 2003, 467, 207-231.	1.6	239
62	The Inner Ear Contains Heteromeric Channels Composed of Cx26 and Cx30 and Deafness-Related Mutations in Cx26 Have a Dominant Negative Effect on Cx30. <i>Cell Communication and Adhesion</i> , 2003, 10, 341-346.	1.0	60
63	The opioid receptors in inner ear of different stages of postnatal rats. <i>Hearing Research</i> , 2003, 184, 1-10.	2.0	16
64	The presence of opioid receptors in rat inner ear. <i>Hearing Research</i> , 2003, 181, 85-93.	2.0	49
65	Mutations in the gene for connexin 26 (GJB2) that cause hearing loss have a dominant negative effect on connexin 30. <i>Human Molecular Genetics</i> , 2003, 12, 805-812.	2.9	150
66	Claudin 14 knockout mice, a model for autosomal recessive deafness DFNB29, are deaf due to cochlear hair cell degeneration. <i>Human Molecular Genetics</i> , 2003, 12, 2049-2061.	2.9	327
67	The Inner Ear Contains Heteromeric Channels Composed of Cx26 and Cx30 and Deafness-Related Mutations in Cx26 Have a Dominant Negative Effect on Cx30. <i>Cell Communication and Adhesion</i> , 2003, 10, 341-346.	1.0	22
68	Connexins and Gap Junctions in the Inner Ear. <i>Audiology and Neuro-Otology</i> , 2002, 7, 141-145.	1.3	33
69	The molecular architecture of the inner ear. <i>British Medical Bulletin</i> , 2002, 63, 5-24.	6.9	72
70	Differential vulnerability of basal and apical hair cells is based on intrinsic susceptibility to free radicals. <i>Hearing Research</i> , 2001, 155, 1-8.	2.0	346
71	Apoptotic death of hair cells in mammalian vestibular sensory epithelia. <i>Hearing Research</i> , 2000, 139, 97-115.	2.0	190
72	Aminoglycoside Antibiotics. <i>Audiology and Neuro-Otology</i> , 2000, 5, 3-22.	1.3	545

#	ARTICLE	IF	CITATIONS
73	A sugar transporter as a candidate for the outer hair cell motor. <i>Nature Neuroscience</i> , 1999, 2, 713-719.	14.8	52
74	Establishment of hair bundle polarity and orientation in the developing vestibular system of the mouse. , 1999, 28, 821-835.		138
75	Hair cell recovery in the vestibular sensory epithelia of mature guinea pigs. <i>Journal of Comparative Neurology</i> , 1998, 397, 69-88.	1.6	168
76	Intercellular junctional maturation in the stria vascularis: possible association with onset and rise of endocochlear potential. <i>Hearing Research</i> , 1998, 119, 81-95.	2.0	44
77	Hair cell recovery in the vestibular sensory epithelia of mature guinea pigs. <i>Journal of Comparative Neurology</i> , 1998, 397, 69-88.	1.6	113
78	Structural development of sensory cells in the ear. <i>Seminars in Cell and Developmental Biology</i> , 1997, 8, 225-237.	5.0	38
79	Morphological evidence for supporting cell to hair cell conversion in the mammalian utricular macula. <i>International Journal of Developmental Neuroscience</i> , 1997, 15, 433-446.	1.6	110
80	Postnatal maturation of the organ of Corti in gerbils: Morphology and physiological responses. <i>Journal of Comparative Neurology</i> , 1997, 386, 635-651.	1.6	39
81	Postnatal maturation of the organ of Corti in gerbils: Morphology and physiological responses. <i>Journal of Comparative Neurology</i> , 1997, 386, 635-651.	1.6	2
82	Two modes of hair cell loss from the vestibular sensory epithelia of the guinea pig inner ear. <i>Journal of Comparative Neurology</i> , 1995, 355, 405-417.	1.6	158
83	Postnatal development of membrane specialisations of gerbil outer hair cells. <i>Hearing Research</i> , 1995, 91, 43-62.	2.0	54
84	Membrane stains as an objective means to distinguish isolated inner and outer hair cells. <i>Hearing Research</i> , 1993, 66, 53-57.	2.0	8
85	Structural variability of the sub-surface cisternae in intact, isolated outer hair cells shown by fluorescent labelling of intracellular membranes and freeze-fracture. <i>Hearing Research</i> , 1993, 64, 175-183.	2.0	26
86	Structural features of the lateral walls in mammalian cochlear outer hair cells. <i>Cell and Tissue Research</i> , 1991, 265, 473-483.	2.9	150
87	Endocochlear potential generation is associated with intercellular communication in the stria vascularis: Structural analysis in the viable dominant spotting mouse mutant. <i>Cell and Tissue Research</i> , 1990, 262, 329-337.	2.9	41
88	The effect of gentamicin-induced hair cell loss on the tight junctions of the reticular lamina. <i>Hearing Research</i> , 1989, 40, 221-232.	2.0	37
89	The vessels of the stria vascularis: quantitative comparison of three rodent species. <i>Hearing Research</i> , 1989, 38, 111-117.	2.0	12
90	The Lateral Walls of Inner and Outer Hair Cells. , 1989, , 29-35.		5

#	ARTICLE	IF	CITATIONS
91	Characteristics of the membrane of the stereocilia and cell apex in cochlear hair cells. Journal of Neurocytology, 1988, 17, 325-334.	1.5	14
92	Preparation of the mammalian organ of Corti for scanning electron microscopy*. Journal of Microscopy, 1987, 147, 89-101.	1.8	71
93	Specialisations of the lateral membrane of inner hair cells. Hearing Research, 1987, 31, 99-109.	2.0	13
94	The Morphology of the Normal and Pathological Cell Membrane and Junctional Complexes of the Cochlea. , 1986, , 55-68.		7
95	Outer hair cell loss and supporting cell expansion following chronic gentamicin treatment. Hearing Research, 1985, 19, 171-182.	2.0	220
96	Structural abnormalities in the stria vascularis following chronic gentamicin treatment. Hearing Research, 1985, 20, 233-244.	2.0	61
97	Gap junctions in the stria vascularis and effects of ethacrynic acid. Hearing Research, 1984, 13, 189-200.	2.0	48
98	Ultrastructural and Electrophysiological Studies of Acute Ototoxic Effects of Furosemide. International Journal of Audiology, 1982, 16, 109-116.	0.7	34
99	A tubulo-cisternal endoplasmic reticulum system in the potassium transporting marginal cells of the stria vascularis and effects of the ototoxic diuretic ethacrynic acid. Cell and Tissue Research, 1982, 226, 375-87.	2.9	27
100	Ultrastructure in the Stria Vascularis of the Guinea Pig following Intraperitoneal Injection of Ethacrynic Acid. Acta Oto-Laryngologica, 1981, 92, 439-457.	0.9	16
101	Original Papers Â· Travaux originaux: Electron Microscopy of the Stria vascularis and Its Response to Etacrynic Acid: A Study Using Electron-Dense Tracers and Extracellular Surface Markers. International Journal of Audiology, 1981, 20, 273-289.	1.7	23
102	The endolymphatic surface of the stria vascularis in the guinea?pig and the effects of ethacrynic acid as shown by scanning electron microscopy. Clinical Otolaryngology, 1980, 5, 87-95.	1.2	13
103	Observations on the stria vascularis of the guinea pig cochlea and the changes resulting from the administration of the diuretic furosemide. Clinical Otolaryngology, 1976, 1, 211-219.	1.2	32
104	Protection and Repair of Inner Ear Sensory Cells. , 0, , 199-255.		5