

# Philip A Gregory

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2873428/philip-a-gregory-publications-by-year.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

47  
papers

8,569  
citations

29  
h-index

49  
g-index

49  
ext. papers

9,534  
ext. citations

8.7  
avg, IF

5.47  
L-index

#	Paper	IF	Citations
47	Neuropilin-1 is over-expressed in claudin-low breast cancer and promotes tumor progression through acquisition of stem cell characteristics and RAS/MAPK pathway activation.. <i>Breast Cancer Research</i> , <b>2022</b> , 24, 8	8.3	0
46	The Quaking RNA-binding proteins as regulators of cell differentiation.. <i>Wiley Interdisciplinary Reviews RNA</i> , <b>2022</b> , e1724	9.3	0
45	Selective Microfluidic Capture and Detection of Prostate Cancer Cells from Urine without Digital Rectal Examination. <i>Cancers</i> , <b>2021</b> , 13,	6.6	1
44	Post-transcriptional Gene Regulation by MicroRNA-194 Promotes Neuroendocrine Transdifferentiation in Prostate Cancer. <i>Cell Reports</i> , <b>2021</b> , 34, 108585	10.6	10
43	Insufficiently complex unique-molecular identifiers (UMIs) distort small RNA sequencing. <i>Scientific Reports</i> , <b>2020</b> , 10, 14593	4.9	5
42	Extensive transcriptional responses are co-ordinated by microRNAs as revealed by Exon-Intron Split Analysis (EISA). <i>Nucleic Acids Research</i> , <b>2019</b> , 47, 8606-8619	20.1	3
41	The miR-200-Quaking axis functions in tumour angiogenesis. <i>Oncogene</i> , <b>2019</b> , 38, 6767-6769	9.2	3
40	MicroRNA-143-3p targets pyruvate carboxylase expression and controls proliferation and migration of MDA-MB-231 cells. <i>Archives of Biochemistry and Biophysics</i> , <b>2019</b> , 677, 108169	4.1	8
39	Combinatorial Targeting by MicroRNAs Co-ordinates Post-transcriptional Control of EMT. <i>Cell Systems</i> , <b>2018</b> , 7, 77-91.e7	10.6	52
38	miR-200/375 control epithelial plasticity-associated alternative splicing by repressing the RNA-binding protein Quaking. <i>EMBO Journal</i> , <b>2018</b> , 37,	13	46
37	Regulation of splicing and circularisation of RNA in epithelial mesenchymal plasticity. <i>Seminars in Cell and Developmental Biology</i> , <b>2018</b> , 75, 50-60	7.5	12
36	A ZEB1-miR-375-YAP1 pathway regulates epithelial plasticity in prostate cancer. <i>Oncogene</i> , <b>2017</b> , 36, 24-34	9.2	73
35	Neuropilin-1 is upregulated in the adaptive response of prostate tumors to androgen-targeted therapies and is prognostic of metastatic progression and patient mortality. <i>Oncogene</i> , <b>2017</b> , 36, 3417-3427	9.2	47
34	MicroRNA-194 Promotes Prostate Cancer Metastasis by Inhibiting SOCS2. <i>Cancer Research</i> , <b>2017</b> , 77, 1021-1034	10.1	74
33	The RNA binding protein quaking regulates formation of circRNAs. <i>Cell</i> , <b>2015</b> , 160, 1125-34	56.2	1206
32	MiR-200 can repress breast cancer metastasis through ZEB1-independent but moesin-dependent pathways. <i>Oncogene</i> , <b>2014</b> , 33, 4077-88	9.2	95
31	Epithelial plasticity in prostate cancer: principles and clinical perspectives. <i>Trends in Molecular Medicine</i> , <b>2014</b> , 20, 643-51	11.5	18

30	Specificity protein 1 (Sp1) maintains basal epithelial expression of the miR-200 family: implications for epithelial-mesenchymal transition. <i>Journal of Biological Chemistry</i> , <b>2014</b> , 289, 11194-11205	5.4	49
29	Mechanisms of vitamin D metabolite repression of IgE-dependent mast cell activation. <i>Journal of Allergy and Clinical Immunology</i> , <b>2014</b> , 133, 1356-64, 1364.e1-14	11.5	79
28	Chromatinized protein kinase C- $\beta$ directly regulates inducible genes in epithelial to mesenchymal transition and breast cancer stem cells. <i>Molecular and Cellular Biology</i> , <b>2014</b> , 34, 2961-80	4.8	24
27	Genome-wide identification of miR-200 targets reveals a regulatory network controlling cell invasion. <i>EMBO Journal</i> , <b>2014</b> , 33, 2040-56	13	112
26	Mutant p53 drives invasion in breast tumors through up-regulation of miR-155. <i>Oncogene</i> , <b>2013</b> , 32, 2992-3000	12.4	3
25	Epigenetic modulation of the miR-200 family is associated with transition to a breast cancer stem-cell-like state. <i>Journal of Cell Science</i> , <b>2013</b> , 126, 2256-66	5.3	150
24	Regulation of vascular leak and recovery from ischemic injury by general and VE-cadherin-restricted miRNA antagonists of miR-27. <i>Blood</i> , <b>2013</b> , 122, 2911-9	2.2	48
23	Polymorphisms in the mitochondrial ribosome recycling factor EF-G2mt/MEF2 compromise cell respiratory function and increase atorvastatin toxicity. <i>PLoS Genetics</i> , <b>2012</b> , 8, e1002755	6	3
22	ZEB1 drives prometastatic actin cytoskeletal remodeling by downregulating miR-34a expression. <i>Journal of Clinical Investigation</i> , <b>2012</b> , 122, 3170-83	15.9	119
21	MiRNA-205 modulates cellular invasion and migration via regulating zinc finger E-box binding homeobox 2 expression in esophageal squamous cell carcinoma cells. <i>Journal of Translational Medicine</i> , <b>2011</b> , 9, 30	8.5	111
20	An autocrine TGF-beta/ZEB/miR-200 signaling network regulates establishment and maintenance of epithelial-mesenchymal transition. <i>Molecular Biology of the Cell</i> , <b>2011</b> , 22, 1686-98	3.5	425
19	The Notch ligand Jagged2 promotes lung adenocarcinoma metastasis through a miR-200-dependent pathway in mice. <i>Journal of Clinical Investigation</i> , <b>2011</b> , 121, 1373-85	15.9	154
18	A novel polymorphism in a forkhead box A1 (FOXA1) binding site of the human UDP glucuronosyltransferase 2B17 gene modulates promoter activity and is associated with altered levels of circulating androstane-3 $\beta$ -17 $\beta$ -diol glucuronide. <i>Molecular Pharmacology</i> , <b>2010</b> , 78, 714-22	4.3	29
17	The role of microRNAs in metastasis and epithelial-mesenchymal transition. <i>Cellular and Molecular Life Sciences</i> , <b>2009</b> , 66, 1682-99	10.3	102
16	Contextual extracellular cues promote tumor cell EMT and metastasis by regulating miR-200 family expression. <i>Genes and Development</i> , <b>2009</b> , 23, 2140-51	12.6	376
15	The miR-200 family and miR-205 regulate epithelial to mesenchymal transition by targeting ZEB1 and SIP1. <i>Nature Cell Biology</i> , <b>2008</b> , 10, 593-601	23.4	3060
14	A double-negative feedback loop between ZEB1-SIP1 and the microRNA-200 family regulates epithelial-mesenchymal transition. <i>Cancer Research</i> , <b>2008</b> , 68, 7846-54	10.1	852
13	MicroRNAs as regulators of epithelial-mesenchymal transition. <i>Cell Cycle</i> , <b>2008</b> , 7, 3112-8	4.7	417

12	The microRNA-200 family regulates epithelial to mesenchymal transition. <i>Scientific World Journal, The</i> , <b>2008</b> , 8, 901-4	2.2	63
11	The caudal-related homeodomain protein Cdx2 and hepatocyte nuclear factor 1alpha cooperatively regulate the UDP-glucuronosyltransferase 2B7 gene promoter. <i>Pharmacogenetics and Genomics</i> , <b>2006</b> , 16, 527-36	1.9	19
10	Identification and characterization of functional hepatocyte nuclear factor 1-binding sites in UDP-glucuronosyltransferase genes. <i>Methods in Enzymology</i> , <b>2005</b> , 400, 22-46	1.7	14
9	Polymorphic variations in the expression of the chemical detoxifying UDP glucuronosyltransferases. <i>Toxicology and Applied Pharmacology</i> , <b>2005</b> , 207, 77-83	4.6	33
8	Glucuronidation and the UDP-glucuronosyltransferases in health and disease. <i>Drug Metabolism and Disposition</i> , <b>2004</b> , 32, 281-90	4	209
7	Coordinate regulation of the human UDP-glucuronosyltransferase 1A8, 1A9, and 1A10 genes by hepatocyte nuclear factor 1alpha and the caudal-related homeodomain protein 2. <i>Molecular Pharmacology</i> , <b>2004</b> , 65, 953-63	4.3	63
6	Regulation of UDP glucuronosyltransferases in the gastrointestinal tract. <i>Toxicology and Applied Pharmacology</i> , <b>2004</b> , 199, 354-63	4.6	95
5	Cloning and characterization of the human UDP-glucuronosyltransferase 1A8, 1A9, and 1A10 gene promoters: differential regulation through an interior-like region. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 36107-14	5.4	25
4	Regulation of UDP glucuronosyltransferase genes. <i>Current Drug Metabolism</i> , <b>2003</b> , 4, 249-57	3.5	104
3	The homeodomain Pbx2-Prep1 complex modulates hepatocyte nuclear factor 1alpha-mediated activation of the UDP-glucuronosyltransferase 2B17 gene. <i>Molecular Pharmacology</i> , <b>2002</b> , 62, 154-61	4.3	27
2	Tissue specific differences in the regulation of the UDP glucuronosyltransferase 2B17 gene promoter. <i>Pharmacogenetics and Genomics</i> , <b>2000</b> , 10, 809-20		29
1	Post-transcriptional control of EMT is coordinated through combinatorial targeting by multiple microRNAs		1