

Yngve Gustafson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2873572/publications.pdf>

Version: 2024-02-01

69
papers

2,920
citations

185998

28
h-index

174990

52
g-index

69
all docs

69
docs citations

69
times ranked

3072
citing authors

#	ARTICLE	IF	CITATIONS
1	Postoperative Confusion after Anesthesia in Elderly Patients with Femoral Neck Fractures. <i>Anesthesia and Analgesia</i> , 1987, 66, 497-504.	1.1	238
2	Postoperative delirium in old patients with femoral neck fracture: a randomized intervention study. <i>Aging Clinical and Experimental Research</i> , 2007, 19, 178-186.	1.4	228
3	A Geriatric Anesthesiologic Program To Reduce Acute Confusional States in Elderly Patients Treated for Femoral Neck Fractures. <i>Journal of the American Geriatrics Society</i> , 1991, 39, 655-662.	1.3	214
4	Delirium Before and After Operation for Femoral Neck Fracture. <i>Journal of the American Geriatrics Society</i> , 2001, 49, 1335-1340.	1.3	138
5	Improved performance in activities of daily living and mobility after a multidisciplinary postoperative rehabilitation in older people with femoral neck fracture: a randomized controlled trial with 1-year follow-up. <i>Acta Dermato-Venereologica</i> , 2007, 39, 232-238.	0.6	123
6	A High-Intensity Functional Weight-Bearing Exercise Program for Older People Dependent in Activities of Daily Living and Living in Residential Care Facilities: Evaluation of the Applicability With Focus on Cognitive Function. <i>Physical Therapy</i> , 2006, 86, 489-498.	1.1	120
7	A multidisciplinary intervention program improved the outcome after hip fracture for people with dementia—Subgroup analyses of a randomized controlled trial. <i>Archives of Gerontology and Geriatrics</i> , 2012, 54, e284-e289.	1.4	117
8	Increased postural sway during quiet stance as a risk factor for prospective falls in community-dwelling elderly individuals. <i>Age and Ageing</i> , 2017, 46, 964-970.	0.7	115
9	Effects of a High-Intensity Functional Exercise Program on Dependence in Activities of Daily Living and Balance in Older Adults with Dementia. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 55-64.	1.3	100
10	Depression among the oldest old: the Umeå 85+ study. <i>International Psychogeriatrics</i> , 2005, 17, 557-575.	0.6	99
11	Increasing prevalence of dementia among very old people. <i>Age and Ageing</i> , 2011, 40, 243-249.	0.7	69
12	Epidemiology and Treatment of Post-Stroke Depression. <i>Drugs and Aging</i> , 1995, 7, 298-309.	1.3	65
13	Morale in the oldest old: the Umeå 85+ study. <i>Age and Ageing</i> , 2005, 34, 249-255.	0.7	65
14	Effects of Exercise on Cognitive Function in Older People with Dementia: A Randomized Controlled Trial. <i>Journal of Alzheimer's Disease</i> , 2017, 60, 323-332.	1.2	62
15	Effects of Geriatric Interdisciplinary Home Rehabilitation on Walking Ability and Length of Hospital Stay After Hip Fracture: A Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 464.e9-464.e15.	1.2	56
16	A high-intensity functional weight-bearing exercise program for older people dependent in activities of daily living and living in residential care facilities: evaluation of the applicability with focus on cognitive function. <i>Physical Therapy</i> , 2006, 86, 489-98.	1.1	51
17	Usual Gait Speed Independently Predicts Mortality in Very Old People: A Population-Based Study. <i>Journal of the American Medical Directors Association</i> , 2013, 14, 529.e1-529.e6.	1.2	50
18	The Mobility Interaction Fall chart. <i>Physiotherapy Research International</i> , 2000, 5, 190-201.	0.7	49

#	ARTICLE	IF	CITATIONS
19	Problems of Basic Nursing Care in Acutely Confused and Nonâ€confused Hipâ€fracture Patients. <i>Scandinavian Journal of Caring Sciences</i> , 1989, 3, 27-34.	1.0	48
20	Femoral nerve block in a representative sample of elderly people with hip fracture: A randomised controlled trial. <i>Injury</i> , 2017, 48, 1542-1549.	0.7	46
21	Reorganization of Nursing and Medical Care to Reduce the Incidence of Postoperative Delirium and Improve Rehabilitation Outcome in Elderly Patients Treated for Femoral Neck Fractures. <i>Scandinavian Journal of Caring Sciences</i> , 1999, 13, 193-200.	1.0	41
22	Co-morbidities, complications and causes of death among people with femoral neck fracture â€ a three-year follow-up study. <i>BMC Geriatrics</i> , 2016, 16, 120.	1.1	41
23	Effects of geriatric interdisciplinary home rehabilitation on complications and readmissions after hip fracture: a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2019, 33, 64-73.	1.0	38
24	The Effects of Exercise on Falls in Older People With Dementia Living in Nursing Homes: A Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 835-842.e1.	1.2	38
25	Well-being, sense of coherence, and burnout in stroke victims and spouses during the first few months after stroke. <i>Scandinavian Journal of Caring Sciences</i> , 2001, 15, 203-214.	1.0	37
26	In-patient rehabilitation after stroke: Outcome and factors associated with improvement. <i>Disability and Rehabilitation</i> , 1998, 20, 55-61.	0.9	36
27	Association Between Antidepressant Drug Use and Hip Fracture in Older People Before and After Treatment Initiation. <i>JAMA Psychiatry</i> , 2019, 76, 172.	6.0	34
28	Blood Pressure, Gait Speed, and Mortality in Very Old Individuals: A Population-Based Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 208-214.	1.2	33
29	Effects of Geriatric Interdisciplinary Home Rehabilitation on Independence in Activities of Daily Living in Older People With Hip Fracture: A Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020, 101, 571-578.	0.5	30
30	Prevalence of pain and pharmacological pain treatment among old people in nursing homes in 2007 and 2013. <i>European Journal of Clinical Pharmacology</i> , 2018, 74, 483-488.	0.8	27
31	Walking Aids Moderate Exercise Effects on Gait Speed in People With Dementia: A Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 227-233.	1.2	25
32	ADL Performance and Dependency on Nursing Care in Patients with Hip Fractures and Acute Confusion in a Task Allocation Care System. <i>Scandinavian Journal of Caring Sciences</i> , 1991, 5, 3-12.	1.0	24
33	Functional capacity and dependency in transfer and dressing are associated with depressive symptoms in older people. <i>Clinical Interventions in Aging</i> , 2014, 9, 249.	1.3	24
34	Disturbances in Oxygen Balance During Cardiopulmonary Bypass: A Risk Factor for Postoperative Delirium. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2018, 32, 684-690.	0.6	23
35	Complications with focus on delirium during hospital stay related to femoral nerve block compared to conventional pain management among patients with hip fracture â€ A randomised controlled trial.. <i>Injury</i> , 2020, 51, 1634-1641.	0.7	23
36	Reorganization of Nursing and Medical Care to Reduce the Incidence of Postoperative Delirium and Improve Rehabilitation Outcome in Elderly Patients Treated for Femoral Neck Fractures. , 1999, 13, 193.		22

#	ARTICLE	IF	CITATIONS
37	Cognitive function and walking velocity in people with dementia; a comparison of backward and forward walking. <i>Gait and Posture</i> , 2017, 58, 481-486.	0.6	21
38	Do urinary tract infections affect morale among very old women?. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 73.	1.0	20
39	Effects of a high-intensity functional exercise program on depressive symptoms among people with dementia in residential care: a randomized controlled trial. <i>International Journal of Geriatric Psychiatry</i> , 2016, 31, 868-878.	1.3	20
40	Risks of Myocardial Infarction, Death, and Diabetes in Identical Twin Pairs With Different Body Mass Indexes. <i>JAMA Internal Medicine</i> , 2016, 176, 1522.	2.6	20
41	The Applicability of a High-Intensity Functional Exercise Program Among Older People With Dementia Living in Nursing Homes. <i>Journal of Geriatric Physical Therapy</i> , 2019, 42, E16-E24.	0.6	20
42	Self-transcendence (ST) among very old people – Its associations to social and medical factors and development over five years. <i>Archives of Gerontology and Geriatrics</i> , 2015, 61, 247-253.	1.4	19
43	Psychometric properties and feasibility of the Swedish version of the Philadelphia Geriatric Center Morale Scale. <i>Quality of Life Research</i> , 2015, 24, 2795-2805.	1.5	19
44	The prevalence of stroke and depression and factors associated with depression in elderly people with and without stroke. <i>BMC Geriatrics</i> , 2016, 16, 174.	1.1	18
45	Higher morale is associated with lower risk of depressive disorders five years later among very old people. <i>Archives of Gerontology and Geriatrics</i> , 2017, 69, 61-68.	1.4	16
46	Association between socioeconomic and health factors and edentulism in people aged 65 and older – a population-based survey. <i>Scandinavian Journal of Public Health</i> , 2018, 46, 690-698.	1.2	16
47	Is a change in functional capacity or dependency in activities of daily living associated with a change in mental health among older people living in residential care facilities?. <i>Clinical Interventions in Aging</i> , 2013, 8, 1561.	1.3	15
48	Validation of the Confusion Assessment Method in Detecting Postoperative Delirium in Cardiac Surgery Patients. <i>American Journal of Critical Care</i> , 2015, 24, 480-487.	0.8	15
49	High morale is associated with increased survival in the very old. <i>Age and Ageing</i> , 2015, 44, 630-636.	0.7	14
50	<p>Geriatric Interdisciplinary Home Rehabilitation After Hip Fracture in People with Dementia – A Subgroup Analysis of a Randomized Controlled Trial</p>. <i>Clinical Interventions in Aging</i> , 2020, Volume 15, 1575-1586.	1.3	14
51	Potential drug-related problems detected by electronic expert support system: physicians’ views on clinical relevance. <i>International Journal of Clinical Pharmacy</i> , 2015, 37, 941-948.	1.0	13
52	Psychotropic drug use and mortality in old people with dementia: investigating sex differences. <i>BMC Pharmacology & Toxicology</i> , 2017, 18, 36.	1.0	13
53	Morale in Old Age and Its Association with Sociodemographic, Social, and Health-Related Factors in Different Age Groups. <i>Journal of Aging Research</i> , 2020, 2020, 1-13.	0.4	12
54	The association between cognition and gait in a representative sample of very old people – the influence of dementia and walking aid use. <i>BMC Geriatrics</i> , 2020, 20, 34.	1.1	12

#	ARTICLE	IF	CITATIONS
55	Leisure Engagement: Medical Conditions, Mobility Difficulties, and Activity Limitationsâ€”A Later Life Perspective. <i>Journal of Aging Research</i> , 2015, 2015, 1-8.	0.4	10
56	Five-year change in morale is associated with negative life events in very old age. <i>Aging and Mental Health</i> , 2019, 23, 84-91.	1.5	9
57	Risk factors for a decrease in high morale in very old people over a 5-year period: data from two Nordic countries. <i>European Journal of Ageing</i> , 2020, 17, 31-41.	1.2	8
58	Morale in very old people who have had a stroke. <i>Archives of Gerontology and Geriatrics</i> , 2014, 58, 408-414.	1.4	6
59	Antidepressant use and mortality in very old people. <i>International Psychogeriatrics</i> , 2016, 28, 1201-1210.	0.6	6
60	The use of a screening scale improves the recognition of delirium in older patients after cardiac surgeryâ€”A retrospective observational study. <i>Journal of Clinical Nursing</i> , 2019, 28, 2309-2318.	1.4	6
61	Measurement error of the Mini-Mental State Examination among individuals with dementia that reside in nursing homes. <i>European Journal of Ageing</i> , 2021, 18, 109-115.	1.2	6
62	A clinically feasible short version of the 15-item geriatric depression scale extracted using item response theory in a sample of adults aged 85 years and older. <i>Aging and Mental Health</i> , 2021, , 1-7.	1.5	5
63	Antipsychotic Drugs and Hip Fracture: Associations Before and After the Initiation of Treatment. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1636-1642.e6.	1.2	4
64	Exercise effects on backward walking speed in people with dementia: A randomized controlled trial. <i>Gait and Posture</i> , 2021, 85, 65-70.	0.6	4
65	Physical Activity in Late Middle- to Older-Aged People and Dementia, Cognitive, and Physical Function Two Decades Later. <i>Dementia and Geriatric Cognitive Disorders</i> , 2022, 51, 135-141.	0.7	3
66	Between Heaven and Hell: Experiences of Preoperative Pain and Pain Management among Older Patients with Hip Fracture. <i>SAGE Open Nursing</i> , 2022, 8, 237796082210974.	0.5	3
67	Backward relative to forward walking speed and falls in older adults with dementia. <i>Gait and Posture</i> , 2022, 96, 60-66.	0.6	2
68	Rehabilitation of Stroke Patients Who Are Older and Severely Affected: Short- and Long-term Perspectives. <i>Topics in Stroke Rehabilitation</i> , 2000, 6, 20-29.	1.0	1
69	Influence of Drugs on Sleep Apnoea in Stroke Patients. <i>Clinical Drug Investigation</i> , 2000, 19, 447-455.	1.1	1