Yngve Gustafson

List of Publications by Citations

Source: https://exaly.com/author-pdf/2873572/yngve-gustafson-publications-by-citations.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69 2,221 25 46 g-index

69 2,564 3.5 4.64 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
69	Postoperative Confusion after Anesthesia in Elderly Patients with Femoral Neck Fractures. <i>Anesthesia and Analgesia</i> , 1987 , 66, 497???504	3.9	220
68	Postoperative delirium in old patients with femoral neck fracture: a randomized intervention study. <i>Aging Clinical and Experimental Research</i> , 2007 , 19, 178-86	4.8	186
67	A geriatric-anesthesiologic program to reduce acute confusional states in elderly patients treated for femoral neck fractures. <i>Journal of the American Geriatrics Society</i> , 1991 , 39, 655-62	5.6	176
66	Delirium before and after operation for femoral neck fracture. <i>Journal of the American Geriatrics Society</i> , 2001 , 49, 1335-40	5.6	114
65	A High-Intensity Functional Weight-Bearing Exercise Program for Older People Dependent in Activities of Daily Living and Living in Residential Care Facilities: Evaluation of the Applicability With Focus on Cognitive Function. <i>Physical Therapy</i> , 2006 , 86, 489-498	3.3	108
64	Improved performance in activities of daily living and mobility after a multidisciplinary postoperative rehabilitation in older people with femoral neck fracture: a randomized controlled trial with 1-year follow-up. <i>Acta Dermato-Venereologica</i> , 2007 , 39, 232-8	2.2	104
63	A multidisciplinary intervention program improved the outcome after hip fracture for people with dementiasubgroup analyses of a randomized controlled trial. <i>Archives of Gerontology and Geriatrics</i> , 2012 , 54, e284-9	4	89
62	Depression among the oldest old: the Umeß5+ study. <i>International Psychogeriatrics</i> , 2005 , 17, 557-75	3.4	84
61	Effects of a High-Intensity Functional Exercise Program on Dependence in Activities of Daily Living and Balance in Older Adults with Dementia. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 55-64	5.6	75
60	Increased postural sway during quiet stance as a risk factor for prospective falls in community-dwelling elderly individuals. <i>Age and Ageing</i> , 2017 , 46, 964-970	3	74
59	Increasing prevalence of dementia among very old people. <i>Age and Ageing</i> , 2011 , 40, 243-9	3	56
58	Morale in the oldest old: the UmeB5+ study. <i>Age and Ageing</i> , 2005 , 34, 249-55	3	56
57	Epidemiology and treatment of post-stroke depression. <i>Drugs and Aging</i> , 1995 , 7, 298-309	4.7	53
56	Usual gait speed independently predicts mortality in very old people: a population-based study. Journal of the American Medical Directors Association, 2013, 14, 529.e1-6	5.9	43
55	Problems of basic nursing care in acutely confused and non-confused hip-fracture patients. <i>Scandinavian Journal of Caring Sciences</i> , 1989 , 3, 27-34	2.3	42
54	A high-intensity functional weight-bearing exercise program for older people dependent in activities of daily living and living in residential care facilities: evaluation of the applicability with focus on cognitive function. <i>Physical Therapy</i> , 2006 , 86, 489-98	3.3	39
53	Effects of Exercise on Cognitive Function in Older People with Dementia: A Randomized Controlled Trial. <i>Journal of Alzheimerm Disease</i> , 2017 , 60, 323-332	4.3	35

52	The Mobility Interaction Fall chart. <i>Physiotherapy Research International</i> , 2000 , 5, 190-201	1.8	35
51	Effects of Geriatric Interdisciplinary Home Rehabilitation on Walking Ability and Length of Hospital Stay After Hip Fracture: AlRandomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 464.e9-464.e15	5.9	34
50	Reorganization of Nursing and Medical Care to Reduce the Incidence of Postoperative Delirium and Improve Rehabilitation Outcome in Elderly Patients Treated for Femoral Neck Fractures. <i>Scandinavian Journal of Caring Sciences</i> , 1999 , 13, 193-200	2.3	32
49	In-patient rehabilitation after stroke: outcome and factors associated with improvement. <i>Disability and Rehabilitation</i> , 1998 , 20, 55-61	2.4	31
48	Femoral nerve block in a representative sample of elderly people with hip fracture: A randomised controlled trial. <i>Injury</i> , 2017 , 48, 1542-1549	2.5	30
47	Well-being, sense of coherence, and burnout in stroke victims and spouses during the first few months after stroke. <i>Scandinavian Journal of Caring Sciences</i> , 2001 , 15, 203-14	2.3	30
46	Co-morbidities, complications and causes of death among people with femoral neck fracture - a three-year follow-up study. <i>BMC Geriatrics</i> , 2016 , 16, 120	4.1	29
45	Association Between Antidepressant Drug Use and Hip Fracture in Older People Before and After Treatment Initiation. <i>JAMA Psychiatry</i> , 2019 , 76, 172-179	14.5	26
44	Prevalence of pain and pharmacological pain treatment among old people in nursing homes in 2007 and 2013. <i>European Journal of Clinical Pharmacology</i> , 2018 , 74, 483-488	2.8	22
43	Blood pressure, gait speed, and mortality in very old individuals: a population-based cohort study. Journal of the American Medical Directors Association, 2015 , 16, 208-14	5.9	22
42	Walking Aids Moderate Exercise Effects on Gait Speed in People With Dementia: A Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 227-233	5.9	21
41	ADL performance and dependency on nursing care in patients with hip fractures and acute confusion in a task allocation care system. <i>Scandinavian Journal of Caring Sciences</i> , 1991 , 5, 3-11	2.3	21
40	Reorganization of Nursing and Medical Care to Reduce the Incidence of Postoperative Delirium and Improve Rehabilitation Outcome in Elderly Patients Treated for Femoral Neck Fractures 1999 , 13, 193		21
39	Effects of geriatric interdisciplinary home rehabilitation on complications and readmissions after hip fracture: a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2019 , 33, 64-73	3.3	20
38	Functional capacity and dependency in transfer and dressing are associated with depressive symptoms in older people. <i>Clinical Interventions in Aging</i> , 2014 , 9, 249-56	4	17
37	The Effects of Exercise on Falls in Older People With Dementia Living in Nursing Homes: A Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 835-842.e	1 ^{5.9}	17
36	Do urinary tract infections affect morale among very old women?. <i>Health and Quality of Life Outcomes</i> , 2010 , 8, 73	3	16
35	Effects of a high-intensity functional exercise program on depressive symptoms among people with dementia in residential care: a randomized controlled trial. <i>International Journal of Geriatric Psychiatry</i> , 2016 , 31, 868-78	3.9	16

34	Risks of Myocardial Infarction, Death, and Diabetes in Identical Twin Pairs With Different Body Mass Indexes. <i>JAMA Internal Medicine</i> , 2016 , 176, 1522-1529	11.5	14
33	Self-transcendence (ST) among very old peopleits associations to social and medical factors and development over five years. <i>Archives of Gerontology and Geriatrics</i> , 2015 , 61, 247-53	4	13
32	The Applicability of a High-Intensity Functional Exercise Program Among Older People With Dementia Living in Nursing Homes. <i>Journal of Geriatric Physical Therapy</i> , 2019 , 42, E16-E24	3.2	13
31	Disturbances in Oxygen Balance During Cardiopulmonary Bypass: A Risk Factor for Postoperative Delirium. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2018 , 32, 684-690	2.1	13
30	The prevalence of stroke and depression and factors associated with depression in elderly people with and without stroke. <i>BMC Geriatrics</i> , 2016 , 16, 174	4.1	12
29	Is a change in functional capacity or dependency in activities of daily living associated with a change in mental health among older people living in residential care facilities?. <i>Clinical Interventions in Aging</i> , 2013 , 8, 1561-8	4	12
28	Psychometric properties and feasibility of the Swedish version of the Philadelphia Geriatric Center Morale Scale. <i>Quality of Life Research</i> , 2015 , 24, 2795-805	3.7	11
27	Complications with focus on delirium during hospital stay related to femoral nerve block compared to conventional pain management among patients with hip fracture - A randomised controlled trial. <i>Injury</i> , 2020 , 51, 1634-1641	2.5	11
26	Cognitive function and walking velocity in people with dementia; a comparison of backward and forward walking. <i>Gait and Posture</i> , 2017 , 58, 481-486	2.6	11
25	Validation of the confusion assessment method in detecting postoperative delirium in cardiac surgery patients. <i>American Journal of Critical Care</i> , 2015 , 24, 480-7	1.7	10
24	Effects of Geriatric Interdisciplinary Home Rehabilitation on Independence in Activities of Daily Living in Older People With Hip Fracture: A Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020 , 101, 571-578	2.8	10
23	Potential drug-related problems detected by electronic expert support system: physiciansWiews on clinical relevance. <i>International Journal of Clinical Pharmacy</i> , 2015 , 37, 941-8	2.3	9
22	Psychotropic drug use and mortality in old people with dementia: investigating sex differences. <i>BMC Pharmacology & Document (Note: Application of the Communication of the Commu</i>	2.6	9
21	High morale is associated with increased survival in the very old. <i>Age and Ageing</i> , 2015 , 44, 630-6	3	9
20	Higher morale is associated with lower risk of depressive disorders five years later among very old people. <i>Archives of Gerontology and Geriatrics</i> , 2017 , 69, 61-68	4	8
19	Association between socioeconomic and health factors and edentulism in people aged 65 and older - a population-based survey. <i>Scandinavian Journal of Public Health</i> , 2018 , 46, 690-698	3	8
18	Leisure Engagement: Medical Conditions, Mobility Difficulties, and Activity Limitations-A Later Life Perspective. <i>Journal of Aging Research</i> , 2015 , 2015, 610154	2.3	7
17	The association between cognition and gait in a representative sample of very old people - the influence of dementia and walking aid use. <i>BMC Geriatrics</i> , 2020 , 20, 34	4.1	6

LIST OF PUBLICATIONS

16	Antidepressant use and mortality in very old people. <i>International Psychogeriatrics</i> , 2016 , 28, 1201-10	3.4	6
15	Geriatric Interdisciplinary Home Rehabilitation After Hip Fracture in People with Dementia - A Subgroup Analysis of a Randomized Controlled Trial. <i>Clinical Interventions in Aging</i> , 2020 , 15, 1575-1586	4	6
14	The use of a screening scale improves the recognition of delirium in older patients after cardiac surgery-A retrospective observational study. <i>Journal of Clinical Nursing</i> , 2019 , 28, 2309-2318	3.2	5
13	Morale in very old people who have had a stroke. <i>Archives of Gerontology and Geriatrics</i> , 2014 , 58, 408-1	44	5
12	Five-year change in morale is associated with negative life events in very old age. <i>Aging and Mental Health</i> , 2019 , 23, 84-91	3.5	5
11	Morale in Old Age and Its Association with Sociodemographic, Social, and Health-Related Factors in Different Age Groups. <i>Journal of Aging Research</i> , 2020 , 2020, 3939718	2.3	4
10	Antipsychotic Drugs and Hip Fracture: Associations Before and After the Initiation of Treatment. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 1636-1642.e6	5.9	2
9	Risk factors for a decrease in high morale in very old people over a 5-year period: data from two Nordic countries. <i>European Journal of Ageing</i> , 2020 , 17, 31-41	3.6	2
8	Measurement error of the Mini-Mental State Examination among individuals with dementia that reside in nursing homes. <i>European Journal of Ageing</i> , 2021 , 18, 109-115	3.6	2
7	Rehabilitation of Stroke Patients Who Are Older and Severely Affected: Short- and Long-term Perspectives. <i>Topics in Stroke Rehabilitation</i> , 2000 , 6, 20-29	2.6	1
6	Influence of Drugs on Sleep Apnoea in Stroke Patients. Clinical Drug Investigation, 2000, 19, 447-455	3.2	1
5	Exercise effects on backward walking speed in people with dementia: A randomized controlled trial. <i>Gait and Posture</i> , 2021 , 85, 65-70	2.6	1
4	A clinically feasible short version of the 15-item geriatric depression scale extracted using item response theory in a sample of adults aged 85 years and older. <i>Aging and Mental Health</i> , 2021 , 1-7	3.5	1
3	Physical Activity in Late Middle- to Older-Aged People and Dementia, Cognitive, and Physical Function Two Decades Later <i>Dementia and Geriatric Cognitive Disorders</i> , 2022 , 1-7	2.6	O
2	Between Heaven and Hell: Experiences of Preoperative Pain and Pain Management among Older Patients with Hip Fracture <i>SAGE Open Nursing</i> , 2022 , 8, 23779608221097450	1.2	О
1	Backward relative to forward walking speed and falls in older adults with dementia <i>Gait and Posture</i> , 2022 , 96, 60-66	2.6	O