

# Narcis Gusi

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/2874758/narcis-gusi-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

125  
papers

2,864  
citations

27  
h-index

49  
g-index

155  
ext. papers

3,681  
ext. citations

3.2  
avg, IF

5.12  
L-index

#	Paper	IF	Citations
125	Development of the EQ-5D-Y: a child-friendly version of the EQ-5D. <i>Quality of Life Research</i> , <b>2010</b> , 19, 875-86	3.7	381
124	Feasibility, reliability, and validity of the EQ-5D-Y: results from a multinational study. <i>Quality of Life Research</i> , <b>2010</b> , 19, 887-97	3.7	232
123	Low-frequency vibratory exercise reduces the risk of bone fracture more than walking: a randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , <b>2006</b> , 7, 92	2.8	185
122	Exercise in waist-high warm water decreases pain and improves health-related quality of life and strength in the lower extremities in women with fibromyalgia. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 55, 66-73		102
121	Cost-utility of a walking programme for moderately depressed, obese, or overweight elderly women in primary care: a randomised controlled trial. <i>BMC Public Health</i> , <b>2008</b> , 8, 231	4.1	77
120	Balance training reduces fear of falling and improves dynamic balance and isometric strength in institutionalised older people: a randomised trial. <i>Journal of Physiotherapy</i> , <b>2012</b> , 58, 97-104	2.9	70
119	Effects of whole body vibration therapy on main outcome measures for chronic non-specific low back pain: a single-blind randomized controlled trial. <i>Journal of Rehabilitation Medicine</i> , <b>2011</b> , 43, 689-94 <sup>3,4</sup>		70
118	Aquatic training and detraining on fitness and quality of life in fibromyalgia. <i>Medicine and Science in Sports and Exercise</i> , <b>2007</b> , 39, 1044-50	1.2	68
117	Eight months of physical training in warm water improves physical and mental health in women with fibromyalgia: a randomized controlled trial. <i>Journal of Rehabilitation Medicine</i> , <b>2008</b> , 40, 248-52	3.4	66
116	Prevalence of overweight and obesity in non-institutionalized people aged 65 or over from Spain: the elderly EXERNET multi-centre study. <i>Obesity Reviews</i> , <b>2011</b> , 12, 583-92	10.6	62
115	Improvements of muscle strength predicted benefits in HRQOL and postural balance in women with fibromyalgia: an 8-month randomized controlled trial. <i>Rheumatology</i> , <b>2009</b> , 48, 1147-51	3.9	55
114	Using whole-body vibration training in patients affected with common neurological diseases: a systematic literature review. <i>Journal of Alternative and Complementary Medicine</i> , <b>2012</b> , 18, 29-41	2.4	52
113	Physical fitness levels among independent non-institutionalized Spanish elderly: the elderly EXERNET multi-center study. <i>Archives of Gerontology and Geriatrics</i> , <b>2012</b> , 55, 406-16	4	46
112	Cost-utility of an 8-month aquatic training for women with fibromyalgia: a randomized controlled trial. <i>Arthritis Research and Therapy</i> , <b>2008</b> , 10, R24	5.7	45
111	Test-Retest reliability of Biodex Balance SD on physically active old people. <i>Journal of Human Sport and Exercise</i> , <b>2011</b> , 6, 444-451	1.5	45
110	Fitness and health-related quality of life dimensions in community-dwelling middle aged and older adults. <i>Health and Quality of Life Outcomes</i> , <b>2011</b> , 9, 117	3	43
109	Impact of COVID-19 Confinement on Physical Activity and Sedentary Behaviour in Spanish University Students: Role of Gender. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	43

108	Physical Exercise Improves Heart Rate Variability in Patients with Type 2 Diabetes: A Systematic Review. <i>Current Diabetes Reports</i> , <b>2017</b> , 17, 110	5.6	39
107	Sitting time increases the overweight and obesity risk independently of walking time in elderly people from Spain. <i>Maturitas</i> , <b>2012</b> , 73, 337-43	5	39
106	Higher levels of physical fitness are associated with a reduced risk of suffering sarcopenic obesity and better perceived health among the elderly: the EXERNET multi-center study. <i>Journal of Nutrition, Health and Aging</i> , <b>2015</b> , 19, 211-7	5.2	38
105	Can adult weights be used to value child health states? Testing the influence of perspective in valuing EQ-5D-Y. <i>Quality of Life Research</i> , <b>2015</b> , 24, 2519-39	3.7	37
104	Musculoskeletal fitness and health-related quality of life characteristics among sedentary office workers affected by sub-acute, non-specific low back pain: a cross-sectional study. <i>Physiotherapy</i> , <b>2013</b> , 99, 194-200	3	37
103	Fitness efficacy of vibratory exercise compared to walking in postmenopausal women. <i>European Journal of Applied Physiology</i> , <b>2009</b> , 106, 741-8	3.4	36
102	The Spanish version of the "STarT Back Screening Tool" (SBST) in different subgroups. <i>Atencion Primaria</i> , <b>2011</b> , 43, 356-61	3.6	34
101	Effects of Exergames on Quality of Life, Pain, and Disease Effect in Women With Fibromyalgia: A Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2017</b> , 98, 1725-1731	2.8	32
100	Effect of increasing difficulty in standing balance tasks with visual feedback on postural sway and EMG: complexity and performance. <i>Human Movement Science</i> , <b>2012</b> , 31, 1224-37	2.4	31
99	Tilt vibratory exercise and the dynamic balance in fibromyalgia: A randomized controlled trial. <i>Arthritis Care and Research</i> , <b>2010</b> , 62, 1072-8	4.7	30
98	Exergames for women with fibromyalgia: a randomised controlled trial to evaluate the effects on mobility skills, balance and fear of falling. <i>PeerJ</i> , <b>2017</b> , 5, e3211	3.1	27
97	Health-related quality of life and fitness of the caregiver of patient with dementia. <i>Medicine and Science in Sports and Exercise</i> , <b>2009</b> , 41, 1182-7	1.2	27
96	Use of Biotechnological Devices in the Quantification of Psychophysiological Workload of Professional Chess Players. <i>Journal of Medical Systems</i> , <b>2018</b> , 42, 40	5.1	26
95	Tilting Whole Body Vibration improves quality of life in women with fibromyalgia: a randomized controlled trial. <i>Journal of Alternative and Complementary Medicine</i> , <b>2011</b> , 17, 723-8	2.4	25
94	EQ-5D-Y-5L: developing a revised EQ-5D-Y with increased response categories. <i>Quality of Life Research</i> , <b>2019</b> , 28, 1951-1961	3.7	23
93	Fear of Falling in Women with Fibromyalgia and Its Relation with Number of Falls and Balance Performance. <i>BioMed Research International</i> , <b>2015</b> , 2015, 589014	3	22
92	Validation of the self-report EXERNET questionnaire for measuring physical activity and sedentary behavior in elderly. <i>Archives of Gerontology and Geriatrics</i> , <b>2017</b> , 69, 156-161	4	20
91	Effects of Whole-Body Vibration Therapy in Patients with Fibromyalgia: A Systematic Literature Review. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2015</b> , 2015, 719082	2.3	20

90	Normative fitness performance scores of community-dwelling older adults in Spain. <i>Journal of Aging and Physical Activity</i> , <b>2012</b> , 20, 106-26	1.6	20
89	Clinical effects of a nine-month web-based intervention in subacute non-specific low back pain patients: a randomized controlled trial. <i>Clinical Rehabilitation</i> , <b>2013</b> , 27, 28-39	3.3	20
88	Test-retest reliability of isometric and isokinetic knee extension and flexion in patients with fibromyalgia: evaluation of the smallest real difference. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2011</b> , 92, 1646-51	2.8	20
87	Effect of exergames on musculoskeletal pain: A systematic review and meta-analysis. <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2018</b> , 28, 760-771	4.6	19
86	Dual task performance and history of falls in community-dwelling older adults. <i>Experimental Gerontology</i> , <b>2019</b> , 120, 35-39	4.5	18
85	Reliability and validity of lumbar and abdominal trunk muscle endurance tests in office workers with nonspecific subacute low back pain. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , <b>2014</b> , 27, 399-408	1.4	18
84	A web-based intervention to improve and prevent low back pain among office workers: a randomized controlled trial. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , <b>2012</b> , 42, 831-41	4.2	17
83	Electroencephalographic response of chess players in decision-making processes under time pressure. <i>Physiology and Behavior</i> , <b>2019</b> , 198, 140-143	3.5	16
82	Changes in Health Behaviors, Mental and Physical Health among Older Adults under Severe Lockdown Restrictions during the COVID-19 Pandemic in Spain. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	15
81	Using a dry electrode EEG device during balance tasks in healthy young-adult males: Test-retest reliability analysis. <i>Somatosensory &amp; Motor Research</i> , <b>2015</b> , 32, 219-26	1.2	14
80	An occupational, internet-based intervention to prevent chronicity in subacute lower back pain: a randomised controlled trial. <i>Journal of Rehabilitation Medicine</i> , <b>2012</b> , 44, 581-7	3.4	14
79	Validity of the International Fitness Scale "IFIS" in older adults. <i>Experimental Gerontology</i> , <b>2017</b> , 95, 77-81	4.5	13
78	Effects of 24-week exergame intervention on physical function under single- and dual-task conditions in fibromyalgia: A randomized controlled trial. <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2019</b> , 29, 1610-1617	4.6	13
77	Benefits of 24-Week Exergame Intervention on Health-Related Quality of Life and Pain in Women with Fibromyalgia: A Single-Blind, Randomized Controlled Trial. <i>Games for Health Journal</i> , <b>2019</b> , 8, 380-386	4.2	13
76	Impact of adding a cognitive task while performing physical fitness tests in women with fibromyalgia: A cross-sectional descriptive study. <i>Medicine (United States)</i> , <b>2018</b> , 97, e13791	1.8	13
75	Increased Physical Activity and Fitness above the 50(th) Percentile Avoid the Threat of Older Adults Becoming Institutionalized: A Cross-sectional Pilot Study. <i>Rejuvenation Research</i> , <b>2016</b> , 19, 13-20	2.6	12
74	Applicability and test-retest reliability of isokinetic shoulder abduction and adduction in women fibromyalgia patients. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2013</b> , 94, 444-50	2.8	12
73	GANODERMA LUCIDUM IMPROVES PHYSICAL FITNESS IN WOMEN WITH FIBROMYALGIA. <i>Nutricion Hospitalaria</i> , <b>2015</b> , 32, 2126-35	1	12

72	Impact of Fibromyalgia on Alpha-2 EEG Power Spectrum in the Resting Condition: A Descriptive Correlational Study. <i>BioMed Research International</i> , <b>2019</b> , 2019, 7851047	3	11
71	Effect of Exergame Training and Detraining on Lower-Body Strength, Agility, and Cardiorespiratory Fitness in Women with Fibromyalgia: Single-Blinded Randomized Controlled Trial. <i>International Journal of Environmental Research and Public Health</i> , <b>2019</b> , 17,	4.6	11
70	Changes in HRQoL after 12 months of exercise linked to primary care are associated with fitness effects in older adults. <i>European Journal of Public Health</i> , <b>2015</b> , 25, 873-9	2.1	10
69	Effectiveness of a follow-up program for elderly heart failure patients after hospital discharge. A randomized controlled trial. <i>European Geriatric Medicine</i> , <b>2014</b> , 5, 252-257	3	10
68	Parent-child discrepancy in the assessment of health-related quality of life using the EQ-5D-Y questionnaire. <i>Archivos Argentinos De Pediatria</i> , <b>2017</b> , 115, 541-546	0.7	10
67	Harmonization process and reliability assessment of anthropometric measurements in the elderly EXERNET multi-centre study. <i>PLoS ONE</i> , <b>2012</b> , 7, e41752	3.7	10
66	"Fibromyalgia and quality of life: mapping the revised fibromyalgia impact questionnaire to the preference-based instruments". <i>Health and Quality of Life Outcomes</i> , <b>2017</b> , 15, 114	3	9
65	Effects of exergames on heart rate variability of women with fibromyalgia: A randomized controlled trial. <i>Scientific Reports</i> , <b>2020</b> , 10, 5168	4.9	9
64	Reliability of the Timed Up and Go Test in Fibromyalgia. <i>Rehabilitation Nursing</i> , <b>2018</b> , 43, 35-39	1.3	9
63	Fitness as mediator between weight status and dimensions of health-related quality of life. <i>Health and Quality of Life Outcomes</i> , <b>2018</b> , 16, 155	3	9
62	Effects of Exergames on Brain Dynamics in Women with Fibromyalgia: A Randomized Controlled Trial. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	9
61	Reliability of the 30 s Chair Stand Test in Women with Fibromyalgia. <i>International Journal of Environmental Research and Public Health</i> , <b>2019</b> , 16,	4.6	9
60	Study protocol of a population-based cohort investigating Physical Activity, Sedentarism, lifestyles and Obesity in Spanish youth: the PASOS study. <i>BMJ Open</i> , <b>2020</b> , 10, e036210	3	9
59	Fat but powerful paradox: association of muscle power and adiposity markers with all-cause mortality in older adults from the EXERNET multicentre study. <i>British Journal of Sports Medicine</i> , <b>2021</b> , 55, 1204-1211	10.3	9
58	The effects of Age, Organized Physical Activity and Sedentarism on Fitness in Older Adults: An 8-Year Longitudinal Study. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	8
57	Impact of adding a simultaneous cognitive task in the elbow's range of movement during arm curl test in women with fibromyalgia. <i>Clinical Biomechanics</i> , <b>2019</b> , 65, 110-115	2.2	7
56	Influence of depressive feelings in the brain processing of women with fibromyalgia: An EEG study. <i>Medicine (United States)</i> , <b>2019</b> , 98, e15564	1.8	7
55	Is Sitting Time Related with Physical Fitness in Spanish elderly Population? The EXERNET Multicenter Study. <i>Journal of Nutrition, Health and Aging</i> , <b>2019</b> , 23, 401-407	5.2	6

54	Psychological Symptomatology in Informal Caregivers of Persons with Dementia: Influences on Health-Related Quality of Life. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	6
53	Performance of women with fibromyalgia in walking up stairs while carrying a load. <i>PeerJ</i> , <b>2016</b> , 4, e16561	5.1	6
52	Chess Players Increase the Theta Power Spectrum When the Difficulty of the Opponent Increases: An EEG Study. <i>International Journal of Environmental Research and Public Health</i> , <b>2019</b> , 17,	4.6	6
51	Screen Time and Parents' Education Level Are Associated with Poor Adherence to the Mediterranean Diet in Spanish Children and Adolescents: The PASOS Study. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,	5.1	6
50	Impact of Fibromyalgia in the Sit-to-Stand-to-Sit Performance Compared With Healthy Controls. <i>PM and R</i> , <b>2017</b> , 9, 588-595	2.2	5
49	Test-Retest Reliability of Vibration Perception Threshold Test in People with Type 2 Diabetes Mellitus. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	5
48	Effects of 8-Week Whole-Body Vibration Training on the HbA1c, Quality of Life, Physical Fitness, Body Composition and Foot Health Status in People with T2DM: A Double-Blinded Randomized Controlled Trial. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	5
47	Supportive environments for physical activity, community action, and policy in 8 European Union Member States: comparative analysis and specificities of context. <i>Journal of Physical Activity and Health</i> , <b>2014</b> , 11, 873-83	2.5	5
46	Effect of A Follow-Up Program in Elderly Adults with Heart Failure with Cognitive Impairment After Hospital Discharge. <i>Journal of the American Geriatrics Society</i> , <b>2015</b> , 63, 1950-1	5.6	5
45	Reanalysis of a tailored web-based exercise programme for office workers with sub-acute low back pain: assessing the stage of change in behaviour. <i>Psychology, Health and Medicine</i> , <b>2013</b> , 18, 687-97	2.1	5
44	Efectos del entrenamiento acuático y posterior desentrenamiento sobre la percepción e intensidad del dolor y el número de puntos sensibles de mujeres con fibromialgia. <i>Apuntes Medicina De LjEsport</i> , <b>2007</b> , 42, 76-81	0.6	5
43	Test-Retest Reliability of Kinematic Parameters of Timed Up and Go in People with Type 2 Diabetes. <i>Applied Sciences (Switzerland)</i> , <b>2019</b> , 9, 4709	2.6	5
42	Changes in health behaviors, mental and physical health among older adults under severe lockdown restrictions during the COVID-19 pandemic in Spain		5
41	Effects of Dance on Pain in Patients with Fibromyalgia: A Systematic Review and Meta-Analysis. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2018</b> , 2018, 8709748	2.3	5
40	Portuguese translation, cross-cultural adaptation and reliability of the questionnaire «Start Back Screening Tool» (SBST). <i>Acta Reumatologica Portuguesa</i> , <b>2017</b> , 42, 38-46	0.7	5
39	Stair negotiation in women with fibromyalgia: A descriptive correlational study. <i>Medicine (United States)</i> , <b>2017</b> , 96, e8364	1.8	4
38	Duration of the Symptoms and Brain Aging in Women with Fibromyalgia: A Cross-Sectional Study. <i>Applied Sciences (Switzerland)</i> , <b>2019</b> , 9, 2106	2.6	4
37	Twelve Weeks of Whole Body Vibration Training Improve Regucalcin, Body Composition and Physical Fitness in Postmenopausal Women: A Pilot Study. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	4

36	Does anthropometric and fitness parameters mediate the effect of exercise on the HRQoL of overweight and obese children/adolescents?. <i>Quality of Life Research</i> , <b>2018</b> , 27, 2305-2312	3.7	4
35	Needs, Interests, and Limitations for the Promotion of Health and Exercise by a Web Site for Sighted and Blind Elderly People: A Qualitative Exploratory Study. <i>Educational Gerontology</i> , <b>2008</b> , 34, 449-461	1.2	4
34	Effects of an exercise program linked to primary care on depression in elderly: fitness as mediator of the improvement. <i>Quality of Life Research</i> , <b>2020</b> , 29, 1239-1246	3.7	4
33	Effects of a home-based exercise program on mental health for caregivers of relatives with dementia: a randomized controlled trial. <i>International Psychogeriatrics</i> , <b>2021</b> , 33, 359-372	3.4	4
32	Psychophysiological response of military pilots in different combat flight maneuvers in a flight simulator. <i>Physiology and Behavior</i> , <b>2021</b> , 238, 113483	3.5	4
31	Effect of dance therapies on motor-cognitive dual-task performance in middle-aged and older adults: a systematic review and meta-analysis. <i>Disability and Rehabilitation</i> , <b>2021</b> , 43, 3147-3158	2.4	3
30	Cost-effectiveness of a follow-up program for older patients with heart failure: a randomized controlled trial. <i>European Geriatric Medicine</i> , <b>2018</b> , 9, 523-532	3	3
29	Does fitness attenuate the relationship between changes in sitting time and health-related quality of life over time in community-dwelling older adults? Evidence from the EXERNET multicenter longitudinal study. <i>Quality of Life Research</i> , <b>2019</b> , 28, 3259-3266	3.7	3
28	Neurophysiological Differences Between Women With Fibromyalgia and Healthy Controls During Dual Task: A Pilot Study. <i>Frontiers in Psychology</i> , <b>2020</b> , 11, 558849	3.4	3
27	Impact of cognitive tasks on biomechanical and kinematic parameters of gait in women with fibromyalgia: A cross-sectional study. <i>Physiology and Behavior</i> , <b>2020</b> , 227, 113171	3.5	3
26	Effects of 24-Week Exergame Intervention on the Gray Matter Volume of Different Brain Structures in Women with Fibromyalgia: A Single-Blind, Randomized Controlled Trial. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	3
25	How important is current physical fitness for future quality of life? Results from an 8-year longitudinal study on older adults. <i>Experimental Gerontology</i> , <b>2021</b> , 149, 111301	4.5	3
24	Influence of a Cell-Phone Conversation on Balance Performance in Women with Fibromyalgia: A Cross-Sectional Descriptive Study. <i>BioMed Research International</i> , <b>2019</b> , 2019, 5132802	3	3
23	Impact of fibromyalgia on sexual function in women. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , <b>2020</b> , 33, 355-361	1.4	3
22	Fitness as a Mediator of the Enhancement of Quality of Life after a 6-Months Exercise Program. <i>Research Quarterly for Exercise and Sport</i> , <b>2020</b> , 91, 24-33	1.9	3
21	Comparison of the Psychometric Properties of the EQ-5D-3L-Y and EQ-5D-5L-Y Instruments in Spanish Children and Adolescents. <i>Value in Health</i> , <b>2021</b> , 24, 1799-1806	3.3	3
20	Criterion-Referenced Fitness Standards Associated with Maintaining Functional Capacity in Chilean Older Adults. <i>Rejuvenation Research</i> , <b>2017</b> , 20, 484-491	2.6	2
19	Foot Health Status Questionnaire (FHSQ) in Spanish People with Type 2 Diabetes Mellitus: Preliminary Values Study. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	2

18	Association between TUG and Anthropometric Values, Vibration Perception Threshold, FHSQ and 15-D in Type 2 Diabetes Mellitus Patients. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	2
17	Acute Effects of a Whole Body Vibration Session on the Vibration Perception Threshold in Patients with Type 2 Diabetes Mellitus. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	2
16	Effects on Mood and Health-Related Quality of Life in Women with Fibromyalgia. <i>Healthcare (Switzerland)</i> , <b>2020</b> , 8,	3.4	2
15	Strength Assessment Under Dual Task Conditions in Women with Fibromyalgia: A Test-Retest Reliability Study. <i>International Journal of Environmental Research and Public Health</i> , <b>2019</b> , 16,	4.6	2
14	Cost-Effectiveness and Effects of a Home-Based Exercise Intervention for Female Caregivers of Relatives with Dementia: Study Protocol for a Randomized Controlled Trial. <i>Healthcare (Switzerland)</i> , <b>2020</b> , 8,	3.4	1
13	Cost-Utility Analysis of a Six-Weeks Ganoderma Lucidum-Based Treatment for Women with Fibromyalgia: A Randomized Double-Blind, Active Placebo-Controlled Trial. <i>Myopain</i> , <b>2015</b> , 23, 188-194		1
12	Effect of hypoxic conditioning on functional fitness, balance and fear of falling in healthy older adults: a randomized controlled trial. <i>European Review of Aging and Physical Activity</i> , <b>2021</b> , 18, 25	6.5	1
11	Mobility Assessment under Dual Task Conditions in Women With Fibromyalgia: A Test-Retest Reliability Study. <i>PM and R</i> , <b>2021</b> , 13, 66-72	2.2	1
10	Impact of Fibromyalgia in the Hippocampal Subfields Volumes of Women-An MRI Study. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	1
9	Validity, reliability, and calibration of the physical activity unit 7 item screener (PAU-7S) at population scale. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2021</b> , 18, 98	8.4	1
8	Relationship between pineal gland, sleep and melatonin in fibromyalgia women: a magnetic resonance imaging study.. <i>Acta Neuropsychiatrica</i> , <b>2021</b> , 1-9	3.9	0
7	Creative versus repetitive dance therapies to reduce the impact of fibromyalgia and pain: A systematic review and meta-analysis.. <i>Complementary Therapies in Clinical Practice</i> , <b>2022</b> , 47, 101577	3.5	0
6	The Fibromyalgia Treatment With Physical Exercise in Warm Water Reduces the Impact of the Disease on Female Patients'SPhysical and Mental Health. <i>Reumatologia Clínica (English Edition)</i> , <b>2007</b> , 3, 33-37	0.1	
5	Effects of Ganoderma lucidum and Ceratonia siliqua on blood glucose, lipid profile, and body composition in women with fibromyalgia. <i>Nutricion Hospitalaria</i> , <b>2021</b> , 38, 139-145	1	
4	Health-related quality of life and multidimensional fitness profile in polio survivors. <i>Disability and Rehabilitation</i> , <b>2020</b> , 1-6	2.4	
3	Whole-body vibration therapy for fibromyalgia?. <i>Focus on Alternative and Complementary Therapies</i> , <b>2016</b> , 21, 56-57		
2	Análisis de la edad sobre la fiabilidad de pruebas fitness en mayores. <i>Revista Internacional De Medicina Y Ciencias De La Actividad Fisica Y Del Deporte</i> , <b>2019</b> , 19, 627	0.5	
1	Cost-Effectiveness of a Whole-Body Vibration Program in Patients with Type 2 Diabetes: A Retrospective Study Protocol. <i>Sustainability</i> , <b>2021</b> , 13, 2581	3.6	



