

# Mariko Ogura

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2876165/publications.pdf>

Version: 2024-02-01

62  
papers

530  
citations

933447

10  
h-index

752698

20  
g-index

69  
all docs

69  
docs citations

69  
times ranked

844  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prognostic Factors in Patients with Advanced HER2-Positive Gastric Cancer Treated with Trastuzumab-Based Chemotherapy: a Cohort Study. <i>Journal of Gastrointestinal Cancer</i> , 2023, 54, 475-484.	1.3	3
2	KRAS mutation as a predictor of insufficient trastuzumab efficacy and poor prognosis in HER2-positive advanced gastric cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2023, 149, 1273-1283.	2.5	6
3	Long-term outcomes of esophageal squamous cell carcinoma with invasion depth of pathological T1a-mucosal and T1b-submucosa by endoscopic resection followed by appropriate additional treatment. <i>Digestive Endoscopy</i> , 2022, 34, 793-804.	2.3	12
4	Clinical Progress in Inoperable or Recurrent Advanced Gastric Cancer Treatment from 1004 Single Institute Experiences Between 2007 and 2018. <i>Oncologist</i> , 2022, 27, e506-e517.	3.7	6
5	Safety and early efficacy results of a phase Ib study of nivolumab plus trastuzumab with S-1/capecitabine plus oxaliplatin for HER2-positive advanced gastric cancer (Ni-HIGH study).. <i>Journal of Clinical Oncology</i> , 2022, 40, 276-276.	1.6	5
6	Clinical usefulness of postoperative serum carcinoembryonic antigen in colorectal cancer patients with liver metastases.. <i>Journal of Clinical Oncology</i> , 2022, 40, 178-178.	1.6	0
7	Safety and Efficacy of Self-Expandable Metallic Stent Placement Using Low Radial Force Stent for Malignant Dysphagia after Radiotherapy. <i>Digestion</i> , 2022, 103, 261-268.	2.3	3
8	Treatment Strategy for Esophageal Squamous Cell Carcinoma With Endoscopic Intramural Metastasis. <i>Cureus</i> , 2022, 14, e23028.	0.5	1
9	Effect of DNA methylation status on first-line anti-epidermal growth factor receptor treatment in patients with metastatic colorectal cancer. <i>International Journal of Colorectal Disease</i> , 2022, 37, 1439-1447.	2.2	3
10	Safety evaluation of fixed-dose nivolumab in patients with gastric cancer. <i>Health Science Reports</i> , 2022, 5, .	1.5	4
11	Clinical impact of DNA methylation status on first-line anti-epidermal growth factor receptor treatment in patients with metastatic colorectal cancer.. <i>Journal of Clinical Oncology</i> , 2022, 40, 3528-3528.	1.6	0
12	Managing a gastrointestinal oncology practice in Japan during the COVID-19 pandemic: single institutional experience in The Cancer Institute Hospital of Japanese Foundation for Cancer Research. <i>International Journal of Clinical Oncology</i> , 2021, 26, 335-344.	2.2	6
13	Esophageal cancer patients' survival after complete response to definitive chemoradiotherapy: a retrospective analysis. <i>Esophagus</i> , 2021, 18, 629-637.	1.9	4
14	Associations among plasma concentrations of regorafenib and its metabolites, adverse events, and ABCG2 polymorphisms in patients with metastatic colorectal cancers. <i>Cancer Chemotherapy and Pharmacology</i> , 2021, 87, 767-777.	2.3	8
15	Clinical Impact of Primary Tumor Location and RAS, BRAF V600E, and PIK3CA Mutations on Epidermal Growth Factor Receptor Inhibitor Efficacy as Third-line Chemotherapy for Metastatic Colorectal Cancer. <i>Anticancer Research</i> , 2021, 41, 3905-3915.	1.1	4
16	Effect of neutropenia on survival outcomes of patients with metastatic colorectal cancer receiving trifluridine/tipiracil plus bevacizumab. <i>Oncology Letters</i> , 2021, 22, 783.	1.8	7
17	Early hypertension and neutropenia are predictors of treatment efficacy in metastatic colorectal cancer patients administered FOLFIRI and vascular endothelial growth factor inhibitors as second-line chemotherapy. <i>Cancer Medicine</i> , 2021, 10, 615-625.	2.8	10
18	Correlation between circulating tumor DNA and carcinoembryonic antigen levels in patients with metastatic colorectal cancer. <i>Cancer Medicine</i> , 2021, 10, 8820-8828.	2.8	10

#	ARTICLE	IF	CITATIONS
19	A phase I study to determine the maximum tolerated dose of trifluridine/tipiracil and oxaliplatin in patients with refractory metastatic colorectal cancer: LUPIN study. <i>Investigational New Drugs</i> , 2020, 38, 111-119.	2.6	6
20	Changes in the neutrophil-to-lymphocyte ratio during nivolumab monotherapy are associated with gastric cancer survival. <i>Cancer Chemotherapy and Pharmacology</i> , 2020, 85, 265-272.	2.3	47
21	Neoadjuvant Chemoradiotherapy with Cisplatin Plus Fluorouracil for Borderline Resectable Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2020, 27, 1510-1517.	1.5	15
22	Single-institute comparison of the efficacy of systemic chemotherapy for oesophagogastric junction adenocarcinoma and stomach adenocarcinoma in a metastatic setting. <i>ESMO Open</i> , 2020, 5, e000595.	4.5	2
23	Clinical utility of polyethylene glycol conjugated granulocyte colony-stimulating factor (PEG-G-CSF) for preventing severe neutropenia in metastatic colorectal cancer patients treated with FOLFOXIRI plus bevacizumab: a single-center retrospective study. <i>BMC Cancer</i> , 2020, 20, 358.	2.6	4
24	A phase Ib study of nivolumab plus trastuzumab with S-1/capecitabine plus oxaliplatin for HER2-positive advanced gastric cancer (Ni-HIGH study): Safety evaluation.. <i>Journal of Clinical Oncology</i> , 2020, 38, 4525-4525.	1.6	3
25	<p>Safety and efficacy of amrubicin monotherapy in patients with platinum-refractory metastatic neuroendocrine carcinoma of the gastrointestinal tract: a single cancer center retrospective study</p>. <i>Cancer Management and Research</i> , 2019, Volume 11, 5757-5764.	1.9	4
26	Second-line FOLFIRI plus ramucirumab with or without prior bevacizumab for patients with metastatic colorectal cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2019, 84, 307-313.	2.3	9
27	Nonâ€V600E <i>BRAF</i> mutations and EGFR signaling pathway in colorectal cancer. <i>International Journal of Cancer</i> , 2019, 145, 2488-2495.	5.1	17
28	Clinical significance of intratumoral HER2 heterogeneity on trastuzumab efficacy using endoscopic biopsy specimens in patients with advanced HER2 positive gastric cancer. <i>Gastric Cancer</i> , 2019, 22, 518-525.	5.3	44
29	Clinical impact of intratumoral HER2 heterogeneity on trastuzumab efficacy in patients with HER2-positive gastric cancer. <i>Journal of Gastroenterology</i> , 2018, 53, 1186-1195.	5.1	67
30	Associations between early tumor shrinkage and depth of response and clinical outcomes in patients treated with 1st-line chemotherapy for advanced gastric cancer. <i>Gastric Cancer</i> , 2018, 21, 267-275.	5.3	12
31	A retrospective analysis of ramucirumab monotherapy in previously treated Japanese patients with advanced or metastatic gastric adenocarcinoma. <i>International Journal of Clinical Oncology</i> , 2018, 23, 92-97.	2.2	13
32	Treatment features of systemic chemotherapy in young adults with unresectable advanced or recurrent gastric cancer. <i>Cancer Management and Research</i> , 2018, Volume 10, 5283-5290.	1.9	5
33	Modified FOLFOX6 as a first-line treatment for patients with advanced gastric cancer with massive ascites or inadequate oral intake. <i>OncoTargets and Therapy</i> , 2018, Volume 11, 8301-8307.	2.0	10
34	Two Cases of Long-Term Survival of Advanced Colorectal Cancer with Synchronous Lung Metastases Treated with mFOLFOX6/XELOX + Bevacizumab. <i>Case Reports in Oncology</i> , 2018, 11, 601-608.	0.7	4
35	Phase II trial of biweekly cetuximab and irinotecan as thirdâ€line therapy for pretreated KRAS exon 2 wildâ€type colorectal cancer. <i>Cancer Science</i> , 2018, 109, 2567-2575.	3.9	7
36	Detection of HER2 Amplification in Circulating Tumor Cells of HER2-Negative Gastric Cancer Patients. <i>Targeted Oncology</i> , 2017, 12, 341-351.	3.6	32

#	ARTICLE	IF	CITATIONS
37	Retrospective comparison of S-1 plus cisplatin versus S-1 monotherapy for the treatment of advanced gastric cancer patients with positive peritoneal cytology but without gross peritoneal metastasis. <i>International Journal of Clinical Oncology</i> , 2017, 22, 1060-1068.	2.2	9
38	Retrospective study of RAS/PIK3CA/BRAF tumor mutations as predictors of response to first-line chemotherapy with bevacizumab in metastatic colorectal cancer patients. <i>BMC Cancer</i> , 2017, 17, 38.	2.6	21
39	Prognostic impact of primary tumor location in patients with metastatic colorectal cancer (mCRC) at the salvage lines.. <i>Journal of Clinical Oncology</i> , 2017, 35, 741-741.	1.6	4
40	Prognostic factors of trastuzumab-based chemotherapy in patients with advanced HER2 positive gastric cancer.. <i>Journal of Clinical Oncology</i> , 2017, 35, 41-41.	1.6	1
41	Analysis of predictive factors of ramucirumab plus paclitaxel for advanced gastric cancer.. <i>Journal of Clinical Oncology</i> , 2017, 35, 185-185.	1.6	0
42	Change in clinical outcomes during the transition of adjuvant chemotherapy for stage III colorectal cancer. <i>PLoS ONE</i> , 2017, 12, e0176745.	2.5	3
43	Prognostic impact of KRAS mutant type and MET amplification in metastatic and recurrent gastric cancer patients treated with first-line S-1 plus cisplatin chemotherapy. <i>Genes and Cancer</i> , 2016, 7, 27-35.	1.9	15
44	Chemotherapy is effective for stage I gastric cancer in patients with synchronous esophageal cancer. <i>Gastric Cancer</i> , 2016, 19, 625-630.	5.3	4
45	Cetuximab treatment for metastatic colorectal cancer with KRAS p.G13D mutations improves progression-free survival. <i>Molecular and Clinical Oncology</i> , 2015, 3, 1053-1057.	1.0	15
46	Does anti-p53 antibody status predict for clinical outcomes in metastatic colorectal cancer patients treated with fluoropyrimidine, oxaliplatin, plus bevacizumab as first-line chemotherapy?. <i>BMC Cancer</i> , 2015, 15, 760.	2.6	4
47	Phase II study of reintroduction of oxaliplatin for&nbsp;advanced colorectal cancer in patients previously&nbsp;treated with oxaliplatin and irinotecan: RE-OPEN study. <i>Drug Design, Development and Therapy</i> , 2015, 9, 3099.	4.3	45
48	A phase I/II study of biweekly capecitabine and irinotecan plus bevacizumab as second-line chemotherapy in patients with metastatic colorectal cancer. <i>Drug Design, Development and Therapy</i> , 2015, 9, 1653.	4.3	7
49	Anticoagulant therapy for venous thromboembolism detected by Doppler ultrasound in patients with metastatic colorectal cancer receiving bevacizumab. <i>OncoTargets and Therapy</i> , 2015, 8, 243.	2.0	1
50	ACEIs/ARBs to improve survival in advanced gastric cancer patients receiving S-1 plus cisplatin.. <i>Journal of Clinical Oncology</i> , 2015, 33, 174-174.	1.6	0
51	A phase II study of oxaliplatin reintroduction in patients pretreated with oxaliplatin and irinotecan for advanced colorectal cancer (RE-OPEN study).. <i>Journal of Clinical Oncology</i> , 2015, 33, 758-758.	1.6	0
52	Phenotypic differences among RAS mutational variations in colorectal cancer (CRC): Analysis of 1,001 patients in single institute.. <i>Journal of Clinical Oncology</i> , 2015, 33, 649-649.	1.6	0
53	Clinical features and outcome of advanced or metastatic gastric cancer in young adult,analysis of 97 caceses.. <i>Journal of Clinical Oncology</i> , 2015, 33, e15022-e15022.	1.6	0
54	Outcome of marked tumor marker increase in patients with advanced gastric cancer during chemotherapy without progression.. <i>Journal of Clinical Oncology</i> , 2015, 33, e15034-e15034.	1.6	0

#	ARTICLE	IF	CITATIONS
55	Molecular profiling of EGFR pathway according to location of colorectal cancer (CRC): Analysis of 1,001 patients in single institute.. Journal of Clinical Oncology, 2014, 32, 3597-3597.	1.6	4
56	The efficacy of oxaliplatin-based adjuvant chemotherapy for stage IV colorectal cancer after R0 resection.. Journal of Clinical Oncology, 2014, 32, 638-638.	1.6	0
57	Efficacy of cetuximab-containing chemotherapy with or without bevacizumab in prior chemotherapies.. Journal of Clinical Oncology, 2014, 32, e14591-e14591.	1.6	0
58	Analysis of potential circulating angiogenic biomarkers for bevacizumab in patients with metastatic colorectal cancer.. Journal of Clinical Oncology, 2014, 32, e14601-e14601.	1.6	0
59	Survival analysis of linitis plastica advanced gastric cancer patients receiving S-1 plus cisplatin.. Journal of Clinical Oncology, 2013, 31, e15105-e15105.	1.6	0
60	Concordance of HER2 and its related molecules between primary and paired liver metastatic sites in gastric cancer.. Journal of Clinical Oncology, 2013, 31, 4108-4108.	1.6	2
61	Addition of bevacizumab to first-line FOLFOX4 and overall survival in patients with metastatic colorectal cancer.. Journal of Clinical Oncology, 2012, 30, 610-610.	1.6	2
62	What are the limiting factors related to discontinuance of chemotherapy after failure of first-line S-1 plus CDDP in Japanese patients with advanced gastric cancer?. Journal of Clinical Oncology, 2012, 30, 149-149.	1.6	0