

# Huanliang Liu

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2877052/huanliang-liu-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

77  
papers

2,030  
citations

24  
h-index

42  
g-index

80  
ext. papers

2,473  
ext. citations

6.9  
avg, IF

4.42  
L-index

| #  | Paper  | IF   | Citations |
|----|--|------|-----------|
| 77 | Promoter Methylation-Mediated NPTX2 Silencing Promotes Tumor Growth in Human Prostate Cancer.. <i>Journal of Cancer</i> , <b>2022</b> , 13, 706-714  | 4.5  | 0         |
| 76 | EBV infection-induced GPX4 promotes chemoresistance and tumor progression in nasopharyngeal carcinoma.. <i>Cell Death and Differentiation</i> , <b>2022</b> ,  | 12.7 | 2         |
| 75 | Pyrimethamine inhibits cell growth by inducing cell senescence and boosting CD8 T-cell mediated cytotoxicity in colorectal cancer.. <i>Molecular Biology Reports</i> , <b>2022</b> , 1   | 2.8  | 0         |
| 74 | IIFP35 as a promising biomarker and therapeutic target for the syndromes induced by SARS-CoV-2 or influenza virus.. <i>Cell Reports</i> , <b>2021</b> , 37, 110126   | 10.6 | 2         |
| 73 | Colorectal Cancer Detected by Machine Learning Models Using Conventional Laboratory Test Data. <i>Technology in Cancer Research and Treatment</i> , <b>2021</b> , 20, 15330338211058352  | 2.7  | 0         |
| 72 | ROS/JNK/C-Jun Pathway is Involved in Chaetocin Induced Colorectal Cancer Cells Apoptosis and Macrophage Phagocytosis Enhancement. <i>Frontiers in Pharmacology</i> , <b>2021</b> , 12, 729367  | 5.6  | 0         |
| 71 | 5StRF-GlyGCC: a tRNA-derived small RNA as a novel biomarker for colorectal cancer diagnosis. <i>Genome Medicine</i> , <b>2021</b> , 13, 20   | 14.4 | 12        |
| 70 | Extracellular Vesicles in Cancer Metabolism: Implications for Cancer Diagnosis and Treatment. <i>Technology in Cancer Research and Treatment</i> , <b>2021</b> , 20, 15330338211037821   | 2.7  | 3         |
| 69 | Overexpression of ICAT Inhibits the Progression of Colorectal Cancer by Binding with E-catenin in the Cytoplasm. <i>Technology in Cancer Research and Treatment</i> , <b>2021</b> , 20, 15330338211041253                              | 2.7  | 2         |
| 68 | Toosendanin-induced apoptosis in colorectal cancer cells is associated with the Epioid receptor/E-catenin signaling axis. <i>Biochemical Pharmacology</i> , <b>2020</b> , 177, 114014  | 6    | 8         |
| 67 | miR-197-3p Represses the Proliferation of Prostate Cancer by Regulating the VDAC1/AKT/E-catenin Signaling Axis. <i>International Journal of Biological Sciences</i> , <b>2020</b> , 16, 1417-1426                                      | 11.2 | 20        |
| 66 | Improved diagnostic value by combining plasma PON1 level with tumor biomarkers in Colorectal Cancer patients. <i>Journal of Cancer</i> , <b>2020</b> , 11, 6491-6496   | 4.5  | 3         |
| 65 | Circular RNA GLIS2 promotes colorectal cancer cell motility via activation of the NF- $\kappa$ B pathway. <i>Cell Death and Disease</i> , <b>2020</b> , 11, 788  | 9.8  | 18        |
| 64 | Interleukin-6-mediated CCR9 interleukin-17-producing regulatory T cells polarization increases the severity of necrotizing enterocolitis. <i>EBioMedicine</i> , <b>2019</b> , 44, 71-85  | 8.8  | 19        |
| 63 | An antiviral drug screening system for enterovirus 71 based on an improved plaque assay: A potential high-throughput method. <i>Journal of Medical Virology</i> , <b>2019</b> , 91, 1440-1447  | 19.7 | 8         |
| 62 | Transcriptional factor ATF3 protects against colitis by regulating follicular helper T cells in Peyer's patches. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2019</b> , 116, 6286-6291 | 11.5 | 21        |
| 61 | miR-143-3p-induced lncRNA RP11 triggers the dissemination of colorectal cancer cells via upregulation of Zeb1. <i>Molecular Cancer</i> , <b>2019</b> , 18, 87  | 42.1 | 167       |

|    |   |      |    |
|----|---|------|----|
| 60 | miR-448 targets IDO1 and regulates CD8 T cell response in human colon cancer <b>2019</b> , 7, 210   |      | 36 |
| 59 | Exosomal transfer of p-STAT3 promotes acquired 5-FU resistance in colorectal cancer cells. <i>Journal of Experimental and Clinical Cancer Research</i> , <b>2019</b> , 38, 320                              | 12.8 | 48 |
| 58 | Ubiquitin ligase TRIM65 promotes colorectal cancer metastasis by targeting ARHGAP35 for protein degradation. <i>Oncogene</i> , <b>2019</b> , 38, 6429-6444  | 9.2  | 22 |
| 57 | ROS-mediated inactivation of the PI3K/AKT pathway is involved in the antigastric cancer effects of thioredoxin reductase-1 inhibitor chaetocin. <i>Cell Death and Disease</i> , <b>2019</b> , 10, 809       | 9.8  | 34 |
| 56 | MiR-27b-3p promotes migration and invasion in colorectal cancer cells by targeting HOXA10. <i>Bioscience Reports</i> , <b>2019</b> , 39,  | 4.1  | 15 |
| 55 | Demographic trends and KRAS/BRAF mutations in colorectal cancer patients of South China: A single-site report. <i>International Journal of Cancer</i> , <b>2019</b> , 144, 2109-2117                        | 7.5  | 12 |
| 54 | PEAK1, acting as a tumor promoter in colorectal cancer, is regulated by the EGFR/KRas signaling axis and miR-181d. <i>Cell Death and Disease</i> , <b>2018</b> , 9, 271                                     | 9.8  | 29 |
| 53 | A novel long noncoding RNA OECC promotes colorectal cancer development and is negatively regulated by miR-143-3p. <i>Biochemical and Biophysical Research Communications</i> , <b>2018</b> , 503, 2949-2955 | 3.4  | 12 |
| 52 | Toosendanin induces caspase-dependent apoptosis through the p38 MAPK pathway in human gastric cancer cells. <i>Biochemical and Biophysical Research Communications</i> , <b>2018</b> , 505, 261-266         | 3.4  | 18 |
| 51 | Reduced-gliotoxin induces ROS-mediated anoikis in human colorectal cancer cells. <i>International Journal of Oncology</i> , <b>2018</b> , 52, 1023-1032   | 4.4  | 5  |
| 50 | Epigenetic down regulation of G protein-coupled estrogen receptor (GPER) functions as a tumor suppressor in colorectal cancer. <i>Molecular Cancer</i> , <b>2017</b> , 16, 87                               | 42.1 | 38 |
| 49 | Thymidine phosphorylase expression and prognosis in colorectal cancer treated with 5-fluorouracil-based chemotherapy: A meta-analysis. <i>Molecular and Clinical Oncology</i> , <b>2017</b> , 7, 943-952    | 1.6  | 15 |
| 48 | AQP9-induced cell cycle arrest is associated with RAS activation and improves chemotherapy treatment efficacy in colorectal cancer. <i>Cell Death and Disease</i> , <b>2017</b> , 8, e2894                  | 9.8  | 27 |
| 47 | Establishment and evaluation of four different types of patient-derived xenograft models. <i>Cancer Cell International</i> , <b>2017</b> , 17, 122  | 6.4  | 10 |
| 46 | A molecular inversion probe-based next-generation sequencing panel to detect germline mutations in Chinese early-onset colorectal cancer patients. <i>Oncotarget</i> , <b>2017</b> , 8, 24533-24547         | 3.3  | 10 |
| 45 | MEK5 overexpression is associated with the occurrence and development of colorectal cancer. <i>BMC Cancer</i> , <b>2016</b> , 16, 302   | 4.8  | 8  |
| 44 | A Rare Cause of Multiple Intestinal Mass Lesions. <i>Gastroenterology</i> , <b>2016</b> , 150, 570-1  | 13.3 | 1  |
| 43 | Activation of GPER suppresses epithelial mesenchymal transition of triple negative breast cancer cells via NF- $\kappa$ B signals. <i>Molecular Oncology</i> , <b>2016</b> , 10, 775-88                     | 7.9  | 42 |

|    |   |      |     |
|----|---|------|-----|
| 42 | Pseudolaric acid B induces mitotic arrest and apoptosis in both 5-fluorouracil-sensitive and -resistant colorectal cancer cells. <i>Cancer Letters</i> , <b>2016</b> , 383, 295-308   | 9.9  | 23  |
| 41 | TACC3 promotes colorectal cancer tumorigenesis and correlates with poor prognosis. <i>Oncotarget</i> , <b>2016</b> , 7, 41885-41897   | 3.3  | 16  |
| 40 | A Rare Gastric Tumor in a Young Woman. Gastric Plexiform Angiomyxoid Myofibroblastic Tumor. <i>Gastroenterology</i> , <b>2015</b> , 149, 294-5  | 13.3 | 10  |
| 39 | Perivascular epithelioid cell tumor of gastrointestinal tract: case report and review of the literature. <i>Medicine (United States)</i> , <b>2015</b> , 94, e393   | 1.8  | 11  |
| 38 | Effects of intensive glycemic control in ocular complications in patients with type 2 diabetes: a meta-analysis of randomized clinical trials. <i>Endocrine</i> , <b>2015</b> , 49, 78-89   | 4    | 22  |
| 37 | Gambogic acid inhibits growth, induces apoptosis, and overcomes drug resistance in human colorectal cancer cells. <i>International Journal of Oncology</i> , <b>2015</b> , 47, 1663-71  | 4.4  | 40  |
| 36 | Hsa-miR-19a is associated with lymph metastasis and mediates the TNF- $\alpha$ -induced epithelial-to-mesenchymal transition in colorectal cancer. <i>Scientific Reports</i> , <b>2015</b> , 5, 13350                                     | 4.9  | 55  |
| 35 | Patient-physician mistrust and violence against physicians in Guangdong Province, China: a qualitative study. <i>BMJ Open</i> , <b>2015</b> , 5, e008221  | 3    | 94  |
| 34 | Gliotoxin Inhibits Proliferation and Induces Apoptosis in Colorectal Cancer Cells. <i>Marine Drugs</i> , <b>2015</b> , 13, 6259-73  | 6    | 19  |
| 33 | Associations between polymorphisms in the SYK promoter and susceptibility to sporadic colorectal cancer in a Southern Han Chinese population - a short report. <i>Cellular Oncology (Dordrecht)</i> , <b>2015</b> , 38, 165-72            | 7.2  | 2   |
| 32 | JNK signaling pathway is involved in piperlongumine-mediated apoptosis in human colorectal cancer HCT116 cells. <i>Oncology Letters</i> , <b>2015</b> , 10, 709-715   | 2.6  | 16  |
| 31 | GB virus type C E2 protein inhibits human immunodeficiency virus type 1 Gag assembly by downregulating human ADP-ribosylation factor 1. <i>Oncotarget</i> , <b>2015</b> , 6, 43293-309  | 3.3  | 5   |
| 30 | Multi-microarray identifies lower AQP9 expression in adjuvant chemotherapy nonresponders with stage III colorectal cancer. <i>Cancer Letters</i> , <b>2013</b> , 336, 106-13  | 9.9  | 13  |
| 29 | GB virus type C E2 protein inhibits human immunodeficiency virus type 1 assembly through interference with HIV-1 gag plasma membrane targeting. <i>Journal of Infectious Diseases</i> , <b>2013</b> , 207, 1171-80                        | 7.8  | 12  |
| 28 | PTEN loss increases PD-L1 protein expression and affects the correlation between PD-L1 expression and clinical parameters in colorectal cancer. <i>PLoS ONE</i> , <b>2013</b> , 8, e65821   | 3.7  | 173 |
| 27 | Association of A561C and G98T polymorphisms in E-selectin gene with coronary artery disease: a meta-analysis. <i>PLoS ONE</i> , <b>2013</b> , 8, e79301   | 3.7  | 7   |
| 26 | Postoperative adjuvant chemotherapy for stage II colorectal cancer: a systematic review of 12 randomized controlled trials. <i>Journal of Gastrointestinal Surgery</i> , <b>2012</b> , 16, 646-55   | 3.3  | 36  |
| 25 | Mitogen/extracellular signal-regulated kinase kinase-5 promoter region polymorphisms affect the risk of sporadic colorectal cancer in a southern Chinese population. <i>DNA and Cell Biology</i> , <b>2012</b> , 31, 342-9 <sup>3.6</sup> | 3.6  | 4   |

|    |   |      |     |
|----|---|------|-----|
| 24 | An unusual ileum tumor in a young woman. Perivascular epithelioid cell tumor of gastrointestinal tract. <i>Gastroenterology</i> , <b>2012</b> , 142, e10-1  | 13.3 | 5   |
| 23 | Polymorphism in the interleukin-1 receptor antagonist gene is associated with serum interleukin-1 receptor antagonist concentrations and postoperative opioid consumption. <i>Anesthesiology</i> , <b>2011</b> , 114, 1162-8  | 4.3  | 23  |
| 22 | Clinical outcomes of active specific immunotherapy in advanced colorectal cancer and suspected minimal residual colorectal cancer: a meta-analysis and system review. <i>Journal of Translational Medicine</i> , <b>2011</b> , 9, 17  | 8.5  | 28  |
| 21 | Mutations of p53 and K-ras correlate TF expression in human colorectal carcinomas: TF downregulation as a marker of poor prognosis. <i>International Journal of Colorectal Disease</i> , <b>2011</b> , 26, 593-601  | 3.0  | 34  |
| 20 | The impact of CYP2D6 genetic polymorphisms on postoperative morphine consumption. <i>Pain Medicine</i> , <b>2009</b> , 10, 799-805  | 2.8  | 22  |
| 19 | Intensification of a suppressive HAART regimen increases CD4 counts and decreases CD8+ T-cell activation. <i>Clinical Immunology</i> , <b>2008</b> , 126, 315-21  | 9    | 18  |
| 18 | Protective role of DC-SIGN (CD209) neck-region alleles with . <i>Journal of Infectious Diseases</i> , <b>2008</b> , 198, 68-71  | 7    | 13  |
| 17 | IL-21 augments natural killer effector functions in chronically HIV-infected individuals. <i>Aids</i> , <b>2008</b> , 22, 1551-60   | 3.5  | 44  |
| 16 | Impaired CCR7 expression on plasmacytoid dendritic cells of HIV-infected children and adolescents with immunologic and virologic failure. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2007</b> , 45, 501-7   | 3.1  | 10  |
| 15 | Host genetic analysis of HIV type 1 subtype CRF01_AE (E)-infected Thai patients with different rates of disease progression. <i>AIDS Research and Human Retroviruses</i> , <b>2007</b> , 23, 1605-8   | 1.6  | 1   |
| 14 | Differential effects of IL-21 and IL-15 on perforin expression, lysosomal degranulation, and proliferation in CD8 T cells of patients with human immunodeficiency virus-1 (HIV). <i>Blood</i> , <b>2007</b> , 109, 3873-80  | 2.2  | 102 |
| 13 | Impact of polymorphisms in the DC-SIGNR neck domain on the interaction with pathogens. <i>Virology</i> , <b>2006</b> , 347, 354-63  | 3.6  | 27  |
| 12 | Reply to Barreiro and Quintana-Murci. <i>Journal of Infectious Diseases</i> , <b>2006</b> , 194, 1185-1187  | 7    | 6   |
| 11 | Repeat-region polymorphisms in the gene for the dendritic cell-specific intercellular adhesion molecule-3-grabbing nonintegrin-related molecule: effects on HIV-1 susceptibility. <i>Journal of Infectious Diseases</i> , <b>2006</b> , 193, 698-702  | 7    | 43  |
| 10 | Most DC-SIGNR transcripts at mucosal HIV transmission sites are alternatively spliced isoforms. <i>European Journal of Human Genetics</i> , <b>2005</b> , 13, 707-15  | 5.3  | 24  |
| 9  | Determination of DC-SIGN and DC-SIGNR repeat region variations. <i>Methods in Molecular Biology</i> , <b>2005</b> , 304, 471-81   | 1.4  | 12  |
| 8  | Combined effect of CCR5-Delta32 heterozygosity and the CCR5 promoter polymorphism -2459 A/G on CCR5 expression and resistance to human immunodeficiency virus type 1 transmission. <i>Journal of Virology</i> , <b>2005</b> , 79, 11677-84  | 6.6  | 81  |
| 7  | Analysis of genetic polymorphisms in CCR5, CCR2, stromal cell-derived factor-1, RANTES, and dendritic cell-specific intercellular adhesion molecule-3-grabbing nonintegrin in seronegative individuals repeatedly exposed to HIV-1. <i>Journal of Infectious Diseases</i> , <b>2004</b> , 190, 1055-8 | 7    | 102 |

|   |  |     |    |
|---|--|-----|----|
| 6 | Persistence of low levels of simian immunodeficiency virus in macaques that were transiently viremic by conventional testing. <i>Virology</i> , <b>2004</b> , 323, 208-19  | 3.6 | 12 |
| 5 | Genetic analysis of HIV-1 discordant couples in Thailand: association of CCR2 64I homozygosity with HIV-1-negative status. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2002</b> , 29, 314-5                       | 3.1 | 25 |
| 4 | Naturally occurring deletional mutation in the C-terminal cytoplasmic tail of CCR5 affects surface trafficking of CCR5. <i>Journal of Virology</i> , <b>2001</b> , 75, 3462-8  | 6.6 | 59 |
| 3 | Polymorphism in the interleukin-4 promoter affects acquisition of human immunodeficiency virus type 1 syncytium-inducing phenotype. <i>Journal of Virology</i> , <b>2000</b> , 74, 5452-9  | 6.6 | 81 |
| 2 | Enhanced anti-HIV-1 activity of CC-chemokine LD78beta, a non-allelic variant of MIP-1alpha/LD78alpha. <i>FEBS Letters</i> , <b>1999</b> , 457, 219-22  | 3.8 | 23 |
| 1 | Distribution of HIV-1 disease modifying regulated on activation normal T cell expressed and secreted haplotypes in Asian, African and Caucasian individuals. French ALT and IMMUNOCO Study Group. <i>Aids</i> , <b>1999</b> , 13, 2602-3 | 3.5 | 10 |