

# James E Ferrando

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/2877575/james-e-ferrando-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

624  
papers

22,735  
citations

68  
h-index

114  
g-index

648  
ext. papers

25,817  
ext. citations

4.6  
avg, IF

3.9  
L-index

#	Paper	IF	Citations
624	The ATLAS Simulation Infrastructure. <i>European Physical Journal C</i> , <b>2010</b> , 70, 823-874	4.2	817
623	LHAPDF6: parton density access in the LHC precision era. <i>European Physical Journal C</i> , <b>2015</b> , 75, 1	4.2	671
622	Combined measurement and QCD analysis of the inclusive $e-p$ scattering cross sections at HERA. <i>Journal of High Energy Physics</i> , <b>2010</b> , 2010, 1	5.4	370
621	Improved luminosity determination in collisions at [Formula: see text] using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2518	4.2	276
620	Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , <b>2017</b> , 77, 317	4.2	272
619	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at [Formula: see text]=13 TeV. <i>European Physical Journal C</i> , <b>2016</b> , 76, 292	4.2	263
618	Performance of the ATLAS Trigger System in 2010. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	232
617	Performance of missing transverse momentum reconstruction in proton-proton collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ) with ATLAS. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	217
616	Boosted objects: a probe of beyond the standard model physics. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	213
615	Jet energy measurement with the ATLAS detector in proton-proton collisions at ( $\sqrt{s}=7 \text{ TeV}$ ). <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	209
614	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 299	4.2	202
613	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	199
612	Jet energy measurement and its systematic uncertainty in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 17	4.2	194
611	Luminosity determination in collisions at [Formula: see text] = 8 TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2016</b> , 76, 653	4.2	188
610	Measurements of the Higgs boson production and decay rates and coupling strengths using collision data at [Formula: see text] and 8 TeV in the ATLAS experiment. <i>European Physical Journal C</i> , <b>2016</b> , 76, 6	4.2	185
609	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. <i>European Physical Journal C</i> , <b>2017</b> , 77, 490	4.2	177
608	Luminosity determination in pp collisions at ( $\sqrt{s} = 7$ ) TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	167

607	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3130	4.2	166
606	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2941	4.2	160
605	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. <i>European Physical Journal C</i> , <b>2014</b> , 74, 1	4.2	160
604	Jet energy resolution in proton-proton collisions at $\sqrt{s}=7$ TeV recorded in 2010 with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2306	4.2	153
603	Search for an additional, heavy Higgs boson in the $H \rightarrow \tau\tau$ decay channel at $\sqrt{s}=7$ TeV in $pp$ collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 45	4.2	152
602	Evidence for a narrow baryonic state decaying to $K^0_S p$ and $K^0_S \bar{p}$ in deep inelastic scattering at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2004</b> , 591, 7-22	4.2	150
601	Performance of pile-up mitigation techniques for jets in $pp$ collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 581	4.2	148
600	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	143
599	Measurement of the top quark-pair production cross section with ATLAS in $pp$ collisions at $\sqrt{s}=7$ TeV. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	138
598	Search for new high-mass phenomena in the dilepton final state using 36 fb $^{-1}$ of proton-proton collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	126
597	ZEUS next-to-leading-order QCD analysis of data on deep inelastic scattering. <i>Physical Review D</i> , <b>2003</b> , 67,	4.9	126
596	Exclusive electroproduction of $J/\psi$ mesons at HERA. <i>Nuclear Physics B</i> , <b>2004</b> , 695, 3-37	2.8	125
595	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	124
594	Measurement of deeply virtual Compton scattering at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2003</b> , 573, 46-62	4.2	123
593	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in $pp$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	120
592	Measurement of the inclusive $W$ and $Z$ cross sections in the $e$ and $\mu$ decay channels in $pp$ collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,	4.9	117
591	Combination and QCD analysis of charm production cross section measurements in deep-inelastic $ep$ scattering at HERA. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	114
590	Search for charged Higgs bosons decaying via $H \rightarrow t\bar{t}$ events using $pp$ collision data at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	112

589	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2011</b> , 83,	4.9	112
588	Boosted objects and jet substructure at the LHC. Report of BOOST2012, held at IFIC Valencia, 23rd-27th of July 2012. <i>European Physical Journal C</i> , <b>2014</b> , 74, 1	4.2	110
587	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. <i>European Physical Journal C</i> , <b>2015</b> , 75, 510	4.2	109
586	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using ( $\sqrt{s}=8$ ) TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	108
585	Measurement of the [Formula: see text] production cross-section using [Formula: see text] events with [Formula: see text]-tagged jets in [Formula: see text] collisions at [Formula: see text] and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3109	4.2	107
584	Measurement of inclusive jet and dijet production in pp collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 86,	4.9	107
583	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 476	4.2	104
582	Search for doubly charged Higgs bosons in like-sign dilepton final states at ( $\sqrt{s} = 7$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	104
581	Measurement of inclusive jet and dijet cross sections in proton-proton collisions at 7 TeV centre-of-mass energy with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	103
580	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using 4.7 fb <sup>-1</sup> of $\sqrt{s}=7$ TeV proton-proton collision data. <i>Physical Review D</i> , <b>2013</b> , 87,	4.9	101
579	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	101
578	Combined search for the Standard Model Higgs boson in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 86,	4.9	96
577	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into [Formula: see text] in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 349	4.2	94
576	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in ( $\sqrt{s}=8$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	92
575	Measurement of $D^* \pi$ production in deep inelastic $e p$ scattering at DESY HERA. <i>Physical Review D</i> , <b>2004</b> , 69,	4.9	92
574	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	91
573	Measurement of [Formula: see text] production with a veto on additional central jet activity in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2043	4.2	82
572	Readiness of the ATLAS Tile Calorimeter for LHC collisions. <i>European Physical Journal C</i> , <b>2010</b> , 70, 1193-1236	4.2	82

571	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb <sup>-1</sup> of pp collisions at ( $\sqrt{s}$ =13 ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	81
570	Measurement of the Z/ $\gamma$ boson transverse momentum distribution in pp collisions at ( $\sqrt{s}$ =7 ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	79
569	Measurement of the charge asymmetry in top quark pair production in collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2039	4.2	78
568	Search for heavy neutrinos and right-handed bosons in events with two leptons and jets in collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2056	4.2	78
567	Search for single-top production in ep collisions at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2003</b> , 559, 153-170	4.2	77
566	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in ( $\sqrt{s}$ ) = 8 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	76
565	Search for a light charged Higgs boson in the decay channel [Formula: see text] in [Formula: see text] events using collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2465	4.2	76
564	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	74
563	Search for production of [Formula: see text] resonances decaying to a lepton, neutrino and jets in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 209	4.2	73
562	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at ( $\sqrt{s}$ =7 )TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	72
561	Towards an understanding of the correlations in jet substructure. <i>European Physical Journal C</i> , <b>2015</b> , 75, 1	4.2	72
560	Measurement of the inclusive jet cross-section in collisions at [Formula: see text] and comparison to the inclusive jet cross-section at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2509	4.2	71
559	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at ( $\sqrt{s}$ = 7 mbox{~TeV}). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	70
558	Measurement of W+W $\gamma$ production in pp collisions at s=7 TeV with the ATLAS detector and limits on anomalous WWZ and WW $\gamma$ couplings. <i>Physical Review D</i> , <b>2013</b> , 87,	4.9	70
557	The ATLAS Inner Detector commissioning and calibration. <i>European Physical Journal C</i> , <b>2010</b> , 70, 787-821	4.2	70
556	Searches for scalar leptoquarks in collisions at [Formula: see text] = 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 5	4.2	68
555	Measurement of upsilon production in 7 TeV pp collisions at ATLAS. <i>Physical Review D</i> , <b>2013</b> , 87,	4.9	68
554	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at ( $\sqrt{s}$ =8 ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	67

553	Jet mass and substructure of inclusive jets in ( $\sqrt{s} = 7$ ; {text{TeV}}) pp collisions with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	67
552	Study of deep inelastic inclusive and diffractive scattering with the ZEUS forward plug calorimeter. <i>Nuclear Physics B</i> , <b>2005</b> , 713, 3-80	2.8	67
551	Search for Higgs boson pair production in the [Formula: see text] final state from collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 412	4.2	66
550	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1-39	5.4	66
549	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 903	4.2	66
548	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	65
547	Search for the ( $\overline{b}$ ) decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	64
546	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at ( $\sqrt{s}=8$ ) TeV proton-proton collisions using the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	64
545	Measurement of the transverse momentum and [Formula: see text] distributions of Drell-Yan lepton pairs in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 291	4.2	63
544	The PDF4LHC report on PDFs and LHC data: results from Run I and preparation for Run II. <i>Journal of Physics G: Nuclear and Particle Physics</i> , <b>2015</b> , 42, 103103	2.9	63
543	Exclusive photoproduction of $\eta$ mesons at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2009</b> , 680, 4-12	4.2	63
542	The design and performance of the ZEUS micro vertex detector. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2007</b> , 581, 656-686	1.2	63
541	Exclusive electroproduction of $\eta$ mesons at HERA. <i>Nuclear Physics B</i> , <b>2005</b> , 718, 3-31	2.8	63
540	Inclusive jet cross sections in the Breit frame in neutral current deep inelastic scattering at HERA and determination of $\beta_s$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2002</b> , 547, 164-180	4.2	63
539	Leading neutron production in e+p collisions at HERA. <i>Nuclear Physics B</i> , <b>2002</b> , 637, 3-56	2.8	63
538	Search for resonant diboson production in the [Formula: see text] final state in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 69	4.2	62
537	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2017</b> , 77, 195	4.2	61
536	Search for dark matter in events with heavy quarks and missing transverse momentum in [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 92	4.2	60



535	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using ( $\sqrt{s}$ ) = 7 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	60
534	Measurement of the $\gamma$ -boson mass in pp collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 110	4.2	59
533	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at ( $\sqrt{s}$ )=8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	59
532	Measurement of the W and Z production cross sections in proton-proton collisions at ( $\sqrt{s}$ ) = 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2010</b> , 2010, 1	5.4	58
531	A search for ( $\chi_{\pm}^0$ ) resonances using lepton-plus-jets events in proton-proton collisions at ( $\sqrt{s}$ )=8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	57
530	Search for charged Higgs bosons decaying via $H \rightarrow \tau\tau$ in fully hadronic final states using pp collision data at ( $\sqrt{s}$ ) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	56
529	Constraints on the off-shell Higgs boson signal strength in the high-mass and final states with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 335	4.2	56
528	Precision measurement and interpretation of inclusive $\gamma$ and production cross sections with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 367	4.2	56
527	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 199	4.2	55
526	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at ( $\sqrt{s}$ )=7 TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	55
525	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at ( $\sqrt{s}$ ) = 7 TeV. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	55
524	Summary of the searches for squarks and gluinos using ( $\sqrt{s}$ )=8 TeV pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	55
523	Measurements of the $[t\bar{t}]$ production cross sections in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 82	4.2	54
522	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at ( $\sqrt{s}$ )=8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	54
521	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in ( $\sqrt{s}$ ) = 8 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	54
520	Measurement of W $\pm$ Z production in proton-proton collisions at ( $\sqrt{s}$ )=7 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	54
519	Measurement of the longitudinal proton structure function at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2009</b> , 682, 8-22	4.2	54
518	Search for squarks and gluinos in final states with jets and missing transverse momentum at ( $\sqrt{s}$ )=13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 392	4.2	53

517	Search for new phenomena in events with at least three photons collected in collisions at [Formula: see text] = 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 210	4.2	53
516	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	53
515	Search for supersymmetry in final states with jets, missing transverse momentum and one isolated lepton in $\sqrt{s}=7$ TeV pp collisions using 1 fb of ATLAS data. <i>Physical Review D</i> , <b>2012</b> , 85,	4.9	53
514	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at ( $\sqrt{s}=7$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	53
513	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. <i>European Physical Journal C</i> , <b>2016</b> , 76, 666	4.2	53
512	Search for direct top-squark pair production in final states with two leptons in pp collisions at ( $\sqrt{s}$ ) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	52
511	Search for lepton-flavour-violating decays of the Higgs and bosons with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 70	4.2	52
510	Search for dark matter at [Formula: see text] in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 393	4.2	52
509	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3157	4.2	52
508	Measurement of the W boson polarization in top quark decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	52
507	Performance of the ATLAS muon trigger in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2015</b> , 75, 120	4.2	51
506	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	51
505	Measurement of the production cross section of jets in association with a Z boson in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	50
504	Evidence for the ( $H \rightarrow b\bar{b}$ ) decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	50
503	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in [Formula: see text] TeV [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 208	4.2	50
502	Study of jet shapes in inclusive jet production in pp collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. <i>Physical Review D</i> , <b>2011</b> , 83,	4.9	50
501	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 303	4.2	49
500	Measurement of charged-particle spectra in Pb+Pb collisions at ( $\sqrt{s_{\text{NN}}}=2.76$ ) TeV with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	49



499	Search for high-mass resonances decaying to dilepton final states in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	49
498	Measurements of $W$ and $Z$ production in pp collisions at $s=7$ TeV with the ATLAS detector at the LHC. <i>Physical Review D</i> , <b>2013</b> , 87,	4.9	49
497	Search for resonances in diphoton events at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	49
496	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 538	4.2	48
495	Search for supersymmetry at [Formula: see text] TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 259	4.2	48
494	Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 428	4.2	48
493	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb of ( $\sqrt{s} = 7$ ;TeV) proton-proton collisions. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	48
492	High- $Q^2$ neutral current cross sections in e+p deep inelastic scattering at $s=318$ GeV. <i>Physical Review D</i> , <b>2004</b> , 70,	4.9	48
491	Measurement of the prompt [Formula: see text] pair production cross-section in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 76	4.2	47
490	Search for heavy resonances decaying into in the final state in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 24	4.2	47
489	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	47
488	Deep inelastic scattering with leading protons or large rapidity gaps at HERA. <i>Nuclear Physics B</i> , <b>2009</b> , 816, 1-61	2.8	47
487	Search for a new resonance decaying to a or boson and a Higgs boson in the [Formula: see text] final states with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 263	4.2	46
486	Constraining top quark effective theory in the LHC Run II era. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1-32	5.4	46
485	Light-quark and gluon jet discrimination in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3023	4.2	46
484	Search for lepton-flavour-violating $H \rightarrow \mu\tau$ decays of the Higgs boson with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	46
483	Search for new phenomena in tt events with large missing transverse momentum in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Physical Review Letters</i> , <b>2012</b> , 108, 041805	7.4	46
482	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with ( $\sqrt{s}=8$ ) TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	45

481	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5-4	45
480	Measurement of ZZ production in pp collisions at ( $\sqrt{s}=7$ ) TeV and limits on anomalous ZZZ and ZZ couplings with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	45
479	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at [Formula: see text] TeV in 2010. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3034	4-2	45
478	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in ( $\sqrt{s}=7$ ;mathrm{TeV}) pp collisions at the LHC. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	45
477	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in [Formula: see text] TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 318	4-2	44
476	Identification of boosted, hadronically decaying bosons and comparisons with ATLAS data taken at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2016</b> , 76, 154	4-2	44
475	Measurement of isolated-photon pair production in pp collisions at ( $\sqrt{s}=7$ ;TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	44
474	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at ( $\sqrt{s} = 7$ mbox{TeV}). <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4-2	44
473	Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4-2	44
472	A QCD analysis of ZEUS diffractive data. <i>Nuclear Physics B</i> , <b>2010</b> , 831, 1-25	2-8	44
471	Measurement of underlying event characteristics using charged particles in pp collisions at $s=900$ GeV and 7 TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2011</b> , 83,	4-9	44
470	Performance of jet substructure techniques for large-R jets in proton-proton collisions at ( $\sqrt{s}=7$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	43
469	Global fit of top quark effective theory to data. <i>Physical Review D</i> , <b>2015</b> , 92,	4-9	43
468	Measurement of the cross section for top-quark pair production in pp collisions at ( $\sqrt{s} = \{7\};\text{TeV}$ ) with the ATLAS detector using final states with two high-p T leptons. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	43
467	ATLAS b-jet identification performance and efficiency measurement with ( $t\bar{t}$ ) events in pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4-2	43
466	Jet reconstruction and performance using particle flow with the ATLAS Detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 466	4-2	42
465	Measurement of the differential cross-sections of prompt and non-prompt production of [Formula: see text] and [Formula: see text] in collisions at [Formula: see text] and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 283	4-2	42
464	Measurement of the top quark mass with the template method in the [Formula: see text] channel using ATLAS data. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2046	4-2	42

463	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	42
462	Further search for supersymmetry at $\sqrt{s}=7$ TeV in final states with jets, missing transverse momentum, and isolated leptons with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 86,	4.9	42
461	Measurement of charm and beauty production in deep inelastic ep scattering from decays into muons at HERA. <i>European Physical Journal C</i> , <b>2010</b> , 65, 65-79	4.2	42
460	Search for heavy resonances in the $W$ and final states using proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 293	4.2	41
459	Search for direct top squark pair production in events with a $W$ boson, $W$ -jets and missing transverse momentum in $\sqrt{s}=7$ TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2883	4.2	41
458	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	41
457	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\sqrt{s}=7$ TeV proton-proton collisions with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	41
456	Study of jets produced in association with a $W$ boson in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,	4.9	41
455	Readiness of the ATLAS liquid argon calorimeter for LHC collisions. <i>European Physical Journal C</i> , <b>2010</b> , 70, 723-753	4.2	41
454	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	40
453	Measurement of high- $Q^2$ charged current cross sections in $e\bar{p}$ deep inelastic scattering at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2002</b> , 539, 197-217	4.2	40
452	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s}=2.76$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 199	4.2	39
451	Search for supersymmetry at $\sqrt{s}=8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	39
450	A search for $t$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	39
449	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s}=8$ TeV proton-proton collisions in the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 241	4.2	38
448	Observation and measurements of the production of prompt and non-prompt $D$ mesons in association with a $W$ boson in $pp$ collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 229	4.2	38
447	Search for $tt$ resonances in the lepton plus jets final state with ATLAS using $4.7 \text{ fb}^{-1}$ of pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , <b>2013</b> , 88,	4.9	38
446	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	38

445	The design and performance of the ZEUS global tracking trigger. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2007</b> , 580, 1257-1282	1.2	38
444	Inclusive-jet and dijet cross sections in deep inelastic scattering at HERA. <i>Nuclear Physics B</i> , <b>2007</b> , 765, 1-30	2.8	38
443	Measurement of the open-charm contribution to the diffractive proton structure function. <i>Nuclear Physics B</i> , <b>2003</b> , 672, 3-35	2.8	38
442	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at ( $\sqrt{s} = 13$ ) (text {TeV}). <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	37
441	Measurement of the production of a W boson in association with a charm quark in pp collisions at ( $\sqrt{s} = 7$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	37
440	Search for pair production of heavy top-like quarks decaying to a high-pT W boson and a b quark in the lepton plus jets final state at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 718, 1284-1302	4.2	37
439	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	37
438	Search for the Standard Model Higgs boson in the $H \rightarrow \tau\tau$ decay mode in ( $\sqrt{s} = 7, \text{TeV}$ ) pp collisions with ATLAS. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	37
437	Limits on the production of the standard model Higgs boson in pp collisions at ( $\sqrt{s} = 7$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	37
436	Search for massive colored scalars in four-jet final states in ( $\sqrt{s}=7\sim 8$ TeV) proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	37
435	Charged-particle distributions at low transverse momentum in [Formula: see text]TeV interactions measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2016</b> , 76, 502	4.2	37
434	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	36
433	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at ( $\sqrt{s} = 8$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	36
432	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at and 5.02 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 142	4.2	35
431	Measurement of quarkonium production in proton-lead and proton-proton collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 171	4.2	35
430	Measurement of the charged-particle multiplicity inside jets from [Formula: see text][Formula: see text]collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 322	4.2	35
429	Measurement of jet fragmentation in Pb+Pb and collisions at TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2017</b> , 77, 379	4.2	35
428	Measurement of the isolated diphoton cross section in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,	4.9	35

427	Search for second generation scalar leptoquarks in pp collisions at ( $\sqrt{s}=7\text{ TeV}$ ) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	35
426	Search for down-type fourth generation quarks with the ATLAS detector in events with one lepton and hadronically decaying W bosons. <i>Physical Review Letters</i> , <b>2012</b> , 109, 032001	7.4	35
425	Search for resonance decays to lepton+jet at DESY HERA and limits on leptoquarks. <i>Physical Review D</i> , <b>2003</b> , 68,	4.9	35
424	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	34
423	Measurement of the transverse momentum distribution of W bosons in pp collisions at $s=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,	4.9	34
422	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	34
421	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	34
420	Search for contact interactions and large extra dimensions in dilepton events from pp collisions at $s=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2013</b> , 87,	4.9	34
419	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 565	4.2	34
418	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. <i>European Physical Journal C</i> , <b>2017</b> , 77, 673	4.2	33
417	Measurement of beauty production in deep inelastic scattering at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2004</b> , 599, 173-189	4.2	33
416	Search for charged Higgs bosons in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at ( $\sqrt{s}=8$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	33
415	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb <sup>-1</sup> of ( $\sqrt{s}=13$ ) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	33
414	Measurement of the top quark mass in the $t\bar{t} \rightarrow b\bar{b} + \text{jet}$ and $t\bar{t} \rightarrow b\bar{b} + \text{jet} + \text{jet}$ channels using 36.1 fb <sup>-1</sup> of $\sqrt{s}=13$ TeV ATLAS data. <i>European Physical Journal C</i> , <b>2015</b> , 75, 330	4.2	32
413	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s}=13$ TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 18	4.2	32
412	Diffraction photoproduction of dijets in ep collisions at HERA. <i>European Physical Journal C</i> , <b>2008</b> , 55, 177-191	4.2	32
411	Search for pair production of Higgs bosons in the $(\gamma\gamma)$ final state using proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	31
410	Constraints on mediator-based dark matter and scalar dark energy models using ( $\sqrt{s} = 13$ TeV) pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	31



409	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at ( $\sqrt{s} = 7$ TeV) with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	3 <sup>1</sup>
408	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at ( $\sqrt{s}=7$ ) TeV in the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	3 <sup>1</sup>
407	Measurement of the production and lepton charge asymmetry of [Formula: see text] bosons in Pb+Pb collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 23	4.2	3 <sup>1</sup>
406	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3134	4.2	3 <sup>1</sup>
405	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at ( $\sqrt{s} = 8$ ) TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	3 <sup>1</sup>
404	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at ( $\sqrt{s}=7$ TeV). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	3 <sup>1</sup>
403	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in ( $\sqrt{s}=7$ TeV) proton-proton collisions. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	3 <sup>1</sup>
402	Inclusive search for same-sign dilepton signatures in pp collisions at ( $\sqrt{s} = 7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	3 <sup>1</sup>
401	Search for tb resonances in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review Letters</i> , <b>2012</b> , 109, 081801	7.4	3 <sup>1</sup>
400	Leading neutron energy and distributions in deep inelastic scattering and photoproduction at HERA. <i>Nuclear Physics B</i> , <b>2007</b> , 776, 1-37	2.8	3 <sup>1</sup>
399	Measurements of b-jet tagging efficiency with the ATLAS detector using ( $\overline{t}$ ) events at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	3 <sup>1</sup>
398	Search for third generation scalar leptoquarks in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	3 <sup>0</sup>
397	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	3 <sup>0</sup>
396	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at ( $\sqrt{s}=8$ ) TeV with ATLAS. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	3 <sup>0</sup>
395	Inclusive-jet photoproduction at HERA and determination of $\mu$ s. <i>Nuclear Physics B</i> , <b>2012</b> , 864, 1-37	2.8	3 <sup>0</sup>
394	Measurement of the [Formula: see text] production cross section in the tau + jets channel using the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2328	4.2	3 <sup>0</sup>
393	Measurements of underlying-event properties using neutral and charged particles in pp collisions at ( $\sqrt{s}=900$ ) GeV and ( $\sqrt{s}=7$ ) TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	3 <sup>0</sup>
392	Measurement of the production cross section of an isolated photon associated with jets in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,	4.9	3 <sup>0</sup>



391	Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	30
390	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	29
389	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	29
388	Search for heavy vector-like quarks coupling to light quarks in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 712, 22-39	4.2	29
387	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , <b>2017</b> , 77, 332	4.2	29
386	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	29
385	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	29
384	Search for supersymmetry in pp collisions at $\sqrt{s}=7$ TeV in final states with missing transverse momentum and b-jets with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,	4.9	29
383	Jet-radius dependence of inclusive-jet cross sections in deep inelastic scattering at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2007</b> , 649, 12-24	4.2	29
382	Bottom photoproduction measured using decays into muons in dijet events in ep collisions at $\sqrt{s}=318$ GeV. <i>Physical Review D</i> , <b>2004</b> , 70,	4.9	29
381	Two-particle Bose-Einstein correlations in collisions at [Formula: see text] 0.9 and 7 TeV measured with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 466	4.2	28
380	A search for pair-produced resonances in four-jet final states at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 250	4.2	28
379	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2016</b> , 76, 295	4.2	28
378	Search for single top-quark production via flavour-changing neutral currents at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 55	4.2	28
377	Measurement of the production cross section for Z/ $\gamma$ in association with jets in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,	4.9	28
376	Dijet production in diffractive deep inelastic scattering at HERA. <i>European Physical Journal C</i> , <b>2007</b> , 52, 813-832	4.2	28
375	Search for minimal supersymmetric standard model Higgs Bosons $H/A$ and for a [Formula: see text] boson in the [Formula: see text] final state produced in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 585	4.2	28
374	Fiducial, total and differential cross-section measurements of $\gamma$ -channel single top-quark production in collisions at $\sqrt{s}=8$ TeV using data collected by the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 531	4.2	27

373	Measurement of the inclusive jet cross-section in proton-proton collisions at ( $\sqrt{s}=7$ ) TeV using 4.5 fb <sup>-1</sup> of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	27
372	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in ( $\sqrt{s}=13$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	27
371	Measurement of high-Q <sup>2</sup> neutral current deep inelastic e p scattering cross sections with a longitudinally polarised electron beam at HERA. <i>European Physical Journal C</i> , <b>2009</b> , 62, 625-658	4.2	27
370	Measurement of D <sup>±</sup> and D <sup>0</sup> production in deep inelastic scattering using a lifetime tag at HERA. <i>European Physical Journal C</i> , <b>2009</b> , 63, 171-188	4.2	27
369	Measurement of isolated photon production in deep inelastic ep scattering. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2010</b> , 687, 16-25	4.2	27
368	Search for contact interactions, large extra dimensions and finite quark radius in ep collisions at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2004</b> , 591, 23-41	4.2	27
367	Measurement of subjet multiplicities in neutral current deep inelastic scattering at HERA and determination of $\beta_s$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2003</b> , 558, 41-58	4.2	27
366	Study of the rare decays of [Formula: see text] and [Formula: see text] into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 513	4.2	27
365	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	26
364	Measurement of $\tau_1$ and $\tau_2$ production with ( $\sqrt{s}$ ) = 7 TeV pp collisions at ATLAS. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	26
363	Measurements of the production cross section of a [Formula: see text] boson in association with jets in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 361	4.2	26
362	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	26
361	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	26
360	Measurement of charged current deep inelastic scattering cross sections with a longitudinally polarised electron beam at HERA. <i>European Physical Journal C</i> , <b>2009</b> , 61, 223-235	4.2	26
359	Search for pair production of a heavy up-type quark decaying to a W boson and a b quark in the lepton + jets channel with the ATLAS detector. <i>Physical Review Letters</i> , <b>2012</b> , 108, 261802	7.4	26
358	Test of CP invariance in vector-boson fusion production of the Higgs boson using the method in the ditau decay channel with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 658	4.2	26
357	Electron and photon energy calibration with the ATLAS detector using 2015-2016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , <b>2019</b> , 14, P03017-P03017	1	25
356	Multi-channel search for squarks and gluinos in [Formula: see text] collisions with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2362	4.2	25

355	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	25
354	Search for $[B_s \rightarrow \mu^+ \mu^-]$ decays in $[B_s \rightarrow \mu^+ \mu^-]$ collisions at $[B_s \rightarrow \mu^+ \mu^-]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 165	4.2	25
353	Combined inclusive diffractive cross sections measured with forward proton spectrometers in deep inelastic ep scattering at HERA. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	25
352	Inclusive jet cross sections and dijet correlations in $D^* \pi$ photoproduction at HERA. <i>Nuclear Physics B</i> , <b>2005</b> , 729, 492-525	2.8	25
351	Search for bottom squark pair production in proton-proton collisions at $[B_s \rightarrow \mu^+ \mu^-]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 547	4.2	25
350	Measurement of the inclusive isolated prompt photon cross section in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	25
349	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	24
348	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at ( $\sqrt{s} = 7$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	24
347	Measurement of the production cross section of prompt $J/\psi$ mesons in association with a $W$ boson in pp collisions at ( $\sqrt{s} = 7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	24
346	Search for single-top production in ep collisions at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 708, 27-36	4.2	24
345	Measurement of the differential cross-section of $B^+$ meson production in pp collisions at ( $\sqrt{s}=7$ ) TeV at ATLAS. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	24
344	Measurement of beauty and charm production in deep inelastic scattering at HERA and measurement of the beauty-quark mass. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	24
343	Deep inelastic cross-section measurements at large $y$ with the ZEUS detector at HERA. <i>Physical Review D</i> , <b>2014</b> , 90,	4.9	24
342	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	24
341	Properties of jets measured from tracks in proton-proton collisions at center-of-mass energy $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2011</b> , 84,	4.9	24
340	Search for anomalous production of prompt like-sign muon pairs and constraints on physics beyond the standard model with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,	4.9	24
339	Scaling violations and determination of $\beta_s$ from jet production in $\beta$ interactions at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2003</b> , 560, 7-23	4.2	24
338	Search for single production of vector-like quarks decaying into in collisions at $[B_s \rightarrow \mu^+ \mu^-]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 442	4.2	24

337	Search for the direct production of charginos and neutralinos in final states with tau leptons in collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 154	4.2	23
336	Time-dependent angular analysis of the decay $B_s^0 \rightarrow J/\psi \phi$ and extraction of $\beta$ and the CP-violating weak phase $\gamma$ by ATLAS. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012,	5.4	23
335	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	23
334	Search for pair production of a new $b'$ quark that decays into a Z boson and a bottom quark with the ATLAS detector. <i>Physical Review Letters</i> , <b>2012</b> , 109, 071801	7.4	23
333	Deep inelastic inclusive and diffractive scattering at $Q^2$ values from 25 to 320 GeV <sup>2</sup> with the ZEUS forward plug calorimeter. <i>Nuclear Physics B</i> , <b>2008</b> , 800, 1-76	2.8	23
332	Prompt and non-prompt and suppression at high transverse momentum in Pb+Pb collisions with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2018</b> , 78, 762	4.2	23
331	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 26	4.2	22
330	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	22
329	Search for heavy long-lived multi-charged particles in collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 362	4.2	22
328	Search for W W/W Z resonance production in $q\bar{q}$ final states in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	22
327	A search for prompt lepton-jets in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	22
326	A search for high-mass resonances decaying to $q\bar{q}$ in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	22
325	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	22
324	Search for first-generation leptoquarks at HERA. <i>Physical Review D</i> , <b>2012</b> , 86,	4.9	22
323	. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	22
322	Measurement of high- $Q^2$ charged current deep inelastic scattering cross sections with a longitudinally polarised positron beam at HERA. <i>European Physical Journal C</i> , <b>2010</b> , 70, 945-963	4.2	22
321	Inclusive-jet cross sections in NC DIS at HERA and a comparison of the . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2010</b> , 691, 127-137	4.2	22
320	Measurement of prompt photons with associated jets in photoproduction at HERA. <i>European Physical Journal C</i> , <b>2007</b> , 49, 511-522	4.2	22

3 <sup>19</sup>	Observation of isolated high-ET photons in deep inelastic scattering. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2004</b> , 595, 86-100	4.2	22
3 <sup>18</sup>	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 79	4.2	21
3 <sup>17</sup>	Measurements of fiducial cross-sections for [Formula: see text] production with one or two additional $\gamma$ -jets in collisions at [Formula: see text]=8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 11	4.2	21
3 <sup>16</sup>	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3195	4.2	21
3 <sup>15</sup>	Production of excited charm and charm-strange mesons at HERA. <i>European Physical Journal C</i> , <b>2009</b> , 60, 25-45	4.2	21
3 <sup>14</sup>	Search for pair-produced heavy quarks decaying to $Wq$ in the two-lepton channel at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 86,	4.9	21
3 <sup>13</sup>	Study of hard double-parton scattering in four-jet events in pp collisions at $(\sqrt{s}=7)$ TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	21
3 <sup>12</sup>	Search for Higgs boson pair production in the channel using collision data recorded at TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 1007	4.2	21
3 <sup>11</sup>	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	21
3 <sup>10</sup>	Search for doubly charged scalar bosons decaying into same-sign boson pairs with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 58	4.2	20
3 <sup>09</sup>	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	20
3 <sup>08</sup>	Searches for heavy diboson resonances in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	20
3 <sup>07</sup>	Measurement of charm fragmentation fractions in photoproduction at HERA. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	20
3 <sup>06</sup>	Searches for the $Z\gamma$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	20
3 <sup>05</sup>	$K_S^0$ and $\Lambda$ production in pp interactions at $\sqrt{s}=0.9$ and 7 TeV measured with the ATLAS detector at the LHC. <i>Physical Review D</i> , <b>2012</b> , 85,	4.9	20
3 <sup>04</sup>	ATLAS measurements of the properties of jets for boosted particle searches. <i>Physical Review D</i> , <b>2012</b> , 86,	4.9	20
3 <sup>03</sup>	Dijet angular distributions in photoproduction of charm at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2003</b> , 565, 87-101	4.2	20
3 <sup>02</sup>	Search for pentaquarks decaying to $\Lambda n$ in deep inelastic scattering at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2005</b> , 610, 212-224	4.2	20



301	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at [Formula: see text] = 13 Te V with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 565	4.2	20
300	Measurement of the boson polarisation in [Formula: see text] events from collisions at [Formula: see text] = 8 TeV in the lepton+jet channel with ATLAS. <i>European Physical Journal C</i> , <b>2017</b> , 77, 264	4.2	19
299	Performance of top-quark and (varvec{W})-boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	19
298	Search for direct top squark pair production in final states with two leptons in TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 898	4.2	19
297	Determination of the strong coupling constant from transverse energy-energy correlations in multijet events at using the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 872	4.2	19
296	Measurement of $D^*\pi$ meson production in jets from pp collisions at $s=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,	4.9	19
295	Charged-particle distributions in interactions at [Formula: see text] measured with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 403	4.2	19
294	Measurement of three-jet production cross-sections in [Formula: see text] collisions at 7[Formula: see text] centre-of-mass energy using the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 228	4.2	18
293	Measurement of the underlying event in jet events from 7 (text {TeV}) proton+proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 1	4.2	18
292	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2982	4.2	18
291	Measurement of the low-mass Drell-Yan differential cross section at $(\sqrt{s}) = 7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	18
290	Measurement of jet shapes in top-quark pair events at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2676	4.2	18
289	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $(\sqrt{s}=7)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	18
288	Search for flavour-changing neutral current top quark decays $t \rightarrow Hq$ in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1-65	5.4	18
287	Search for metastable heavy charged particles with large ionisation energy loss in collisions at [Formula: see text] TeV using the ATLAS experiment. <i>European Physical Journal C</i> , <b>2015</b> , 75, 407	4.2	18
286	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $(\sqrt{\mathbf{s}}=7 \text{ TeV})$ . <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	18
285	Search for resonant diboson production in the $WW/WZ-H$ decay channels with the ATLAS detector at $s=7$ TeV. <i>Physical Review D</i> , <b>2013</b> , 87,	4.9	18
284	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $(\sqrt{s}=7)$ TeV proton+proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	18



283	Measurement of the Z-boson cross section with the ATLAS detector. <i>Physical Review D</i> , <b>2011</b> , 84,	4.9	18
282	Forward jet production in deep inelastic ep scattering and low-x parton dynamics at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2006</b> , 632, 13-26	4.2	18
281	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in collision data at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 87	4.2	18
280	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	17
279	Measurement of polarization in $\tau$ -decays with the ATLAS detector in collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2062	4.2	17
278	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in [Formula: see text] collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3117	4.2	17
277	Measurement of the $B_0$ lifetime and mass in the ATLAS experiment. <i>Physical Review D</i> , <b>2013</b> , 87,	4.9	17
276	Measurement of open beauty production at HERA in the $D^*$ -final state. <i>European Physical Journal C</i> , <b>2007</b> , 50, 299-314	4.2	17
275	Measurement of $K_0^S$ , $\Lambda$ and $\Sigma$ production at HERA. <i>European Physical Journal C</i> , <b>2007</b> , 51, 1-23	4.2	17
274	Search for a scalar partner of the top quark in the all-hadronic ( $t\bar{t}$ ) plus missing transverse momentum final state at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	17
273	Search for supersymmetry in a final state containing two photons and missing transverse momentum in [Formula: see text] $\sqrt{s}=3$ TeV [Formula: see text] collisions at the LHC using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 517	4.2	17
272	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in ( $\sqrt{s}=8$ ) TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	16
271	Search for the Standard Model Higgs boson decaying into ( $\overline{b}b$ ) produced in association with top quarks decaying hadronically in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	16
270	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 580	4.2	16
269	Measurement of the Drell-Yan triple-differential cross section in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	16
268	Search for new phenomena in events with three or more charged leptons in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	16
267	Measurement of the ( $\overline{t}W$ ) and ( $\overline{t}Z$ ) production cross sections in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	16
266	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at ( $\sqrt{s}=7$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	16

265	A measurement of the ratio of the production cross sections for [Formula: see text] and [Formula: see text] bosons in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3168	4.2	16
264	Measurement of the production cross-section of $(ZS) \rightarrow \ell^+\ell^- \nu\bar{\nu}$ in pp collisions at $(\sqrt{s}) = 7$ TeV at ATLAS. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	16
263	Search for anomalous production of prompt like-sign lepton pairs at $(\sqrt{s}=7;\text{TeV})$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	16
262	Measurement of high- $Q^2$ neutral current deep inelastic e+p scattering cross sections with a longitudinally polarized positron beam at HERA. <i>Physical Review D</i> , <b>2013</b> , 87,	4.9	16
261	Studies of the performance of the ATLAS detector using cosmic-ray muons. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	16
260	Search for pair production of first or second generation leptoquarks in proton-proton collisions at $s=7$ TeV using the ATLAS detector at the LHC. <i>Physical Review D</i> , <b>2011</b> , 83,	4.9	16
259	Diffraction photoproduction of $D^*(2010)$ at HERA. <i>European Physical Journal C</i> , <b>2007</b> , 51, 301-315	4.2	16
258	Measurement of (anti)deuteron and (anti)proton production in DIS at HERA. <i>Nuclear Physics B</i> , <b>2007</b> , 786, 181-205	2.8	16
257	Measurement of high- $Q^2$ deep inelastic scattering cross sections with a longitudinally polarised positron beam at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2006</b> , 637, 210-222	4.2	16
256	The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , <b>2016</b> , 76, 526	4.2	16
255	Search for the Higgs boson produced in association with a boson and decaying to four $\nu$ -quarks via two spin-zero particles in collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 605	4.2	16
254	Search for flavour-changing neutral current top-quark decays to [Formula: see text] in [Formula: see text] collision data collected with the ATLAS detector at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2016</b> , 76, 12	4.2	16
253	Measurement of fiducial and differential $(W^+W^-)$ production cross-sections at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	16
252	Determination of spin and parity of the Higgs boson in the [Formula: see text] decay channel with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 231	4.2	15
251	Measurement of the top quark charge in pp collisions at $(\sqrt{s}=7)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	15
250	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $(\sqrt{s}=7;\text{TeV})$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	15
249	Measurements of $(ZS)$ and $X(3872) \rightarrow \ell^+\ell^- \nu\bar{\nu}$ production in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	15
248	Measurement of production with the hadronically decaying boson reconstructed as one or two jets in collisions at with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , <b>2017</b> , 77, 563	4.2	15

247	Determination of the top-quark pole mass using $(\overline{t}) + 1$ -jet events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	15
246	Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>New Journal of Physics</i> , <b>2013</b> , 15, 043009	2.9	15
245	Search for diphoton events with large missing transverse energy with 36 pb <sup>-1</sup> of 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	15
244	Search for resonant top quark plus jet production in $t\bar{t}+jets$ events with the ATLAS detector in pp collisions at $s=7$ TeV. <i>Physical Review D</i> , <b>2012</b> , 86,	4.9	15
243	Measurement of the $[Formula: see text]$ and $[Formula: see text]$ production cross sections in multilepton final states using 3.2 fb $[Formula: see text]$ of $[Formula: see text]$ collisions at $[Formula: see text] = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 40	4.2	14
242	Measurements of electroweak $[Formula: see text]$ production and constraints on anomalous gauge couplings with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 474	4.2	14
241	Measurement of the $(\overline{t})$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	14
240	Search for the production of single vector-like and excited quarks in the $Wt$ final state in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	14
239	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $(\sqrt{s}) = 8$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	14
238	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	14
237	Search for charged Higgs bosons through the violation of lepton universality in $(\overline{t})$ events using pp collision data at $(\sqrt{s}=7)$ TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	14
236	Study of (W/Z)H production and Higgs boson couplings using $H \rightarrow W W^*$ decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	14
235	A search for $[Formula: see text]$ resonances with the ATLAS detector in 2.05 fb of proton-proton collisions at $[Formula: see text]$ . <i>European Physical Journal C</i> , <b>2012</b> , 72, 2083	4.2	14
234	Search for new phenomena in events with three charged leptons at $s=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2013</b> , 87,	4.9	14
233	Commissioning of the ATLAS Muon Spectrometer with cosmic rays. <i>European Physical Journal C</i> , <b>2010</b> , 70, 875-916	4.2	14
232	Performance of the ATLAS detector using first collision data. <i>Journal of High Energy Physics</i> , <b>2010</b> , 2010, 1	5.4	14
231	Three- and four-jet final states in photoproduction at HERA. <i>Nuclear Physics B</i> , <b>2008</b> , 792, 1-47	2.8	14
230	Search for stop production in R-parity-violating supersymmetry at HERA. <i>European Physical Journal C</i> , <b>2007</b> , 50, 269	4.2	14

229	Event shapes in deep inelastic scattering at HERA. <i>Nuclear Physics B</i> , <b>2007</b> , 767, 1-28	2.8	14
228	Photoproduction of $D^* \Xi$ mesons associated with a leading neutron. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2004</b> , 590, 143-160	4.2	14
227	Study of the pion trajectory in the photoproduction of leading neutrons at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2005</b> , 610, 199-211	4.2	14
226	Measurements of top-quark pair differential cross-sections in the [Formula: see text] channel in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 292	4.2	13
225	Search for triboson [Formula: see text] production in collisions at [Formula: see text] [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 141	4.2	13
224	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW^* \rightarrow e\mu$ with the ATLAS detector at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	13
223	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	13
222	Identification of high transverse momentum top quarks in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	13
221	Addendum to Measurement of the $(t\bar{t})$ production cross-section using $(e\mu)$ events with b-tagged jets in pp collisions at $(\sqrt{s}) = 7$ and $8$ ( $\text{TeV}$ ) with the ATLAS detector [ <i>European Physical Journal C</i> , <b>2016</b> , 76, 1	4.2	13
220	Study of the [Formula: see text] and [Formula: see text] decays with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 4	4.2	13
219	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	13
218	Measurement of beauty and charm production in deep inelastic scattering at HERA and measurement of the beauty-quark mass. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	13
217	Search for R-parity-violating supersymmetry in events with four or more leptons in $(\sqrt{s}=7;\text{TeV})$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	13
216	Search for excited leptons in proton-proton collisions at $s=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,	4.9	13
215	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $(\sqrt{s} = 7\text{TeV})$ . <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	13
214	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	13
213	Search for nonpointing photons in the diphoton and $E_{T\text{miss}}$ final state in $s=7$ TeV proton-proton collisions using the ATLAS detector. <i>Physical Review D</i> , <b>2013</b> , 88,	4.9	13
212	Search for microscopic black holes in a like-sign dimuon final state using large track multiplicity with the ATLAS detector. <i>Physical Review D</i> , <b>2013</b> , 88,	4.9	13

211	Measurement of beauty production in deep inelastic scattering at HERA using decays into electrons. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	13
210	Search for a heavy neutral particle decaying into an electron and a muon using 1 fb <sup>-1</sup> of ATLAS data. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	13
209	Measurement of beauty production in DIS and extraction at ZEUS. <i>European Physical Journal C</i> , <b>2010</b> , 69, 347-360	4.2	13
208	Inclusive dijet cross sections in neutral current deep inelastic scattering at HERA. <i>European Physical Journal C</i> , <b>2010</b> , 70, 965-982	4.2	13
207	High-ET dijet photoproduction at HERA. <i>Physical Review D</i> , <b>2007</b> , 76,	4.9	13
206	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in (pp) collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	13
205	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at ( $\sqrt{s}=13$ ) TeV. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	13
204	Measurements of top-quark pair differential and double-differential cross-sections in the ( $\ell\ell$ )+jets channel with pp collisions at ( $\sqrt{s}=13$ ) TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	13
203	Operation and performance of the ATLAS Tile Calorimeter in Run <sup>1</sup> . <i>European Physical Journal C</i> , <b>2018</b> , 78, 987	4.2	13
202	Measurement of the $W W + W Z$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	12
201	Higgs boson production cross-section measurements and their EFT interpretation in the ( $4\ell\ell$ ) decay channel at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	12
200	Search for new phenomena with photon+jet events in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	12
199	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	12
198	Search for strong gravity in multijet final states produced in pp collisions at ( $\sqrt{s}=13$ ) TeV using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	12
197	Probing lepton flavour violation via neutrinoless [Formula: see text] decays with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 232	4.2	12
196	Search for anomalous couplings in the $W tb$ vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1-46	5.4	12
195	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	12
194	The differential production cross section of the [Formula: see text](1020) meson in [Formula: see text] = 7 TeV [Formula: see text] collisions measured with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2895	4.2	12



193	Measurement of the inclusive jet cross-sections in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	12
192	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at ( $\sqrt{s}=13$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	12
191	Search for top quark decays $t \rightarrow qH$ , with $H \rightarrow \mu\mu$ in ( $\sqrt{s}=13$ ) TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	12
190	Measurements of top quark spin observables in ( $\overline{t}$ ) events using dilepton final states in ( $\sqrt{s}=8$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	12
189	Measurement of the flavour composition of dijet events in pp collisions at ( $\sqrt{s}=7$ mbox{TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	12
188	Measurement of heavy-quark jet photoproduction at HERA. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	12
187	Search for resonant WZ production in the WZ- $\mu\mu$ channel in ( $\sqrt{s}=7$ TeV) pp collisions with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,	4.9	12
186	Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. <i>European Physical Journal C</i> , <b>2010</b> , 70, 755-785	4.2	12
185	Measurement of azimuthal asymmetries in neutral current deep inelastic scattering at HERA. <i>European Physical Journal C</i> , <b>2007</b> , 51, 289-299	4.2	12
184	Multijet production at low $x$ in deep inelastic scattering at HERA. <i>Nuclear Physics B</i> , <b>2007</b> , 786, 152-180	2.8	12
183	Study of the azimuthal asymmetry of jets in neutral current deep inelastic scattering at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2003</b> , 551, 226-240	4.2	12
182	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at ( $\sqrt{s}=8$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	11
181	Direct top-quark decay width measurement in the lepton+jets channel at with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2018</b> , 78, 129	4.2	11
180	Measurement of the $t$ dependence in exclusive photoproduction of $\eta(1S)$ mesons at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 708, 14-20	4.2	11
179	Measurement of lepton differential distributions and the top quark mass in production in collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 804	4.2	11
178	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	11
177	Study of $t\bar{t}$ production in collisions at $\sqrt{s}=7$ TeV and search for anomalous quartic gauge couplings with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2017</b> , 77, 646	4.2	11
176	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at ( $\sqrt{s}=7$ ) TeV with ATLAS. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	11



175	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	11
174	Production of the excited charm mesons D1 and D2? at HERA. <i>Nuclear Physics B</i> , <b>2013</b> , 866, 229-254	2.8	11
173	Measurement of W and Z production in proton-proton collisions at ( $\sqrt{s} = 7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	11
172	Underlying event characteristics and their dependence on jet size of charged-particle jet events in pp collisions at ( $\sqrt{s}$ )=7 TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 86,	4.9	11
171	Beauty photoproduction using decays into electrons at HERA. <i>Physical Review D</i> , <b>2008</b> , 78,	4.9	11
170	Forward-jet production in deep inelastic ep scattering at HERA. <i>European Physical Journal C</i> , <b>2007</b> , 52, 515-530	4.2	11
169	Isolated tau leptons in events with large missing transverse momentum at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2004</b> , 583, 41-58	4.2	11
168	Substructure dependence of jet cross sections at HERA and determination of $\beta_s$ . <i>Nuclear Physics B</i> , <b>2004</b> , 700, 3-50	2.8	11
167	Jet energy scale and resolution measured in proton-proton collisions at ( $\sqrt{s}$ )=13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	11
166	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in ( $\sqrt{s}$ )=8 TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	10
165	Measurement of the CP-violating phase $\phi_s$ and the $B^0_s$ meson decay width difference with $B^0_s \rightarrow J/\psi$ decays in ATLAS. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	10
164	Search for lepton flavour violation in the continuum with the ATLAS detector in [Formula: see text] collisions at the LHC. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2040	4.2	10
163	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in collisions at $\sqrt{s}$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 765	4.2	10
162	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	10
161	Measurement of charged-particle event shape variables in inclusive ( $\sqrt{s}$ )=7 TeV proton-proton interactions with the ATLAS detector. <i>Physical Review D</i> , <b>2013</b> , 88,	4.9	10
160	Bose-Einstein correlations in one and two dimensions in deep inelastic scattering. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2004</b> , 583, 231-246	4.2	10
159	Measurement of diffractive production of $D^*_{s1}$ mesons in deep-inelastic scattering at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2002</b> , 545, 244-260	4.2	10
158	Photoproduction of isolated photons, inclusively and with a jet, at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2014</b> , 730, 293-301	4.2	9

157	Measurement of the ZZ production cross section in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV using the ZZ $\rightarrow \mu\mu$ and ( $ZZ \rightarrow \ell\ell \nu \bar{\nu}$ ) decay channels with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	9
156	Measurement of charged-particle distributions sensitive to the underlying event in ( $\sqrt{s}=13$ ) TeV proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	9
155	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb <sup>-1</sup> of ( $\sqrt{s}$ ) = 8 TeV proton-proton collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	9
154	Bose-Einstein correlations of charged and neutral kaons in deep inelastic scattering at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2007</b> , 652, 1-12	4.2	9
153	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	9
152	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $4\ell$ decay channel at ( $\sqrt{s}$ ) = 13 TeV. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	9
151	Measurement of $VH$ , ( $\text{H} \rightarrow \text{b}\bar{\text{b}}$ ) production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
150	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in ( $\sqrt{s}$ ) = 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	8
149	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb <sup>-1</sup> of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	8
148	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , <b>2016</b> , 11, P05013-P05013	1	8
147	Measurement of splitting scales in $\gamma$ -events at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2432	4.2	8
146	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in [Formula: see text][Formula: see text][Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 144	4.2	8
145	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	8
144	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 158	4.2	8
143	Search for events with an isolated lepton and missing transverse momentum and a measurement of W production at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2009</b> , 672, 106-115	4.2	8
142	Inclusive $K(S);(0)K(S);(0)$ resonance production in ep collisions at HERA. <i>Physical Review Letters</i> , <b>2008</b> , 101, 112003	7.4	8
141	Evidence for $(\text{t}\bar{\text{t}})$ production in the multilepton final state in proton-proton collisions at ( $\sqrt{s}=13$ ) (text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	8
140	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	8

139	Measurements of top-quark pair spin correlations in the ( $e\mu$ ) channel at ( $\sqrt{s} = 13$ ) TeV using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	8
138	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at ( $\sqrt{s} = 13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	8
137	Search for heavy resonances decaying into a pair of Z bosons in the ( $e^+e^-e^+e^-$ ) and ( $e^+e^-e^-\nu_{\bar{\nu}}$ ) final states using 139 ( $\text{fb}^{-1}$ ) of proton-proton collisions at ( $\sqrt{s} = 13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	8
136	Search for charged Higgs bosons decaying into a top quark and a bottom quark at ( $\sqrt{s} = 13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	8
135	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in ( $\sqrt{s} = 8$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	8
134	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 $\text{fb}^{-1}$ of ( $\sqrt{s} = 13$ ) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	8
133	Prompt and non-prompt elliptic flow in Pb+Pb collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 784	4.2	8
132	Search for new phenomena in high-mass final states with a photon and a jet from collisions at = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 102	4.2	7
131	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at [Formula: see text] TeV recorded with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 683	4.2	7
130	Measurement of differential cross sections and $W^+/W^-$ cross-section ratios for W boson production in association with jets at ( $\sqrt{s} = 8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	7
129	Measurement of $D^*_{s1}$ production in deep inelastic scattering at HERA. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	7
128	Measurement of $D^*_{s1}$ production in deep inelastic ep scattering with the ZEUS detector at HERA. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	7
127	Measurement of the ( $\overline{t}t\gamma$ ) production cross section in proton-proton collisions at ( $\sqrt{s} = 8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
126	Measurements of top-quark pair to Z-boson cross-section ratios at ( $\sqrt{s} = 13$ ), 8, 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
125	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in ( $\sqrt{s} = 13$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
124	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using ( $\sqrt{s} = 13$ ) TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
123	Studies of $Z\ell$ production in association with a high-mass dijet system in pp collisions at ( $\sqrt{s} = 8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
122	Analysis of the $Wtb$ vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at ( $\sqrt{s} = 8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7

121	Reconstructing singly produced top partners in decays to $Wb$ . <i>Physical Review D</i> , <b>2014</b> , 90,	4.9	7
120	Measurement of isolated photons accompanied by jets in deep inelastic ep scattering. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 715, 88-97	4.2	7
119	Exclusive electroproduction of two pions at HERA. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	7
118	Subjet distributions in deep inelastic scattering at HERA. <i>European Physical Journal C</i> , <b>2009</b> , 63, 527-548	4.2	7
117	Events with an isolated lepton and missing transverse momentum and measurement of $W$ production at HERA. <i>Journal of High Energy Physics</i> , <b>2010</b> , 2010, 1	5.4	7
116	Measurement of meson production in scattering at low. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2007</b> , 649, 111-121	4.2	7
115	Observation of $K_S^0 K_S^0$ resonances in deep inelastic scattering at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2004</b> , 578, 33-44	4.2	7
114	Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	7
113	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $(\sqrt{s} = 13, \text{TeV})$ with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	7
112	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $(\ell\ell b\bar{b})$ and $(\ell\ell WW)$ final states in pp collisions at $(\sqrt{s}=13)$ (TeV) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	7
111	Measurement of the [Formula: see text] dijet cross section in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 670	4.2	7
110	Search for new phenomena in different-flavour high-mass dilepton final states in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 541	4.2	7
109	Search for direct top squark pair production in final states with two tau leptons in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 81	4.2	7
108	Measurements of WH and ZH production in the $(H \rightarrow b\bar{b})$ decay channel in pp collisions at $(13, \text{TeV})$ with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	7
107	A new method to distinguish hadronically decaying boosted bosons from bosons using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 238	4.2	6
106	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	6
105	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	6
104	Top-quark mass measurement in the all-hadronic $(\overline{t})$ decay channel at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	6

103	Production of $J/\psi$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 718, 915-921	4.2	6
102	Measurement of dijet photoproduction for events with a leading neutron at HERA. <i>Nuclear Physics B</i> , <b>2010</b> , 827, 1-33	2.8	6
101	Search for contact interactions in dimuon events from pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2011</b> , 84,	4.9	6
100	Measurement of the energy dependence of the total photon-proton cross section at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 697, 184-193	4.2	6
99	Measurement of $J/\psi$ photoproduction at large momentum transfer at HERA. <i>Journal of High Energy Physics</i> , <b>2010</b> , 2010, 1	5.4	6
98	Photoproduction of events with rapidity gaps between jets at HERA. <i>European Physical Journal C</i> , <b>2007</b> , 50, 283-297	4.2	6
97	Observation of the strange sea in the proton via inclusive $\Xi$ meson production in neutral current deep inelastic scattering at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2003</b> , 553, 141-158	4.2	6
96	Two-particle azimuthal correlations as a probe of collective behaviour in deep inelastic ep scattering at HERA. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	6
95	Search for $(\overline{t}t)$ resonances in fully hadronic final states in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	6
94	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	6
93	Search for new phenomena in final states with b-jets and missing transverse momentum in $(\sqrt{s}) = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	6
92	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a lepton in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	6
91	Measurement of jet activity produced in top-quark events with an electron, a muon and two $b$ -tagged jets in the final state in collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 220	4.2	5
90	Limits on contact interactions and leptoquarks at HERA. <i>Physical Review D</i> , <b>2019</b> , 99,	4.9	5
89	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $(\sqrt{s}) = 13$ and 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	5
88	Measurement of differential cross-sections of a single top quark produced in association with a boson at with ATLAS. <i>European Physical Journal C</i> , <b>2018</b> , 78, 186	4.2	5
87	NLO QCD corrections to $t\bar{t}$ production in forward-backward asymmetry models. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	5
86	Measurement of inelastic $J/\psi$ photoproduction at HERA. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	5



85	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	5
84	Measurement of four-jet differential cross sections in ( $\sqrt{s}=8$ ) TeV proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1-76	5-4	5
83	Multi-lepton production at high transverse momentum at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2009</b> , 680, 13-23	4-2	5
82	On direct measurement of the W production charge asymmetry at the LHC. <i>Journal of High Energy Physics</i> , <b>2010</b> , 2010, 1	5-4	5
81	Multijet cross sections in charged current $e\bar{p}$ scattering at HERA. <i>Physical Review D</i> , <b>2008</b> , 78,	4-9	5
80	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	5
79	Search for the HH $\rightarrow$ $b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	5
78	Observation of the associated production of a top quark and a Z boson in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	5
77	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb of Pb+Pb data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	5
76	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4-2	5
75	Measurement of event-shape observables in [Formula: see text] events in collisions at [Formula: see text] with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2016</b> , 76, 375	4-2	5
74	Measurement of the relative width difference of the ( $B^0$ ) system with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5-4	5
73	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4-2	5
72	Search for dark matter in association with an energetic photon in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	5
71	Measurement of colour flow using jet-pull observables in events with the ATLAS experiment at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 847	4-2	5
70	Measurement of the inclusive and fiducial production cross-sections in the lepton+jets channel in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 487	4-2	5
69	Measurement of jet activity in top quark events using the final state with two b-tagged jets in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5-4	4
68	Measurement of neutral current cross sections at high Bjorken-x with the ZEUS detector at HERA. <i>European Physical Journal C</i> , <b>2007</b> , 49, 523-544	4-2	4

67	Search for heavy diboson resonances in semileptonic final states in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	4
66	Alignment of the ATLAS Inner Detector in Run 2. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	4
65	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	4
64	Search for dark matter produced in association with a single top quark in ( $\sqrt{s}=13$ ) TeV (pp) collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	4
63	Measurement of polarisation in decays in proton-proton collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 163	4.2	3
62	Measurement of neutral current $e\bar{p}$ cross sections at high Bjorken x with the ZEUS detector. <i>Physical Review D</i> , <b>2014</b> , 89,	4.9	3
61	Constraining new resonant physics with top spin polarisation information. <i>European Physical Journal C</i> , <b>2017</b> , 77, 1	4.2	3
60	Measurement of the $k_t$ splitting scales in Z $\rightarrow$ $\tau\tau$ events in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	3
59	Measurement of D <sup>+</sup> and $\Sigma^+$ production in deep inelastic scattering at HERA. <i>Journal of High Energy Physics</i> , <b>2010</b> , 2010, 1	5.4	3
58	Determination of jet calibration and energy resolution in proton-proton collisions at ( $\sqrt{s} = 8$ -TeV) using the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	3
57	Measurement of the inclusive jet cross-section in proton-proton collisions at ( $\sqrt{s}=7$ ) TeV using 4.5 fb <sup>-1</sup> of data with the ATLAS detector <b>2015</b> , 2015, 1		3
56	Reconstruction and identification of boosted di- $\tau$ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	3
55	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at ( $\sqrt{s} = 13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	3
54	Measurement of hadronic event shapes in high-pT multijet final states at ( $\sqrt{s} = 13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	3
53	Charm production in charged current deep inelastic scattering at HERA. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	2
52	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	2
51	Angular correlations in three-jet events in ep collisions at HERA. <i>Physical Review D</i> , <b>2012</b> , 85,	4.9	2
50	The optical alignment system of the ZEUS microvertex detector. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2007</b> , 580, 1227-1242	1.2	2

49	Measurement of the ( $t\bar{t}$ ) production cross-section using (emu) events with (b)-tagged jets in (pp) collisions at ( $\sqrt{s}=7$ ) and 8 TeV with the ATLAS detector <b>2014</b> , 74, 1		2
48	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at ( $\sqrt{s}=8\sim$ )TeV with the ATLAS detector <b>2015</b> , 75, 1		2
47	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using ( $\sqrt{s} = 13\text{fb}^{-1}$ ) proton-proton collision data. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	2
46	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	2
45	Measurement of beauty and charm production in deep inelastic scattering at HERA and measurement of the beauty-quark mass <b>2014</b> , 2014, 1		2
44	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	2
43	Search for supersymmetry in events with four or more charged leptons in 139 fb <sup>-1</sup> of ( $\sqrt{s}$ ) = 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	2
42	Measurement of ( $W^{\pm}$ )-boson and Z-boson production cross-sections in pp collisions at ( $\sqrt{s}=2.76$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	2
41	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at ( $\sqrt{s}$ ) = 13 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	2
40	Study of proton parton distribution functions at high x using ZEUS data. <i>Physical Review D</i> , <b>2020</b> , 101,	4.9	1
39	A search for an excited muon decaying to a muon and two jets in pp collisions at ( $\sqrt{s}=8\text{TeV}$ ) with the ATLAS detector. <i>New Journal of Physics</i> , <b>2016</b> , 18, 073021	2.9	1
38	Further studies of the photoproduction of isolated photons with a jet at HERA. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	1
37	Measurement of $D^*$ photoproduction at three different centre-of-mass energies at HERA. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	1
36	Scaled momentum distributions for ( $K_S^0$ )KS and ( $\Lambda/\bar{\Lambda}$ ) in DIS at HERA. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	1
35	Study of tau-pair production at HERA. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	1
34	Measurement of the azimuthal ordering of charged hadrons with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 86,	4.9	1
33	Scaled momentum spectra in deep inelastic scattering at HERA. <i>Journal of High Energy Physics</i> , <b>2010</b> , 2010, 1	5.4	1
32	ISOLATED LEPTONS IN EVENTS WITH LARGE MISSING TRANSVERSE MOMENTUM AND THE SEARCH FOR SINGLE TOP PRODUCTION AT HERA. <i>Modern Physics Letters A</i> , <b>2006</b> , 21, 1901-1916	1.3	1

31	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector <b>2015</b> , 75, 1		1
30	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at ( $\sqrt{s}=8, \text{TeV}$ ) with the ATLAS detector <b>2016</b> , 76, 1		1
29	Search for top squarks in events with a Higgs or Z boson using 139 $\text{fb}^{-1}$ of pp collision data at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	1
28	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	1
27	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W^\pm$ and Z boson production in association with jets. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	1
26	A search for the decays of stopped long-lived particles at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	1
25	Measurement of single top-quark production in association with a W boson in the single-lepton channel at ( $\sqrt{s} = 8, \text{TeV}$ ) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	1
24	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at ( $\sqrt{s} = 13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	1
23	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	1
22	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	1
21	Configuration and performance of the ATLAS b-jet triggers in Run 2. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	1
20	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV. <i>European Physical Journal C</i> , <b>2022</b> , 82, 1	4.2	1
19	Monte Carlo mass production for the ZEUS experiment on the Grid. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2006</b> , 559, 43-47	1.2	0
18	Performance of the ATLAS Level-1 topological trigger in Run 2. <i>European Physical Journal C</i> , <b>2022</b> , 82, 1	4.2	0
17	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
16	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , <b>2022</b> , 82, 1	4.2	0
15	Measurement of the $t(\bar{t})t(\bar{t})$ production cross section in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	0
14	Measurements of $W+W^\pm$ jet production cross-sections in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	0

13	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at ( $\sqrt{s}=13$ ,text {TeV}). <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	○
12	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	○
11	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	○
10	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb <sup>-1</sup> of pp collision data at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	○
9	AtlFast3: The Next Generation of Fast Simulation in ATLAS. <i>Computing and Software for Big Science</i> , <b>2022</b> , 6, 1	6	○
8	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^{\pm} \rightarrow \tau^{\pm} \rightarrow \pi^{\pm} \nu_{\tau} \nu_{\tau}$ events in Run2 data. <i>European Physical Journal C</i> , <b>2022</b> , 82, 1	4.2	○
7	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	○
6	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	○
5	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	○
4	Azimuthal correlations in photoproduction and deep inelastic ep scattering at HERA. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	○
3	Measurement of b-quark fragmentation properties in jets using the decay $B^{\pm} \rightarrow J/\psi B^{\pm}$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	○
2	Single-top production via flavour changing neutral currents. <i>European Physical Journal C</i> , <b>2004</b> , 33, s761-s763		
1	The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. <i>European Physical Journal C</i> , <b>2022</b> , 82, 1	4.2	