

Govindin Dayanithi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2878577/publications.pdf>

Version: 2024-02-01

118
papers

4,275
citations

94269

37
h-index

128067

60
g-index

119
all docs

119
docs citations

119
times ranked

3118
citing authors

#	ARTICLE	IF	CITATIONS
1	A Novel Prototype Biosensor Array Electrode System for Detecting the Bacterial Pathogen Salmonella typhimurium. <i>Biosensors</i> , 2022, 12, 389.	2.3	2
2	When day meets night: Subsiding calcium signalling translates daylight into new neurones. <i>Cell Calcium</i> , 2021, 95, 102385.	1.1	2
3	Bio-Fabrication of Human Amniotic Membrane Zinc Oxide Nanoparticles and the Wet/Dry HAM Dressing Membrane for Wound Healing. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021, 9, 695710.	2.0	11
4	Transplantation of Neural Precursors Derived from Induced Pluripotent Cells Preserve Perineuronal Nets and Stimulate Neural Plasticity in ALS Rats. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9593.	1.8	9
5	Neurosecretion: Hypothalamic Somata versus Neurohypophysial Terminals. <i>Masterclass in Neuroendocrinology</i> , 2020, , 17-42.	0.1	0
6	The toxic effect of cytostatics on primary cilia frequency and multiciliation. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 5728-5736.	1.6	3
7	Persistent Na ⁺ influx drives L-type channel resting Ca ²⁺ entry in rat melanotrophs. <i>Cell Calcium</i> , 2019, 79, 11-19.	1.1	7
8	Vasopressin and oxytocin in sensory neurones: expression, exocytotic release and regulation by lactation. <i>Scientific Reports</i> , 2018, 8, 13084.	1.6	16
9	Pathological human astroglia in Alzheimer's disease: opening new horizons with stem cell technology. <i>Future Neurology</i> , 2018, 13, 87-99.	0.9	7
10	ID: 1022 Acellular muscle scaffolds: Histological and biochemical evaluation. <i>Biomedical Research and Therapy</i> , 2017, 4, 97.	0.3	0
11	Specific profiles of ion channels and ionotropic receptors define adipose- and bone marrow derived stromal cells. <i>Stem Cell Research</i> , 2016, 16, 622-634.	0.3	17
12	Sodium-calcium exchanger and R-type Ca ²⁺ channels mediate spontaneous [Ca ²⁺] _i oscillations in magnocellular neurones of the rat supraoptic nucleus. <i>Cell Calcium</i> , 2016, 59, 289-298.	1.1	4
13	Physiology of spontaneous [Ca ²⁺] _i oscillations in the isolated vasopressin and oxytocin neurones of the rat supraoptic nucleus. <i>Cell Calcium</i> , 2016, 59, 280-288.	1.1	8
14	Human Multipotent Mesenchymal Stromal Cells in the Treatment of Postoperative Temporal Bone Defect: An Animal Model. <i>Cell Transplantation</i> , 2016, 25, 1405-1414.	1.2	6
15	Calcium signalling in stem cells: Molecular physiology and multiple roles. <i>Cell Calcium</i> , 2016, 59, 55-56.	1.1	4
16	Physiology of Ca ²⁺ signalling in stem cells of different origins and differentiation stages. <i>Cell Calcium</i> , 2016, 59, 57-66.	1.1	40
17	Ionizing radiation increases primary cilia incidence and induces multiciliation in C2C12 myoblasts. <i>Cell Biology International</i> , 2015, 39, 943-953.	1.4	9
18	Full-length transient receptor potential vanilloid 1 channels mediate calcium signals and possibly contribute to osmoreception in vasopressin neurones in the rat supraoptic nucleus. <i>Cell Calcium</i> , 2015, 57, 25-37.	1.1	25

#	ARTICLE	IF	CITATIONS
19	Getting it right before transplantation: example of a stem cell model with regenerative potential for the CNS. <i>Frontiers in Cell and Developmental Biology</i> , 2014, 2, 36.	1.8	10
20	The peripheral chimerism of bone marrow-derived stem cells after transplantation: regeneration of gastrointestinal tissues in lethally irradiated mice. <i>Journal of Cellular and Molecular Medicine</i> , 2014, 18, 832-843.	1.6	14
21	Conditionally immortalized stem cell lines from human spinal cord retain regional identity and generate functional V2a interneurons and motorneurons. <i>Stem Cell Research and Therapy</i> , 2013, 4, 69.	2.4	23
22	Plasticity of Calcium Signaling Cascades in Human Embryonic Stem Cell-Derived Neural Precursors. <i>Stem Cells and Development</i> , 2013, 22, 1506-1521.	1.1	32
23	Molecular Characterization and Biological Function of Neuroendocrine Regulatory Peptide-3 in the Rat. <i>Endocrinology</i> , 2012, 153, 1377-1386.	1.4	14
24	Vasopressin-induced intracellular Ca ²⁺ concentration responses in non-neuronal cells of the rat dorsal root ganglion. <i>Brain Research</i> , 2012, 1483, 1-12.	1.1	4
25	Modulation/physiology of calcium channel sub-types in neurosecretory terminals. <i>Cell Calcium</i> , 2012, 51, 284-292.	1.1	45
26	Neuroendocrine signalling: Natural variations on a Ca ²⁺ theme. <i>Cell Calcium</i> , 2012, 51, 207-211.	1.1	5
27	Segregation of calcium signalling mechanisms in magnocellular neurones and terminals. <i>Cell Calcium</i> , 2012, 51, 293-299.	1.1	35
28	Hypothalamic vasopressin response to stress and various physiological stimuli: Visualization in transgenic animal models. <i>Hormones and Behavior</i> , 2011, 59, 221-226.	1.0	33
29	Chronic Treatment with NGF Induces Spontaneous Fluctuations of Intracellular Ca ²⁺ in Icilin-Sensitive Dorsal Root Ganglion Neurons of the Rat. <i>Journal of Veterinary Medical Science</i> , 2010, 72, 1531-1538.	0.3	7
30	Ca ²⁺ homeostasis, Ca ²⁺ signalling and somatodendritic vasopressin release in adult rat supraoptic nucleus neurones. <i>Cell Calcium</i> , 2010, 48, 324-332.	1.1	28
31	Differential modulation of N-type calcium channels by μ -opioid receptors in oxytocinergic versus vasopressinergic neurohypophysial terminals. <i>Journal of Cellular Physiology</i> , 2010, 225, 276-288.	2.0	12
32	Acid-sensing ion channels in rat hypothalamic vasopressin neurons of the supraoptic nucleus. <i>Journal of Physiology</i> , 2010, 588, 2147-2162.	1.3	33
33	Specific expression of an oxytocin-enhanced cyan fluorescent protein fusion transgene in the rat hypothalamus and posterior pituitary. <i>Journal of Endocrinology</i> , 2010, 204, 275-285.	1.2	21
34	Characterization of Ca ²⁺ Signalling in Postnatal Mouse Retinal Ganglion Cells: Involvement of OPA1 in Ca ²⁺ Clearance. <i>Ophthalmic Genetics</i> , 2010, 31, 53-65.	0.5	29
35	Pathophysiological roles of galanin-like peptide in the hypothalamus and posterior pituitary gland. <i>Pathophysiology</i> , 2010, 17, 135-140.	1.0	5
36	Diurnal changes of arginine vasopressin-enhanced green fluorescent protein fusion transgene expression in the rat suprachiasmatic nucleus. <i>Peptides</i> , 2010, 31, 2089-2093.	1.2	25

#	ARTICLE	IF	CITATIONS
37	REVIEW: Oxytocin: Crossing the Bridge between Basic Science and Pharmacotherapy. <i>CNS Neuroscience and Therapeutics</i> , 2010, 16, e138-56.	1.9	209
38	Induction of the arginine vasopressin-enhanced green fluorescent protein fusion transgene in the rat locus coeruleus. <i>Stress</i> , 2010, 13, 281-292.	0.8	19
39	Alteration of Sarcoplasmic Reticulum Ca^{2+} in Skeletal Muscle from Calpain 3-Deficient Mice. <i>International Journal of Cell Biology</i> , 2009, 2009, 1-12.		
40	Exaggerated Response of a Vasopressin-Enhanced Green Fluorescent Protein Transgene to Nociceptive Stimulation in the Rat. <i>Journal of Neuroscience</i> , 2009, 29, 13182-13189.	1.7	47
41	Robust Up-Regulation of Nuclear Red Fluorescent-Tagged Fos Marks Neuronal Activation in Green Fluorescent Vasopressin Neurons after Osmotic Stimulation in a Double-Transgenic Rat. <i>Endocrinology</i> , 2009, 150, 5633-5638.	1.4	28
42	NGF-induced hyperexcitability causes spontaneous fluctuations of intracellular Ca^{2+} in rat nociceptive dorsal root ganglion neurons. <i>Cell Calcium</i> , 2009, 45, 209-215.	1.1	19
43	Response of Arginine Vasopressin-Enhanced Green Fluorescent Protein Fusion Gene in the Hypothalamus of Adjuvant-Induced Arthritic Rats. <i>Journal of Neuroendocrinology</i> , 2009, 21, 183-190.	1.2	32
44	Chronic Osmotic Stimuli Increase Salusin-Like Immunoreactivity in the Rat Hypothalamo-Neurohypophyseal System: Possible Involvement of Salusin on $[\text{Ca}^{2+}]_i$ Increase and Neurohypophyseal Hormone Release from the Axon Terminals. <i>Journal of Neuroendocrinology</i> , 2008, 20, 207-219.	1.2	29
45	Specific Expression of Optically Active Reporter Gene in Arginine Vasopressin-Secreting Neurosecretory Cells in the Hypothalamo-Neurohypophyseal System. <i>Journal of Neuroendocrinology</i> , 2008, 20, 660-664.	1.2	17
46	Neurosteroids are excitatory in supraoptic neurons but inhibitory in the peripheral nervous system: it is all about oxytocin and progesterone receptors. <i>Progress in Brain Research</i> , 2008, 170, 177-192.	0.9	19
47	Spontaneous glutamate release controls NT-3-dependent development of hippocampal calbindin-D28k phenotype through activation of sodium channels ex vivo. <i>European Journal of Neuroscience</i> , 2007, 25, 2629-2639.	1.2	3
48	Physiological Studies of Stress Responses in the Hypothalamus of Vasopressin-Enhanced Green Fluorescent Protein Transgenic Rat. <i>Journal of Neuroendocrinology</i> , 2007, 19, 285-292.	1.2	43
49	Trimetazidine modulates AMPA/kainate receptors in rat vestibular ganglion neurons. <i>European Journal of Pharmacology</i> , 2007, 574, 8-14.	1.7	14
50	Exaggerated Response of Arginine Vasopressin-Enhanced Green Fluorescent Protein Fusion Gene to Salt Loading without Disturbance of Body Fluid Homeostasis in Rats. <i>Journal of Neuroendocrinology</i> , 2006, 18, 776-785.	1.2	55
51	Effects of adrenalectomy and acute inflammatory stress on vasopressin-enhanced green fluorescent protein expression in the hypothalamus of transgenic rats. <i>Frontiers in Neuroendocrinology</i> , 2006, 27, 45-46.	2.5	0
52	Intracellular Ca^{2+} regulation in rat motoneurons during development. <i>Cell Calcium</i> , 2006, 39, 237-246.	1.1	29
53	Rapid inhibition of Ca^{2+} influx by neurosteroids in murine embryonic sensory neurones. <i>Cell Calcium</i> , 2006, 40, 383-391.	1.1	34
54	μ -Opioid Receptor Preferentially Inhibits Oxytocin Release from Neurohypophysial Terminals by Blocking R-type Ca^{2+} Channels. <i>Journal of Neuroendocrinology</i> , 2005, 17, 583-590.	1.2	31

#	ARTICLE	IF	CITATIONS
55	Regulation of activity-dependent dendritic vasopressin release from rat supraoptic neurones. <i>Journal of Physiology</i> , 2005, 564, 515-522.	1.3	102
56	Ca ²⁺ clearance mechanisms in neurohypophysial terminals of the rat. <i>Cell Calcium</i> , 2005, 37, 45-56.	1.1	26
57	Transgenic Expression of Enhanced Green Fluorescent Protein Enables Direct Visualization for Physiological Studies of Vasopressin Neurons and Isolated Nerve Terminals of the Rat. <i>Endocrinology</i> , 2005, 146, 406-413.	1.4	149
58	Structural difference between heteromeric somatic and homomeric axonal glycine receptors in the hypothalamo-neurohypophysial system. <i>Neuroscience</i> , 2005, 135, 475-483.	1.1	23
59	Intracellular Calcium Increase and Somatodendritic Vasopressin Release by Vasopressin Receptor Agonists in the Rat Supraoptic Nucleus: Involvement of Multiple Intracellular Transduction Signals. <i>Journal of Neuroendocrinology</i> , 2004, 16, 221-236.	1.2	33
60	Impaired Somatodendritic Responses to Pituitary Adenylate Cyclase-Activating Polypeptide (PACAP) of Supraoptic Neurons in PACAP type I-Receptor Deficient Mice. <i>Journal of Neuroendocrinology</i> , 2003, 15, 871-881.	1.2	18
61	Î¼-Opioid Receptor Modulates Peptide Release From Rat Neurohypophysial Terminals By Inhibiting Ca ²⁺ Influx. <i>Journal of Neuroendocrinology</i> , 2003, 15, 888-894.	1.2	25
62	Î±-Melanocyte-Stimulating Hormone Stimulates Oxytocin Release from the Dendrites of Hypothalamic Neurons While Inhibiting Oxytocin Release from Their Terminals in the Neurohypophysis. <i>Journal of Neuroscience</i> , 2003, 23, 10351-10358.	1.7	195
63	Neurosteroid regulation of oxytocin and vasopressin release from the rat supraoptic nucleus. <i>Journal of Physiology</i> , 2003, 548, 233-244.	1.3	38
64	Integrated Channel Plasticity Contributes to Alcohol Tolerance in Neurohypophysial Terminals. <i>Molecular Pharmacology</i> , 2002, 62, 135-142.	1.0	49
65	Chapter 19 The active role of dendrites in the regulation of magnocellular neurosecretory cell behavior. <i>Progress in Brain Research</i> , 2002, 139, 247-255.	0.9	33
66	Evidence for endogenous agmatine in hypothalamo-neurohypophysial tract and its modulation on vasopressin release and Ca ²⁺ channels. <i>Brain Research</i> , 2002, 932, 25-36.	1.1	25
67	Ca ²⁺ -regulated, neurosecretory granule channel involved in release from neurohypophysial terminals. <i>Journal of Physiology</i> , 2002, 539, 409-418.	1.3	16
68	Adenosine inhibition via A ₁ receptor of N-type Ca ²⁺ current and peptide release from isolated neurohypophysial terminals of the rat. <i>Journal of Physiology</i> , 2002, 540, 791-802.	1.3	26
69	Intracellular calcium stores regulate activity-dependent neuropeptide release from dendrites. <i>Nature</i> , 2002, 418, 85-89.	13.7	307
70	Adenosine inhibition via A ₁ receptor of N-type Ca ²⁺ current and peptide release from isolated neurohypophysial terminals of the rat. , 2002, 540, 791.		1
71	Interaction of SNX482 with Domains III and IV Inhibits Activation Gating of Î±1E (CaV2.3) Calcium Channels. <i>Biophysical Journal</i> , 2001, 81, 79-88.	0.2	136
72	Osmoregulation of Vasopressin Secretion via Activation of Neurohypophysial Nerve Terminals Glycine Receptors by Glial Taurine. <i>Journal of Neuroscience</i> , 2001, 21, 7110-7116.	1.7	99

#	ARTICLE	IF	CITATIONS
73	ATP induces intracellular calcium increases and actin cytoskeleton disaggregation via P2x receptors. <i>Cell Calcium</i> , 2001, 29, 299-309.	1.1	47
74	Tolerance to Acute Ethanol Inhibition of Peptide Hormone Release in the Isolated Neurohypophysis. <i>Alcoholism: Clinical and Experimental Research</i> , 2000, 24, 1077-1083.	1.4	23
75	Intracellular calcium signalling in magnocellular neurones of the rat supraoptic nucleus: understanding the autoregulatory mechanisms. <i>Experimental Physiology</i> , 2000, 85, 75s-84s.	0.9	56
76	T-type calcium currents in rat cardiomyocytes during postnatal development: contribution to hormone secretion. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2000, 279, H2540-H2548.	1.5	80
77	Developmental Regulation of a Local Positive Autocontrol of Supraoptic Neurons. <i>Journal of Neuroscience</i> , 2000, 20, 5813-5819.	1.7	51
78	SNX482: A Novel Class E Calcium Channel Antagonist from Tarantula Venom. <i>CNS Neuroscience & Therapeutics</i> , 2000, 6, 153-173.	4.0	12
79	An R-Type Ca^{2+} Current in Neurohypophysial Terminals Preferentially Regulates Oxytocin Secretion. <i>Journal of Neuroscience</i> , 1999, 19, 9235-9241.	1.7	118
80	Regulation of Ca^{2+} Homeostasis by Atypical Na^{+} Currents in Cultured Human Coronary Myocytes. <i>Circulation Research</i> , 1999, 85, 606-613.	2.0	27
81	V1a- and V2-type vasopressin receptors mediate vasopressin-induced Ca^{2+} responses in isolated rat supraoptic neurones. <i>Journal of Physiology</i> , 1999, 517, 771-779.	1.3	51
82	Vasopressin(4-9) fragment activates V1a-type vasopressin receptor in rat supraoptic neurones. <i>NeuroReport</i> , 1999, 10, 1735-1739.	0.6	6
83	ATP-evoked increases in $[Ca^{2+}]_i$ and peptide release from rat isolated neurohypophysial terminals via a P2X2 purinoceptor. <i>Journal of Physiology</i> , 1998, 511, 89-103.	1.3	79
84	Activation of multiple intracellular transduction signals by vasopressin in vasopressin-sensitive neurones of the rat supraoptic nucleus. <i>Journal of Physiology</i> , 1998, 513, 699-710.	1.3	56
85	Calcium channel subtypes responsible for voltage-gated intracellular calcium elevations in embryonic rat motoneurons. <i>Neuroscience</i> , 1998, 87, 719-730.	1.1	35
86	New Aspects of Firing Pattern Autocontrol in Oxytocin and Vasopressin Neurones. <i>Advances in Experimental Medicine and Biology</i> , 1998, 449, 153-162.	0.8	48
87	L-, N- and T- but neither P- nor Q-type Ca^{2+} Channels Control Vasopressin-Induced Ca^{2+} Influx in Magnocellular Vasopressin Neurones Isolated from the Rat Supraoptic Nucleus. <i>Journal of Physiology</i> , 1997, 503, 253-268.	1.3	61
88	Role of Q-type Ca^{2+} Channels in Vasopressin Secretion From Neurohypophysial Terminals of the Rat. <i>Journal of Physiology</i> , 1997, 502, 351-363.	1.3	87
89	Rhythmic activities of hypothalamic magnocellular neurones: Autocontrol mechanisms. <i>Biology of the Cell</i> , 1997, 89, 555-560.	0.7	23
90	Rhythmic activities of hypothalamic magnocellular neurones: Autocontrol mechanisms. , 1997, 89, 555.		8

#	ARTICLE	IF	CITATIONS
91	Rise in intracellular calcium via a nongenomic effect of allopregnanolone in fetal rat hypothalamic neurons. <i>Journal of Neuroscience</i> , 1996, 16, 130-136.	1.7	45
92	Vasopressin-induced intracellular Ca ²⁺ increase in isolated rat supraoptic cells. <i>Journal of Physiology</i> , 1996, 490, 713-727.	1.3	96
93	Galactosylceramide and transmembrane signalling in enterocytes: Calcium response induced by HIV-1 surface-envelope glycoprotein gp120. <i>Journal of Computer - Aided Molecular Design</i> , 1996, 5, 181-191.	1.0	1
94	Arachidonic acid regulation of vasopressin release and intracellular Ca ²⁺ in neurohypophysial nerve endings. <i>Brain Research</i> , 1996, 742, 129-140.	1.1	1
95	Intracellular calcium release induced by human immunodeficiency virus type 1 (HIV-1) surface envelope glycoprotein in human intestinal epithelial cells: a putative mechanism for HIV-1 enteropathy. <i>Cell Calcium</i> , 1995, 18, 9-18.	1.1	46
96	Characterization of Spontaneous and N-Methyl-D-Aspartate-Induced Calcium Rise in Rat Cultured Hypothalamic Neurons. <i>Neuroendocrinology</i> , 1995, 61, 243-255.	1.2	23
97	Embryonic rat motoneurons express a functional P-type voltage-dependent calcium channel. <i>International Journal of Developmental Neuroscience</i> , 1995, 13, 429-436.	0.7	22
98	Synchronous development of spontaneous and evoked calcium-dependent properties in hypothalamic neurons. <i>Developmental Brain Research</i> , 1994, 79, 85-92.	2.1	5
99	Exploring the functional domain and the target of the tetanus toxin light chain in neurohypophysial terminals. <i>Neuroscience</i> , 1994, 58, 423-431.	1.1	39
100	The light chain of tetanus toxin inhibits calcium-dependent vasopressin release from permeabilized nerve endings. <i>Neuroscience</i> , 1992, 46, 489-493.	1.1	34
101	Possible role during exocytosis of a Ca ²⁺ -activated channel in neurohypophysial granules. <i>Neuron</i> , 1992, 8, 335-342.	3.8	38
102	Intracellular calcium and hormone release from nerve endings of the neurohypophysis in the presence of opioid agonists and antagonists. <i>Experimental Brain Research</i> , 1992, 90, 539-45.	0.7	15
103	G-Proteins mediate inhibition and activation of Ca ²⁺ -induced exocytosis from SLO-permeabilized peptidergic nerve endings. <i>Bioscience Reports</i> , 1992, 12, 463-469.	1.1	5
104	Ethanol reduces vasopressin release by inhibiting calcium currents in nerve terminals. <i>Brain Research</i> , 1991, 551, 338-341.	1.1	54
105	Possible Role for Neurosecretory Granule Channel That Resembles Gap Junctions. <i>Annals of the New York Academy of Sciences</i> , 1991, 635, 480-482.	1.8	3
106	Evidence for Distinct Glucocorticoid and Guanine 3',5'-Cyclic Monophosphate-Effected Inhibition of Stimulated Adrenocorticotropin Release in Vitro*. <i>Endocrinology</i> , 1990, 126, 1355-1360.	1.4	23
107	Release of vasopressin from isolated permeabilized neurosecretory nerve terminals is blocked by the light chain of botulinum A toxin. <i>Neuroscience</i> , 1990, 39, 711-715.	1.1	37
108	Rapid as well as Delayed Inhibitory Effects of Glucocorticoid Hormones on Pituitary Adrenocorticotropin Release Are Mediated by Type II Glucocorticoid Receptors and Require Newly Synthesized Messenger Ribonucleic Acid as well as Protein*. <i>Endocrinology</i> , 1989, 125, 308-313.	1.4	108

#	ARTICLE	IF	CITATIONS
109	Chloride and magnesium dependence of vasopressin release from rat permeabilized neurohypophysial nerve endings. <i>Neuroscience Letters</i> , 1989, 106, 305-309.	1.0	15
110	Cationic currents on identified rat gonadotroph cells maintained in primary culture. <i>Neurochemistry International</i> , 1989, 15, 265-275.	1.9	15
111	Guanosine 3',5'-cyclic monophosphate and activators of guanylate cyclase inhibit secretagogue-induced corticotropin release by rat anterior pituitary cells. <i>Biochemical and Biophysical Research Communications</i> , 1989, 158, 824-830.	1.0	28
112	Release of neuropeptides does not only occur at nerve terminals. <i>Bioscience Reports</i> , 1988, 8, 471-483.	1.1	51
113	The calcium channel antagonist ω -conotoxin inhibits secretion from peptidergic nerve terminals. <i>Biochemical and Biophysical Research Communications</i> , 1988, 156, 255-262.	1.0	63
114	Isolated Neurohypophysial Nerve Endings, a Promising Tool to Study the Mechanism of Stimulus-Secretion Coupling. , 1988, , 147-155.		5
115	Isolated neurosecretory nerve endings as a tool for studying the mechanism of stimulus-secretion coupling. <i>Bioscience Reports</i> , 1987, 7, 411-426.	1.1	53
116	Relaxin affects the release of oxytocin and vasopressin from the neurohypophysis. <i>Nature</i> , 1987, 325, 813-816.	13.7	77
117	Are opioid peptides co-localized with vasopressin or oxytocin in the neural lobe of the rat?. <i>Cell and Tissue Research</i> , 1986, 246, 177-82.	1.5	19
118	Therapeutic Efficacy of Bacteriophages. , 0, , .		2