## Hong Liao

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2878979/publications.pdf

Version: 2024-02-01

430874 526287 27 824 18 27 citations h-index g-index papers 27 27 27 1341 citing authors all docs docs citations times ranked

#	Article	lF	CITATIONS
1	Brain circuit dysfunction in specific symptoms of depression. European Journal of Neuroscience, 2022, 55, 2393-2403.	2.6	6
2	Astrocytic <scp>p75<sup>NTR</sup></scp> expression provoked by ischemic stroke exacerbates the bloodâ€"brain barrier disruption. Glia, 2022, 70, 892-912.	4.9	22
3	Sortilin deletion in the prefrontal cortex and hippocampus ameliorates depressive-like behaviors in mice via regulating ASM/ceramide signaling. Acta Pharmacologica Sinica, 2022, 43, 1940-1954.	6.1	4
4	Nogo receptor impairs the clearance of fibril amyloidâ€Î² by microglia and accelerates Alzheimer'sâ€like disease progression. Aging Cell, 2021, 20, e13515.	6.7	11
5	p75NTR Promotes Astrocyte Proliferation in Response to Cortical Stab Wound. Cellular and Molecular Neurobiology, 2020, , 1.	3.3	7
6	The CD200/CD200R signaling pathway contributes to spontaneous functional recovery by enhancing synaptic plasticity after stroke. Journal of Neuroinflammation, 2020, 17, 171.	7.2	38
7	Conversion of human urine-derived cells into neuron-like cells by small molecules. Molecular Biology Reports, 2020, 47, 2713-2722.	2.3	11
8	Neurogenesis promoted by the CD200/CD200R signaling pathway following treadmill exercise enhances post-stroke functional recovery in rats. Brain, Behavior, and Immunity, 2019, 82, 354-371.	4.1	24
9	Small Molecules for Neural Stem Cell Induction. Stem Cells and Development, 2018, 27, 297-312.	2.1	21
10	p75 neurotrophin receptor interacts with and promotes BACE1 localization in endosomes aggravating amyloidogenesis. Journal of Neurochemistry, 2018, 144, 302-317.	3.9	27
11	The adhesion and migration of microglia to $\hat{l}^2$ -amyloid (A $\hat{l}^2$ ) is decreased with aging and inhibited by Nogo/NgR pathway. Journal of Neuroinflammation, 2018, 15, 210.	7.2	26
12	Nafamostat Mesilate Improves Neurological Outcome and Axonal Regeneration after Stroke in Rats. Molecular Neurobiology, 2017, 54, 4217-4231.	4.0	23
13	Quercetin promotes motor and sensory function recovery following sciatic nerve-crush injury in C57BL/6J mice. Journal of Nutritional Biochemistry, 2017, 46, 57-67.	4.2	39
14	The natural product 4,10-aromadendranediol induces neuritogenesis in neuronal cells in vitro through activation of the ERK pathway. Acta Pharmacologica Sinica, 2017, 38, 29-40.	6.1	12
15	The blockage of the Nogo/NgR signal pathway in microglia alleviates the formation of $\hat{Al^2}$ plaques and tau phosphorylation in APP/PS1 transgenic mice. Journal of Neuroinflammation, 2016, 13, 56.	7.2	33
16	Nafamostat mesilate improves function recovery after stroke by inhibiting neuroinflammation in rats. Brain, Behavior, and Immunity, 2016, 56, 230-245.	4.1	43
17	Quercetin promotes neurite growth through enhancing intracellular cAMP level and GAP-43 expression. Chinese Journal of Natural Medicines, 2015, 13, 667-672.	1.3	27
18	Expression of Nogo receptor 1 in microglia during development and following traumatic brain injury. Brain Research, 2015, 1627, 41-51.	2.2	11

#	Article	lF	CITATION
19	Screening of natural compounds with neuronal differentiation promoting effects in a cell-based model. Chinese Journal of Natural Medicines, 2015, 13, 602-608.	1.3	4
20	The Nogo/Nogo Receptor (NgR) Signal Is Involved in Neuroinflammation through the Regulation of Microglial Inflammatory Activation. Journal of Biological Chemistry, 2015, 290, 28901-28914.	3.4	33
21	Nafamostat mesilate attenuates neuronal damage in a rat model of transient focal cerebral ischemia through thrombin inhibition. Scientific Reports, 2014, 4, 5531.	3.3	44
22	Design, synthesis and evaluation of tacrineâ€"flurbiprofenâ€"nitrate trihybrids as novel anti-Alzheimer's disease agents. Bioorganic and Medicinal Chemistry, 2013, 21, 2462-2470.	3.0	21
23	WIN55, 212-2 promotes differentiation of oligodendrocyte precursor cells and improve remyelination through regulation of the phosphorylation level of the ERK $1/2$ via cannabinoid receptor $1$ after stroke-induced demyelination. Brain Research, 2013, 1491, 225-235.	2.2	36
24	Tacrine–Ferulic Acid–Nitric Oxide (NO) Donor Trihybrids as Potent, Multifunctional Acetyl- and Butyrylcholinesterase Inhibitors. Journal of Medicinal Chemistry, 2012, 55, 4309-4321.	6.4	122
25	Nogoâ€66 inhibits adhesion and migration of microglia via GTPase Rho pathway <i>in vitro</i> . Journal of Neurochemistry, 2012, 120, 721-731.	3.9	72
26	Tenascin-R Plays a Role in Neuroprotection via Its Distinct Domains That Coordinate to Modulate the Microglia Function. Journal of Biological Chemistry, 2005, 280, 8316-8323.	3.4	61
27	Nogoâ€66 and myelinâ€associated glycoprotein (MAG) inhibit the adhesion and migration of Nogoâ€66 receptor expressing human glioma cells. Journal of Neurochemistry, 2004, 90, 1156-1162.	3.9	46