

Jae G Kim

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2879065/jae-g-kim-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

57
papers

878
citations

17
h-index

28
g-index

61
ext. papers

1,085
ext. citations

3.6
avg, IF

4.14
L-index

#	Paper	IF	Citations
57	Novel diagnostic tools for identifying cognitive impairment using olfactory-stimulated functional near-infrared spectroscopy: patient-level, single-group, diagnostic trial.. <i>Alzheimers Research and Therapy</i> , 2022 , 14, 39	9	0
56	Deep Learning-Based Multilevel Classification of Alzheimer's Disease Using Non-invasive Functional Near-Infrared Spectroscopy.. <i>Frontiers in Aging Neuroscience</i> , 2022 , 14, 810125	5.3	0
55	Heart and Lung Sound Measurement Using an Esophageal Stethoscope with Adaptive Noise Cancellation. <i>Sensors</i> , 2021 , 21,	3.8	3
54	Wearable Transcranial Ultrasound System for Remote Stimulation of Freely Moving Animal. <i>IEEE Transactions on Biomedical Engineering</i> , 2021 , 68, 2195-2202	5	4
53	Changes of Apomorphine-Induced Vaginal Hemodynamics in an Ovariectomized Rat Model Using Near-Infrared Spectroscopic Probe. <i>Journal of Sexual Medicine</i> , 2021 , 18, 1328-1336	1.1	
52	Rapid and non-destructive spectroscopic method for classifying beef freshness using a deep spectral network fused with myoglobin information. <i>Food Chemistry</i> , 2021 , 352, 129329	8.5	7
51	Effects of transcranial ultrasound stimulation pulsed at 40kHz on A β plaques and brain rhythms in 5BAD mice. <i>Translational Neurodegeneration</i> , 2021 , 10, 48	10.3	3
50	Analysis of relation between skin elasticity and the entropy of skin image using near-infrared and visible light sources. <i>Journal of Biophotonics</i> , 2020 , 13, e201900213	3.1	1
49	An approach for correcting optical paths of different wavelength lasers in diffusive medium based on Monte Carlo simulation. <i>Optics and Laser Technology</i> , 2019 , 120, 105712	4.2	1
48	Design of an Optical Probe to Monitor Vaginal Hemodynamics during Sexual Arousal. <i>Sensors</i> , 2019 , 19,	3.8	2
47	Non-invasive measurement of hemodynamic change during 8MHz transcranial focused ultrasound stimulation using near-infrared spectroscopy. <i>BMC Neuroscience</i> , 2019 , 20, 12	3.2	6
46	Investigation of brain functional connectivity in patients with mild cognitive impairment: A functional near-infrared spectroscopy (fNIRS) study. <i>Journal of Biophotonics</i> , 2019 , 12, e201800298	3.1	21
45	Development of simple diffuse optical metabolic spectroscopy for tissue metabolism measurement. <i>Biomedical Optics Express</i> , 2019 , 10, 2956-2966	3.5	6
44	A simple but quantitative method for non-destructive monitoring of myoglobin redox forms inside the meat. <i>Journal of Food Science and Technology</i> , 2019 , 56, 5354-5361	3.3	1
43	The hemodynamic changes during cupping therapy monitored by using an optical sensor embedded cup. <i>Journal of Biophotonics</i> , 2019 , 12, e201800286	3.1	3
42	Diffuse reflectance spectroscopy to quantify the met-myoglobin proportion and meat oxygenation inside of pork and beef. <i>Food Chemistry</i> , 2019 , 275, 369-376	8.5	13
41	Breast tumor hemodynamic response during a breath-hold as a biomarker to predict chemotherapeutic efficacy: preclinical study. <i>Journal of Biomedical Optics</i> , 2018 , 23, 1-5	3.5	2

40	Exploring brain functional connectivity in rest and sleep states: a fNIRS study. <i>Scientific Reports</i> , 2018 , 8, 16144	4.9	24
39	The changes of cerebral hemodynamics during ketamine induced anesthesia in a rat model. <i>Journal of Biophotonics</i> , 2018 , 11, e201800081	3.1	3
38	Simultaneous Monitoring of Hemodynamic Response in the Pre-Frontal Cortex and Genital Organ During Sexual Arousal Using Near-Infrared Spectroscopy. <i>Sexual Medicine</i> , 2018 , 6, 234-238	2.7	1
37	Utilization of a combined EEG/NIRS system to predict driver drowsiness. <i>Scientific Reports</i> , 2017 , 7, 43933	4.9	64
36	Monitoring cerebral hemodynamic change during transcranial ultrasound stimulation using optical intrinsic signal imaging. <i>Scientific Reports</i> , 2017 , 7, 13148	4.9	25
35	Imaging of the Finger Vein and Blood Flow for Anti-Spoofing Authentication Using a Laser and a MEMS Scanner. <i>Sensors</i> , 2017 , 17,	3.8	11
34	Longitudinal Raman Spectroscopic Observation of Skin Biochemical Changes due to Chemotherapeutic Treatment for Breast Cancer in Small Animal Model. <i>Journal of Spectroscopy</i> , 2017 , 2017, 1-9	1.5	1
33	Change of tumor vascular reactivity during tumor growth and postchemotherapy observed by near-infrared spectroscopy. <i>Journal of Biomedical Optics</i> , 2017 , 22, 121603	3.5	4
32	Differential modulation of thalamo-parietal interactions by varying depths of isoflurane anesthesia. <i>PLoS ONE</i> , 2017 , 12, e0175191	3.7	2
31	Low-cost compact diffuse speckle contrast flowmeter using small laser diode and bare charge-coupled-device. <i>Journal of Biomedical Optics</i> , 2016 , 21, 80501	3.5	15
30	Simultaneous blood flow and blood oxygenation measurements using a combination of diffuse speckle contrast analysis and near-infrared spectroscopy. <i>Journal of Biomedical Optics</i> , 2016 , 21, 27001	3.5	21
29	Exploring Neuro-Physiological Correlates of Drivers' Mental Fatigue Caused by Sleep Deprivation Using Simultaneous EEG, ECG, and fNIRS Data. <i>Frontiers in Human Neuroscience</i> , 2016 , 10, 219	3.3	99
28	Monitoring cerebral oxygenation and local field potential with a variation of isoflurane concentration in a rat model. <i>Biomedical Optics Express</i> , 2016 , 7, 4114-4124	3.5	6
27	Changes in thalamo-frontal interaction under different levels of anesthesia in rats. <i>Neuroscience Letters</i> , 2016 , 627, 18-23	3.3	11
26	Met-myoglobin formation, accumulation, degradation, and myoglobin oxygenation monitoring based on multiwavelength attenuation measurement in porcine meat. <i>Journal of Biomedical Optics</i> , 2016 , 21, 57002	3.5	4
25	A discrepancy of penile hemodynamics during visual sexual stimulation observed by near-infrared spectroscopy. <i>BMC Urology</i> , 2015 , 15, 11	2.2	7
24	Preliminary Study of Gender-Based Brain Lateralization Using Multi-Channel Near-Infrared Spectroscopy. <i>Journal of the Optical Society of Korea</i> , 2015 , 19, 284-296		5
23	Recent functional near infrared spectroscopy based brain computer interface systems: Developments, applications and challenges. <i>Biomedical Engineering Letters</i> , 2014 , 4, 223-230	3.6	20

22	Noninvasive optical cytochrome c oxidase redox state measurements using diffuse optical spectroscopy. <i>Journal of Biomedical Optics</i> , 2014 , 19, 055001	3.5	13
21	Noninvasive monitoring of treatment response in a rabbit cyanide toxicity model reveals differences in brain and muscle metabolism. <i>Journal of Biomedical Optics</i> , 2012 , 17, 105005	3.5	9
20	Spatial frequency domain imaging of intrinsic optical property contrast in a mouse model of Alzheimer's disease. <i>Annals of Biomedical Engineering</i> , 2011 , 39, 1349-57	4.7	54
19	Synthesis and antitumor molecular mechanism of agents based on amino 2-(3,4,5-trimethoxybenzoyl)benzo[b]furan: inhibition of tubulin and induction of apoptosis. <i>ChemMedChem</i> , 2011 , 6, 1841-53	3.7	9
18	In vivo near-infrared spectroscopy and magnetic resonance imaging monitoring of tumor response to combretastatin A-4-phosphate correlated with therapeutic outcome. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 80, 574-81	4	22
17	Comparison of cobinamide to hydroxocobalamin in reversing cyanide physiologic effects in rabbits using diffuse optical spectroscopy monitoring. <i>Journal of Biomedical Optics</i> , 2010 , 15, 017001	3.5	47
16	PAX6 suppression of glioma angiogenesis and the expression of vascular endothelial growth factor A. <i>Journal of Neuro-Oncology</i> , 2010 , 96, 191-200	4.8	27
15	Sulfanegen sodium treatment in a rabbit model of sub-lethal cyanide toxicity. <i>Toxicology and Applied Pharmacology</i> , 2010 , 248, 269-76	4.6	35
14	Intramuscular cobinamide sulfite in a rabbit model of sublethal cyanide toxicity. <i>Annals of Emergency Medicine</i> , 2010 , 55, 352-63	2.1	46
13	Broadband diffuse optical spectroscopy assessment of hemorrhage- and hemoglobin-based blood substitute resuscitation. <i>Journal of Biomedical Optics</i> , 2009 , 14, 044027	3.5	10
12	Brca1/p53 deficient mouse breast tumor hemodynamics during hyperoxic respiratory challenge monitored by a novel wide-field functional imaging (WiFi) system 2009 ,		1
11	Noninvasive in vivo monitoring of cyanide toxicity and treatment using diffuse optical spectroscopy in a rabbit model. <i>Military Medicine</i> , 2009 , 174, 615-21	1.3	10
10	Investigation of biphasic tumor oxygen dynamics induced by hyperoxic gas intervention: the dynamic phantom approach. <i>Applied Optics</i> , 2008 , 47, 242-52	1.7	12
9	Tissue hemoglobin monitoring of progressive central hypovolemia in humans using broadband diffuse optical spectroscopy. <i>Journal of Biomedical Optics</i> , 2008 , 13, 064027	3.5	11
8	Investigation of bi-phasic tumor oxygen dynamics induced by hyperoxic gas intervention: A numerical study. <i>Optics Express</i> , 2005 , 13, 4465-75	3.3	2
7	Extinction coefficients of hemoglobin for near-infrared spectroscopy of tissue. <i>IEEE Engineering in Medicine and Biology Magazine</i> , 2005 , 24, 118-21		45
6	Investigation of rat breast tumour oxygen consumption by near-infrared spectroscopy. <i>Journal Physics D: Applied Physics</i> , 2005 , 38, 2682-2690	3	9
5	Near-infrared spectroscopy and imaging of tumor vascular oxygenation. <i>Methods in Enzymology</i> , 2004 , 386, 349-78	1.7	20

4	Nonuniform tumor vascular oxygen dynamics monitored by three-channel near-infrared spectroscopy 2003 ,		2
3	Dynamic response of breast tumor oxygenation to hyperoxic respiratory challenge monitored with three oxygen-sensitive parameters. <i>Applied Optics</i> , 2003 , 42, 2960-7	1.7	35
2	Interplay of tumor vascular oxygenation and tumor pO ₂ observed using near-infrared spectroscopy, an oxygen needle electrode, and ¹⁹ F MR pO ₂ mapping. <i>Journal of Biomedical Optics</i> , 2003 , 8, 53-62	3.5	58
1	Interplay of tumor vascular oxygenation and pO ₂ in tumors using NIRS and needle electrode 2001 , 4250, 429		2