

# Hazem A. Ghabbour

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/2879188/hazem-a-ghabbour-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

348  
papers

2,557  
citations

28  
h-index

37  
g-index

366  
ext. papers

3,039  
ext. citations

1.9  
avg, IF

5.29  
L-index

#	Paper	IF	Citations
348	Novel 4/3-((4-oxo-5-(2-oxoindolin-3-ylidene)thiazolidin-2-ylidene)amino) benzenesulfonamides: Synthesis, carbonic anhydrase inhibitory activity, anticancer activity and molecular modelling studies. <i>European Journal of Medicinal Chemistry</i> , <b>2017</b> , 139, 250-262	6.8	89
347	Amido/ureidosubstituted benzenesulfonamides-isatin conjugates as low nanomolar/subnanomolar inhibitors of the tumor-associated carbonic anhydrase isoform XII. <i>European Journal of Medicinal Chemistry</i> , <b>2016</b> , 110, 259-66	6.8	62
346	Synthesis and in vitro anti-proliferative activity of some novel isatins conjugated with quinazoline/phthalazine hydrazines against triple-negative breast cancer MDA-MB-231 cells as apoptosis-inducing agents. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , <b>2017</b> , 32, 600-613	5.6	59
345	Increasing the binding affinity of VEGFR-2 inhibitors by extending their hydrophobic interaction with the active site: Design, synthesis and biological evaluation of 1-substituted-4-(4-methoxybenzyl)phthalazine derivatives. <i>European Journal of Medicinal Chemistry</i> , <b>2016</b> , 113, 50-62	6.8	59
344	Sickle cell disease in Saudi Arabia: the phenotype in adults with the Arab-Indian haplotype is not benign. <i>British Journal of Haematology</i> , <b>2014</b> , 164, 597-604	4.5	55
343	Novel [(3-indolylmethylene)hydrazono]indolin-2-ones as apoptotic anti-proliferative agents: design, synthesis and in vitro biological evaluation. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , <b>2018</b> , 33, 686-700	5.6	47
342	Fluorescence spectroscopic and molecular docking studies of the binding interaction between the new anaplastic lymphoma kinase inhibitor crizotinib and bovine serum albumin. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2017</b> , 171, 174-182	4.4	46
341	Novel indolin-2-one-based sulfonamides as carbonic anhydrase inhibitors: Synthesis, in vitro biological evaluation against carbonic anhydrases isoforms I, II, IV and VII and molecular docking studies. <i>European Journal of Medicinal Chemistry</i> , <b>2017</b> , 127, 521-530	6.8	44
340	One-pot three-component synthesis of novel spirooxindoles with potential cytotoxic activity against triple-negative breast cancer MDA-MB-231 cells. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , <b>2018</b> , 33, 309-318	5.6	42
339	Development of novel synthesized phthalazinone-based PARP-1 inhibitors with apoptosis inducing mechanism in lung cancer. <i>Bioorganic Chemistry</i> , <b>2018</b> , 77, 443-456	5.1	41
338	SLC-0111 enamionone analogs, 3/4-(3-aryl-3-oxopropenyl) aminobenzenesulfonamides, as novel selective subnanomolar inhibitors of the tumor-associated carbonic anhydrase isoform IX. <i>Bioorganic Chemistry</i> , <b>2019</b> , 83, 549-558	5.1	40
337	Synthesis and structure investigation of novel pyrimidine-2,4,6-trione derivatives of highly potential biological activity as anti-diabetic agent. <i>Journal of Molecular Structure</i> , <b>2015</b> , 1098, 365-376	3.4	39
336	Synthesis and anticancer activity of new quinazoline derivatives. <i>Saudi Pharmaceutical Journal</i> , <b>2017</b> , 25, 1047-1054	4.4	37
335	Novel pyrazolyl-s-triazine derivatives, molecular structure and antimicrobial activity. <i>Journal of Molecular Structure</i> , <b>2017</b> , 1145, 244-253	3.4	37
334	Substituted spirooxindole derivatives as potent anticancer agents through inhibition of phosphodiesterase 1.. <i>RSC Advances</i> , <b>2018</b> , 8, 14335-14346	3.7	37
333	Synthesis of pyrimidine-2,4,6-trione derivatives: Anti-oxidant, anti-cancer, $\alpha$ -glucosidase, $\alpha$ -glucuronidase inhibition and their molecular docking studies. <i>Bioorganic Chemistry</i> , <b>2016</b> , 68, 72-9	5.1	35
332	Synthesis, in vitro biological activities and in silico study of dihydropyrimidines derivatives. <i>Bioorganic and Medicinal Chemistry</i> , <b>2015</b> , 23, 6740-8	3.4	33

331	New Pyrazole-Hydrazone Derivatives: X-ray Analysis, Molecular Structure Investigation via Density Functional Theory (DFT) and Their High In-Situ Catecholase Activity. <i>International Journal of Molecular Sciences</i> , <b>2017</b> , 18,	6.3	33
330	Adamantane-Isothiourea Hybrid Derivatives: Synthesis, Characterization, In Vitro Antimicrobial, and In Vivo Hypoglycemic Activities. <i>Molecules</i> , <b>2017</b> , 22,	4.8	31
329	Tandem aldol-Michael reactions in aqueous diethylamine medium: a greener and efficient approach to bis-pyrimidine derivatives. <i>International Journal of Molecular Sciences</i> , <b>2013</b> , 14, 23762-73	6.3	31
328	Synthesis and Cytotoxic Activity of Biphenylurea Derivatives Containing Indolin-2-one Moieties. <i>Molecules</i> , <b>2016</b> , 21,	4.8	31
327	Synthesis of bulky-tailed sulfonamides incorporating pyrido[2,3-d][1,2,4]triazolo[4,3-a]pyrimidin-1(5H)-yl moieties and evaluation of their carbonic anhydrases I, II, IV and IX inhibitory effects. <i>Bioorganic and Medicinal Chemistry</i> , <b>2017</b> , 25, 2210-2217	3.4	30
326	New spiro-oxindole constructed with pyrrolidine/thioxothiazolidin-4-one derivatives: Regioselective synthesis, X-ray crystal structures, Hirshfeld surface analysis, DFT, docking and antimicrobial studies. <i>Journal of Molecular Structure</i> , <b>2018</b> , 1152, 101-114	3.4	29
325	An efficient and green procedure for synthesis of rhodanine derivatives by aldol-thia-Michael protocol using aqueous diethylamine medium. <i>RSC Advances</i> , <b>2014</b> , 4, 4909	3.7	29
324	Design and synthesis of new substituted spirooxindoles as potential inhibitors of the MDM2-p53 interaction. <i>Bioorganic Chemistry</i> , <b>2019</b> , 86, 598-608	5.1	28
323	Design, synthesis and antiproliferative activity of decarbonyl luotonin analogues. <i>European Journal of Medicinal Chemistry</i> , <b>2017</b> , 138, 932-941	6.8	28
322	Ultrasonic promoted synthesis of novel s -triazine-Schiff base derivatives; molecular structure, spectroscopic studies and their preliminary anti-proliferative activities. <i>Journal of Molecular Structure</i> , <b>2016</b> , 1125, 121-135	3.4	28
321	Novel series of 6-(2-substitutedacetamido)-4-anilinoquinazolines as EGFR-ERK signal transduction inhibitors in MCF-7 breast cancer cells. <i>European Journal of Medicinal Chemistry</i> , <b>2018</b> , 155, 782-796	6.8	26
320	A novel one-pot green synthesis of dispirooxindolo-pyrrolidines via 1,3-dipolar cycloaddition reactions of azomethine ylides. <i>Molecules</i> , <b>2015</b> , 20, 780-91	4.8	26
319	Synthesis, in-vitro antibacterial, antifungal, and molecular modeling of potent anti-microbial agents with a combined pyrazole and thiophene pharmacophore. <i>Molecules</i> , <b>2015</b> , 20, 8712-29	4.8	25
318	Synthesis, crystal structure, hirshfeld surface analysis, DFT calculations, anti-diabetic activity and molecular docking studies of (E)-N $\bar{E}$ (5-bromo-2-hydroxybenzylidene) isonicotinohydrazide. <i>Journal of Molecular Structure</i> , <b>2020</b> , 1221, 128800	3.4	24
317	A 1,3-dipolar cycloaddition-annulation protocol for the expedient regio-, stereo- and product-selective construction of novel hybrid heterocycles comprising seven rings and seven contiguous stereocentres. <i>Tetrahedron Letters</i> , <b>2013</b> , 54, 2515-2519	2	24
316	Sickle cell disease subphenotypes in patients from Southwestern Province of Saudi Arabia. <i>Journal of Pediatric Hematology/Oncology</i> , <b>2012</b> , 34, 79-84	1.2	24
315	Molecular docking study and antiviral evaluation of 2-thioxo-benzo[g]quinazolin-4(3H)-one derivatives. <i>Chemistry Central Journal</i> , <b>2016</b> , 10, 21		24
314	Synthesis, biological evaluation and molecular docking studies of thiazole-based pyrrolidinones and isoindolinediones as anticonvulsant agents. <i>Medicinal Chemistry Research</i> , <b>2015</b> , 24, 3194-3211	2.2	23

313	Synthesis, NMR, FT-IR, X-ray structural characterization, DFT analysis and isomerism aspects of 5-(2,6-dichlorobenzylidene)pyrimidine-2,4,6(1H,3H,5H)-trione. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2015</b> , 147, 107-16	4.4	21
312	Tandem Aldol-Michael reactions in aqueous diethylamine medium: a greener and efficient approach to dimedone-barbituric acid derivatives. <i>Chemistry Central Journal</i> , <b>2014</b> , 8, 9		20
311	Synthesis, in vitro antitumour activity, and molecular docking study of novel 2-substituted mercapto-3-(3,4,5-trimethoxybenzyl)-4(3H)-quinazolinone analogues. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , <b>2017</b> , 32, 1229-1239	5.6	19
310	Theoretical investigations of two adamantane derivatives: A combined X-ray, DFT, QTAIM analysis and molecular docking. <i>Journal of Molecular Structure</i> , <b>2018</b> , 1159, 233-245	3.4	19
309	2-((Benzimidazol-2-yl)thio)-1-arylethan-1-ones: Synthesis, crystal study and cancer stem cells CD133 targeting potential. <i>European Journal of Medicinal Chemistry</i> , <b>2015</b> , 104, 1-10	6.8	18
308	Synthesis of novel 5-monoalkylbarbiturate derivatives: new access to 1,2-oxazepines. <i>Tetrahedron Letters</i> , <b>2015</b> , 56, 6984-6987	2	17
307	A greener, efficient approach to Michael addition of barbituric acid to nitroalkene in aqueous diethylamine medium. <i>Molecules</i> , <b>2014</b> , 19, 1150-62	4.8	17
306	Synthesis, Crystal Study, and Anti-Proliferative Activity of Some 2-Benzimidazolylthioacetophenones towards Triple-Negative Breast Cancer MDA-MB-468 Cells as Apoptosis-Inducing Agents. <i>International Journal of Molecular Sciences</i> , <b>2016</b> , 17,	6.3	17
305	Synthesis, Cytotoxic Activity, Crystal Structure, DFT Studies and Molecular Docking of 3-Amino-1-(2,5-dichlorophenyl)-8-methoxy-1H-benzo[f]chromene-2-carbonitrile. <i>Crystals</i> , <b>2021</b> , 11, 184	2.3	17
304	Spectroscopic (FT-IR, FT-Raman, UV, 1H and 13C NMR) profiling and computational studies on methyl 5-methoxy-1H-indole-2-carboxylate: A potential precursor to biologically active molecules. <i>Journal of Molecular Structure</i> , <b>2017</b> , 1133, 199-210	3.4	15
303	Efficient and easy synthesis of new Benzo[h]chromene and Benzo[h]quinoline derivatives as a new class of cytotoxic agents. <i>Journal of Molecular Structure</i> , <b>2019</b> , 1195, 702-711	3.4	15
302	Unusual Nitrogenous Phenalenone Derivatives from the Marine-Derived Fungus <i>Coniothyrium cereale</i> . <i>Molecules</i> , <b>2016</b> , 21, 178	4.8	15
301	Straightforward synthesis of pyrrolo[3,4-b]quinolines through intramolecular Povarov reactions. <i>Tetrahedron Letters</i> , <b>2015</b> , 56, 6900-6903	2	14
300	Synthesis and molecular characterization of 5,5'-((2,4-dichlorophenyl)methylene)bis(1,3-dimethylpyrimidine-2,4,6(1H,3H,5H)-trione). <i>Journal of Molecular Structure</i> , <b>2015</b> , 1084, 207-215	3.4	14
299	Synthesis, Characterization, and Anti-Cancer Activity of Some New N'-(2-Oxoindolin-3-ylidene)-2-propylpentane hydrazide-hydrazones Derivatives. <i>Molecules</i> , <b>2015</b> , 20, 14638-55	4.8	14
298	Synthesis and Crystal Structures of Benzimidazole-2-thione Derivatives by Alkylation Reactions. <i>Molecules</i> , <b>2015</b> , 21, E12	4.8	14
297	A concise synthesis and evaluation of new malonamide derivatives as potential $\alpha$ -glucosidase inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , <b>2016</b> , 24, 1675-82	3.4	14
296	Neoclerodane Diterpenoids from <i>Reehal Fatima</i> , <i>Teucrium yemense</i> . <i>Journal of Natural Products</i> , <b>2017</b> , 80, 1900-1908	4.9	13

295	Antimicrobial sesquiterpene lactones from <i>Artemisia sieberi</i> . <i>Journal of Asian Natural Products Research</i> , <b>2017</b> , 19, 1093-1101	1.5	13
294	Synthesis, molecular structure investigations and antimicrobial activity of 2-thioxothiazolidin-4-one derivatives. <i>Journal of Molecular Structure</i> , <b>2015</b> , 1081, 519-529	3.4	13
293	Isocoumarin derivatives from the marine-derived fungus <i>Phoma</i> sp. 135. <i>Tetrahedron Letters</i> , <b>2016</b> , 57, 354-356	2	13
292	Investigation of potential anti-malarial lead candidate 2-(4-fluorobenzylthio)-5-(5-bromothiophen-2-yl)-1,3,4-oxadiazole: Insights from crystal structure, DFT, QTAIM and hybrid QM/MM binding energy analysis. <i>Journal of Molecular Structure</i> , <b>2019</b> , 1175, 230-240	3.4	13
291	Intermolecular interactions in crystal structure, Hirshfeld surface, characterization, DFT and thermal analysis of 5-((5-bromo-1H-indol-3-yl)methylene)-1,3-dimethylpyrimidine-2,4,6-(1H,3H,5H)-trione indole. <i>Journal of Molecular Structure</i> , <b>2017</b> , 1137, 354-361	3.4	12
290	Molecular structure and spectroscopic investigations combined with hypoglycemic/anticancer and docking studies of a new barbituric acid derivative. <i>Journal of Molecular Structure</i> , <b>2017</b> , 1134, 99-111	3.4	12
289	Stereoselective green synthesis and molecular structures of highly functionalized spirooxindole-pyrrolidine hybrids [A combined experimental and theoretical investigation. <i>Journal of Molecular Structure</i> , <b>2018</b> , 1152, 266-275	3.4	12
288	One pot synthesis, molecular structure and spectroscopic studies (X-ray, IR, NMR, UV-Vis) of novel 2-(4,6-dimethoxy-1,3,5-triazin-2-yl) amino acid ester derivatives. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2016</b> , 159, 184-98	4.4	12
287	An Expedient Regio- and Diastereoselective Synthesis of Hybrid Frameworks with Embedded Spiro[9,10]dihydroanthracene [9,3']-pyrrolidine and Spiro[oxindole-3,2'-pyrrolidine] Motifs via an Ionic Liquid-Mediated Multicomponent Reaction. <i>Molecules</i> , <b>2015</b> , 20, 16142-53	4.8	12
286	Design, Synthesis, and Molecular Docking of 1-(1-(4-Chlorophenyl)-2-(phenylsulfonyl)ethylidene)-2-phenylhydrazine as Potent Nonazole Anticandidal Agent. <i>Journal of Chemistry</i> , <b>2014</b> , 2014, 1-8	2.3	12
285	Unexpected ring-opening of 3-arylbenzo[b]furans at room temperature: a new route for the construction of phenol-substituted pyrazoles. <i>Tetrahedron Letters</i> , <b>2013</b> , 54, 3424-3426	2	12
284	Synthesis, Biological Evaluation and Molecular Docking of Certain Sulfones as Potential Nonazole Antifungal Agents. <i>Molecules</i> , <b>2016</b> , 21, E114	4.8	12
283	One-pot synthesis of spiro(indoline-3,4'-pyrazolo[3,4-b]pyridine)-5'-carbonitriles as p53-MDM2 interaction inhibitors. <i>Future Medicinal Chemistry</i> , <b>2018</b> , 10, 2771-2789	4.1	12
282	Synthesis, molecular structure, spectral analysis, and biological activity of new malonamide derivatives as $\alpha$ -glucosidase inhibitors. <i>Journal of Molecular Structure</i> , <b>2017</b> , 1134, 253-264	3.4	11
281	Synthesis, X-Ray Crystal Structures, and Preliminary Antiproliferative Activities of New s-Triazine-hydroxybenzylidene Hydrazone Derivatives. <i>Journal of Chemistry</i> , <b>2019</b> , 2019, 1-10	2.3	11
280	Quantum chemical insight into the molecular structure of L-chemosensor 1,3-dimethyl-5-(thien-2-ylmethylene)-pyrimidine-2,4,6-(1H,3H,5H)-trione: Naked-eye colorimetric detection of copper(II) anions. <i>Journal of Theoretical and Computational Chemistry</i> , <b>2018</b> , 17, 1850005	1.8	11
279	Tautomerism aspect of thione-thiol combined with spectral investigation of some 4-amino-5-methyl-1,2,4-triazole-3-thione Schiff's bases. <i>Journal of Molecular Structure</i> , <b>2017</b> , 1146, 432-440	2.4	11
278	Synthesis, X-ray Single Crystal Structure, Molecular Docking and DFT Computations on N-[(1E)-1-(2H-1,3-Benzodioxol-5-yl)-3-(1H-imidazol-1-yl)propylidene]-hydroxylamine: A New Potential Antifungal Agent Precursor. <i>Molecules</i> , <b>2017</b> , 22,	4.8	11

277	Docking and antiherpetic activity of 2-aminobenzo[de]-isoquinoline-1,3-diones. <i>Molecules</i> , <b>2015</b> , 20, 5099-5111	11	11
276	Stereoselective synthesis of diazaspiro[5.5]undecane derivatives via base promoted [5+1] double Michael addition of N,N-dimethylbarbituric acid to diaryliedene acetones. <i>Arabian Journal of Chemistry</i> , <b>2017</b> , 10, 1-9	5.9	10
275	A One-Pot Biginelli Synthesis and Characterization of Novel Dihydropyrimidinone Derivatives Containing Piperazine/Morpholine Moiety. <i>Molecules</i> , <b>2018</b> , 23,	4.8	10
274	Cancer stem cells CD133 inhibition and cytotoxicity of certain 3-phenylthiazolo[3,2-a]benzimidazoles: design, direct synthesis, crystal study and in vitro biological evaluation. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , <b>2017</b> , 32, 986-991	5.6	10
273	Microwave Synthesis, Characterization, and Antimicrobial Activity of Some Novel Isatin Derivatives. <i>Journal of Chemistry</i> , <b>2015</b> , 2015, 1-8	2.3	10
272	Synthesis, Crystal Structure, and Biological Activity of cis/trans Amide Rotomers of (Z)-N'-(2-Oxoindolin-3-ylidene)formohydrazide. <i>Journal of Chemistry</i> , <b>2014</b> , 2014, 1-7	2.3	10
271	A functional promoter polymorphism of the $\beta$ globin gene is a specific marker of the Arab-Indian haplotype. <i>American Journal of Hematology</i> , <b>2012</b> , 87, 824-6	7.1	10
270	Synthesis and Anti-Proliferative Assessment of Triazolo-Thiadiazepine and Triazolo-Thiadiazine Scaffolds. <i>Molecules</i> , <b>2019</b> , 24,	4.8	10
269	Synthesis of Oxindole Analogues, Biological Activity, and In Silico Studies. <i>ChemistrySelect</i> , <b>2019</b> , 4, 10510-10516	10.8	10
268	Structural and spectral investigations of the recently synthesized chalcone (E)-3-mesityl-1-(naphthalen-2-yl) prop-2-en-1-one, a potential chemotherapeutic agent. <i>Chemistry Central Journal</i> , <b>2015</b> , 9, 35		9
267	(2 E)-2-[1-(1,3-Benzodioxol-5-yl)-3-(1 H-imidazol-1-yl)propylidene]-N-(4-methoxyphenyl)hydrazinecarboxamide: Synthesis, crystal structure, vibrational analysis, DFT computations, molecular docking and antifungal activity. <i>Journal of Molecular Structure</i> , <b>2018</b> , 1166, 121-130	3.4	9
266	New Diethyl Ammonium Salt of Thiobarbituric Acid Derivative: Synthesis, Molecular Structure Investigations and Docking Studies. <i>Molecules</i> , <b>2015</b> , 20, 20642-58	4.8	9
265	Studies on the Red Sea Sponge <i>Haliclona</i> sp. for its Chemical and Cytotoxic Properties. <i>Pharmacognosy Magazine</i> , <b>2016</b> , 12, 114-9	0.8	9
264	Synthesis of New Functionalized Indoles Based on Ethyl Indol-2-carboxylate. <i>Molecules</i> , <b>2016</b> , 21, 333	4.8	9
263	Synthesis, crystal structure, DFT, $\alpha$ -glucosidase and $\alpha$ -amylase inhibition and molecular docking studies of (E)-N'-(4-chlorobenzylidene)-5-phenyl-1H-pyrazole-3-carbohydrazide. <i>Journal of Molecular Structure</i> , <b>2021</b> , 1245, 131067	3.4	9
262	Synthesis, characterization, X-ray structure, computational studies, and bioassay of novel compounds combining thiophene and benzimidazole or 1,2,4-triazole moieties. <i>Chemistry Central Journal</i> , <b>2017</b> , 11, 51		8
261	Synthesis and characterization of a spiroindolone pyrothiazole analog via X-ray, biological, and computational studies. <i>Journal of Molecular Structure</i> , <b>2019</b> , 1186, 384-392	3.4	8
260	Synthesis, crystallographic characterization, molecular docking and biological activity of isoquinoline derivatives. <i>Chemistry Central Journal</i> , <b>2017</b> , 11, 103		8



259	New bioactive chlorinated cyclopentene derivatives from the marine-derived Fungus <i>Phoma</i> sp. <i>Medicinal Chemistry Research</i> , <b>2018</b> , 27, 1885-1892	2.2	8
258	Synthesis, docking study and $\beta$ -adrenoceptor activity of some new oxime ether derivatives. <i>Molecules</i> , <b>2014</b> , 19, 3417-35	4.8	8
257	Synthesis, crystal structure, vibrational profiling, DFT studies and molecular docking of N-(4-chloro-2-[[2-(1H-indol-2-ylcarbonyl)hydrazinyl](oxo)acetyl]phenyl)acetamide.DMSO: A new antiproliferative agent. <i>Journal of Molecular Structure</i> , <b>2018</b> , 1155, 457-468	3.4	8
256	Anticancer Indole-Based Chalcones: A Structural and Theoretical Analysis. <i>Molecules</i> , <b>2019</b> , 24,	4.8	7
255	Synthesis, molecular structure and spectroscopic investigations of novel fluorinated spiro heterocycles. <i>Molecules</i> , <b>2015</b> , 20, 8223-41	4.8	7
254	Anticonvulsant potential of certain new (2E)-2-[1-Aryl-3-(1H-imidazol-1-yl)propylidene]-N-(aryl/H)hydrazinecarboxamides. <i>Scientific World Journal, The</i> , <b>2014</b> , 2014, 357403	2.2	7
253	5-Bromo-4-(3,4-dimeth-oxy-phen-yl)thia-zol-2-amine. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o1631-2		7
252	Synthesis, Spectroscopic, X-ray Diffraction and DFT Studies of Novel Benzimidazole Fused-1,4-Oxazepines. <i>Molecules</i> , <b>2016</b> , 21,	4.8	7
251	Cu(II) and Mn(II) coordination complexes constructed by C linked bispyrazoles: Effect of anions and hydrogen bonding on the self assembly process. <i>Inorganica Chimica Acta</i> , <b>2018</b> , 482, 411-419	2.7	7
250	A highly distorted hexacoordinated silver(I) complex: synthesis, crystal structure, and DFT studies. <i>Journal of Coordination Chemistry</i> , <b>2017</b> , 70, 1339-1356	1.6	6
249	Expeditious Green Synthesis of Novel 4-Methyl-1,2,5,6-tetraazafluoranthren-3(2)-one Analogue from Ninhydrin: N/S-Alkylation and Aza-Michael Addition. <i>ACS Omega</i> , <b>2020</b> , 5, 5436-5442	3.9	6
248	A Facile Synthesis of Pyrido[2,3:3,4]pyrazolo[1,5-a]pyrimidine and Pyrido[2,3:3,4]pyrazolo[5,1-c][1,2,4]triazine Bearing a Thiophene Moiety. <i>Journal of Chemistry</i> , <b>2013</b> , 2013, 1-7	2.3	6
247	3-Acetyl-1,5-diphenyl-1H-pyrazole-4-carbonitrile. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o1095-6		6
246	Synthesis of spiroindolone analogue via three components reaction of olefin with isatin and sarcosine: Anti-proliferative activity and computational studies. <i>Journal of Molecular Structure</i> , <b>2020</b> , 1204, 127500	3.4	6
245	Inhibitory activity of benzo[h]quinoline and benzo[h]chromene in human glioblastoma cells. <i>Tropical Journal of Pharmaceutical Research</i> , <b>2016</b> , 15, 2337	0.8	6
244	Design, synthesis, X-ray analysis, and biological screening of new oxime and enamionone thiazoline-2-thione derivatives. <i>Journal of Molecular Structure</i> , <b>2021</b> , 1223, 128977	3.4	6
243	Unexpected Synthesis, Single-Crystal X-ray Structure, Anticancer Activity, and Molecular Docking Studies of Certain 2-((Imidazole/Benzimidazolyl)thio)ethylmethanones. <i>Crystals</i> , <b>2020</b> , 10, 446	2.3	5
242	Synthesis, Crystal Structure and DFT Studies of 1,3-Dimethyl-5-propionylpyrimidine-2,4,6(1H,3H,5H)-trione. <i>Crystals</i> , <b>2017</b> , 7, 31	2.3	5

- 241 Crystal structure of N<sup>?</sup>-(4-nitrobenzylidene)-5-phenyl-1H-pyrazole-3-carbohydrazide, C<sub>17</sub>H<sub>13</sub>N<sub>5</sub>O<sub>3</sub>. *Zeitschrift Fur Kristallographie - New Crystal Structures*, **2016**, 231, 839-841 0.2 5
- 240 Crystal structure of 1-(adamantan-1-yl)-3-phenylthiourea, C<sub>17</sub>H<sub>22</sub>N<sub>2</sub>S. *Zeitschrift Fur Kristallographie - New Crystal Structures*, **2016**, 231, 593-595 0.2 5
- 239 Stereoselective synthesis, X-ray analysis, computational studies and biological evaluation of new thiazole derivatives as potential anticancer agents. *Chemistry Central Journal*, **2018**, 12, 56 5
- 238 A new barbituric acid derivatives as reactive oxygen scavenger: Experimental and theoretical investigations. *Journal of Molecular Structure*, **2019**, 1175, 524-535 3.4 5
- 237 Synthesis and Inhibitory Effect of Some Indole-Pyrimidine Based Hybrid Heterocycles on  $\beta$ Glucosidase and  $\alpha$ Amylase as Potential Hypoglycemic Agents. *ChemistryOpen*, **2019**, 8, 1288-1297 2.3 5
- 236 Synthesis, X-ray diffraction, thermogravimetric and DFT analyses of pyrimidine derivatives. *Molecules*, **2014**, 19, 17187-201 4.8 5
- 235 Synthesis, characterization and computational studies of a novel thieno[2,3-b]thiophene derivative. *Journal of Molecular Structure*, **2017**, 1130, 62-70 3.4 5
- 234 Synthesis, Single Crystal X-Ray Structure, and Antimicrobial Activity of 6-(1,3-Benzodioxol-5-ylmethyl)-5-ethyl-2-[[2-(morpholin-4-yl)ethyl]sulfanyl]pyrimidin-4(3H)-one. *Journal of Chemistry*, **2014**, 2014, 1-8 2.3 5
- 233 Novel Diastereoselective Synthesis and X-Ray Crystallographic Studies of (E)-2-cyano-N-(4-ethoxyphenyl)-3-methylthio-3-(substituted-amino)Acrylamides. *Molecular Crystals and Liquid Crystals*, **2014**, 605, 165-178 0.5 5
- 232 Synthesis of Novel 2-(Methylthio)benzo[g][1,2,4]triazolo[1,5-a]quinazolin- 5-(4H)-one and its Derivatives. *Letters in Organic Chemistry*, **2014**, 11, 759-767 0.6 5
- 231 Synthesis, characterization, x-ray structure and antimicrobial activity of N-(4-chlorophenyl)-2-(pyridin-4-ylcarbonyl) hydrazinecarbothioamide. *Tropical Journal of Pharmaceutical Research*, **2016**, 15, 1751 0.8 5
- 230 Synthesis, X-Ray Crystal Structures, Biological Evaluation, and Molecular Docking Studies of a Series of Barbiturate Derivatives. *Journal of Chemistry*, **2016**, 2016, 1-11 2.3 5
- 229 Synthesis, Crystal Structure, Density Function Theory, Molecular Docking and Antimicrobial Studies of 2-(3-(4- phenylpiperazin-1-yl) propyl) isoindoline-1,3-dione. *Tropical Journal of Pharmaceutical Research*, **2016**, 15, 385 0.8 5
- 228 Highly functionalized dispiro oxindole-pyrrolo[1,2-c]thiazole-piperidone hybrid: Synthesis, characterization and theoretical investigations on the regiochemistry. *Journal of Molecular Structure*, **2016**, 1121, 93-103 3.4 5
- 227 Spectroscopic identification, structural features, Hirshfeld surface analysis and molecular docking studies on stiripentol: An orphan antiepileptic drug. *Journal of Molecular Structure*, **2019**, 1180, 110-118 3.4 5
- 226 Insights into the weak Csp<sup>3</sup>H $\cdots$ H $\cdots$ Csp<sup>3</sup> mediated supramolecular architecture in ethyl 2-(5-bromopentanamido)-4,5,6,7-tetrahydrobenzo[b]thiophene-3-carboxylate, a probable selective COX-2 lead molecule: An integrated crystallographic and theoretical approach. *Journal of Molecular Structure*, **2022**, 1278, 127816 3.4 5
- 225 Synthesis, crystal structure, spectroscopic characterization,  $\beta$ glucosidase inhibition and computational studies of (E)-5-methyl-N<sup>?</sup>-(pyridin-2-ylmethylene)-1H-pyrazole-3-carbohydrazide. *Journal of Molecular Structure*, **2022**, 1248, 131506 3.4 5
- 224 Synthesis, Single Crystal X-ray Structure, DFT Computations, Hirshfeld Surface Analysis and Molecular Docking Simulations on (([(1E)-1-(1,3-Benzodioxol-5-yl)-3-(1H-imidazol-1-yl)propylidene]amino}oxy)(furan-2-yl)methanone: A New Antifungal Agents. *Crystals*, **2019**, 9, 25 2.3 4



223	Stereoselective synthesis of novel thioglycosyl heterocycles. <i>Journal of Molecular Structure</i> , <b>2018</b> , 1152, 87-95	3.4	4
222	Synthesis, Crystal Structure and DFT Studies of a New Dinuclear Ag(I)-Malonamide Complex. <i>Molecules</i> , <b>2018</b> , 23,	4.8	4
221	Synthesis, Characterization, and Antibacterial and Anti-Inflammatory Activities of New Pyrimidine and Thiophene Derivatives. <i>Journal of Chemistry</i> , <b>2018</b> , 2018, 1-11	2.3	4
220	Microwave irradiation: synthesis and characterization of $\alpha$ -ketoamide and bis ( $\alpha$ -ketoamide) derivatives via the ring opening of $\alpha$ -acetylisatin. <i>Chemistry Central Journal</i> , <b>2014</b> , 8, 27		4
219	Spectroscopy and crystal structures of natural stereoisomers of neoclerodane diterpenoids from <i>Teucrium yemense</i> of Saudi medicinal plant. <i>Journal of Molecular Structure</i> , <b>2017</b> , 1147, 616-621	3.4	4
218	A facile synthesis and characterization of some new thiophene based heterocycles. <i>Journal of Molecular Structure</i> , <b>2017</b> , 1149, 736-743	3.4	4
217	Crystal structure of 4-bromobenzyl (Z)-N <sup>?</sup> -(adamantan-1-yl)-4-phenylpiperazine-1-carbothioimidate, C <sub>28</sub> H <sub>34</sub> BrN <sub>3</sub> S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2017</b> , 232, 189-191	0.2	4
216	Synthesis, spectroscopic investigations (X-ray, NMR and TD-DFT), antimicrobial activity and molecular docking of 2,6-bis(hydroxy(phenyl)methyl)cyclohexanone. <i>Molecules</i> , <b>2015</b> , 20, 13240-63	4.8	4
215	Microwave-Assisted Synthesis and Characterization of Certain Oximes, Hydrazones, and Olefins Derived from $\alpha$ -Keto Sulfones. <i>Journal of Chemistry</i> , <b>2014</b> , 2014, 1-6	2.3	4
214	3-(Adamantan-1-yl)-4-benzyl-1H-1,2,4-triazole-5(4H)-thione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2014</b> , 70, o766-7		4
213	An expedient pseudo four-component synthesis of dispiroindandione fused indeno-N-methylmorpholine, spectroscopic, X-ray diffraction and DFT studies. <i>Journal of Molecular Structure</i> , <b>2014</b> , 1063, 283-288	3.4	4
212	(E)-2-(2,3-Dimethyl-anilino)-N'-[2-methyl-5-(prop-1-en-2-yl)cyclo-hex-2-enyl-idene]benzohydrazide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o1135		4
211	(E)-N'-(4-Isopropyl-benzyl-idene)isonicotinohydrazide monohydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o1002		4
210	(E)-4-Amino-N-(1,2-dihydro-pyridin-2-yl-idene)benzene-sulfonamide nitro-methane monosolvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o1030		4
209	3-(Adamantan-1-yl)-4-ethyl-1H-1,2,4-triazole-5(4H)-thione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o1347		4
208	3-[(N-Methyl-anilino)meth-yl]-5-(thio-phen-2-yl)-1,3,4-oxadiazole-2(3H)-thione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o1345-6		4
207	Synthesis, X-ray analysis and computational studies of two novel thiophene derivatives. <i>Journal of Sulfur Chemistry</i> , <b>2020</b> , 41, 517-529	2.3	4
206	Crystal structure of N-(adamantan-1-yl)-4-phenylpiperazine-1-carbothioamide, C <sub>21</sub> H <sub>29</sub> N <sub>3</sub> S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 991-993	0.2	4

205	Effect of hydroxylated solvents on the active constituents of <i>Salvadora persica</i> root "Siwak". <i>Saudi Pharmaceutical Journal</i> , <b>2019</b> , 27, 220-224	4.4	4
204	Novel 1D coordination polymers built from acyclic cryptate containing bis(1H-1,2,4-triazole) ligands and featuring coordinated counteranions. <i>New Journal of Chemistry</i> , <b>2018</b> , 42, 11324-11333	3.6	4
203	Synthesis, Characterization and DFT Calculations of 4,5,12- and 1,8,12-trichloro-9,10-dihydro-9,10-ethanoanthracene-12-carbonitriles. <i>Crystals</i> , <b>2017</b> , 7, 259	2.3	3
202	Crystal structure of 2-amino-N-(4-methoxyphenyl)benzamide, C <sub>14</sub> H <sub>14</sub> N <sub>2</sub> O <sub>2</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 203-204	0.2	3
201	Beta- and gamma-cyclodextrin ionophores as electroactive materials for construction of new polyvinyl chloride sensors for eletriptan based on host-guest recognition. <i>Materials Express</i> , <b>2018</b> , 8, 182-188	1.3	3
200	Crystal structure of 3-amino-1-(4-bromophenyl)-9-methoxy-1H-benzo[f]chromene-2-carbonitrile, C <sub>21</sub> H <sub>15</sub> BrN <sub>2</sub> O <sub>2</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2017</b> , 232, 561-563	0.2	3
199	Synthesis, crystallographic characterization, DFT and TD-DFT studies of Oxyma-sulfonate esters. <i>Journal of Chemical Sciences</i> , <b>2017</b> , 129, 1469-1481	1.8	3
198	Crystal structure of N <sub>2</sub> ,N <sub>6</sub> -bis(1-hydrazinyl-2-methyl-1-oxopropan-2-yl) pyridine-2,6-dicarboxamide, C <sub>15</sub> H <sub>23</sub> N <sub>7</sub> O <sub>4</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2017</b> , 232, 537-539	0.2	3
197	Crystal structure of methyl 1H-indole-2-carboxylate, C <sub>10</sub> H <sub>9</sub> NO <sub>2</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2017</b> , 232, 431-432	0.2	3
196	Synthesis and Characterization of Novel Thieno-Fused Bicyclic Compounds through New Enaminone Containing Thieno[2,3-b]pyridine Scaffold. <i>Journal of Chemistry</i> , <b>2015</b> , 2015, 1-8	2.3	3
195	Molecular structure investigation and tautomerism aspects of (E)-3-benzylideneindolin-2-one. <i>Journal of Chemical Sciences</i> , <b>2015</b> , 127, 1547-1556	1.8	3
194	Crystal structure of 2-(adamantan-1-yl)-5-(4-bromo-phen-yl)-1,3,4-oxa-diazole. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2014</b> , 70, o1231-2		3
193	5-Propyl-6-(p-tolyl-sulfan-yl)pyrimidine-2,4(1H,3H)-dione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2014</b> , 70, o179-80		3
192	4-(2-Meth-oxy-phen-yl)piperazin-1-ium 6-chloro-5-isopropyl-2,4-dioxopyrimidin-1-ide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2014</b> , 70, o245-6		3
191	Crystal structure of 4,5-dichloro-anthracen-9(10H)-one, C <sub>14</sub> H <sub>8</sub> Cl <sub>2</sub> O. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2013</b> , 228, 405-406	0.2	3
190	1-(4-Methyl-phen-yl)-2-(phenyl-sulfon-yl)ethanone. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o1033		3
189	1-(5-Bromo-4-phenyl-1,3-thia-zol-2-yl)pyrrolidin-2-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o1738-9		3
188	Crystal structure of (E)-2-(4-hydroxy-3-methoxybenzylidene)-6-methoxy-3,4-dihydronaphthalen-1(2H)-one, C <sub>19</sub> H <sub>18</sub> O <sub>4</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2017</b> , 232, 203-205	0.2	3

187	Synthesis of N-(Anthracen-9-ylmethyl)-N-methyl-2-(phenylsulfonyl)ethanamine via Microwave Green Synthesis Method: X-ray Characterization, DFT and Hirshfeld Analysis. <i>Crystals</i> , <b>2020</b> , 10, 643	2.3	3
186	5-[(3-Fluorophenyl)(2-hydroxy-6-oxocyclohex-1-en-1-yl)methyl]-6-hydroxy-1,3-dimethylpyrimidine-2,4(1H,3H)-dione. <i>MolBank</i> , <b>2016</b> , 2016, M910	0.5	3
185	Crystal structure of N <sup>?</sup> -(4-(dimethylamino)benzylidene)-5-phenyl-1H-pyrazole-3-carbohydrazide, C19H19N5O. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 883-886	0.2	3
184	Crystal structure of 4-bromobenzyl (Z)-N-(adamantan-1-yl)morpholine-4-carbothioimidate, C22H29BrN2OS. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2019</b> , 234, 1001-1003	0.2	3
183	Crystal structure of 3,5-bis(trifluoromethyl)benzyl(Z)-N-(adamantan-1-yl)morpholine-4-carbothioimidate, C24H28F6N2OS. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2018</b> , 233, 607-609	0.2	3
182	Bioactive isoquinoline alkaloids from <i>Glaucium arabicum</i> . <i>Phytochemistry Letters</i> , <b>2018</b> , 28, 139-144	1.9	3
181	Crystal structure of 2-(4-oxo-2-thioxothiazolidin-3-yl)acetic acid monohydrate, C5H7NO4S2. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2017</b> , 232, 141-142	0.2	2
180	Crystal structure of cyclo-hexyl-ammonium thio-cyanate. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , <b>2015</b> , 71, o62-3	0.7	2
179	New hybrid of the barbituric acid motif: synthesis, X-ray single crystal, DFT, and Hirshfeld surface analyses. <i>Research on Chemical Intermediates</i> , <b>2018</b> , 44, 4213-4225	2.8	2
178	Crystal structure of N <sup>?</sup> -(adamantan-2-ylidene)pyridine-3-carbohydrazide, C16H19N3O. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 573-575	0.2	2
177	Crystal structure of 1-(adamantan-1-yl)-3-(4-chlorophenyl)thiourea, C17H21ClN2S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 707-709	0.2	2
176	Crystal structure of N <sup>?</sup> -[(1E)-(2,6-dichlorophenyl)-methylidene]adamantane-1-carbohydrazide, C18H20Cl2N2O. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 1037-1039	0.2	2
175	Crystal structure of N <sup>?</sup> -(adamantan-2-ylidene)-isonicotinohydrazide, C16H19N3O. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 273-275	0.2	2
174	Amberboin and lipidol: X-ray crystallographic data, absolute configuration and inhibition of cholinesterase. <i>Phytochemistry Letters</i> , <b>2018</b> , 27, 44-48	1.9	2
173	The novel economical synthesis and antimicrobial activity of a trithiocarbonate derivative. <i>Bioorganic Chemistry</i> , <b>2019</b> , 91, 103157	5.1	2
172	Syntheses and X-ray crystal structures combined with conformational and Hirshfeld analyses of chalcones based on a cyclohexanone scaffold. <i>Journal of Molecular Structure</i> , <b>2019</b> , 1198, 126873	3.4	2
171	Crystal structure of 2-(5-(4-fluorophenyl)-3-p-tolyl-4,5-dihydro-1H-pyrazol-1-yl)-4-(5-methyl-1-p-tolyl-1H-1,2,3-triazol-4-yl)thiazole, C29H25FN6S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2017</b> , 232, 21-23		2
170	Crystal structure of (Z)-3-(adamantan-1-yl)-1-(3-chlorophenyl)-S-benzylisothiourea, C24H27ClN2S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2017</b> , 232, 453-456	0.2	2

169	Antitubercular and Antimicrobial Activity of NH <sub>4</sub> VO <sub>3</sub> Promoted 1,4- Dihydropyridine Incorporated 1,3,4-trisubstituted Pyrazole. <i>Letters in Drug Design and Discovery</i> , <b>2017</b> , 14,	0.8	2
168	Synthesis, Single Crystal X-ray Analysis, and Antifungal Profiling of Certain New Oximino Ethers Bearing Imidazole Nuclei. <i>Molecules</i> , <b>2017</b> , 22,	4.8	2
167	Syntheses and crystal structures of two adamantyl-substituted 1,2,4-triazole-5-thione -Mannich bases. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , <b>2017</b> , 73, 1135-1139	0.7	2
166	Crystal structure of (Z)-5-(3-methylbenzylidene)-2-thioxothiazolidin-4- one, C <sub>13</sub> H <sub>15</sub> NO <sub>2</sub> S <sub>3</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2015</b> , 230, 257-258	0.2	2
165	Some New NSAIDs Prodrugs: An Efficient Synthesis, Spectral Characterization and X-ray Crystal Structure Studies. <i>Asian Journal of Chemistry</i> , <b>2014</b> , 26, 5249-5254	0.4	2
164	(1E,4E)-1,5-Bis[4-(di-ethyl-amino)-phen-yl]penta-1,4-dien-3-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2014</b> , 70, o589-90		2
163	Synthesis and Single Crystal X-Ray Structure of New (2E)-2-[3-(1H-Imidazol-1-yl)-1-phenylpropylidene]-N-phenylhydrazinecarboxamide. <i>Journal of Chemistry</i> , <b>2013</b> , 2013, 1-5	2.3	2
162	5-Meth-oxy-1-[(5-meth-oxy-1H-indol-2-yl)meth-yl]-1H-indole. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o971		2
161	5,6-Dimethyl-4-(thio-phen-2-yl)-1H-pyrazolo-[3,4-b]pyridin-3-amine. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o612-3		2
160	N-Phenyl-2-(propan-2-yl-idene)-hydrazine-carboxamide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o671		2
159	N'-[(1E,2E)-3,7-Dimethyl-octa-2,6-dien-1-yl-idene]pyridine-4-carbohydrazide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o1144-5		2
158	3-Chloro-4-methyl-quinolin-2(1H)-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o1043		2
157	X-ray Characterization and Antimicrobial Activity of Synthesized New 3-Amino-8-Bromo-1-(3,4-dimethoxyphenyl)-1H-Benzo[f] Chromene-2-Carbonitrile. <i>Journal of Computational and Theoretical Nanoscience</i> , <b>2017</b> , 14, 3924-3929	0.3	2
156	Vibrational spectral analysis, XRD-structure, computation, exo $\rightleftharpoons$ endo isomerization and non-linear optical crystal of 5-((5-chloro-1-indol-2-yl)methylene)-1,3-diethyl-2-thioxodihy-dropyrimidine-4,6 (1,5)-dione. <i>BMC Chemistry</i> , <b>2019</b> , 13, 11	3.7	2
155	Crystal structure of 1-(adamantan-1-yl)-3-(3-chlorophenyl)thiourea, C <sub>17</sub> H <sub>21</sub> ClN <sub>2</sub> S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2017</b> , 232, 33-35	0.2	2
154	Synthesis and crystal structure of 3-(adamantan-1-yl)-4-(2-bromo-4-fluoro-phen-yl)-1-1,2,4-triazole-5(4)-thione. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , <b>2020</b> , 76, 162-166	0.7	2
153	Synthesis and Molecular Docking of New Thiophene Derivatives as Lactate Dehydrogenase-A Inhibitors. <i>Mini-Reviews in Medicinal Chemistry</i> , <b>2019</b> , 19, 833-841	3.2	2
152	Synthesis, computational studies and biological activity of oxamohydrazide derivatives bearing isatin and ferrocene scaffolds. <i>Journal of Molecular Structure</i> , <b>2020</b> , 1202, 127372	3.4	2

151	Crystal structure of 5-methoxy-N <sup>?</sup> -[(3Z)-5-chloro-1-(4-fluorobenzyl)-2-oxo-1,2-dihydro-3H-indol-3-ylidene]-1H-indole-2-carbohydrazide-DMSO (1/1), C <sub>25</sub> H <sub>18</sub> ClFN <sub>4</sub> O <sub>3</sub> · C <sub>2</sub> H <sub>6</sub> O <sub>S</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 1021-1023		
150	Crystal structure of 6-oxo-4-propyl-2-(propylthio)-1,6-dihydropyrimidine-5-carbonitrile, C <sub>11</sub> H <sub>15</sub> N <sub>3</sub> O <sub>S</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 583-585	0.2	2
149	Crystal structure of 2-(3-(benzofuran-2-yl)-5-(4-fluorophenyl)-4,5-dihydro-1H-pyrazol-1-yl)-4-(4-chlorophenyl)thiazole, C <sub>26</sub> H <sub>17</sub> ClFN <sub>3</sub> O <sub>S</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 911-912	0.2	2
148	Molecular Structure, Spectroscopic and DFT Computational Studies of Arylidene-1,3-dimethylpyrimidine-2,4,6(1H,3H,5H)-trione. <i>Crystals</i> , <b>2016</b> , 6, 110	2.3	2
147	Crystal structure of N <sup>?</sup> -(4-methoxybenzylidene)-5-phenyl-1H-pyrazole-3-carbohydrazide, C <sub>18</sub> H <sub>16</sub> N <sub>4</sub> O <sub>2</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 835-837	0.2	2
146	Crystal structure of (Z)-5-(4-chlorobenzylidene)-2-thioxothiazolidin-4-one Dimethylsulfoxide (1:1), C <sub>12</sub> H <sub>12</sub> ClNO <sub>2</sub> S <sub>3</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 319-320	0.2	2
145	Crystal structure of ethyl-5-amino-1-(2,4-dinitrophenyl)-1H-pyrazole-4-carboxylate, C <sub>12</sub> H <sub>11</sub> N <sub>5</sub> O <sub>6</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 699-701	0.2	2
144	A Simple, Efficient, and Eco-Friendly Method for the Preparation of 3-Substituted-2,3-dihydroquinazolin-4(1)-one Derivatives. <i>Molecules</i> , <b>2019</b> , 24,	4.8	2
143	Synthesis and Spectroscopic Identification of Certain Imidazole-Semicarbazone Conjugates Bearing Benzodioxole Moieties: New Antifungal Agents. <i>Molecules</i> , <b>2019</b> , 24,	4.8	2
142	Synthesis and biological screening of a novel enaminone-grafted trithiocarbonate: a potential anticancer and antimicrobial agent. <i>Medicinal Chemistry Research</i> , <b>2020</b> , 29, 954-961	2.2	2
141	DFT Calculation, Hirshfeld Analysis and X-ray Crystal Structure of Some Synthesized N-alkylated(S-alkylated)-[1,2,4]triazolo[1,5-a]quinazolines. <i>Crystals</i> , <b>2021</b> , 11, 1195	2.3	2
140	Crystal structure of 1,1 <sup>?</sup> -(3,4-diphenylthieno[2,3-b]thiophene-2,5-diyl)bis[1-phenyl-methanone], C <sub>32</sub> H <sub>20</sub> O <sub>2</sub> S <sub>2</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2017</b> , 232, 167-169	0.2	1
139	Crystal structure of N <sup>?</sup> -(2-phenylacetyl)thiophene-2-carbohydrazide monohydrate, C <sub>13</sub> H <sub>14</sub> N <sub>2</sub> O <sub>3</sub> S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2017</b> , 232, 69-71	0.2	1
138	Crystal structure of 3-amino-8-methoxy-1-phenyl-1H-benzo[f]chromene-2-carbonitrile, C <sub>21</sub> H <sub>16</sub> N <sub>2</sub> O <sub>2</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2017</b> , 232, 497-499	0.2	1
137	Crystal structure of 1-(2H-1,3-benzodioxol-5-yl)-3-(1H-imidazol-1-yl)propan-1-one, C <sub>13</sub> H <sub>12</sub> N <sub>2</sub> O <sub>3</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2017</b> , 232, 437-439	0.2	1
136	Crystal structure of 3-amino-8-methoxy-1-(4-methoxy phenyl)-1H-benzo[f]chromene-2-carbonitrile, C <sub>22</sub> H <sub>18</sub> N <sub>2</sub> O <sub>3</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2017</b> , 232, 567-569	0.2	1
135	Synthesis, structure elucidation, and antifungal potential of certain new benzodioxole-imidazole molecular hybrids bearing ester functionalities. <i>Drug Design, Development and Therapy</i> , <b>2019</b> , 13, 775-784	4.4	1
134	Tetraphenylborate Salt of Bambuterol (Bambec <sup>®</sup> ): Synthesis, Characterization and X-ray Structure of N-(2-(3,5-bis((dimethylcarbamoyl)oxy)phenyl)-2-hydroxyethyl)-2-methylpropan-2-aminium tetraphenylborate. <i>Journal of Chemical Crystallography</i> , <b>2015</b> , 45, 251-256	0.5	1



133	Crystal structure of 3-[(4-benzyl-piperazin-1-yl)methyl]-5-(thiophen-2-yl)-2,3-dihydro-1,3,4-oxadiazole-2-thione. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , <b>2015</b> , 71, o175-6	0.7	1
132	Crystal structure of 4-((4,4-dimethyl-2,6-dioxocyclohexylidene)methylamino)-N-(3,4-dimethylisoxazol-5-yl)benzenesulfonamide, C <sub>20</sub> H <sub>23</sub> N <sub>3</sub> O <sub>5</sub> S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 1117-1119	0.2	1
131	Synthesis, X-Ray Structural Analysis and Computational Studies of a Novel Bis(2-Thienyl)Disulfide Derivative. <i>Polycyclic Aromatic Compounds</i> , <b>2020</b> , 1-9	1.3	1
130	Crystal structure of 2-[3,5-bis(trifluoromethyl)benzylsulfanyl]-5-(5-bromothiophen-2-yl)-1,3,4-oxadiazole, C <sub>15</sub> H <sub>7</sub> BrF <sub>6</sub> N <sub>2</sub> O <sub>2</sub> S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2017</b> , 232, 131-133	0.2	1
129	Crystal structure of methyl 5-methoxy 1H-indole-2-carboxylate, C <sub>11</sub> H <sub>11</sub> NO <sub>3</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 313-314	0.2	1
128	Crystal structure of 1,1'-(butane-1,4-diyl)bis(5-methyl-1H-pyrazole-3-carbaldehyde), C <sub>14</sub> H <sub>18</sub> N <sub>4</sub> O <sub>2</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 577-578	0.2	1
127	Crystal structure of 6-(4-chlorophenyl)-3-(thiophen-2-yl)-[1,2,4]triazolo[3,4-b][1,3,4]thiadiazole, C <sub>13</sub> H <sub>7</sub> ClN <sub>4</sub> S <sub>2</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 931-932	0.2	1
126	Crystal structure of 5-(3-fluorobenzylidene)-1,3-dimethylpyrimidine-2,4,6-(1H,3H,5H)-trione; C <sub>13</sub> H <sub>11</sub> FN <sub>2</sub> O <sub>3</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 1059-1061	0.2	1
125	Crystal, molecular structure, and conformational preferences of 3-(2-(4-morpholinophenyl)-2-oxoethyl)-5,5-diphenylimidazolidine-2,4-dione. <i>Molecular Crystals and Liquid Crystals</i> , <b>2016</b> , 631, 144-153	0.5	1
124	Crystal structure of 4-chloro-N,N-diethyl-6-(piperidin-1-yl)-1,3,5-triazin-2-amine, C <sub>12</sub> H <sub>20</sub> ClN <sub>5</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 243-245	0.2	1
123	Crystal structure of diethylammonium 5-((4-fluorophenyl)(6-hydroxy-1,3-dimethyl-2,4-dioxo-1,2,3,4-tetrahydropyrimidin-5-yl)methyl)-1,3-dimethyl-2,6-dioxo-1,2,3,4-tetrahydropyrimidin-5-ide, C <sub>23</sub> H <sub>30</sub> FN <sub>5</sub> O <sub>6</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 507-509	0.2	1
122	Crystal structure of diethylammonium 1,3-dimethyl-2,4,6-trioxohexahydropyrimidin-5-ide, C <sub>10</sub> H <sub>19</sub> N <sub>3</sub> O <sub>3</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 1063-1064	0.2	1
121	Crystal structure of 5-(adamantan-1-yl)-3-[(4-chloroanilino)methyl]-2,3-dihydro-1,3,4-oxadiazole-2-thione, C <sub>19</sub> H <sub>22</sub> ClN <sub>3</sub> OS. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 301-303	0.2	1
120	Crystal structure of 6-(2-fluorophenyl)-3-phenyl-[1,2,4]triazolo[3,4-b][1,3,4]thiadiazole, C <sub>15</sub> H <sub>9</sub> FN <sub>4</sub> S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 661-663	0.2	1
119	Crystal structure of 3,5-bis(trifluoromethyl)benzyl (Z)-N'-(adamantan-1-yl)-4-phenylpiperazine-1-carbothioimidate, C <sub>30</sub> H <sub>33</sub> F <sub>6</sub> N <sub>3</sub> S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2019</b> , 234, 1009-1012	0.2	1
118	Crystal structure of (2E)-2-[3-(1H-imidazol-1-yl)-1-phenylpropylidene]-N-(4-methylphenyl)hydrazinecarboxamide, C <sub>20</sub> H <sub>21</sub> N <sub>5</sub> O. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2014</b> , 229, 311-312	0.2	1
117	Crystal structure of 4-(2-ammonioethyl)morpholin-4-ium dichloride monohydrate, C <sub>6</sub> H <sub>18</sub> Cl <sub>2</sub> N <sub>2</sub> O <sub>2</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2017</b> , 232, 501-502	0.2	1
116	Crystal structure of (16S)-12,16-epoxy-11,14-dihydroxy-17(15/16)-abeo-3a,18-cyclo-8,11,13-abietatrien-7-one, C <sub>20</sub> H <sub>24</sub> O <sub>4</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2017</b> , 232, 483-484	0.2	1

115	Crystal structure of 3-(adamantan-1-yl)-4-(4-fluorophenyl)-1H-1,2,4-triazole-5(4H)-thione, C <sub>18</sub> H <sub>20</sub> FN <sub>3</sub> S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2017</b> , 232, 443-445	0.2	1
114	Crystal structure of 3-(adamantan-1-yl)-1-(4-bromophenyl)urea, C <sub>17</sub> H <sub>21</sub> BrN <sub>2</sub> O. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2017</b> , 232, 37-39	0.2	1
113	Synthesis and crystal structure of N,N-dimethylformamide solvate of thiocyanuric acid. <i>Applied Petrochemical Research</i> , <b>2017</b> , 7, 181-186	1.9	1
112	Synthesis and antibacterial properties of 4-bromobenzohydrazide derivatives and crystal structure of (E)-N'-((1H-indol-3-yl)methylene)-4-bromobenzohydrazide. <i>Crystallography Reports</i> , <b>2015</b> , 60, 1072-1079	0.6	1
111	Single-Crystal X-ray Structure of Anti-Candida Agent, (E)-3-(1H-imidazol-1-yl)-1-Phenylpropan-1-one O-3-Chlorobenzoyl Oxime. <i>Tropical Journal of Pharmaceutical Research</i> , <b>2015</b> , 14, 1865	0.8	1
110	Crystal Structure of 7,11-bis(2,4-dichlorophenyl)-2,4-dimethyl-2,4-diazaspiro[5.5]undecane -1,3,5,9-tetraone and its computational studies. <i>Journal of Chemical Sciences</i> , <b>2015</b> , 127, 2039-2050	1.8	1
109	Crystal structure of ((E)-[3-(1H-imidazol-1-yl)-1-phenylpropylidene]amino)-oxy(4-methylphenyl)methanone, C <sub>20</sub> H <sub>19</sub> N <sub>3</sub> O <sub>2</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2014</b> , 229, 307-308	0.2	1
108	6-[(2-Methyl-phen-yl)sulfan-yl]-5-propyl-pyrimidine-2,4(1H,3H)-dione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2014</b> , 70, o768-9		1
107	N-[4-(4-Bromo-phen-yl)thia-zol-2-yl]-4-(piperidin-1-yl)butanamide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o1665		1
106	Synthesis and X-Ray Crystal Structure of (1E)-1-(4-Chlorophenyl)-N-hydroxy-3-(1H-imidazol-1-yl)propan-1-imine. <i>Journal of Chemistry</i> , <b>2013</b> , 2013, 1-4	2.3	1
105	(1Z,2E)-N'-{2-Chloro-1-methyl-2-[2-(4-methyl-phen-yl)hydrazin-1-yl-idene]ethyl-idene}-4-meth-oxy-benzohydrazide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o926		1
104	1-(3-Ethyl-phen-yl)-4,6-dimethyl-2-oxo-1,2-dihydro-pyridine-3-carbonitrile. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o1679		1
103	(Z)-3-p-Tolyl-2-(p-tolyl-imino)-1,3-thia-zolidin-4-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o1143		1
102	3-Acetyl-5-phenyl-1-p-tolyl-1H-pyrazole-4-carbonitrile. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o1167		1
101	3-Methyl-1-benzofuran-2-carbohydrazide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o1255-6		1
100	Methyl 2-({6-[(1-meth-oxy-2-methyl-1-oxopropan-2-yl)carbamo-yl]pyridin-2-yl}formamido)-2-methyl-propano-ate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o1377-8		1
99	Ethyl 2-amino-4,5-dimethyl-thio-phen-3-carboxyl-ate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o2111		1
98	5-(Adamantan-1-yl)-3-(benzyl-sulfan-yl)-4-methyl-4H-1,2,4-triazole. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o2427-8		1

97	(Z)-2-(5-Acetyl-4-methyl-3-phenyl-2,3-dihydro-1,3-thiazol-2-yl-ylidene)-3-(3-methyl-1-benzofuran-2-yl)-3-oxo-propane-nitrile. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o2727		1
96	Spectroscopic Data, Single X-ray and Antimicrobial Activity of Microwave Synthesized 3-Amino-8-Bromo-1-(2,5-dichlorophenyl)-1H-Benzo[f]Chromene-2-Carbonitrile. <i>Journal of Computational and Theoretical Nanoscience</i> , <b>2017</b> , 14, 3831-3836	0.3	1
95	Crystal Structure and Spectral Studies of 3-Amino-9-Methoxy-1-(4-methoxyphenyl)-1H-Benzo[f]Chromene-2-Carbonitrile. <i>Journal of Computational and Theoretical Nanoscience</i> , <b>2018</b> , 15, 1835-1838	0.3	1
94	Co-Inheritance of Delta Thalassemia Might Contribute to the High Fetal Hemoglobin in Sickle Cell Anemia Patients with the Saudi-Indian Haplotype. <i>Blood</i> , <b>2011</b> , 118, 1056-1056	2.2	1
93	Synthesis, X-ray Characterization and Antimicrobial Activity of 3-Amino-1-(2,4-dichlorophenyl)-8-Methoxy-1H-Benzo[f]Chromene-2-Carbonitrile. <i>Journal of Computational and Theoretical Nanoscience</i> , <b>2017</b> , 14, 5717-5721	0.3	1
92	X-ray Characterizations of New Synthesized 3-Amino-1-(2,6-difluorophenyl)-8-Methoxy-1H-Benzo[f]Chromene-2-Carbonitrile. <i>Journal of Computational and Theoretical Nanoscience</i> , <b>2017</b> , 14, 3994-3999	0.3	1
91	Crystal structure of 4,5-diphenylthiazol-2-amine, C <sub>15</sub> H <sub>12</sub> N <sub>2</sub> S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 861-862	0.2	1
90	Crystal structure of 2-benzylisothiuronium tetraphenylborate, C <sub>32</sub> H <sub>31</sub> BN <sub>2</sub> S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 631-633	0.2	1
89	Crystal structure of 2-(3-(benzofuran-2-yl)-5-phenyl-4,5-dihydro-1H-pyrazol-1-yl)-4-phenylthiazole, C <sub>26</sub> H <sub>19</sub> N <sub>3</sub> O <sub>3</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 935-936	0.2	1
88	Crystal structure of 5-(adamantan-1-yl)-3-[(2-trifluoromethylanylino)methyl]-2,3-dihydro-1,3,4-oxadiazole-2-thione, C <sub>20</sub> H <sub>22</sub> F <sub>3</sub> N <sub>3</sub> O <sub>3</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 815-817	0.2	1
87	Crystal structure of 3-amino-9-methoxy-1-phenyl-1H-benzo[f]chromene-2-carbonitrile, C <sub>21</sub> H <sub>16</sub> N <sub>2</sub> O <sub>2</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 1193-1195	0.2	1
86	Crystal structure of ethyl 5-amino-3-(methylthio)-1-(1-phenyl-5-(thiophen-2-yl)-1H-pyrazole-3-carbonyl)-1H-pyrazole-4-carboxylate, C <sub>21</sub> H <sub>19</sub> N <sub>5</sub> O <sub>3</sub> S <sub>2</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 1051-1052	0.2	1
85	Lewis acid-promoted direct synthesis of N-unsubstituted hydrazones via the reaction of hydrazine with acetophenone and isatin derivatives. <i>Russian Journal of General Chemistry</i> , <b>2016</b> , 86, 2837-2844	0.7	1
84	Crystal structure of 1-(adamantan-1-yl)-3-(4-bromophenyl)thiourea, C <sub>17</sub> H <sub>21</sub> BrN <sub>2</sub> S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 1033-1035	0.2	1
83	Crystal structure of 2-[(4-fluorobenzyl)sulfanyl]-4-(2-methylpropyl)-6-oxo-1,6-dihydropyrimidine-5-carbonitrile, C <sub>16</sub> H <sub>16</sub> FN <sub>3</sub> O <sub>3</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 285-287	0.2	1
82	Crystal structure of (E)-1-(3,4-dimethoxyphenyl)-3-(dimethylamino)prop-2-en-1-one, C <sub>13</sub> H <sub>17</sub> NO <sub>3</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 437-438	0.2	1
81	Crystal structure of 2-phenyl-5,6,7,8-tetrahydro-4H-benzo[4,5]thieno[2,3-d][1,3]oxazin-4-one, C <sub>16</sub> H <sub>13</sub> N <sub>2</sub> O <sub>2</sub> S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 623-625	0.2	1
80	Synthesis, Hirshfeld Surface Analysis and DFT Studies of Ethano-tetracyclic Tetracene Derivatives. <i>Journal of Chemical Crystallography</i> , <b>2021</b> , 51, 196-204	0.5	1

79	Crystal structure of (E)-3-(3-(5-methyl-1-(4-tolyl-1H-1,2,3-triazol-4-yl)-1-phenyl-1H-pyrazol-4-yl)-1-(5-methyl-1-phenyl-1H-1,2,3-triazol-4-yl)propyl)propan-1-amine. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2018</b> , 233, 647-648		
78	Synthesis Characterization and X-ray Structure of 2-(2,6-Dichlorophenylamino)-2-imidazoline Tetraphenylborate: Computational Study. <i>Applied Sciences (Switzerland)</i> , <b>2022</b> , 12, 3568	2.6	1
77	Synthesis, X-ray crystal structure, Hirshfeld analysis and computational investigation of bis(methylthio)acrylonitrile with antimicrobial and docking evaluation. <i>Journal of Molecular Structure</i> , <b>2022</b> , 1260, 132793	3.4	1
76	The Crystal Structure of 2-Amino-4-(2,3-Dichlorophenyl)-6-Methoxy-4H-Benzo[h]chromene-3-Carbonitrile: Antitumor and Tyrosine Kinase Receptor Inhibition Mechanism Studies. <i>Crystals</i> , <b>2022</b> , 12, 737	2.3	1
75	(2E)-2-[1-(1,3-Benzodioxol-5-yl)-3-(1H-imidazol-1-yl)propylidene]-N-(2-chlorophenyl)hydrazine carboxamide: Synthesis, X-ray Structure, Hirshfeld Surface Analysis, DFT Calculations, Molecular Docking and Antifungal Profile. <i>Crystals</i> , <b>2019</b> , 9, 82	2.3	0
74	Crystal structure, Hirshfeld surface analysis and computational study of three 2-(4-arylthiazol-2-yl)isoindoline-1,3-dione derivatives. <i>Molecular Crystals and Liquid Crystals</i> , 1-16	0.5	0
73	Crystal Structure of 4-(2-chloroacetamido)pyridinium chloride monohydrate, C <sub>7</sub> H <sub>10</sub> Cl <sub>2</sub> N <sub>2</sub> O <sub>2</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2017</b> , 232, 91-92	0.2	
72	Synthesis and crystal structure of 2-((5-chlorobenzo[c][1,2,5]thiadiazol-4-yl)amino)-4,5-dihydro-1H-imidazol-3-ium tetraphenylborate, C <sub>33</sub> H <sub>29</sub> BClN <sub>5</sub> S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2017</b> , 232, 421-422	0.2	
71	Crystal structure of (E)-1-(2-(thiophen-2-ylmethylene)hydrazinyl)phthalazine hydrochloride ethanol (1/1), C <sub>15</sub> H <sub>17</sub> ClN <sub>4</sub> O <sub>2</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2017</b> , 232, 95-97	0.2	
70	Crystal structure of (2E)-2-[3-(1H-imidazol-1-yl)-1-phenylpropylidene]-hydrazinecarboxamide monohydrate, C <sub>13</sub> H <sub>17</sub> N <sub>5</sub> O <sub>2</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2015</b> , 230, 249-250	0.2	
69	Crystal structure of (E)-2-hydroxy-4'-methoxy-aza-stilbene. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , <b>2015</b> , 71, 571-3	0.7	
68	Crystal structure of 3-[[4-(4-fluorophenyl)piperazin-1-yl]methyl]-5-(thiophen-2-yl)-2,3-dihydro-1,3,4-oxadiazole-2-thione, C <sub>17</sub> H <sub>17</sub> FN <sub>4</sub> O <sub>2</sub> S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2015</b> , 230, 267-268	0.2	
67	Crystal structure of (E)-3-(4-methoxyphenyl)-1-(thiophen-2-yl)-2-tosylprop-2-en-1-one, C <sub>21</sub> H <sub>18</sub> O <sub>4</sub> S <sub>2</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2015</b> , 230, 61-62	0.2	
66	Spontaneous N-Methylation of an N-Bromoketone from DMF: Synthesis and Crystalline Structure of 1,1'-(3,4-Diphenylthieno[2,3-b]thiophene-2,5-diyl)bis(propan-1-one). <i>Heterocycles</i> , <b>2017</b> , 94, 657	0.8	
65	Synthesis, single crystal x-ray analysis, and antimicrobial activity of new (22E)-N'-(4-methoxybenzylidene)-2-[3-cyano-7,8-dihydro-4-(5-methylfuran-2-yl)-2-oxo-2H-pyrano[4,3-b]pyridin-1(5H)-yl]acetamide. <i>Russian Journal of General Chemistry</i> , <b>2016</b> , 86, 1758-1761		
64	Crystal structure of N-(2-(2-oxoindolin-4-yl)ethyl)-N-propylpropan-1-aminium tetraphenylborate, C <sub>40</sub> H <sub>45</sub> BN <sub>2</sub> O. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 921-923	0.2	
63	Crystal structure of 2-(4-(4-bromophenyl)thiazol-2-yl)isoindoline-1,3-dione, C <sub>17</sub> H <sub>9</sub> BrN <sub>2</sub> O <sub>2</sub> S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 853-854	0.2	
62	Crystal structure of 6-hydroxy-5-((2-hydroxy-6-oxocyclohex-1-en-1-yl)(phenyl)methyl)-1,3-dimethylpyrimidine-2,4(1H,3H)-dione, C <sub>19</sub> H <sub>20</sub> N <sub>2</sub> O <sub>5</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 849-851		

- 61 Crystal structure of 3-(6-(5-amino-1-phenyl-1H-pyrazol-3-yl)pyridin-2-yl)-1-phenyl-1H-pyrazol-5-amine dioxan (2/1), C<sub>25</sub>H<sub>23</sub>N<sub>7</sub>O. *Zeitschrift Fur Kristallographie - New Crystal Structures*, **2016**, 231, 597-599 0.2
- 60 Crystal structure of 2-((dimethylamino)methylene)-5,5-Dimethylcyclohexane-1,3-dione, C<sub>11</sub>H<sub>17</sub>N<sub>2</sub>O<sub>2</sub>. *Zeitschrift Fur Kristallographie - New Crystal Structures*, **2016**, 231, 903-905 0.2
- 59 Crystal structure of the co-crystalline adduct 4-((4,4-dimethyl-2,6-dioxocyclohexylidene)methylamino)-N-(4,6-dimethylpyrimidin-2-yl)benzenesulfonamide - acetic acid (1/1), C<sub>21</sub>H<sub>24</sub>N<sub>4</sub>O<sub>4</sub>S · C<sub>2</sub>H<sub>4</sub>O<sub>2</sub>. *Zeitschrift Fur Kristallographie - New Crystal Structures*, **2017**, 232, 417-419
- 58 The crystal structure of 3-(2-acetyl-4-butyramido-phenoxy)-2-hydroxy-N-isopropylpropan-1-aminium tetraphenylborate, C<sub>42</sub>H<sub>49</sub>BN<sub>2</sub>O<sub>4</sub>. *Zeitschrift Fur Kristallographie - New Crystal Structures*, **2017**, 232, 185-187 0.2
- 57 Crystal structure of N,N-dimethyl-N'-(2-methyl-4-oxo-5,6,7,8-tetrahydrobenzo[4,5]thieno[2,3-d]pyrimidin-3(4H)-yl)formimidamide, C<sub>14</sub>H<sub>18</sub>N<sub>4</sub>O<sub>5</sub>. *Zeitschrift Fur Kristallographie - New Crystal Structures*, **2017**, 232, 217-219
- 56 Crystal structure of 1,1-(3,4-dihydroxythieno[2,3-b] thiophene-2,5-diyl)bis(2-bromoethanone), C<sub>10</sub>H<sub>6</sub>Br<sub>2</sub>O<sub>4</sub>S<sub>2</sub>. *Zeitschrift Fur Kristallographie - New Crystal Structures*, **2017**, 232, 255-256 0.2
- 55 The crystal structure of 2,3,5-triphenyl-2,3-dihydro-1H-tetrazol-1-ium 2,3-dioxindoline-5-sulfonate, C<sub>27</sub>H<sub>19</sub>N<sub>5</sub>O<sub>5</sub>S. *Zeitschrift Fur Kristallographie - New Crystal Structures*, **2017**, 232, 603-605 0.2
- 54 Crystal structure of 2-(4-methyl-3-phenylthiazol-2(3H)-ylidene)malononitrile, C<sub>13</sub>H<sub>9</sub>N<sub>3</sub>S. *Zeitschrift Fur Kristallographie - New Crystal Structures*, **2017**, 232, 451-452 0.2
- 53 Crystal structure of (Z)-Ethyl 2-cyano-2-(3-phenylthiazolidin-2-ylidene) acetate, C<sub>14</sub>H<sub>14</sub>N<sub>2</sub>O<sub>2</sub>S. *Zeitschrift Fur Kristallographie - New Crystal Structures*, **2017**, 232, 41-42 0.2
- 52 Crystal structure of 2,3-diphenyl-1-(morpholin-4-ylacetyl)-1,3-diazaspiro[4.5]decan-4-one, C<sub>26</sub>H<sub>31</sub>N<sub>3</sub>O<sub>3</sub>. *Zeitschrift Fur Kristallographie - New Crystal Structures*, **2017**, 232, 465-467 0.2
- 51 Crystal structure of 2,3-diphenyl-1-[(dipropylamino)acetyl]-1,3-diazaspiro[4.5]decan-4-one, C<sub>28</sub>H<sub>37</sub>N<sub>3</sub>O<sub>2</sub>. *Zeitschrift Fur Kristallographie - New Crystal Structures*, **2017**, 232, 433-435 0.2
- 50 Crystal structure of 1-methyl-3-[[[(naphthalen-2-ylsulfonyl)oxy]imino]indolin-2-one, C<sub>19</sub>H<sub>14</sub>N<sub>2</sub>O<sub>4</sub>S. *Zeitschrift Fur Kristallographie - New Crystal Structures*, **2017**, 232, 55-57 0.2
- 49 Crystal structure of 6-(phenylsulfonyl)-5-propylpyrimidine-2,4(1H,3H)-dione, C<sub>13</sub>H<sub>14</sub>N<sub>2</sub>O<sub>2</sub>S. *Zeitschrift Fur Kristallographie - New Crystal Structures*, **2015**, 230, 289-291 0.2
- 48 X-ray Molecular Structure of (((1E)-3-(1H-imidazol-1-yl)-1-phenylpropylidene]amino)oxy)(3,4,5-trimethoxyphenyl)-methanone: A Potential Anti-Candida Agent. *Tropical Journal of Pharmaceutical Research*, **2015**, 14, 2041 0.8
- 47 Crystal structure of (2E)-2-[1-(4-bromophenyl)-3-(1H-imidazol-1-yl)propylidene]-N-(2,4-dichlorophenyl)hydrazinocarboxamide, C<sub>19</sub>H<sub>16</sub>BrCl<sub>2</sub>N<sub>5</sub>O. *Zeitschrift Fur Kristallographie - New Crystal Structures*, **2015**, 230, 219-220 0.2
- 46 Synthesis and X-Ray Structure of (1Z,2Z)-1,2-Bis(2-(phenylsulfonyl)-1-(4-tolyl)ethylidene)hydrazine. *Journal of Chemistry*, **2014**, 2014, 1-5 2-3
- 45 Crystal structure of 1-({4-[(3-nitrobenzyl)oxy]benzyl}amino)-2,3-dihydro-1H-indene-1-carboxamide hydrochloride - 2-propanol(1:1), C<sub>27</sub>H<sub>32</sub>ClN<sub>3</sub>O<sub>5</sub>. *Zeitschrift Fur Kristallographie - New Crystal Structures*, **2014**, 229, 309-310 0.2
- 44 3-Acetyl-1-(3-methyl-phen-yl)-5-phenyl-1H-pyrazole-4-carbonitrile. *Acta Crystallographica Section E: Structure Reports Online*, **2012**, 68, o485-6



- 43 6-(3,5-Dimethyl-benz-yl)-5-ethyl-1-[(2-phenyl-eth-oxy)meth-yl]pyrimidine-2,4(1H,3H)dione. *Acta Crystallographica Section E: Structure Reports Online*, **2012**, 68, o1031-2
- 42 (E)-3-Anilino-2-benzoyl-3-(methyl-sulfan-yl)acrylonitrile. *Acta Crystallographica Section E: Structure Reports Online*, **2012**, 68, o1271
- 41 1-(4-Fluoro-phen-yl)-2-(phenyl-sulfon-yl)ethanone. *Acta Crystallographica Section E: Structure Reports Online*, **2012**, 68, o1659
- 40 (E)-3-Dimethyl-amino-1-(2,5-dimethyl-thio-phen-3-yl)prop-2-en-1-one. *Acta Crystallographica Section E: Structure Reports Online*, **2012**, 68, o1712-3
- 39 (E)-2-Cyano-N'-(1,2,3,4-tetra-hydro-naphthalen-1-yl-idene)acetohydrazide. *Acta Crystallographica Section E: Structure Reports Online*, **2012**, 68, o1740
- 38 Methyl 2-{6-[(1-meth-oxy-1-oxopropan-2-yl)amino-carbon-yl]pyridine-2-carboxamido}-propano-ate. *Acta Crystallographica Section E: Structure Reports Online*, **2012**, 68, o1837-8
- 37 4-[(5,5-Dimethyl-3-oxocyclo-hex-1-en-yl)amino]-benzene-sulfonamide. *Acta Crystallographica Section E: Structure Reports Online*, **2012**, 68, o2370
- 36 (Z)-2-Benzyl-idenebenzo[d]thia-zolo[3,2-a]imidazol-3(2H)-one. *Acta Crystallographica Section E: Structure Reports Online*, **2012**, 68, o2705
- 35 3-Oxo-3-(piperidin-1-yl)propane-nitrile. *Acta Crystallographica Section E: Structure Reports Online*, **2012**, 68, o2726
- 34 1-(1,5-Diphenyl-4-phenyl-sulfonyl-1H-pyrazol-3-yl)ethanone. *Acta Crystallographica Section E: Structure Reports Online*, **2012**, 68, o2725
- 33 Experimental and Computational Interaction Studies of (E)-N-Benzylidene-5-Methyl-1H-Pyrazole-3-Carbohydrazide with  $\beta$ Glucosidase and  $\alpha$ Amylase Enzymes: A Detailed Structural, Spectroscopic, and Biophysical Study. *Polycyclic Aromatic Compounds*, 1-21 1.3
- 32 Crystal structure of (E)-N'-((4-aminophenyl)sulfonyl)-N,N-dimethylformimidamide, C<sub>9</sub>H<sub>13</sub>N<sub>3</sub>O<sub>2</sub>S. *Zeitschrift Fur Kristallographie - New Crystal Structures*, **2020**, 235, 483-484 0.2
- 31 Crystal structure of 6-iodo-3-phenyl-2-propylquinazolin-4(3H)-one, C<sub>17</sub>H<sub>15</sub>N<sub>2</sub>O. *Zeitschrift Fur Kristallographie - New Crystal Structures*, **2020**, 235, 489-491 0.2
- 30 Crystal structure of 1-(adamantan-1-yl)-3-aminothiourea, C<sub>11</sub>H<sub>19</sub>N<sub>3</sub>S. *Zeitschrift Fur Kristallographie - New Crystal Structures*, **2020**, 235, 1115-1117 0.2
- 29 Crystal structure of 6-chloro-5-iso-propyl-pyrimidine-2,4(1H,3H)-dione. *Acta Crystallographica Section E: Structure Reports Online*, **2014**, 70, o1144-5
- 28 Crystal structure of 1,4-dihydro-1-phenylchromeno[4,3-c]pyrazole, C<sub>16</sub>H<sub>12</sub>N<sub>2</sub>O. *Zeitschrift Fur Kristallographie - New Crystal Structures*, **2016**, 231, 1185-1187 0.2
- 27 Fetal Hemoglobin In Sickle Cell Anemia: Molecular Characterization of Saudi Patients From the Eastern Province. *Blood*, **2010**, 116, 1627-1627 2.2
- 26 Synthesis and X-ray crystal structure of unexpected novel thiazolidinone/1,3,4-thiadiazole heterocycle via S-alkylation and Smiles rearrangement dual approaches. *Journal of Molecular Structure*, **2021**, 1234, 130156 3.4

25	Crystal structure of 5-(2-chloro-5-nitrophenyl)-3-(4-chlorophenyl)-N-ethyl-4,5-dihydro-1H-pyrazole-1-carbothioamide, C <sub>18</sub> H <sub>16</sub> Cl <sub>2</sub> N <sub>4</sub> O <sub>2</sub> S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 1169-1170	0.2
24	Crystal structure of 5-methoxy-N?-[(3Z)-1-benzyl-5-fluoro-2-oxo-1,2-dihydro-3H-indol-3-ylidene]-1H-indole-2-carbohydrazide, DMSO (1/1), C <sub>27</sub> H <sub>25</sub> FN <sub>4</sub> O <sub>4</sub> S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 1025-1027	0.2
23	Crystal structure of 5-ethyl-6-[(3-methylphenyl)sulfanyl]pyrimidine-2,4(1H,3H)-dione, C <sub>13</sub> H <sub>14</sub> N <sub>2</sub> O <sub>2</sub> S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 601-603	0.2
22	Crystal structure of 2-(bis(methylthio)methylene)-1-phenylbutane-1,3-dione, C <sub>13</sub> H <sub>14</sub> O <sub>2</sub> S <sub>2</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 473-474	0.2
21	Crystal structure of 3-(((cyclohexyl(phenyl)methylidene)amino)oxy)-2-hydroxy-N-(propan-2-yl)propan-1-aminium chloride, C <sub>19</sub> H <sub>31</sub> ClN <sub>2</sub> O <sub>2</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 847-848	0.2
20	Crystal structure of 3-(adamantan-1-yl)-1-[(4-benzylpiperazin-1-yl)methyl]-4-[(E)-(2,6-difluorobenzylidene)amino]-1H-1,2,4-triazole-5(4H)-thione, C <sub>31</sub> H <sub>36</sub> F <sub>2</sub> N <sub>6</sub> S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 927-929	0.2
19	Crystal structure of 1-(3-chloropropyl)piperidin-1-ium tetraphenylborate, C <sub>32</sub> H <sub>37</sub> BClN. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 983-985	0.2
18	Crystal structure of 1-(2,3-dihydro-4-methyl-3-phenyl-2-thioxothiazol-5-yl)-1-ethanone, C <sub>12</sub> H <sub>11</sub> NOS <sub>2</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 925-926	0.2
17	Crystal structure of N-(5-bromo-4-(p-tolyl)thiazol-2-yl)-4-chlorobutanamide, C <sub>14</sub> H <sub>14</sub> BrClN <sub>2</sub> OS. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 859-860	0.2
16	Crystal structure of 9-allyl-4,5-dichloro-12-cyano-9,10-dihydro-9,10-ethanoanthracen-12-yl acetate, C <sub>22</sub> H <sub>17</sub> Cl <sub>2</sub> N <sub>2</sub> O <sub>2</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 801-803	0.2
15	Crystal structure of 1,2-bis(4-methoxyphenyl)-2-((3-(trifluoromethyl)phenyl)amino)ethan-1-one, C <sub>23</sub> H <sub>20</sub> F <sub>3</sub> N <sub>3</sub> O <sub>3</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 1197-1199	0.2
14	Crystal structure of diethyl-3-methyl-4-phenylthieno[2,3-b]thiophene-2,5-dicarboxylate, C <sub>19</sub> H <sub>18</sub> O <sub>4</sub> S <sub>2</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 521-523	0.2
13	Crystal structure of 2-((2-chloropyridin-3-ylamino)methylene)malononitrile, C <sub>9</sub> H <sub>5</sub> ClN <sub>4</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 711-713	0.2
12	Crystal structure of 4-[(E)-(2-chloro-6-fluorobenzylidene)amino]-1,2-dihydro-2,3-dimethyl-1-phenylpyrazol-5-one, C <sub>18</sub> H <sub>15</sub> ClFN <sub>3</sub> O. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 777-780	0.2
11	Crystal structure of 5,5'-(((4-(trifluoromethyl)phenyl)methylene)bis(1,3-dimethylpyrimidine-2,4,6(1H,3H,5H)-trione) $\square$ diethylamine $\square$ dichloromethane (1/1/1) C <sub>25</sub> H <sub>32</sub> Cl <sub>2</sub> F <sub>3</sub> N <sub>5</sub> O <sub>6</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 321-323	0.2
10	Crystal structure of ethyl 2-amino-5-bromothiazole-4-carboxylate, C <sub>6</sub> H <sub>7</sub> BrN <sub>2</sub> O <sub>2</sub> S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 629-630	0.2
9	Crystal structure of (Z)-4-(4-oxopent-2-en-2-ylamino)benzenesulfonamide, C <sub>11</sub> H <sub>14</sub> N <sub>2</sub> O <sub>3</sub> S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 867-869	0.2
8	Crystal structure of 1-(5-benzoyl-4-methyl-2-(phenylamino)thiophen-3-yl)ethan-1-one, a structure with Z? = 6, C <sub>20</sub> H <sub>17</sub> NO <sub>2</sub> S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 517-520	0.2

- 7 Crystal structure of 5-((4-bromophenyl)(2-hydroxy-6-oxocyclohex-1-en-1-yl)methyl)-6-hydroxy-1,3-dimethylpyrimidine-2,4(1H,3H)-dione, C<sub>19</sub>H<sub>19</sub>BrN<sub>2</sub>O<sub>5</sub>. *Zeitschrift Fur Kristallographie - New Crystal Structures*, **2016**, 231, 843-845
- 6 Crystal structure of 3-(benzofuran-2-yl)-5-(4-fluorophenyl)-4,5-dihydro-1H-pyrazole-1-carbothioamide, C<sub>18</sub>H<sub>14</sub>FN<sub>3</sub>OS. *Zeitschrift Fur Kristallographie - New Crystal Structures*, **2016**, 231, 887-888 0.2
- 5 Crystal structure of 3-(4-bromophenyl)-5-(4-fluorophenyl)-4,5-dihydro-1H-pyrazole-1-carbothioamide, C<sub>16</sub>H<sub>13</sub>BrFN<sub>3</sub>S. *Zeitschrift Fur Kristallographie - New Crystal Structures*, **2016**, 231, 1073-1074 0.2
- 4 Synthesis and X-ray study of 6H-chromeno[3,4-e][1,3,4]triazolo[2,3-a]pyrimidine. *Russian Journal of General Chemistry*, **2016**, 86, 1944-1947 0.7
- 3 Crystal structure of (E)-2-(bis(methylthio)methylene)-1-phenyl-3-(2-phenylhydrazono)butan-1-one, C<sub>19</sub>H<sub>20</sub>N<sub>2</sub>O<sub>2</sub>S<sub>2</sub>. *Zeitschrift Fur Kristallographie - New Crystal Structures*, **2016**, 231, 475-476 0.2
- 2 Solvent-Free Ring Cleavage Hydrazinolysis of Certain Biginelli Pyrimidines. *Journal of Chemistry*, **2018**, 2018, 1-6 2.3
- 1 X-ray and computational investigations of ethanoanthracenes: 9,10-dihydro-9,10-ethanoanthracene-12-carboxylic acid and 9,10-dihydro-9,10-ethanoanthracen-9-yl)-N-methylethanamine. *Molecular Crystals and Liquid Crystals*, 1-14 0.5