

Pablo Martinez-lozano Sinues

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/288078/publications.pdf>

Version: 2024-02-01

105
papers

3,121
citations

147801

31
h-index

197818

49
g-index

110
all docs

110
docs citations

110
times ranked

2936
citing authors

#	ARTICLE	IF	CITATIONS
1	Increased Impact of Air Pollution on Lung Function in Preterm versus Term Infants: The BILD Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2022, 205, 99-107.	5.6	21
2	In vivo detection of metabolic 2H-incorporation upon ingestion of 2H2O. <i>Journal of Bio-X Research</i> , 2022, 5, 81-89.	0.2	1
3	Monitoring peppermint washout in the breath metabolome by secondary electrospray ionization-high resolution mass spectrometry. <i>Journal of Breath Research</i> , 2021, 15, 026003.	3.0	19
4	The Accuracy of Repeated Sleep Studies in OSA. <i>Chest</i> , 2021, 159, 1222-1231.	0.8	13
5	Obstructive sleep apnoea and the progression of thoracic aortic aneurysm: a prospective cohort study. <i>European Respiratory Journal</i> , 2021, 57, 2003322.	6.7	7
6	<i>In vivo</i> monitoring of volatile metabolic trajectories enables rapid diagnosis of influenza A infection. <i>Chemical Communications</i> , 2021, 57, 4791-4794.	4.1	3
7	Online Real-Time Monitoring of Exhaled Breath Particles Reveals Unnoticed Transport of Nonvolatile Drugs from Blood to Breath. <i>Analytical Chemistry</i> , 2021, 93, 5005-5008.	6.5	13
8	Personalised therapeutic management of epileptic patients guided by pathway-driven breath metabolomics. <i>Communications Medicine</i> , 2021, 1, .	4.2	16
9	BAY 2253651 for the treatment of obstructive sleep apnoea: a multicentre, double-blind, randomised controlled trial (SANDMAN). <i>European Respiratory Journal</i> , 2021, 58, 2101937.	6.7	10
10	Validation of breath biomarkers for obstructive sleep apnea. <i>Sleep Medicine</i> , 2021, 85, 75-86.	1.6	14
11	Quantification of volatile organic compounds by secondary electrospray ionization-high resolution mass spectrometry. <i>Analytica Chimica Acta</i> , 2021, 1180, 338876.	5.4	15
12	Real-time pharmacokinetics via online analysis of exhaled breath. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021, 205, 114311.	2.8	6
13	The peppermint breath test: a benchmarking protocol for breath sampling and analysis using GC-MS. <i>Journal of Breath Research</i> , 2021, 15, 026006.	3.0	19
14	Rapid and reversible control of human metabolism by individual sleep states. <i>Cell Reports</i> , 2021, 37, 109903.	6.4	27
15	Circadian Metabolomics from Breath. <i>Methods in Molecular Biology</i> , 2021, 2130, 149-156.	0.9	1
16	Combination of Exhaled Breath Analysis with Parallel Lung Function and FeNO Measurements in Infants. <i>Analytical Chemistry</i> , 2021, 93, 15579-15583.	6.5	7
17	Real-Time Monitoring of Metabolism during Exercise by Exhaled Breath. <i>Metabolites</i> , 2021, 11, 856.	2.9	3
18	Obstructive sleep apnea and quality of life in Fabry disease: a prospective parallel cohort study. <i>Sleep and Breathing</i> , 2020, 24, 95-101.	1.7	4

#	ARTICLE	IF	CITATIONS
19	Prevalence of Obstructive Sleep Apnea in Patients with Thoracic Aortic Aneurysm: A Prospective, Parallel Cohort Study. <i>Respiration</i> , 2020, 99, 19-27.	2.6	10
20	Night-to-night variability of respiratory events in obstructive sleep apnoea: a systematic review and meta-analysis. <i>Thorax</i> , 2020, 75, 1095-1102.	5.6	46
21	Increased augmentation index in patients with Ehlers-Danlos syndrome. <i>BMC Cardiovascular Disorders</i> , 2020, 20, 417.	1.7	4
22	Low repeatability of Epworth Sleepiness Scale after short intervals in a sleep clinic population and the need for adequate sleepiness assessment in research and clinical settings. <i>Journal of Clinical Sleep Medicine</i> , 2020, 16, 1829-1830.	2.6	3
23	Patterns of nightly CPAP usage in OSA patients with suboptimal treatment adherence. <i>Sleep Medicine</i> , 2020, 74, 109-115.	1.6	5
24	Effects of suboptimal adherence of CPAP therapy on symptoms of obstructive sleep apnoea: a randomised, double-blind, controlled trial. <i>European Respiratory Journal</i> , 2020, 55, 1901526.	6.7	19
25	Real-time breath analysis of exhaled compounds upon peppermint oil ingestion by secondary electrospray ionization-high resolution mass spectrometry: technical aspects. <i>Journal of Breath Research</i> , 2020, 14, 046001.	3.0	19
26	A benchmarking protocol for breath analysis: the peppermint experiment. <i>Journal of Breath Research</i> , 2020, 14, 046008.	3.0	41
27	Low repeatability of Epworth Sleepiness Scale after short intervals in a sleep clinic population. <i>Journal of Clinical Sleep Medicine</i> , 2020, 16, 757-764.	2.6	19
28	On-Line Analysis of Exhaled Breath. <i>Chemical Reviews</i> , 2019, 119, 10803-10828.	47.7	157
29	Endocrine responses during CPAP withdrawal in obstructive sleep apnoea: data from two randomised controlled trials. <i>Thorax</i> , 2019, 74, 1102-1105.	5.6	13
30	Impact of hypertension on cerebral microvascular structure in CPAP-treated obstructive sleep apnoea patients: a diffusion magnetic resonance imaging study. <i>Neuroradiology</i> , 2019, 61, 1437-1445.	2.2	5
31	Molecular breath analysis supports altered amino acid metabolism in idiopathic pulmonary fibrosis. <i>Respirology</i> , 2019, 24, 437-444.	2.3	40
32	Quantification of intrathoracic fat adds prognostic value in women undergoing myocardial perfusion imaging. <i>International Journal of Cardiology</i> , 2019, 292, 258-264.	1.7	9
33	Standardization procedures for real-time breath analysis by secondary electrospray ionization high-resolution mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 4883-4898.	3.7	55
34	Efficacy of pharmacotherapy for OSA in adults: A systematic review and network meta-analysis. <i>Sleep Medicine Reviews</i> , 2019, 46, 74-86.	8.5	59
35	Real-Time Breath Analysis Reveals Specific Metabolic Signatures of COPD Exacerbations. <i>Chest</i> , 2019, 156, 269-276.	0.8	36
36	Obstructive Sleep Apnoea in Children and Adolescents with Ehlers-Danlos Syndrome. <i>Respiration</i> , 2019, 97, 284-291.	2.6	12

#	ARTICLE	IF	CITATIONS
37	Translating secondary electrospray ionization high-resolution mass spectrometry to the clinical environment. <i>Journal of Breath Research</i> , 2018, 12, 027113.	3.0	33
38	Real-time mass spectrometric identification of metabolites characteristic of chronic obstructive pulmonary disease in exhaled breath. <i>Clinical Mass Spectrometry</i> , 2018, 7, 29-35.	1.9	46
39	Real-time exhaled breath analysis in patients with cystic fibrosis and controls. <i>Journal of Breath Research</i> , 2018, 12, 036013.	3.0	21
40	Effect of continuous positive airway pressure therapy on circadian patterns of cardiac repolarization in patients with obstructive sleep apnoea: data from a randomized trial. <i>Journal of Thoracic Disease</i> , 2018, 10, 4940-4948.	1.4	2
41	Real-Time Monitoring of Tricarboxylic Acid Metabolites in Exhaled Breath. <i>Analytical Chemistry</i> , 2018, 90, 6453-6460.	6.5	44
42	Gauging circadian variation in ketamine metabolism by real-time breath analysis. <i>Chemical Communications</i> , 2017, 53, 2264-2267.	4.1	26
43	Obstructive sleep apnoea and quality of life in Ehlers-Danlos syndrome: a parallel cohort study. <i>Thorax</i> , 2017, 72, 729-735.	5.6	35
44	Rapid fingerprinting of grape volatile composition using secondary electrospray ionization orbitrap mass spectrometry: A preliminary study of grape ripening. <i>Food Control</i> , 2017, 81, 107-112.	5.5	14
45	119 Exhaled breath analysis by real-time mass spectrometry in patients with pulmonary fibrosis. <i>Chest</i> , 2017, 151, A16.	0.8	2
46	P205 Real-time exhaled breath analysis identifies altered metabolic signature in cystic fibrosis. <i>Chest</i> , 2017, 151, A104.	0.8	1
47	Comprehensive Real-Time Analysis of the Yeast Volatilome. <i>Scientific Reports</i> , 2017, 7, 14236.	3.3	34
48	Mass-Spectrometric Detection of Omega-Oxidation Products of Aliphatic Fatty Acids in Exhaled Breath. <i>Analytical Chemistry</i> , 2017, 89, 10329-10334.	6.5	43
49	Metabolic effects of inhaled salbutamol determined by exhaled breath analysis. <i>Journal of Breath Research</i> , 2017, 11, 046004.	3.0	28
50	Secondary electrospray ionization proceeds via gas-phase chemical ionization. <i>Analytical Methods</i> , 2017, 9, 5052-5057.	2.7	34
51	110 On-line breath analysis with secondary electrospray ionization discriminates between COPD patients with and without frequent exacerbations. <i>Chest</i> , 2017, 151, A5.	0.8	1
52	P149 Targeted on-line breath analysis discriminates COPD patients vs. healthy controls and subjects suffering from asthma. <i>Chest</i> , 2017, 151, A46-A47.	0.8	2
53	Real Time Read-Out of Plant Metabolism. <i>Chimia</i> , 2016, 70, 660-660.	0.6	0
54	Simulated Obstructive Sleep Apnea Increases P-Wave Duration and P-Wave Dispersion. <i>PLoS ONE</i> , 2016, 11, e0152994.	2.5	13

#	ARTICLE	IF	CITATIONS
55	Expanding metabolite coverage of real-time breath analysis by coupling a universal secondary electrospray ionization source and high resolution mass spectrometry—a pilot study on tobacco smokers. <i>Journal of Breath Research</i> , 2016, 10, 016010.	3.0	58
56	Real-Time Chemical Analysis of Cigarette Aerosols By Means Of Secondary Electrospray Ionization Mass Spectrometry. <i>Chemistry - A European Journal</i> , 2016, 22, 2452-2457.	3.3	24
57	Sedation during bronchoscopy: data from a nationwide sedation and monitoring survey. <i>BMC Pulmonary Medicine</i> , 2016, 16, 113.	2.0	21
58	Noninvasive strategies for breast cancer early detection. <i>Future Oncology</i> , 2016, 12, 1395-1411.	2.4	13
59	Real-Time Quantification of Amino Acids in the Exhalome by Secondary Electrospray Ionization—Mass Spectrometry: A Proof-of-Principle Study. <i>Clinical Chemistry</i> , 2016, 62, 1230-1237.	3.2	36
60	Secondary electrospray ionization coupled to high-resolution mass spectrometry reveals tryptophan pathway metabolites in exhaled human breath. <i>Chemical Communications</i> , 2016, 52, 8526-8528.	4.1	25
61	Capturing in Vivo Plant Metabolism by Real-Time Analysis of Low to High Molecular Weight Volatiles. <i>Analytical Chemistry</i> , 2016, 88, 2406-2412.	6.5	25
62	Quantification of epicardial and intrathoracic fat volume does not provide an added prognostic value as an adjunct to coronary artery calcium score and myocardial perfusion single-photon emission computed tomography. <i>European Heart Journal Cardiovascular Imaging</i> , 2016, 17, 885-891.	1.2	11
63	Intrathoracic pressure swings induced by simulated obstructive sleep apnoea promote arrhythmias in paroxysmal atrial fibrillation. <i>Europace</i> , 2016, 18, 64-70.	1.7	38
64	Effects of CPAP therapy withdrawal on exhaled breath pattern in obstructive sleep apnoea. <i>Thorax</i> , 2016, 71, 110-117.	5.6	51
65	Numerical modeling and experimental validation of a universal secondary electrospray ionization source for mass spectrometric gas analysis in real-time. <i>Sensors and Actuators B: Chemical</i> , 2016, 223, 217-225.	7.8	32
66	Real-time determination of slightly volatile amino acids in the exhalome by secondary electrospray ionization. A proof-of-principle study. , 2016, , .		0
67	Secondary electrospray ionization-mass spectrometry and a novel statistical bioinformatic approach identifies a cancer-related profile in exhaled breath of breast cancer patients: a pilot study. <i>Journal of Breath Research</i> , 2015, 9, 031001.	3.0	25
68	Differentiation of oral bacteria in in vitro cultures and human saliva by secondary electrospray ionization—mass spectrometry. <i>Scientific Reports</i> , 2015, 5, 15163.	3.3	28
69	Drug Pharmacokinetics Determined by Real-Time Analysis of Mouse Breath. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 7815-7818.	13.8	55
70	Coronary Artery Calcification, Epicardial Fat Burden, and Cardiovascular Events in Chronic Obstructive Pulmonary Disease. <i>PLoS ONE</i> , 2015, 10, e0126613.	2.5	23
71	Identification of 2-Alkenals, 4-Hydroxy-2-alkenals, and 4-Hydroxy-2,6-alkadienals in Exhaled Breath Condensate by UHPLC-HRMS and in Breath by Real-Time HRMS. <i>Analytical Chemistry</i> , 2015, 87, 3087-3093.	6.5	49
72	The impact of obstructive sleep apnoea on the aorta. <i>European Respiratory Journal</i> , 2015, 46, 532-544.	6.7	57

#	ARTICLE	IF	CITATIONS
73	Detection and Quantification of Benzothiazoles in Exhaled Breath and Exhaled Breath Condensate by Real-Time Secondary Electrospray Ionizationâ€“High-Resolution Mass Spectrometry and Ultra-High Performance Liquid Chromatography. <i>Environmental Science & Technology</i> , 2015, 49, 12519-12524.	10.0	30
74	Comparison of the effects of continuous positive airway pressure and mandibular advancement devices on sleepiness in patients with obstructive sleep apnoea: a network meta-analysis. <i>Lancet Respiratory Medicine</i> , 2015, 3, 869-878.	10.7	84
75	CPAP vs Mandibular Advancement Devices and Blood Pressure in Patients With Obstructive Sleep Apnea. <i>JAMA - Journal of the American Medical Association</i> , 2015, 314, 2280.	7.4	269
76	The effect of CPAP withdrawal on exhaled breath in OSA â€“ A randomised controlled trial. , 2015, , .		0
77	Circadian Variation of the Human Metabolome Captured by Real-Time Breath Analysis. <i>PLoS ONE</i> , 2014, 9, e114422.	2.5	65
78	Breath Analysis in Real Time by Mass Spectrometry in Chronic Obstructive Pulmonary Disease. <i>Respiration</i> , 2014, 87, 301-310.	2.6	49
79	Ion mobility spectrometry coupled to laser-induced fluorescence for probing the electronic structure and conformation of gas-phase ions. <i>Journal of Analytical Chemistry</i> , 2014, 69, 1215-1219.	0.9	5
80	Mass Spectrometry Research at the Laboratory for Organic Chemistry, ETH Zurich. <i>Chimia</i> , 2014, 68, 119.	0.6	0
81	Rapid identification of bacteria in blood cultures by mass-spectrometric analysis of volatiles. <i>Journal of Clinical Pathology</i> , 2014, 67, 743-746.	2.0	12
82	Real-time detection of chemical warfare agent simulants in forensic samples using active capillary plasma ionization with benchtop and field-deployable mass spectrometers. <i>Analytical Methods</i> , 2014, 6, 3604.	2.7	21
83	Real-time breath analysis with active capillary plasma ionization-ambient mass spectrometry. <i>Journal of Breath Research</i> , 2014, 8, 027102.	3.0	22
84	Fingerprinting Breast Cancer vs. Normal Mammary Cells by Mass Spectrometric Analysis of Volatiles. <i>Scientific Reports</i> , 2014, 4, 5196.	3.3	20
85	Differential mobility analysis-mass spectrometry coupled to XCMS algorithm as a novel analytical platform for metabolic profiling. <i>Metabolomics</i> , 2013, 9, 30-43.	3.0	9
86	Ion Mobility Spectrometry Coupled to Laser-Induced Fluorescence. <i>Analytical Chemistry</i> , 2013, 85, 39-43.	6.5	17
87	Monitoring Diurnal Changes in Exhaled Human Breath. <i>Analytical Chemistry</i> , 2013, 85, 369-373.	6.5	55
88	Analysis of the Exhalome. <i>Chest</i> , 2013, 144, 746-749.	0.8	38
89	Human Breath Analysis May Support the Existence of Individual Metabolic Phenotypes. <i>PLoS ONE</i> , 2013, 8, e59909.	2.5	59
90	Mass spectrometry fingerprinting coupled to National Institute of Standards and Technology Mass Spectral search algorithm for pattern recognition. <i>Analytica Chimica Acta</i> , 2012, 755, 28-36.	5.4	20

#	ARTICLE	IF	CITATIONS
91	Mechanistic study on the ionization of trace gases by an electrospray plume. International Journal of Mass Spectrometry, 2012, 313, 21-29.	1.5	49
92	Secondary electrospray ionization-mass spectrometry: breath study on a control group. Journal of Breath Research, 2011, 5, 016002.	3.0	62
93	Influence of seasonal factors on the atmospheric particle number concentration and size distribution in Madrid. Atmospheric Environment, 2011, 45, 3169-3180.	4.1	51
94	Separation of isomers L-alanine and sarcosine in urine by electrospray ionization and tandem differential mobility analysis-mass spectrometry. Journal of the American Society for Mass Spectrometry, 2010, 21, 1129-1132.	2.8	30
95	Mass spectrometric study of cutaneous volatiles by secondary electrospray ionization. International Journal of Mass Spectrometry, 2009, 282, 128-132.	1.5	28
96	MALDI-MS-NIST library approach for colorectal cancer diagnosis. Rapid Communications in Mass Spectrometry, 2009, 23, 2839-2845.	1.5	13
97	Secondary electrospray ionization (SESI) of ambient vapors for explosive detection at concentrations below parts per trillion. Journal of the American Society for Mass Spectrometry, 2009, 20, 287-294.	2.8	118
98	On-line detection of human skin vapors. Journal of the American Society for Mass Spectrometry, 2009, 20, 1060-1063.	2.8	64
99	An experimental and numerical study of a miniature high resolution isopotential DMA. Journal of Aerosol Science, 2009, 40, 451-462.	3.8	11
100	Direct Analysis of Fatty Acid Vapors in Breath by Electrospray Ionization and Atmospheric Pressure Ionization-Mass Spectrometry. Analytical Chemistry, 2008, 80, 8210-8215.	6.5	97
101	Electrospray ionization of volatiles in breath. International Journal of Mass Spectrometry, 2007, 265, 68-72.	1.5	72
102	Resolution improvements of a nano-DMA operating transonically. Journal of Aerosol Science, 2006, 37, 500-512.	3.8	27
103	Experimental tests of a nano-DMA with no voltage change between aerosol inlet and outlet slits. Journal of Aerosol Science, 2006, 37, 1629-1642.	3.8	10
104	Effect of Acoustic Radiation on DMA Resolution. Aerosol Science and Technology, 2005, 39, 866-870.	3.1	11
105	A NANO-DMA WITH NO VOLTAGE CHANGE BETWEEN INLET AND OUTLET. Journal of Aerosol Science, 2004, 35, S751-S752.	3.8	0