

# Ming-Qing Du

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2882293/publications.pdf>

Version: 2024-02-01

93  
papers

9,374  
citations

57719

44  
h-index

58549

82  
g-index

101  
all docs

101  
docs citations

101  
times ranked

5774  
citing authors

#	ARTICLE	IF	CITATIONS
1	Early detection of T-cell lymphoma with T follicular helper phenotype by RHOA mutation analysis. <i>Haematologica</i> , 2022, 107, 489-499.	1.7	20
2	GPR34 activation potentially bridges lymphoepithelial lesions to genesis of salivary gland MALT lymphoma. <i>Blood</i> , 2022, 139, 2186-2197.	0.6	12
3	Parallel evolution of two distinct lymphoid proliferations in clonal haematopoiesis. <i>Histopathology</i> , 2022, 80, 847-858.	1.6	7
4	CCR6 activation links innate immune responses to mucosa-associated lymphoid tissue lymphoma development. <i>Haematologica</i> , 2022, 107, 1384-1396.	1.7	2
5	Widespread <i>in situ</i> follicular neoplasia in patients who subsequently developed follicular lymphoma. <i>Journal of Pathology</i> , 2022, 256, 369-377.	2.1	9
6	The 5th edition of the World Health Organization Classification of Haematolymphoid Tumours: Lymphoid Neoplasms. <i>Leukemia</i> , 2022, 36, 1720-1748.	3.3	1,023
7	Lymphomatoid papulosis mimicking relapsed angioimmunoblastic T-cell lymphoma on histology: the importance of clinicopathological correlation. <i>Histopathology</i> , 2021, 78, 470-473.	1.6	0
8	Thyroid MALT lymphoma: self-harm to gain potential T-cell help. <i>Leukemia</i> , 2021, 35, 3497-3508.	3.3	17
9	Sequential inverse dysregulation of the RNA helicases DDX3X and DDX3Y facilitates MYC-driven lymphomagenesis. <i>Molecular Cell</i> , 2021, 81, 4059-4075.e11.	4.5	42
10	Angioimmunoblastic T-cell lymphoma contains multiple clonal T-cell populations derived from a common TET2 mutant progenitor cell. <i>Journal of Pathology</i> , 2020, 250, 346-357.	2.1	50
11	Distinct genetic changes reveal evolutionary history and heterogeneous molecular grade of DLBCL with MYC/BCL2 double-hit. <i>Leukemia</i> , 2020, 34, 1329-1341.	3.3	66
12	Contribution of immunoglobulin lambda light chain gene rearrangement analysis in the diagnosis of B-cell neoplasms. <i>British Journal of Haematology</i> , 2019, 185, 261-265.	1.2	1
13	Gene-expression profiling of bortezomib added to standard chemoimmunotherapy for diffuse large B-cell lymphoma (REMoDL-B): an open-label, randomised, phase 3 trial. <i>Lancet Oncology</i> , The, 2019, 20, 649-662.	5.1	187
14	Molecular High-Grade B-Cell Lymphoma: Defining a Poor-Risk Group That Requires Different Approaches to Therapy. <i>Journal of Clinical Oncology</i> , 2019, 37, 202-212.	0.8	187
15	Disease-biased and shared characteristics of the immunoglobulin gene repertoires in marginal zone B cell lymphoproliferations. <i>Journal of Pathology</i> , 2019, 247, 416-421.	2.1	25
16	Novel GPR34 and CCR6 mutation and distinct genetic profiles in MALT lymphomas of different sites. <i>Haematologica</i> , 2018, 103, 1329-1336.	1.7	49
17	Mutation screening using formalin-fixed paraffin-embedded tissues: a stratified approach according to DNA quality. <i>Laboratory Investigation</i> , 2018, 98, 1084-1092.	1.7	11
18	Variable Responses of MYC Translocation Positive Lymphoma Cell Lines To Different Combinations of Novel Agents: Impact of BCL2 Family Protein Expression. <i>Translational Oncology</i> , 2018, 11, 1147-1154.	1.7	15

#	ARTICLE	IF	CITATIONS
19	Significant association between <i>TNFAIP3</i> inactivation and biased immunoglobulin heavy chain variable region 4-34 usage in mucosa-associated lymphoid tissue lymphoma. <i>Journal of Pathology</i> , 2017, 243, 3-8.	2.1	27
20	MALT lymphoma: Genetic abnormalities, immunological stimulation and molecular mechanism. <i>Best Practice and Research in Clinical Haematology</i> , 2017, 30, 13-23.	0.7	47
21	PrimerPooler: automated primer pooling to prepare library for targeted sequencing. <i>Biology Methods and Protocols</i> , 2017, 2, bpx006.	1.0	22
22	Angioimmunoblastic T cell lymphoma: novel molecular insights by mutation profiling. <i>Oncotarget</i> , 2017, 8, 17763-17770.	0.8	37
23	6. Genetics and molecular pathogenesis of marginal zone lymphoma. , 2016, , 101-126.		0
24	Clinical impact of recurrently mutated genes on lymphoma diagnostics: state-of-the-art and beyond. <i>Haematologica</i> , 2016, 101, 1002-1009.	1.7	43
25	MALT lymphoma: A paradigm of NF- $\kappa$ B dysregulation. <i>Seminars in Cancer Biology</i> , 2016, 39, 49-60.	4.3	69
26	Significant functional difference between TNFAIP3 truncation and missense mutants. <i>Haematologica</i> , 2016, 101, e382-e384.	1.7	8
27	Recurrent mTORC1-activating RRAGC mutations in follicular lymphoma. <i>Nature Genetics</i> , 2016, 48, 183-188.	9.4	160
28	Aggressive natural killer-cell neoplasm presenting in the marrow: a report of two cases including one with gains of chromosomes 4q and 9p. <i>Diagnostic Pathology</i> , 2015, 10, 88.	0.9	2
29	Gastrointestinal Lymphoma. , 2015, , 1737-1748.		0
30	Conversion of the LIMA1 tumour suppressor into an oncogenic LMO-like protein by API2-MALT1 in MALT lymphoma. <i>Nature Communications</i> , 2015, 6, 5908.	5.8	44
31	The prognosis of <i>MYC</i> translocation positive diffuse large B-cell lymphoma depends on the second hit. <i>Journal of Pathology: Clinical Research</i> , 2015, 1, 125-133.	1.3	56
32	Somatic Mutation Screening Using Archival Formalin-Fixed, Paraffin-Embedded Tissues by Fluidigm Multiplex PCR and Illumina Sequencing. <i>Journal of Molecular Diagnostics</i> , 2015, 17, 521-532.	1.2	25
33	Pathogenesis of splenic marginal zone lymphoma. <i>Pathogenesis</i> , 2015, 2, 11-20.	0.8	3
34	Diffuse large B-cell lymphoma: sub-classification by massive parallel quantitative RT-PCR. <i>Laboratory Investigation</i> , 2015, 95, 113-120.	1.7	17
35	Real-Time Molecular Classification of Diffuse Large B-Cell Lymphoma (DLBCL) By Gene Expression Profiling (GEP): Successful Delivery of a Routine Service for Randomization of Patients Onto the Multicenter Remodl-B Trial (ISRCTN 51837425). <i>Blood</i> , 2015, 126, 331-331.	0.6	0
36	Distinct involvement of NF- $\kappa$ B regulators by somatic mutation in ocular adnexal malt lymphoma. <i>British Journal of Haematology</i> , 2013, 160, 851-854.	1.2	20

#	ARTICLE	IF	CITATIONS
37	The Genomic Landscape of Myeloproliferative Neoplasms: Somatic Calr Mutations in the Majority of JAK2-Wildtype Patients. <i>Blood</i> , 2013, 122, LBA-2-LBA-2.	0.6	1
38	A20 inactivation in ocular adnexal MALT lymphoma. <i>Haematologica</i> , 2012, 97, 926-930.	1.7	52
39	BCR and TLR signaling pathways are recurrently targeted by genetic changes in splenic marginal zone lymphomas. <i>Haematologica</i> , 2012, 97, 595-598.	1.7	95
40	P1-008 Defective immune homeostasis mechanisms in Celiac Disease (CD), in its progression to Refractory Celiac Disease (RCD) and transformation to Enteropathy-Associated T-Cell Lymphoma (EATL) Tj ETQq0 000rgBT /Overlock 10		
41	A rare case of gastric MALT lymphoma resistant to multiple treatment regimens. <i>Journal of Clinical Pathology</i> , 2012, 65, 1049-1050.	1.0	0
42	Clonal antigen receptor gene PCR products outside the expected size range. <i>Journal of Hematopathology</i> , 2012, 5, 57-67.	0.2	8
43	An Integrated Genomic and Expression Analysis of 7q Deletion in Splenic Marginal Zone Lymphoma. <i>PLoS ONE</i> , 2012, 7, e44997.	1.1	53
44	Aggressive Transformation of Indolent T-Cell Large Granular Lymphocytic Leukaemia During Chemotherapy: A Case Report. <i>Blood</i> , 2012, 120, 4803-4803.	0.6	0
45	Cleavage of NIK by the API2-MALT1 Fusion Oncoprotein Leads to Noncanonical NF- $\kappa$ B Activation. <i>Science</i> , 2011, 331, 468-472.	6.0	140
46	BIOMED $\hat{c}$ 2 PCR assays for <i>IGK</i> gene rearrangements are essential for B $\hat{c}$ cell clonality analysis in follicular lymphoma. <i>British Journal of Haematology</i> , 2011, 155, 84-92.	1.2	30
47	MALT lymphoma: many roads lead to nuclear factor- $\kappa$ B activation. <i>Histopathology</i> , 2011, 58, 26-38.	1.6	95
48	<i>A20</i> , <i>ABIN-1/2</i> , and <i>CARD11</i> Mutations and Their Prognostic Value in Gastrointestinal Diffuse Large B-Cell Lymphoma. <i>Clinical Cancer Research</i> , 2011, 17, 1440-1451.	3.2	60
49	Splenic marginal zone lymphoma: characterization of 7q deletion and its value in diagnosis. <i>Journal of Pathology</i> , 2010, 220, 461-474.	2.1	61
50	Primary effusion lymphoma: genomic profiling revealed amplification of <i>SELPLG</i> and <i>CORO1C</i> encoding for proteins important for cell migration. <i>Journal of Pathology</i> , 2010, 222, 166-179.	2.1	58
51	Follicular Lymphoma of the Thyroid Gland. <i>American Journal of Surgical Pathology</i> , 2009, 33, 22-34.	2.1	43
52	FOXP1 abnormalities in lymphoma: translocation breakpoint mapping reveals insights into deregulated transcriptional control. <i>Modern Pathology</i> , 2008, 21, 902-911.	2.9	68
53	Translocations Involving the Immunoglobulin Heavy Chain Gene Locus Predict Better Survival in Gastric Diffuse Large B-Cell Lymphoma. <i>Clinical Cancer Research</i> , 2008, 14, 3002-3010.	3.2	40
54	The pattern of genomic gains in salivary gland MALT lymphomas. <i>Haematologica</i> , 2007, 92, 921-927.	1.7	25

#	ARTICLE	IF	CITATIONS
55	Clinical impact of genetic aberrations in gastric MALT lymphoma: a comprehensive analysis using interphase fluorescence in situ hybridisation. <i>Gut</i> , 2007, 56, 1358-1363.	6.1	79
56	Gastric MALT lymphoma with t(14;18)(q32;q21) involving IGH and BCL2 genes that responded to Helicobacter pylori eradication. <i>Journal of Clinical Pathology</i> , 2007, 60, 1171-1173.	1.0	15
57	Histologic Evolution of Angioimmunoblastic T-cell Lymphoma in Consecutive Biopsies: Clinical Correlation and Insights Into Natural History and Disease Progression. <i>American Journal of Surgical Pathology</i> , 2007, 31, 1077-1088.	2.1	192
58	MALT Lymphoma : Recent Advances in Aetiology and Molecular Genetics. <i>Journal of Clinical and Experimental Hematopathology: JCEH</i> , 2007, 47, 31-42.	0.3	124
59	TPL-2 MEK kinase is not targeted by mutation in diffuse large B cell lymphoma and myeloid leukemia. <i>Leukemia Research</i> , 2007, 31, 1604-1607.	0.4	2
60	A practical strategy for the routine use of BIOMED-2 PCR assays for detection of B- and T-cell clonality in diagnostic haematopathology. <i>British Journal of Haematology</i> , 2007, 138, 31-43.	1.2	123
61	Distinct comparative genomic hybridisation profiles in gastric mucosa-associated lymphoid tissue lymphomas with and without t(11;18)(q21;q21). <i>British Journal of Haematology</i> , 2006, 133, 35-42.	1.2	56
62	Application of array CGH on archival formalin-fixed paraffin-embedded tissues including small numbers of microdissected cells. <i>Laboratory Investigation</i> , 2006, 86, 968-978.	1.7	75
63	A novel fusion of the MALT1 gene and the microtubule-associated protein 4 (MAP4) gene occurs in diffuse large B-cell lymphoma. <i>Genes Chromosomes and Cancer</i> , 2006, 45, 863-873.	1.5	8
64	Mucosa-associated lymphoid tissue (MALT) lymphoma: a practical guide for pathologists. <i>Journal of Clinical Pathology</i> , 2006, 60, 361-372.	1.0	144
65	Constitutive NF- $\kappa$ B activation by the t(11;18)(q21;q21) product in MALT lymphoma is linked to deregulated ubiquitin ligase activity. <i>Cancer Cell</i> , 2005, 7, 425-431.	7.7	135
66	MALT lymphoma with t(14;18)(q32;q21)/IGH-MALT1 is characterized by strong cytoplasmic MALT1 and BCL10 expression. <i>Journal of Pathology</i> , 2005, 205, 293-301.	2.1	149
67	Long-Term Follow-Up of Gastric MALT Lymphoma After Helicobacter Pylori Eradication. <i>Journal of Clinical Oncology</i> , 2005, 23, 8018-8024.	0.8	289
68	clAP2 is a ubiquitin protein ligase for BCL10 and is dysregulated in mucosa-associated lymphoid tissue lymphomas. <i>Journal of Clinical Investigation</i> , 2005, 116, 174-181.	3.9	91
69	Strong BCL10 Nuclear Expression Identifies Gastric MALT Lymphomas That Do Not Respond to H. pylori Eradication.. <i>Blood</i> , 2005, 106, 982-982.	0.6	0
70	MALT lymphoma: from morphology to molecules. <i>Nature Reviews Cancer</i> , 2004, 4, 644-653.	12.8	461
71	Distinct cellular origins of primary effusion lymphoma with and without EBV infection. <i>Leukemia Research</i> , 2004, 28, 333-338.	0.4	42
72	Pathology of Bone Marrow in Human Herpes Virus 8 (HHV8) - Associated Multicentric Castleman's Disease.. <i>Blood</i> , 2004, 104, 3112-3112.	0.6	0

#	ARTICLE	IF	CITATIONS
73	High frequency of t(11;18) in gastric mucosa-associated lymphoid tissue lymphomas in Taiwan, including one patient with high-grade transformation. <i>British Journal of Haematology</i> , 2003, 120, 97-100.	1.2	45
74	MALT1 is deregulated by both chromosomal translocation and amplification in B-cell non-Hodgkin lymphoma. <i>Blood</i> , 2003, 101, 4539-4546.	0.6	188
75	Variable frequencies of t(11;18)(q21;q21) in MALT lymphomas of different sites: significant association with CagA strains of <i>H pylori</i> in gastric MALT lymphoma. <i>Blood</i> , 2003, 102, 1012-1018.	0.6	321
76	Molecular Biology of Gastric MALT Lymphoma: Application in Clinical Management. <i>Hematology</i> , 2002, 7, 339-344.	0.7	12
77	Archival Fixed Histologic and Cytologic Specimens Including Stained and Unstained Materials Are Amenable to RT-PCR. <i>Diagnostic Molecular Pathology</i> , 2002, 11, 222-227.	2.1	31
78	Neoplastic T cells in angioimmunoblastic T-cell lymphoma express CD10. <i>Blood</i> , 2002, 99, 627-633.	0.6	331
79	KSHV- and EBV-associated germinotropic lymphoproliferative disorder. <i>Blood</i> , 2002, 100, 3415-3418.	0.6	187
80	First Steps in Unraveling the Genotype of Enteropathy-Type T-Cell Lymphoma. <i>American Journal of Pathology</i> , 2002, 161, 1527-1529.	1.9	7
81	T(11;18) is a marker for all stage gastric MALT lymphomas that will not respond to <i>H. pylori</i> eradication. <i>Gastroenterology</i> , 2002, 122, 1286-1294.	0.6	397
82	Gastric MALT lymphoma: from aetiology to treatment. <i>Lancet Oncology</i> , The, 2002, 3, 97-104.	5.1	241
83	Resistance of t(11;18) positive gastric mucosa-associated lymphoid tissue lymphoma to <i>Helicobacter pylori</i> eradication therapy. <i>Lancet</i> , The, 2001, 357, 39-40.	6.3	435
84	T(11;18)(q21;q21) is associated with advanced mucosa-associated lymphoid tissue lymphoma that expresses nuclear BCL10. <i>Blood</i> , 2001, 98, 1182-1187.	0.6	240
85	Internal Ribosome Entry Site Regulates Translation of Kaposi's Sarcoma-Associated Herpesvirus FLICE Inhibitory Protein. <i>Journal of Virology</i> , 2001, 75, 2938-2945.	1.5	93
86	Clone-specific PCR reveals wide dissemination of gastric MALT lymphoma to the gastric mucosa. <i>Journal of Pathology</i> , 2000, 192, 488-493.	2.1	49
87	HHV-8 is associated with a plasmablastic variant of Castleman disease that is linked to HHV-8 "positive" plasmablastic lymphoma. <i>Blood</i> , 2000, 95, 1406-1412.	0.6	583
88	BCL10 Expression in Normal and Neoplastic Lymphoid Tissue. <i>American Journal of Pathology</i> , 2000, 157, 1147-1154.	1.9	183
89	Nonimmunoglobulin Gene Hypermutation in Germinal Center B Cells. <i>Blood</i> , 1999, 93, 2167-2172.	0.6	105
90	Bcl10 Is Involved in t(1;14)(p22;q32) of MALT B Cell Lymphoma and Mutated in Multiple Tumor Types. <i>Cell</i> , 1999, 96, 35-45.	13.5	656

#	ARTICLE	IF	CITATIONS
91	Follicular Lymphomas Contain a Clonally Linked But Phenotypically Distinct Neoplastic B-Cell Population in the Interfollicular Zone. <i>Blood</i> , 1998, 91, 4708-4714.	0.6	110
92	Ongoing immunoglobulin gene mutations in mantle cell lymphomas. <i>British Journal of Haematology</i> , 1997, 96, 124-131.	1.2	41
93	Sequential Inverse Dysregulation of the RNA Helicases DDX3X and DDX3Y Facilitates MYC-Driven Lymphomagenesis. <i>SSRN Electronic Journal</i> , 0, , .	0.4	2