

Henry Kranzler

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2882579/henry-kranzler-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

599
papers

29,851
citations

88
h-index

144
g-index

670
ext. papers

35,211
ext. citations

5.7
avg, IF

7.04
L-index

#	Paper	IF	Citations
599	Discovery of the first genome-wide significant risk loci for attention deficit/hyperactivity disorder. <i>Nature Genetics</i> , 2019 , 51, 63-75	36.3	826
598	The Alcohol Use Disorders Identification Test (AUDIT): validation of a screening instrument for use in medical settings. <i>Journal of Studies on Alcohol and Drugs</i> , 1995 , 56, 423-32		788
597	A functional polymorphism of the mu-opioid receptor gene is associated with naltrexone response in alcohol-dependent patients. <i>Neuropsychopharmacology</i> , 2003 , 28, 1546-52	8.7	525
596	Serotonergic and noradrenergic dysregulation in alcoholism: m-chlorophenylpiperazine and yohimbine effects in recently detoxified alcoholics and healthy comparison subjects. <i>American Journal of Psychiatry</i> , 1996 , 153, 83-92	11.9	474
595	Efficacy and tolerability of long-acting injectable naltrexone for alcohol dependence: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 293, 1617-25	27.4	427
594	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , 2019 , 179, 1469-1482.e11	56.2	402
593	Topiramate for treating alcohol dependence: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2007 , 298, 1641-51	27.4	398
592	Opioid-, cannabis- and alcohol-dependent women show more rapid progression to substance abuse treatment. <i>Drug and Alcohol Dependence</i> , 2004 , 74, 265-72	4.9	395
591	Serotonin transporter protein (SLC6A4) allele and haplotype frequencies and linkage disequilibria in African- and European-American and Japanese populations and in alcohol-dependent subjects. <i>Human Genetics</i> , 1997 , 101, 243-6	6.3	367
590	Alcohol treatment utilization: findings from the National Epidemiologic Survey on Alcohol and Related Conditions. <i>Drug and Alcohol Dependence</i> , 2007 , 86, 214-21	4.9	349
589	Give them prizes and they will come: Contingency management for treatment of alcohol dependence.. <i>Journal of Consulting and Clinical Psychology</i> , 2000 , 68, 250-257	6.5	323
588	Efficacy of Naltrexone and Acamprosate for Alcoholism Treatment: A Meta-Analysis. <i>Alcoholism: Clinical and Experimental Research</i> , 2001 , 25, 1335-1341	3.7	311
587	Genome-wide association study of alcohol dependence: significant findings in African- and European-Americans including novel risk loci. <i>Molecular Psychiatry</i> , 2014 , 19, 41-9	15.1	278
586	Interaction of FKBP5 with childhood adversity on risk for post-traumatic stress disorder. <i>Neuropsychopharmacology</i> , 2010 , 35, 1684-92	8.7	262
585	Transancestral GWAS of alcohol dependence reveals common genetic underpinnings with psychiatric disorders. <i>Nature Neuroscience</i> , 2018 , 21, 1656-1669	25.5	257
584	Placebo-controlled trial of fluoxetine as an adjunct to relapse prevention in alcoholics. <i>American Journal of Psychiatry</i> , 1995 , 152, 391-7	11.9	251
583	Largest GWAS of PTSD (N=20 070) yields genetic overlap with schizophrenia and sex differences in heritability. <i>Molecular Psychiatry</i> , 2018 , 23, 666-673	15.1	248

582	Genetics of two mu opioid receptor gene (OPRM1) exon I polymorphisms: population studies, and allele frequencies in alcohol- and drug-dependent subjects. <i>Molecular Psychiatry</i> , 1999 , 4, 476-83	15.1	239
581	Allelic and haplotypic association of GABRA2 with alcohol dependence. <i>American Journal of Medical Genetics Part A</i> , 2004 , 129B, 104-9		229
580	Meta-analysis of the association of a functional serotonin transporter promoter polymorphism with alcohol dependence. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005 , 133B, 79-84	3.5	227
579	A prospective cohort study investigating factors associated with depression during medical internship. <i>Archives of General Psychiatry</i> , 2010 , 67, 557-65		214
578	Give them prizes, and they will come: contingency management for treatment of alcohol dependence. <i>Journal of Consulting and Clinical Psychology</i> , 2000 , 68, 250-7	6.5	211
577	Diagnosis and Pharmacotherapy of Alcohol Use Disorder: A Review. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 815-824	27.4	205
576	Buspirone treatment of anxious alcoholics. A placebo-controlled trial. <i>Archives of General Psychiatry</i> , 1994 , 51, 720-31		196
575	Interactive effect of stressful life events and the serotonin transporter 5-HTTLPR genotype on posttraumatic stress disorder diagnosis in 2 independent populations. <i>Archives of General Psychiatry</i> , 2009 , 66, 1201-9		195
574	Association of an Asn40Asp (A118G) polymorphism in the mu-opioid receptor gene with substance dependence: a meta-analysis. <i>Drug and Alcohol Dependence</i> , 2006 , 83, 262-8	4.9	190
573	Genetic association between dopamine transporter protein alleles and cocaine-induced paranoia. <i>Neuropsychopharmacology</i> , 1994 , 11, 195-200	8.7	183
572	Early detection of harmful alcohol consumption: comparison of clinical, laboratory, and self-report screening procedures. <i>Addictive Behaviors</i> , 1989 , 14, 139-57	4.2	181
571	Alcohol and opioid dependence medications: prescription trends, overall and by physician specialty. <i>Drug and Alcohol Dependence</i> , 2009 , 99, 345-9	4.9	166
570	Sertraline Treatment for Alcohol Dependence: Interactive Effects of Medication and Alcoholic Subtype. <i>Alcoholism: Clinical and Experimental Research</i> , 2000 , 24, 1041-1049	3.7	165
569	Genome-wide association study of alcohol consumption and use disorder in 274,424 individuals from multiple populations. <i>Nature Communications</i> , 2019 , 10, 1499	17.4	164
568	D4 dopamine-receptor (DRD4) alleles and novelty seeking in substance-dependent, personality-disorder, and control subjects. <i>American Journal of Human Genetics</i> , 1997 , 61, 1144-52	11	162
567	Correlates of co-occurring ADHD in drug-dependent subjects: prevalence and features of substance dependence and psychiatric disorders. <i>Addictive Behaviors</i> , 2008 , 33, 1199-207	4.2	161
566	A haplotype at the DBH locus, associated with low plasma dopamine beta-hydroxylase activity, also associates with cocaine-induced paranoia. <i>Molecular Psychiatry</i> , 2000 , 5, 56-63	15.1	161
565	Personality, temperament, and character dimensions and the DSM-IV personality disorders in substance abusers.. <i>Journal of Abnormal Psychology</i> , 1997 , 106, 545-553	7	160

564	Association between alcoholism and gamma-amino butyric acid alpha2 receptor subtype in a Russian population. <i>Alcoholism: Clinical and Experimental Research</i> , 2005 , 29, 493-8	3.7	160
563	Adverse childhood events as risk factors for substance dependence: partial mediation by mood and anxiety disorders. <i>Addictive Behaviors</i> , 2010 , 35, 7-13	4.2	157
562	CHRM2 gene predisposes to alcohol dependence, drug dependence and affective disorders: results from an extended case-control structured association study. <i>Human Molecular Genetics</i> , 2005 , 14, 2421-34	5.6	157
561	Naltrexone vs. nefazodone for treatment of alcohol dependence. A placebo-controlled trial. <i>Neuropsychopharmacology</i> , 2000 , 22, 493-503	8.7	156
560	Serotonin transporter protein gene polymorphism and personality measures in African American and European American subjects. <i>American Journal of Psychiatry</i> , 1998 , 155, 1332-8	11.9	154
559	International meta-analysis of PTSD genome-wide association studies identifies sex- and ancestry-specific genetic risk loci. <i>Nature Communications</i> , 2019 , 10, 4558	17.4	151
558	Fluoxetine treatment seems to reduce the beneficial effects of cognitive-behavioral therapy in type B alcoholics. <i>Alcoholism: Clinical and Experimental Research</i> , 1996 , 20, 1534-41	3.7	151
557	Diagnostic reliability of the Semi-structured Assessment for Drug Dependence and Alcoholism (SSADDA). <i>Drug and Alcohol Dependence</i> , 2005 , 80, 303-12	4.9	147
556	Interactive effects of the serotonin transporter 5-HTTLPR polymorphism and stressful life events on college student drinking and drug use. <i>Biological Psychiatry</i> , 2007 , 61, 609-16	7.9	146
555	Brain derived neurotrophic factor (BDNF) gene variants and Alzheimer's disease, affective disorders, posttraumatic stress disorder, schizophrenia, and substance dependence. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006 , 141B, 387-93	3.5	144
554	Levels and patterns of alcohol consumption using timeline follow-back, daily diaries and real-time "electronic interviews". <i>Journal of Studies on Alcohol and Drugs</i> , 1998 , 59, 447-54		144
553	Genome-wide association study of opioid dependence: multiple associations mapped to calcium and potassium pathways. <i>Biological Psychiatry</i> , 2014 , 76, 66-74	7.9	143
552	A functional neuropeptide Y Leu7Pro polymorphism associated with alcohol dependence in a large population sample from the United States. <i>Archives of General Psychiatry</i> , 2002 , 59, 825-31		141
551	Topiramate treatment for heavy drinkers: moderation by a GRIK1 polymorphism. <i>American Journal of Psychiatry</i> , 2014 , 171, 445-52	11.9	138
550	Association between two mu-opioid receptor gene (OPRM1) haplotype blocks and drug or alcohol dependence. <i>Human Molecular Genetics</i> , 2006 , 15, 807-19	5.6	138
549	Haplotype spanning TTC12 and ANKK1, flanked by the DRD2 and NCAM1 loci, is strongly associated to nicotine dependence in two distinct American populations. <i>Human Molecular Genetics</i> , 2006 , 15, 3498-507	5.6	137
548	Comorbid psychiatric diagnosis predicts three-year outcomes in alcoholics: a posttreatment natural history study. <i>Journal of Studies on Alcohol and Drugs</i> , 1996 , 57, 619-26		133
547	Genome-wide association study identifies new susceptibility loci for posttraumatic stress disorder. <i>Biological Psychiatry</i> , 2013 , 74, 656-63	7.9	129

546	Naltrexone depot for treatment of alcohol dependence: a multicenter, randomized, placebo-controlled clinical trial. <i>Alcoholism: Clinical and Experimental Research</i> , 2004 , 28, 1051-9	3.7	127
545	Self-reports by alcohol and drug abuse inpatients: factors affecting reliability and validity. <i>Addiction</i> , 1992 , 87, 1013-24	4.6	127
544	GABRA2 alleles moderate the subjective effects of alcohol, which are attenuated by finasteride. <i>Neuropsychopharmacology</i> , 2005 , 30, 1193-203	8.7	126
543	Genome-Wide Association Studies of a Broad Spectrum of Antisocial Behavior. <i>JAMA Psychiatry</i> , 2017 , 74, 1242-1250	14.5	124
542	Genome-wide association study of cocaine dependence and related traits: FAM53B identified as a risk gene. <i>Molecular Psychiatry</i> , 2014 , 19, 717-23	15.1	124
541	A common polymorphism in serotonin receptor 1B mRNA moderates regulation by miR-96 and associates with aggressive human behaviors. <i>Molecular Psychiatry</i> , 2009 , 14, 381-9	15.1	122
540	The OPRD1 and OPRK1 loci in alcohol or drug dependence: OPRD1 variation modulates substance dependence risk. <i>Molecular Psychiatry</i> , 2008 , 13, 531-43	15.1	120
539	Acamprosate efficacy in alcohol-dependent patients: summary of results from three pivotal trials. <i>American Journal on Addictions</i> , 2008 , 17, 70-6	3.7	120
538	Validity of the SCID in substance abuse patients. <i>Addiction</i> , 1996 , 91, 859-868	4.6	120
537	Effects of the 2011 duty hour reforms on interns and their patients: a prospective longitudinal cohort study. <i>JAMA Internal Medicine</i> , 2013 , 173, 657-62; discussion 663	11.5	118
536	Efficacy of naltrexone and acamprosate for alcoholism treatment: a meta-analysis. <i>Alcoholism: Clinical and Experimental Research</i> , 2001 , 25, 1335-41	3.7	118
535	Association between the cortisol response to opioid blockade and the Asn40Asp polymorphism at the mu-opioid receptor locus (OPRM1). <i>American Journal of Medical Genetics Part A</i> , 2003 , 118B, 60-5		116
534	Personality disorders in substance abusers: relation to substance use. <i>Journal of Nervous and Mental Disease</i> , 1998 , 186, 87-95	1.8	113
533	Genome-wide Association Study of Cannabis Dependence Severity, Novel Risk Variants, and Shared Genetic Risks. <i>JAMA Psychiatry</i> , 2016 , 73, 472-80	14.5	113
532	Genomewide linkage scan for cocaine dependence and related traits: significant linkages for a cocaine-related trait and cocaine-induced paranoia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005 , 136B, 45-52	3.5	111
531	Association of haplotypic variants in DRD2, ANKK1, TTC12 and NCAM1 to alcohol dependence in independent case control and family samples. <i>Human Molecular Genetics</i> , 2007 , 16, 2844-53	5.6	104
530	Practical population group assignment with selected informative markers: characteristics and properties of Bayesian clustering via STRUCTURE. <i>Genetic Epidemiology</i> , 2005 , 28, 302-12	2.6	103
529	Genome-wide association study of lifetime cannabis use based on a large meta-analytic sample of 32 330 subjects from the International Cannabis Consortium. <i>Translational Psychiatry</i> , 2016 , 6, e769	8.6	102

528	Opioid receptor gene (OPRM1, OPRK1, and OPRD1) variants and response to naltrexone treatment for alcohol dependence: results from the VA Cooperative Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2007 , 31, 555-63	3.7	100
527	Reliability of DSM-IV diagnostic criteria using the semi-structured assessment for drug dependence and alcoholism (SSADDA). <i>Drug and Alcohol Dependence</i> , 2007 , 91, 85-90	4.9	100
526	Diplotype trend regression analysis of the ADH gene cluster and the ALDH2 gene: multiple significant associations with alcohol dependence. <i>American Journal of Human Genetics</i> , 2006 , 78, 973-87 ¹¹	11	99
525	Genomewide linkage scan for opioid dependence and related traits. <i>American Journal of Human Genetics</i> , 2006 , 78, 759-769	11	98
524	Genetics of alcohol dependence. <i>Human Genetics</i> , 2009 , 126, 91-9	6.3	97
523	Serotonin transporter gene polymorphism (5-HTTLPR) and anxiety reactivity in daily life: a daily process approach to gene-environment interaction. <i>Psychosomatic Medicine</i> , 2007 , 69, 762-8	3.7	97
522	Nicotine gum for pregnant smokers: a randomized controlled trial. <i>Obstetrics and Gynecology</i> , 2008 , 112, 859-67	4.9	96
521	CNR1 variation modulates risk for drug and alcohol dependence. <i>Biological Psychiatry</i> , 2007 , 62, 616-26	7.9	96
520	Understanding US addiction physicians' low rate of naltrexone prescription. <i>Drug and Alcohol Dependence</i> , 2003 , 71, 219-28	4.9	95
519	Double-blind clinical trial of sertraline treatment for alcohol dependence. <i>Journal of Clinical Psychopharmacology</i> , 2001 , 21, 143-53	1.7	94
518	Assessment of medication compliance in alcoholics through UV light detection of a riboflavin tracer. <i>Alcoholism: Clinical and Experimental Research</i> , 1996 , 20, 1412-7	3.7	93
517	A Genetic Investigation of Sex Bias in the Prevalence of Attention-Deficit/Hyperactivity Disorder. <i>Biological Psychiatry</i> , 2018 , 83, 1044-1053	7.9	93
516	Utility of the AUDIT for identification of hazardous or harmful drinking in drug-dependent patients. <i>Drug and Alcohol Dependence</i> , 1997 , 45, 157-63	4.9	92
515	Clinical Validation of Reduced Alcohol Consumption After Treatment for Alcohol Dependence Using the World Health Organization Risk Drinking Levels. <i>Alcoholism: Clinical and Experimental Research</i> , 2017 , 41, 179-186	3.7	91
514	Population genetics of a functional variant of the dopamine beta-hydroxylase gene (DBH). <i>American Journal of Medical Genetics Part A</i> , 1997 , 74, 374-9		91
513	Variation in nicotinic acetylcholine receptor genes is associated with multiple substance dependence phenotypes. <i>Neuropsychopharmacology</i> , 2010 , 35, 1921-31	8.7	90
512	Haplotypes at the OPRM1 locus are associated with susceptibility to substance dependence in European-Americans. <i>American Journal of Medical Genetics Part A</i> , 2003 , 120B, 97-108		90
511	Genome-wide association study of alcohol dependence implicates KIAA0040 on chromosome 1q. <i>Neuropsychopharmacology</i> , 2012 , 37, 557-66	8.7	88

510	Improvement of physical health and quality of life of alcohol-dependent individuals with topiramate treatment: US multisite randomized controlled trial. <i>Archives of Internal Medicine</i> , 2008 , 168, 1188-99		87
509	ADH4 gene variation is associated with alcohol dependence and drug dependence in European Americans: results from HWD tests and case-control association studies. <i>Neuropsychopharmacology</i> , 2006 , 31, 1085-95	8.7	87
508	Change in non-abstinent WHO drinking risk levels and alcohol dependence: a 3 year follow-up study in the US general population. <i>Lancet Psychiatry</i> , 2017 , 4, 469-476	23.3	86
507	Ethical considerations for administering alcohol or alcohol cues to treatment-seeking alcoholics in a research setting: can the benefits to society outweigh the risks to the individual? A commentary in the context of the National Advisory Council on Alcohol Abuse and Alcoholism -- Recommended Council Guidelines on Ethyl Alcohol Administration in Human Experimentation (2005). <i>Alcoholism: Clinical and Experimental Research</i> , 2003 , 27, 1150-5	3.7	86
506	Efficacy of extended-release naltrexone in alcohol-dependent patients who are abstinent before treatment. <i>Journal of Clinical Psychopharmacology</i> , 2007 , 27, 507-12	1.7	86
505	Pharmacotherapy of alcoholism: gaps in knowledge and opportunities for research. <i>Alcohol and Alcoholism</i> , 2000 , 35, 537-47	3.5	86
504	Effects of ondansetron in early- versus late-onset alcoholics: a prospective, open-label study. <i>Alcoholism: Clinical and Experimental Research</i> , 2003 , 27, 1150-5	3.7	85
503	Physicians' opinions about medications to treat alcoholism. <i>Addiction</i> , 2003 , 98, 617-26	4.6	84
502	Alcohol Dependence Genetics: Lessons Learned From Genome-Wide Association Studies (GWAS) and Post-GWAS Analyses. <i>Alcoholism: Clinical and Experimental Research</i> , 2015 , 39, 1312-27	3.7	83
501	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021 , 53, 817-829	36.3	83
500	ALDH2 is associated to alcohol dependence and is the major genetic determinant of "daily maximum drinks" in a GWAS study of an isolated rural Chinese sample. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014 , 165B, 103-10	3.5	82
499	ADH4 gene variation is associated with alcohol and drug dependence: results from family controlled and population-structured association studies. <i>Pharmacogenetics and Genomics</i> , 2005 , 15, 755-68	1.9	82
498	A multi-site dose ranging study of nalmefene in the treatment of alcohol dependence. <i>Journal of Clinical Psychopharmacology</i> , 2004 , 24, 421-8	1.7	81
497	Specificity of ethanol-like effects elicited by serotonergic and noradrenergic mechanisms. <i>Archives of General Psychiatry</i> , 1994 , 51, 898-911		80
496	Haplotypic variants in DRD2, ANKK1, TTC12, and NCAM1 are associated with comorbid alcohol and drug dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2008 , 32, 2117-27	3.7	79
495	Association of the OPRM1 Variant rs1799971 (A118G) with Non-Specific Liability to Substance Dependence in a Collaborative de novo Meta-Analysis of European-Ancestry Cohorts. <i>Behavior Genetics</i> , 2016 , 46, 151-69	3.2	77
494	Association of gamma-aminobutyric acid A receptor α gene (GABRA2) with alcohol use disorder. <i>Neuropsychopharmacology</i> , 2014 , 39, 907-18	8.7	76
493	A randomized, multicenter, double-blind, placebo-controlled study of the efficacy and safety of aripiprazole for the treatment of alcohol dependence. <i>Journal of Clinical Psychopharmacology</i> , 2008 , 28, 5-12	1.7	76

492	Variation in GABRA2 predicts drinking behavior in project MATCH subjects. <i>Alcoholism: Clinical and Experimental Research</i> , 2007 , 31, 1780-7	3.7	76
491	Array-based profiling of DNA methylation changes associated with alcohol dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2013 , 37 Suppl 1, E108-15	3.7	75
490	Naltrexone treatment of comorbid alcohol and cocaine use disorders. <i>Psychopharmacology</i> , 1998 , 139, 44-52	4.7	75
489	Evidence of CNH3 involvement in opioid dependence. <i>Molecular Psychiatry</i> , 2016 , 21, 608-14	15.1	74
488	Markers in the 5'-region of GABRG1 associate to alcohol dependence and are in linkage disequilibrium with markers in the adjacent GABRA2 gene. <i>Neuropsychopharmacology</i> , 2008 , 33, 837-48	8.7	74
487	The World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for the biological treatment of substance use and related disorders. Part 2: Opioid dependence. <i>World Journal of Biological Psychiatry</i> , 2011 , 12, 160-87	3.8	73
486	Meta-Analysis of the Association of Alcohol-Related Social Media Use with Alcohol Consumption and Alcohol-Related Problems in Adolescents and Young Adults. <i>Alcoholism: Clinical and Experimental Research</i> , 2018 , 42, 978-986	3.7	73
485	Reliability of personality disorder symptoms and personality traits in substance-dependent inpatients.. <i>Journal of Abnormal Psychology</i> , 2001 , 110, 341-352	7	72
484	Correlates of Electronic Cigarettes Use Before and During Pregnancy. <i>Nicotine and Tobacco Research</i> , 2017 , 19, 585-590	4.9	71
483	A double-blind, randomized trial of sertraline for alcohol dependence: moderation by age of onset [corrected] and 5-hydroxytryptamine transporter-linked promoter region genotype. <i>Journal of Clinical Psychopharmacology</i> , 2011 , 31, 22-30	1.7	71
482	Sertraline treatment of co-occurring alcohol dependence and major depression. <i>Journal of Clinical Psychopharmacology</i> , 2006 , 26, 13-20	1.7	71
481	Psychometric properties of the short index of problems as a measure of recent alcohol-related problems. <i>Alcoholism: Clinical and Experimental Research</i> , 2003 , 27, 1436-41	3.7	71
480	Implications of recent neuropsychopharmacologic research for understanding the etiology and development of alcoholism.. <i>Journal of Consulting and Clinical Psychology</i> , 1994 , 62, 1116-1126	6.5	71
479	Does affect mediate the association between daily events and alcohol use?. <i>Journal of Studies on Alcohol and Drugs</i> , 2000 , 61, 862-71		70
478	D2 dopamine receptor gene (DRD2) allele and haplotype frequencies in alcohol dependent and control subjects: no association with phenotype or severity of phenotype. <i>Neuropsychopharmacology</i> , 1999 , 20, 640-9	8.7	70
477	Sustained-Release Naltrexone for Alcoholism Treatment: A Preliminary Study. <i>Alcoholism: Clinical and Experimental Research</i> , 1998 , 22, 1074-1079	3.7	69
476	Genomewide linkage scan for nicotine dependence: identification of a chromosome 5 risk locus. <i>Biological Psychiatry</i> , 2007 , 61, 119-26	7.9	69
475	Ritanserin in the treatment of alcohol dependence--a multi-center clinical trial. Ritanserin Study Group. <i>Psychopharmacology</i> , 1996 , 128, 206-15	4.7	69

474	A randomized clinical trial of brief interventions in primary care: summary of a WHO project. <i>Addiction</i> , 1994 , 89, 657-60; discussion 660-78	4.6	69
473	Genome-wide meta-analysis of problematic alcohol use in 435,563 individuals yields insights into biology and relationships with other traits. <i>Nature Neuroscience</i> , 2020 , 23, 809-818	25.5	69
472	Genome-wide meta-analysis reveals common splice site acceptor variant in CHRNA4 associated with nicotine dependence. <i>Translational Psychiatry</i> , 2015 , 5, e651	8.6	68
471	Factor replicability and validity of the Temperament and Character Inventory in substance-dependent patients.. <i>Psychological Assessment</i> , 1999 , 11, 514-524	5.3	68
470	Genome-wide association study of therapeutic opioid dosing identifies a novel locus upstream of OPRM1. <i>Molecular Psychiatry</i> , 2017 , 22, 346-352	15.1	67
469	Mecamylamine Modifies the Pharmacokinetics and Reinforcing Effects of Alcohol. <i>Alcoholism: Clinical and Experimental Research</i> , 2002 , 26, 326-331	3.7	66
468	The validity of self-reported cocaine use in two groups of cocaine abusers.. <i>Journal of Consulting and Clinical Psychology</i> , 1999 , 67, 37-42	6.5	66
467	Population studies of polymorphisms at loci of neuropsychiatric interest (tryptophan hydroxylase (TPH), dopamine transporter protein (SLC6A3), D3 dopamine receptor (DRD3), apolipoprotein E (APOE), mu opioid receptor (OPRM1), and ciliary neurotrophic factor (CNTF)). <i>Genomics</i> , 1998 , 52, 289-97	4.3	65
466	Cross system agreement for substance use disorders: DSM-III-R, DSM-IV and ICD-10. <i>Addiction</i> , 1993 , 88, 337-48	4.6	64
465	Targeted versus daily naltrexone: secondary analysis of effects on average daily drinking. <i>Alcoholism: Clinical and Experimental Research</i> , 2006 , 30, 860-5	3.7	62
464	Validity of psychiatric diagnoses in patients with substance use disorders: is the interview more important than the interviewer?. <i>Comprehensive Psychiatry</i> , 1995 , 36, 278-88	7.3	62
463	Discovery of the first genome-wide significant risk loci for ADHD		62
462	Adverse effects of oral naltrexone: analysis of data from two clinical trials. <i>Psychopharmacology</i> , 2001 , 154, 397-402	4.7	61
461	Sertraline treatment for alcohol dependence: interactive effects of medication and alcoholic subtype. <i>Alcoholism: Clinical and Experimental Research</i> , 2000 , 24, 1041-9	3.7	61
460	Prevalence of DSM-IV and DSM-5 alcohol, cocaine, opioid, and cannabis use disorders in a largely substance dependent sample. <i>Drug and Alcohol Dependence</i> , 2013 , 127, 215-9	4.9	60
459	Carbamazepine treatment of cocaine dependence: a placebo-controlled trial. <i>Drug and Alcohol Dependence</i> , 1995 , 38, 203-11	4.9	60
458	Effects of opioid receptor gene variation on targeted nalmefene treatment in heavy drinkers. <i>Alcoholism: Clinical and Experimental Research</i> , 2008 , 32, 1159-66	3.7	59
457	Determination of fluoxetine and norfluoxetine by high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 1990 , 499, 601-8	4.5	59

456	Validity of the SCID in substance abuse patients. <i>Addiction</i> , 1996 , 91, 859-68	4.6	59
455	Targeted naltrexone treatment of early problem drinkers. <i>Addictive Behaviors</i> , 1997 , 22, 431-6	4.2	58
454	Axis I and Axis II disorders in alcoholics and drug addicts: fact or artifact?. <i>Journal of Studies on Alcohol and Drugs</i> , 2000 , 61, 101-10		57
453	Polygenic Scores for Major Depressive Disorder and Risk of Alcohol Dependence. <i>JAMA Psychiatry</i> , 2017 , 74, 1153-1160	14.5	56
452	Genome-wide association study of nicotine dependence in American populations: identification of novel risk loci in both African-Americans and European-Americans. <i>Biological Psychiatry</i> , 2015 , 77, 493-503 ⁹	7.9	56
451	Serotonin transporter 5-HTTLPR genotype moderates the effects of childhood adversity on posttraumatic stress disorder risk: a replication study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 644-52	3.5	56
450	Association study of the CNR1 gene exon 3 alternative promoter region polymorphisms and substance dependence. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006 , 141B, 499-503	3.5	56
449	Integrating GWASs and human protein interaction networks identifies a gene subnetwork underlying alcohol dependence. <i>American Journal of Human Genetics</i> , 2013 , 93, 1027-34	11	55
448	Rare nonsynonymous variants in alpha-4 nicotinic acetylcholine receptor gene protect against nicotine dependence. <i>Biological Psychiatry</i> , 2011 , 70, 528-36	7.9	55
447	Effects of naltrexone on smoking cessation outcomes and weight gain in nicotine-dependent men and women. <i>Journal of Clinical Psychopharmacology</i> , 2012 , 32, 630-6	1.7	55
446	Sweet taste preference as a risk factor for alcohol dependence. <i>American Journal of Psychiatry</i> , 2001 , 158, 813-5	11.9	55
445	Pharmacotherapy of Alcohol Use Disorders: Seventy-Five Years of Progress. <i>Journal of Studies on Alcohol and Drugs Supplement</i> , 2014 , 79-88	3.9	54
444	Measurement of admixture proportions and description of admixture structure in different U.S. populations. <i>Human Mutation</i> , 2009 , 30, 1299-309	4.7	54
443	Validity of the longitudinal, expert, all data procedure for psychiatric diagnosis in patients with psychoactive substance use disorders. <i>Drug and Alcohol Dependence</i> , 1997 , 45, 93-104	4.9	54
442	Using daily interactive voice response technology to measure drinking and related behaviors in a pharmacotherapy study. <i>Alcoholism: Clinical and Experimental Research</i> , 2004 , 28, 1060-4	3.7	54
441	Association Study of Alcoholism Subtypes with a Functional Promoter Polymorphism in the Serotonin Transporter Protein Gene. <i>Alcoholism: Clinical and Experimental Research</i> , 2002 , 26, 1330-1335 ³⁻⁷	3.7	54
440	Pharmacogenetics of alcohol and alcohol dependence treatment. <i>Current Pharmaceutical Design</i> , 2010 , 16, 2141-8	3.3	53
439	Dual diagnosis: alcoholism and co-morbid psychiatric disorders. <i>American Journal on Addictions</i> , 2003 , 12, s26-s40	3.7	53

438	Drinking Risk Level Reductions Associated with Improvements in Physical Health and Quality of Life Among Individuals with Alcohol Use Disorder. <i>Alcoholism: Clinical and Experimental Research</i> , 2018 , 42, 2453-2465	3.7	53
437	Genome-wide association study across European and African American ancestries identifies a SNP in DNMT3B contributing to nicotine dependence. <i>Molecular Psychiatry</i> , 2018 , 23, 1911-1919	15.1	52
436	Association of markers in the 3' region of the GluR5 kainate receptor subunit gene to alcohol dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2009 , 33, 925-30	3.7	52
435	Targeted naltrexone for problem drinkers. <i>Journal of Clinical Psychopharmacology</i> , 2009 , 29, 350-7	1.7	52
434	No association between D2 dopamine receptor (DRD2) alleles or haplotypes and cocaine dependence or severity of cocaine dependence in European- and African-Americans. <i>Biological Psychiatry</i> , 1999 , 45, 340-5	7.9	52
433	Evaluation of Drinking Risk Levels as Outcomes in Alcohol Pharmacotherapy Trials: A Secondary Analysis of 3 Randomized Clinical Trials. <i>JAMA Psychiatry</i> , 2019 , 76, 374-381	14.5	51
432	Reduction of alcohol drinking in young adults by naltrexone: a double-blind, placebo-controlled, randomized clinical trial of efficacy and safety. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, e207-13	4.6	51
431	Association of psychiatric and substance use disorder comorbidity with cocaine dependence severity and treatment utilization in cocaine-dependent individuals. <i>Drug and Alcohol Dependence</i> , 2009 , 99, 193-203	4.9	51
430	Genetic Relationship between Schizophrenia and Nicotine Dependence. <i>Scientific Reports</i> , 2016 , 6, 25671	4.9	50
429	World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for Biological Treatment of Substance Use and Related Disorders, Part 1: Alcoholism. <i>World Journal of Biological Psychiatry</i> , 2008 , 9, 6-23	3.8	50
428	Population-specific effects of the Asn40Asp polymorphism at the mu-opioid receptor gene (OPRM1) on HPA-axis activation. <i>Pharmacogenetics and Genomics</i> , 2007 , 17, 1031-8	1.9	50
427	Rating the severity and character of transient cocaine-induced delusions and hallucinations with a new instrument, the Scale for Assessment of Positive Symptoms for Cocaine-Induced Psychosis (SAPS-CIP). <i>Drug and Alcohol Dependence</i> , 2005 , 80, 23-33	4.9	50
426	Personalized treatment of alcohol dependence. <i>Current Psychiatry Reports</i> , 2012 , 14, 486-93	9.1	49
425	A CRHR1 haplotype moderates the effect of adverse childhood experiences on lifetime risk of major depressive episode in African-American women. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 960-8	3.5	49
424	Bromocriptine and cocaine cue reactivity in cocaine-dependent patients. <i>Addiction</i> , 1992 , 87, 1537-48	4.6	49
423	Genetic associations with suicide attempt severity and genetic overlap with major depression. <i>Translational Psychiatry</i> , 2019 , 9, 22	8.6	48
422	Targeted naltrexone for early problem drinkers. <i>Journal of Clinical Psychopharmacology</i> , 2003 , 23, 294-304	4.7	48
421	Social drinking as a health and psychosocial risk factor. Anstie's limit revisited. <i>Recent Developments in Alcoholism: an Official Publication of the American Medical Society on Alcoholism, and the Research Society on Alcoholism, and the National Council on Alcoholism</i> , 1987 , 5, 373-402		48

420	Genetic Risk Variants Associated With Comorbid Alcohol Dependence and Major Depression. <i>JAMA Psychiatry</i> , 2017 , 74, 1234-1241	14.5	47
419	DRD2 allele frequencies and linkage disequilibria, including the -141CIns/Del promoter polymorphism, in European-American, African-American, and Japanese subjects. <i>Genomics</i> , 1998 , 51, 21-6	4.3	47
418	Association of OPRM1 Functional Coding Variant With Opioid Use Disorder: A Genome-Wide Association Study. <i>JAMA Psychiatry</i> , 2020 , 77, 1072-1080	14.5	46
417	Genomewide Association Study for Maximum Number of Alcoholic Drinks in European Americans and African Americans. <i>Alcoholism: Clinical and Experimental Research</i> , 2015 , 39, 1137-47	3.7	46
416	Recommendations for the Design and Analysis of Treatment Trials for Alcohol Use Disorders. <i>Alcoholism: Clinical and Experimental Research</i> , 2015 , 39, 1557-70	3.7	46
415	Topiramate for smoking cessation: a randomized, placebo-controlled pilot study. <i>Nicotine and Tobacco Research</i> , 2014 , 16, 288-96	4.9	46
414	Hypermethylation of OPRM1 promoter region in European Americans with alcohol dependence. <i>Journal of Human Genetics</i> , 2012 , 57, 670-5	4.3	46
413	Anxiety and depression in substance abuse: clinical implications. <i>Medical Clinics of North America</i> , 1988 , 72, 867-85	7	46
412	Personality disorder and dimension differences between type A and type B substance abusers. <i>Journal of Personality Disorders</i> , 1998 , 12, 1-12	2.6	45
411	Genetic risk prediction and neurobiological understanding of alcoholism. <i>Translational Psychiatry</i> , 2014 , 4, e391	8.6	44
410	No association between ADCYAP1R1 and post-traumatic stress disorder in two independent samples. <i>Molecular Psychiatry</i> , 2012 , 17, 239-41	15.1	44
409	Persistence with oral naltrexone for alcohol treatment: implications for health-care utilization. <i>Addiction</i> , 2008 , 103, 1801-8	4.6	44
408	Association study of cannabinoid receptor gene (CNR1) alleles and drug dependence. <i>Molecular Psychiatry</i> , 2001 , 6, 501-2	15.1	44
407	Pharmacotherapy of alcohol use disorders: seventy-five years of progress. <i>Journal of Studies on Alcohol and Drugs Supplement</i> , 2014 , 75 Suppl 17, 79-88	3.9	44
406	The pharmacogenetics of alcohol use disorder. <i>Alcoholism: Clinical and Experimental Research</i> , 2015 , 39, 391-402	3.7	43
405	Intronic variants in the dopa decarboxylase (DDC) gene are associated with smoking behavior in European-Americans and African-Americans. <i>Human Molecular Genetics</i> , 2006 , 15, 2192-9	5.6	43
404	Co-occurrence of Axis I and Axis II disorders in substance abusers. <i>Acta Psychiatrica Scandinavica</i> , 2000 , 101, 110-8	6.5	43
403	A large-scale genome-wide association study meta-analysis of cannabis use disorder. <i>Lancet Psychiatry</i> , 2020 , 7, 1032-1045	23.3	43

402	Interaction between two independent CNR1 variants increases risk for cocaine dependence in European Americans: a replication study in family-based sample and population-based sample. <i>Neuropsychopharmacology</i> , 2009 , 34, 1504-13	8.7	42
401	Subjective effects and changes in steroid hormone concentrations in humans following acute consumption of alcohol. <i>Psychopharmacology</i> , 2006 , 186, 451-61	4.7	42
400	Electroencephalographic activity and mood in cocaine-dependent outpatients: effects of cocaine cue exposure. <i>Biological Psychiatry</i> , 1994 , 36, 189-97	7.9	42
399	Genome-wide Association Study Identifies a Regulatory Variant of RGMA Associated With Opioid Dependence in European Americans. <i>Biological Psychiatry</i> , 2018 , 84, 762-770	7.9	41
398	Variation in OPRM1 moderates the effect of desire to drink on subsequent drinking and its attenuation by naltrexone treatment. <i>Addiction Biology</i> , 2013 , 18, 193-201	4.6	41
397	5-HTTLPR as a potential moderator of the effects of adverse childhood experiences on risk of antisocial personality disorder. <i>Psychiatric Genetics</i> , 2011 , 21, 240-8	2.9	41
396	Comorbid psychiatric diagnoses and their association with cocaine-induced psychosis in cocaine-dependent subjects. <i>American Journal on Addictions</i> , 2007 , 16, 343-51	3.7	41
395	Polymorphism of the 5-HT1B receptor gene (HTR1B): strong within-locus linkage disequilibrium without association to antisocial substance dependence. <i>Neuropsychopharmacology</i> , 2002 , 26, 115-22	8.7	41
394	Effects of nicotine deprivation on urges to drink and smoke in alcoholic smokers. <i>Addiction</i> , 2003 , 98, 913-21	4.6	41
393	Barriers to the Use of Medications to Treat Alcoholism. <i>American Journal on Addictions</i> , 2003 , 12, 281-294	3.7	41
392	Barriers to the Use of Medications to Treat Alcoholism. <i>American Journal on Addictions</i> , 2003 , 12, 281-294	3.7	41
391	Drinking to cope: a comparison of questionnaire and electronic diary reports. <i>Journal of Studies on Alcohol and Drugs</i> , 2005 , 66, 121-9		41
390	Problems associated with average alcohol consumption and frequency of intoxication in a medical population. <i>Alcoholism: Clinical and Experimental Research</i> , 1990 , 14, 119-26	3.7	41
389	Rate of progression from first use to dependence on cocaine or opioids: a cross-substance examination of associated demographic, psychiatric, and childhood risk factors. <i>Addictive Behaviors</i> , 2014 , 39, 473-9	4.2	40
388	Risks of alcohol use disorders related to drinking patterns in the U.S. general population. <i>Journal of Studies on Alcohol and Drugs</i> , 2014 , 75, 319-27	1.9	40
387	Effects of naltrexone on cue-elicited craving for alcohol and cocaine. <i>Drug and Alcohol Dependence</i> , 1997 , 49, 9-16	4.9	40
386	Association of Alcohol or Other Drug Dependence with Alleles of the Opioid Receptor Gene (OPRM1). <i>Alcoholism: Clinical and Experimental Research</i> , 1998 , 22, 1359-1362	3.7	40
385	Validity of the Obsessive Compulsive Drinking Scale (OCDS): Does Craving Predict Drinking Behavior?. <i>Alcoholism: Clinical and Experimental Research</i> , 1999 , 23, 108-114	3.7	40

- 384 GABRA2 markers moderate the subjective effects of alcohol. *Addiction Biology*, **2013**, 18, 357-69 4.6 39
- 383 Methods to analyze treatment effects in the presence of missing data for a continuous heavy drinking outcome measure when participants drop out from treatment in alcohol clinical trials. *Alcoholism: Clinical and Experimental Research*, **2014**, 38, 2826-34 3.7 39
- 382 Linkage analysis followed by association show NRG1 associated with cannabis dependence in African Americans. *Biological Psychiatry*, **2012**, 72, 637-44 7.9 39
- 381 Guidelines for biological treatment of substance use and related disorders, part 1: Alcoholism, first revision. *World Journal of Biological Psychiatry*, **2017**, 18, 86-119 3.8 38
- 380 Effect of extended-release naltrexone (XR-NTX) on quality of life in alcohol-dependent patients. *Alcoholism: Clinical and Experimental Research*, **2009**, 33, 350-6 3.7 38
- 379 Variation at APOE and STH loci and Alzheimer's disease. *Behavioral and Brain Functions*, **2006**, 2, 13 4.1 38
- 378 Personality disorders and associated features in cocaine-dependent inpatients. *Comprehensive Psychiatry*, **1994**, 35, 335-40 7.3 38
- 377 Genome-wide Association Study of Maximum Habitual Alcohol Intake in >140,000 U.S. European and African American Veterans Yields Novel Risk Loci. *Biological Psychiatry*, **2019**, 86, 365-376 7.9 37
- 376 Childhood adversity increases risk for nicotine dependence and interacts with α 5 nicotinic acetylcholine receptor genotype specifically in males. *Neuropsychopharmacology*, **2012**, 37, 669-76 8.7 37
- 375 Multiple ADH genes modulate risk for drug dependence in both African- and European-Americans. *Human Molecular Genetics*, **2007**, 16, 380-90 5.6 37
- 374 Pharmacotherapies to enhance smoking cessation during pregnancy. *Drug and Alcohol Review*, **2003**, 22, 191-202 3.2 37
- 373 Use of buspirone in an adolescent with overanxious disorder. *Journal of the American Academy of Child and Adolescent Psychiatry*, **1988**, 27, 789-90 7.2 37
- 372 Prevention, screening, and treatment for heavy drinking and alcohol use disorder. *Lancet Psychiatry*, **2019**, 6, 1054-1067 23.3 36
- 371 Profiling of childhood adversity-associated DNA methylation changes in alcoholic patients and healthy controls. *PLoS ONE*, **2013**, 8, e65648 3.7 36
- 370 Neuropsychologic findings in cocaine-dependent outpatients. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, **1998**, 22, 1061-76 5.5 36
- 369 Risk factors for cocaine-induced paranoia in cocaine-dependent sibling pairs. *Drug and Alcohol Dependence*, **2006**, 84, 77-84 4.9 36
- 368 Adrenocorticotropin and cortisol responses to a naloxone challenge and risk of alcoholism. *Biological Psychiatry*, **2002**, 51, 652-8 7.9 36
- 367 Generalizability of the type A/type B distinction across different psychoactive substances. *American Journal of Drug and Alcohol Abuse*, **1996**, 22, 449-62 3.7 36

366	A meta-analysis of the efficacy of gabapentin for treating alcohol use disorder. <i>Addiction</i> , 2019 , 114, 1547-1555	4.6	35
365	A randomized clinical trial of naltrexone and behavioral therapy for problem drinking men who have sex with men. <i>Journal of Consulting and Clinical Psychology</i> , 2012 , 80, 863-75	6.5	35
364	Association of a long-chain fatty acid-CoA ligase 4 gene polymorphism with depression and with enhanced niacin-induced dermal erythema. <i>American Journal of Medical Genetics Part A</i> , 2004 , 127B, 42-7		35
363	Alleles of a functional serotonin transporter promoter polymorphism are associated with major depression in alcoholics. <i>Alcoholism: Clinical and Experimental Research</i> , 2003 , 27, 1402-8	3.7	35
362	Targeted naltrexone treatment moderates the relations between mood and drinking behavior among problem drinkers. <i>Journal of Consulting and Clinical Psychology</i> , 2004 , 72, 317-27	6.5	35
361	The type A/type B distinction. Subtyping alcoholics according to indicators of vulnerability and severity. <i>Annals of the New York Academy of Sciences</i> , 1994 , 708, 23-33	6.5	35
360	Insomnia in alcohol dependent subjects is associated with greater psychosocial problem severity. <i>Addictive Behaviors</i> , 2015 , 50, 165-72	4.2	34
359	GABRG1 and GABRA2 variation associated with alcohol dependence in African Americans. <i>Alcoholism: Clinical and Experimental Research</i> , 2012 , 36, 588-93	3.7	34
358	Oxytocin receptor gene polymorphisms, attachment, and PTSD: Results from the National Health and Resilience in Veterans Study. <i>Journal of Psychiatric Research</i> , 2017 , 94, 139-147	5.2	34
357	Placebo-controlled trial of zonisamide for the treatment of alcohol dependence. <i>Journal of Clinical Psychopharmacology</i> , 2010 , 30, 318-22	1.7	34
356	Typologies of drug dependence: comparative validity of a multivariate and four univariate models. <i>Drug and Alcohol Dependence</i> , 2004 , 73, 289-300	4.9	33
355	Family-based study of DRD2 alleles in alcohol and drug dependence. <i>American Journal of Medical Genetics Part A</i> , 2000 , 96, 659-64		33
354	Personality and substance use disorders as predictors of criminality. <i>Comprehensive Psychiatry</i> , 2000 , 41, 276-83	7.3	33
353	Reduction in Nonabstinent WHO Drinking Risk Levels and Change in Risk for Liver Disease and Positive AUDIT-C Scores: Prospective 3-Year Follow-Up Results in the U.S. General Population. <i>Alcoholism: Clinical and Experimental Research</i> , 2018 , 42, 2256-2265	3.7	33
352	Mecamylamine modifies the pharmacokinetics and reinforcing effects of alcohol. <i>Alcoholism: Clinical and Experimental Research</i> , 2002 , 26, 326-31	3.7	33
351	A genome-wide gene-by-trauma interaction study of alcohol misuse in two independent cohorts identifies PRKG1 as a risk locus. <i>Molecular Psychiatry</i> , 2018 , 23, 154-160	15.1	32
350	Pilot study of iPSC-derived neural cells to examine biologic effects of alcohol on human neurons in vitro. <i>Alcoholism: Clinical and Experimental Research</i> , 2012 , 36, 1678-87	3.7	32
349	Improved methods to identify stable, highly heritable subtypes of opioid use and related behaviors. <i>Addictive Behaviors</i> , 2012 , 37, 1138-44	4.2	32

348	Variation in genes encoding the neuroactive steroid synthetic enzymes 5 β -reductase type 1 and 3 β -reductase type 2 is associated with alcohol dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2011 , 35, 946-52	3.7	32
347	Functional polymorphisms in the serotonin 1B receptor gene (HTR1B) predict self-reported anger and hostility among young men. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 67-78	3.5	32
346	Dense genomewide linkage scan for alcohol dependence in African Americans: significant linkage on chromosome 10. <i>Biological Psychiatry</i> , 2009 , 65, 111-5	7.9	32
345	What do we know about the role of pharmacotherapy for smoking cessation before or during pregnancy?. <i>Nicotine and Tobacco Research</i> , 2009 , 11, 1265-73	4.9	32
344	DSM-5 gambling disorder: prevalence and characteristics in a substance use disorder sample. <i>Experimental and Clinical Psychopharmacology</i> , 2014 , 22, 50-6	3.2	31
343	Variant detection at the delta opioid receptor (OPRD1) locus and population genetics of a novel variant affecting protein sequence. <i>Human Genetics</i> , 2000 , 107, 86-8	6.3	31
342	Elevated rates of early discontinuation from pharmacotherapy trials in alcoholics and drug abusers. <i>Alcoholism: Clinical and Experimental Research</i> , 1996 , 20, 16-20	3.7	31
341	Sustained-release naltrexone for alcoholism treatment: a preliminary study. <i>Alcoholism: Clinical and Experimental Research</i> , 1998 , 22, 1074-9	3.7	31
340	Genomewide Association Study of Alcohol Dependence Identifies Risk Loci Altering Ethanol-Response Behaviors in Model Organisms. <i>Alcoholism: Clinical and Experimental Research</i> , 2017 , 41, 911-928	3.7	30
339	Genome-wide association study of copy number variations (CNVs) with opioid dependence. <i>Neuropsychopharmacology</i> , 2015 , 40, 1016-26	8.7	30
338	Leveraging genome-wide data to investigate differences between opioid use vs. opioid dependence in 41,176 individuals from the Psychiatric Genomics Consortium. <i>Molecular Psychiatry</i> , 2020 , 25, 1673-1687	15.1	30
337	Identification of methylation quantitative trait loci (mQTLs) influencing promoter DNA methylation of alcohol dependence risk genes. <i>Human Genetics</i> , 2014 , 133, 1093-104	6.3	30
336	A GABRA2 variant is associated with increased stimulation and 'high' following alcohol administration. <i>Alcohol and Alcoholism</i> , 2014 , 49, 1-9	3.5	30
335	Transdermal nicotine for smoking cessation in postmenopausal women. <i>Addictive Behaviors</i> , 2007 , 32, 296-309	4.2	30
334	The contribution of genetics to addiction therapy approaches 2005 , 108, 86-93		30
333	The effect of cigarette smoking on fetal heart rate characteristics. <i>Obstetrics and Gynecology</i> , 2002 , 99, 751-5	4.9	30
332	Evaluation of a point-of-care testing product for drugs of abuse; testing site is a key variable. <i>Drug and Alcohol Dependence</i> , 1995 , 40, 55-62	4.9	30
331	Serum prolactin level, craving, and early discharge from treatment in cocaine-dependent patients. <i>American Journal of Drug and Alcohol Abuse</i> , 1992 , 18, 187-95	3.7	30

330	Reduction in non-abstinent WHO drinking risk levels and depression/anxiety disorders: 3-year follow-up results in the US general population. <i>Drug and Alcohol Dependence</i> , 2019 , 197, 228-235	4.9	29
329	The 5-HTTLPR polymorphism moderates the effect of stressful life events on drinking behavior in college students of African descent. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 484-90	3.5	29
328	Varenicline and neuronal nicotinic acetylcholine receptors: a new approach to the treatment of co-occurring alcohol and nicotine addiction?. <i>American Journal on Addictions</i> , 2013 , 22, 453-9	3.7	29
327	Nefazodone treatment of comorbid alcohol dependence and major depression. <i>Alcoholism: Clinical and Experimental Research</i> , 2004 , 28, 433-40	3.7	29
326	Association study of personality factors and the Asn40Asp polymorphism at the mu-opioid receptor gene (OPRM1). <i>Psychiatric Genetics</i> , 2004 , 14, 89-92	2.9	29
325	Longitudinal, expert, all data procedure for psychiatric diagnosis in patients with psychoactive substance use disorders. <i>Journal of Nervous and Mental Disease</i> , 1994 , 182, 277-83	1.8	29
324	Maintenance of World Health Organization Risk Drinking Level Reductions and Posttreatment Functioning Following a Large Alcohol Use Disorder Clinical Trial. <i>Alcoholism: Clinical and Experimental Research</i> , 2019 , 43, 979-987	3.7	28
323	The Interplay Between Risky Sexual Behaviors and Alcohol Dependence: Genome-Wide Association and Neuroimaging Support for LHPP as a Risk Gene. <i>Neuropsychopharmacology</i> , 2017 , 42, 598-605	8.7	28
322	Dental pathology and alcohol-related indicators in an outpatient clinic sample. <i>Community Dentistry and Oral Epidemiology</i> , 1990 , 18, 204-7	2.8	28
321	Genome-wide association study identifies a novel locus for cannabis dependence. <i>Molecular Psychiatry</i> , 2018 , 23, 1293-1302	15.1	28
320	GABRA2 Alcohol Dependence Risk Allele is Associated with Reduced Expression of Chromosome 4p12 GABAA Subunit Genes in Human Neural Cultures. <i>Alcoholism: Clinical and Experimental Research</i> , 2015 , 39, 1654-64	3.7	27
319	Pro-opiomelanocortin gene variation related to alcohol or drug dependence: evidence and replications across family- and population-based studies. <i>Biological Psychiatry</i> , 2009 , 66, 128-36	7.9	27
318	Effects of aripiprazole on subjective and physiological responses to alcohol. <i>Alcoholism: Clinical and Experimental Research</i> , 2008 , 32, 573-9	3.7	27
317	The validity of cocaine dependence subtypes. <i>Addictive Behaviors</i> , 2008 , 33, 41-53	4.2	27
316	. <i>Journal of Clinical Psychopharmacology</i> , 2003 , 23, 294-304	1.7	27
315	Treatment of inhalant-induced psychotic disorder with carbamazepine versus haloperidol. <i>Psychiatric Services</i> , 1998 , 49, 812-5	3.3	27
314	A functional serotonin transporter gene polymorphism and depressive effects associated with interferon-alpha treatment. <i>Psychosomatics</i> , 2010 , 51, 137-48	2.6	27
313	Validity of the Obsessive Compulsive Drinking Scale (OCDS): does craving predict drinking behavior?. <i>Alcoholism: Clinical and Experimental Research</i> , 1999 , 23, 108-14	3.7	27

312	Genetic Vulnerability to Menthol Cigarette Preference in Women. <i>Nicotine and Tobacco Research</i> , 2015 , 17, 1416-20	4.9	26
311	GRIK1 genotype moderates topiramate's effects on daily drinking level, expectations of alcohol's positive effects and desire to drink. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 17, 1549-56	5.8	26
310	NOTCH4 gene haplotype is associated with schizophrenia in African Americans. <i>Biological Psychiatry</i> , 2004 , 55, 112-7	7.9	26
309	Carbamazepine and cocaine-cue reactivity. <i>Drug and Alcohol Dependence</i> , 1995 , 39, 213-21	4.9	26
308	Precision medicine and pharmacogenetics: what does oncology have that addiction medicine does not?. <i>Addiction</i> , 2017 , 112, 2086-2094	4.6	25
307	Expanding the genetic architecture of nicotine dependence and its shared genetics with multiple traits. <i>Nature Communications</i> , 2020 , 11, 5562	17.4	25
306	Dutasteride reduces alcohol's sedative effects in men in a human laboratory setting and reduces drinking in the natural environment. <i>Psychopharmacology</i> , 2014 , 231, 3609-18	4.7	25
305	Human clock, PER1 and PER2 polymorphisms: lack of association with cocaine dependence susceptibility and cocaine-induced paranoia. <i>Psychiatric Genetics</i> , 2006 , 16, 245-9	2.9	25
304	Pharmacologic treatments for drug and alcohol dependence. <i>Psychiatric Clinics of North America</i> , 1999 , 22, 401-23	3.1	25
303	No association between D3 dopamine receptor (DRD3) alleles and cocaine dependence. <i>Addiction Biology</i> , 1996 , 1, 281-7	4.6	25
302	Connecting the dots, genome-wide association studies in substance use. <i>Molecular Psychiatry</i> , 2016 , 21, 733-5	15.1	24
301	Association of CHRNA4 polymorphisms with smoking behavior in two populations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 421-9	3.5	24
300	Association between polymorphisms in catechol-O-methyltransferase (COMT) and cocaine-induced paranoia in European-American and African-American populations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 651-60	3.5	24
299	Cognitive flexibility is associated with KIBRA variant and modulated by recent tobacco use. <i>Neuropsychopharmacology</i> , 2009 , 34, 2508-16	8.7	24
298	A genomewide linkage scan of cocaine dependence and major depressive episode in two populations. <i>Neuropsychopharmacology</i> , 2011 , 36, 2422-30	8.7	24
297	Phenome-Wide Association Study for Alcohol and Nicotine Risk Alleles in 26394 Women. <i>Neuropsychopharmacology</i> , 2016 , 41, 2688-96	8.7	24
296	World Health Organization risk drinking level reductions are associated with improved functioning and are sustained among patients with mild, moderate and severe alcohol dependence in clinical trials in the United States and United Kingdom. <i>Addiction</i> , 2020 , 115, 1668-1680	4.6	23
295	A putative causal relationship between genetically determined female body shape and posttraumatic stress disorder. <i>Genome Medicine</i> , 2017 , 9, 99	14.4	23

294	Post-treatment outcomes in a double-blind, randomized trial of sertraline for alcohol dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2012 , 36, 739-44	3.7	23
293	Guidelines for the Reporting of Treatment Trials for Alcohol Use Disorders. <i>Alcoholism: Clinical and Experimental Research</i> , 2015 , 39, 1571-81	3.7	23
292	Methamphetamine and paranoia: the methamphetamine experience questionnaire. <i>American Journal on Addictions</i> , 2010 , 19, 155-68	3.7	23
291	Functional impact of a single-nucleotide polymorphism in the OPRD1 promoter region. <i>Journal of Human Genetics</i> , 2010 , 55, 278-84	4.3	23
290	M(3): an improved SNP calling algorithm for Illumina BeadArray data. <i>Bioinformatics</i> , 2012 , 28, 358-65	7.2	23
289	The Alcohol Clinical Trials Initiative (ACTIVE): purpose and goals for assessing important and salient issues for medications development in alcohol use disorders. <i>Neuropsychopharmacology</i> , 2012 , 37, 402-11	8.7	23
288	Characterization of a likelihood based method and effects of markers informativeness in evaluation of admixture and population group assignment. <i>BMC Genetics</i> , 2005 , 6, 50	2.6	23
287	Naltrexone and Brief Counseling to Reduce Heavy Drinking. <i>American Journal on Addictions</i> , 1994 , 3, 91-99	3.7	23
286	Validity of the Distinction Between Substance-Induced and Independent Depression and Anxiety Disorders. <i>American Journal on Addictions</i> , 1995 , 4, 107-117	3.7	23
285	Advancing Precision Medicine for Alcohol Use Disorder: Replication and Extension of Reward Drinking as a Predictor of Naltrexone Response. <i>Alcoholism: Clinical and Experimental Research</i> , 2019 , 43, 2395-2405	3.7	22
284	Variation in the gene encoding the serotonin transporter is associated with a measure of sociopathy in alcoholics. <i>Addiction Biology</i> , 2011 , 16, 124-32	4.6	22
283	Variation in the nicotinic acetylcholine receptor gene cluster CHRNA5-CHRNA3-CHRNA4 and its interaction with recent tobacco use influence cognitive flexibility. <i>Neuropsychopharmacology</i> , 2010 , 35, 2211-24	8.7	22
282	Personality traits of agreeableness and extraversion are associated with ADH4 variation. <i>Biological Psychiatry</i> , 2007 , 61, 599-608	7.9	22
281	Demographic changes and marker properties affect detection of human population differentiation. <i>BMC Genetics</i> , 2007 , 8, 21	2.6	22
280	Multiple OPR genes influence personality traits in substance dependent and healthy subjects in two American populations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1028-39	3.5	22
279	Does effect size in naltrexone trials for alcohol dependence differ for single-site vs. multi-center studies?. <i>Alcoholism: Clinical and Experimental Research</i> , 2005 , 29, 983-8	3.7	22
278	Association of alcohol or other drug dependence with alleles of the mu opioid receptor gene (OPRM1). <i>Alcoholism: Clinical and Experimental Research</i> , 1998 , 22, 1359-62	3.7	22
277	The effects of a MAP2K5 microRNA target site SNP on risk for anxiety and depressive disorders. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014 , 165B, 175-83	3.5	21

276	Comparing the utility of homogeneous subtypes of cocaine use and related behaviors with DSM-IV cocaine dependence as traits for genetic association analysis. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014 , 165B, 148-56	3.5	21
275	The joint effects of ADH1B variants and childhood adversity on alcohol related phenotypes in African-American and European-American women and men. <i>Alcoholism: Clinical and Experimental Research</i> , 2014 , 38, 2907-14	3.7	21
274	Mutation screen of the GAD2 gene and association study of alcoholism in three populations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007 , 144B, 183-92	3.5	21
273	Substance dependence low-density whole genome association study in two distinct American populations. <i>Human Genetics</i> , 2008 , 123, 495-506	6.3	21
272	Quantitative real-time PCR for gene dosage determinations in microdeletion genotypes. <i>BioTechniques</i> , 2003 , 35, 594-6, 598	2.5	21
271	Bupirone treatment of anxiety in a patient dependent on alprazolam. <i>Journal of Clinical Psychopharmacology</i> , 1989 , 9, 153	1.7	21
270	Genetics of drug dependence. <i>Dialogues in Clinical Neuroscience</i> , 2010 , 12, 77-84	5.7	21
269	Concurrent and predictive validity of antisocial personality disorder subtyping among substance abusers. <i>Journal of Nervous and Mental Disease</i> , 1999 , 187, 478-86	1.8	21
268	Missing Data in Alcohol Clinical Trials with Binary Outcomes. <i>Alcoholism: Clinical and Experimental Research</i> , 2016 , 40, 1548-57	3.7	21
267	Polygenic risk for alcohol dependence associates with alcohol consumption, cognitive function and social deprivation in a population-based cohort. <i>Addiction Biology</i> , 2016 , 21, 469-80	4.6	21
266	Inter-observer reliability of DSM-5 substance use disorders. <i>Drug and Alcohol Dependence</i> , 2015 , 153, 229-35	4.9	20
265	Genomic influences on self-reported childhood maltreatment. <i>Translational Psychiatry</i> , 2020 , 10, 38	8.6	20
264	Multi-view singular value decomposition for disease subtyping and genetic associations. <i>BMC Genetics</i> , 2014 , 15, 73	2.6	20
263	Circadian clock period inversely correlates with illness severity in cells from patients with alcohol use disorders. <i>Alcoholism: Clinical and Experimental Research</i> , 2013 , 37, 1304-10	3.7	20
262	Deep resequencing of 17 glutamate system genes identifies rare variants in DISC1 and GRIN2B affecting risk of opioid dependence. <i>Addiction Biology</i> , 2014 , 19, 955-64	4.6	20
261	A serotonin transporter gene polymorphism (5-HTTLPR), drinking-to-cope motivation, and negative life events among college students. <i>Journal of Studies on Alcohol and Drugs</i> , 2008 , 69, 814-23	1.9	20
260	CHRM2 variation predisposes to personality traits of agreeableness and conscientiousness. <i>Human Molecular Genetics</i> , 2007 , 16, 1557-68	5.6	20
259	Confirmation and fine mapping of the chromosome 1 alcohol dependence risk locus. <i>Molecular Psychiatry</i> , 2004 , 9, 312-9	15.1	20

258	Measurement and prediction of medication compliance in problem drinkers. <i>Alcoholism: Clinical and Experimental Research</i> , 2003 , 27, 1286-92	3.7	20
257	Adverse effects limit the usefulness of fluvoxamine for the treatment of alcoholism. <i>Journal of Substance Abuse Treatment</i> , 1993 , 10, 283-7	4.2	20
256	Headaches and psychoactive substance use. <i>Headache</i> , 1991 , 31, 584-7	4.2	20
255	Pharmacotherapy of Alcohol Use Disorders: Seventy-Five Years of Progress. <i>Journal of Studies on Alcohol and Drugs Supplement</i> , 2014 , 75, 79-88	3.9	20
254	Comparison of alcoholism subtypes as moderators of the response to sertraline treatment. <i>Alcoholism: Clinical and Experimental Research</i> , 2012 , 36, 509-16	3.7	19
253	Insomnia in alcohol dependence: predictors of symptoms in a sample of veterans referred from primary care. <i>American Journal on Addictions</i> , 2013 , 22, 266-70	3.7	19
252	Empirically derived subtypes of opioid use and related behaviors. <i>Addiction</i> , 2011 , 106, 1146-54	4.6	19
251	Adolescent cannabis use increases risk for cocaine-induced paranoia. <i>Drug and Alcohol Dependence</i> , 2010 , 107, 196-201	4.9	19
250	Effects of nicotine patch or nasal spray on nicotine and cotinine concentrations in pregnant smokers. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 751-8	2	19
249	PROP taster status and parental history of alcohol dependence. <i>Drug and Alcohol Dependence</i> , 1998 , 52, 109-13	4.9	19
248	Effects of rapid tryptophan depletion on mood and urge to drink in patients with co-morbid major depression and alcohol dependence. <i>Psychopharmacology</i> , 2004 , 171, 340-8	4.7	19
247	Screening for health behaviors in ambulatory clinical settings: does smoking status predict hazardous drinking?. <i>Addictive Behaviors</i> , 2002 , 27, 737-49	4.2	19
246	Genome-wide association study of body mass index in subjects with alcohol dependence. <i>Addiction Biology</i> , 2017 , 22, 535-549	4.6	18
245	Temporal Stability of Heavy Drinking Days and Drinking Reductions Among Heavy Drinkers in the COMBINE Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2017 , 41, 1054-1062	3.7	18
244	Self-efficacy mediates the effects of topiramate and GRIK1 genotype on drinking. <i>Addiction Biology</i> , 2016 , 21, 450-9	4.6	18
243	Inter-rater reliability and concurrent validity of DSM-IV opioid dependence in a Hmong isolate using the Thai version of the Semi-Structured Assessment for Drug Dependence and Alcoholism (SSADDA). <i>Addictive Behaviors</i> , 2011 , 36, 156-60	4.2	18
242	Association of variants in MANEA with cocaine-related behaviors. <i>Archives of General Psychiatry</i> , 2009 , 66, 267-74		18
241	Stage of Change as a Predictor of Abstinence Among Alcohol-Dependent Subjects in Pharmacotherapy Trials. <i>Substance Abuse</i> , 1998 , 19, 81-91	3.8	18

240	Tryptophan hydroxylase 2 gene and alcohol use among college students. <i>Addiction Biology</i> , 2008 , 13, 440-8	4.6	18
239	An in-frame deletion in the alpha(2C) adrenergic receptor is common in African-Americans. <i>Molecular Psychiatry</i> , 2001 , 6, 168-72	15.1	18
238	Rates of personality disorders in substance abusers: a comparison between DSM-III-R and DSM-IV. <i>Journal of Personality Disorders</i> , 1999 , 13, 375-84	2.6	18
237	No association of PROP taster status and paternal history of alcohol dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 1996 , 20, 1496-500	3.7	18
236	Transient cocaine-associated behavioral symptoms rated with a new instrument, the scale for assessment of positive symptoms for cocaine-induced psychosis (SAPS-CIP). <i>American Journal on Addictions</i> , 2009 , 18, 339-45	3.7	18
235	FKBP5 genotype interacts with early life trauma to predict heavy drinking in college students. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016 , 171, 879-87	3.5	18
234	Association study of alcoholism subtypes with a functional promoter polymorphism in the serotonin transporter protein gene. <i>Alcoholism: Clinical and Experimental Research</i> , 2002 , 26, 1330-5	3.7	18
233	Pharmacogenetics of alcohol use disorder treatments: an update. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2019 , 15, 553-564	5.5	17
232	Posttreatment effects of topiramate treatment for heavy drinking. <i>Alcoholism: Clinical and Experimental Research</i> , 2014 , 38, 3017-23	3.7	17
231	5-HTTLPR genotype and daily negative mood moderate the effects of sertraline on drinking intensity. <i>Addiction Biology</i> , 2013 , 18, 1024-31	4.6	17
230	Interpopulation linkage disequilibrium patterns of GABRA2 and GABRG1 genes at the GABA cluster locus on human chromosome 4. <i>Genomics</i> , 2008 , 91, 61-9	4.3	17
229	ADH7 variation modulates extraversion and conscientiousness in substance-dependent subjects. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 179-86	3.5	17
228	Reduction in non-abstinent World Health Organization (WHO) drinking risk levels and drug use disorders: 3-year follow-up results in the US general population. <i>Drug and Alcohol Dependence</i> , 2019 , 201, 16-22	4.9	16
227	Examining the effects of alcohol on GABA receptor mRNA expression and function in neural cultures generated from control and alcohol dependent donor induced pluripotent stem cells. <i>Alcohol</i> , 2018 , 66, 45-53	2.7	16
226	Reductions in Alcohol Craving Following Naltrexone Treatment for Heavy Drinking. <i>Alcohol and Alcoholism</i> , 2016 , 51, 562-6	3.5	16
225	Genome-wide association meta-analysis of age at first cannabis use. <i>Addiction</i> , 2018 , 113, 2073-2086	4.6	16
224	Subtypes of major depression in substance dependence. <i>Addiction</i> , 2009 , 104, 1700-9	4.6	16
223	Analysis of variations in the tryptophan hydroxylase-2 (TPH2) gene in cocaine dependence. <i>Addiction Biology</i> , 2006 , 11, 76-83	4.6	16

222	Using cue reactivity to evaluate medications for treatment of cocaine dependence: a critical review. <i>Addiction</i> , 1999 , 94, 1639-51	4.6	16
221	Validity of the SCID in substance abuse patients. <i>Addiction</i> , 1996 , 91, 859-868	4.6	16
220	Association of COL25A1 with comorbid antisocial personality disorder and substance dependence. <i>Biological Psychiatry</i> , 2012 , 71, 733-40	7.9	15
219	An Interpersonal Model of Addiction Relapse. <i>Addictive Disorders and Their Treatment</i> , 2013 , 12, 183-192	0.5	15
218	Comparison of healthcare utilization among patients treated with alcoholism medications. <i>American Journal of Managed Care</i> , 2010 , 16, 879-88	2.1	15
217	Genome-wide association study of smoking trajectory and meta-analysis of smoking status in 842,000 individuals. <i>Nature Communications</i> , 2020 , 11, 5302	17.4	15
216	Ancestry-specific and sex-specific risk alleles identified in a genome-wide gene-by-alcohol dependence interaction study of risky sexual behaviors. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017 , 174, 846-853	3.5	14
215	Genomewide Study of Epigenetic Biomarkers of Opioid Dependence in European- American Women. <i>Scientific Reports</i> , 2019 , 9, 4660	4.9	14
214	Translational studies support a role for serotonin 2B receptor (HTR2B) gene in aggression-related cannabis response. <i>Molecular Psychiatry</i> , 2018 , 23, 2277-2286	15.1	14
213	Ordered subset linkage analysis based on admixture proportion identifies new linkage evidence for alcohol dependence in African-Americans. <i>Human Genetics</i> , 2013 , 132, 397-403	6.3	14
212	Effects of a diagnosis or family history of alcoholism on the taste intensity and hedonic value of sucrose. <i>American Journal on Addictions</i> , 2009 , 18, 494-9	3.7	14
211	Variants in the alpha2A AR adrenergic receptor gene in psychiatric patients. <i>American Journal of Medical Genetics Part A</i> , 1998 , 81, 405-10		14
210	Evidence-based treatments for alcohol dependence: new results and new questions. <i>JAMA - Journal of the American Medical Association</i> , 2006 , 295, 2075-6	27.4	14
209	Nogo 3'-untranslated region CAA insertion: failure to replicate association with schizophrenia and demonstration of marked population difference in frequency of the insertion. <i>Molecular Brain Research</i> , 2004 , 120, 197-200		14
208	Variant detection at the Opioid receptor (OPRD1) locus and population genetics of a novel variant affecting protein sequence. <i>Human Genetics</i> , 2000 , 107, 86-88	6.3	14
207	Alcohol and nicotine codependence-associated DNA methylation changes in promoter regions of addiction-related genes. <i>Scientific Reports</i> , 2017 , 7, 41816	4.9	13
206	FKBP5 variation is associated with the acute and chronic effects of nicotine. <i>Pharmacogenomics Journal</i> , 2015 , 15, 340-6	3.5	13
205	AUDIT-C and ICD codes as phenotypes for harmful alcohol use: association with ADH1B polymorphisms in two US populations. <i>Addiction</i> , 2018 , 113, 2214-2224	4.6	13

204	Subgroup Identification in Personalized Treatment of Alcohol Dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2015 , 39, 1253-9	3.7	13
203	Variation in Mu-Opioid Receptor Gene as a Moderator of Naltrexone Treatment to Reduce Heavy Drinking in a High Functioning Cohort. <i>Journal of Alcoholism and Drug Dependence</i> , 2013 , 1, 101	1	13
202	Mutation screen of the glutamate decarboxylase-67 gene and haplotype association to unipolar depression. <i>American Journal of Medical Genetics Part A</i> , 2004 , 124B, 81-6		13
201	The status of serotonin-selective pharmacotherapy in the treatment of alcohol dependence. <i>Recent Developments in Alcoholism: an Official Publication of the American Medical Society on Alcoholism, and the Research Society on Alcoholism, and the National Council on Alcoholism</i> , 2003 , 16, 247-62		13
200	Validity of the Distinction Between Substance-Induced and Independent Depression and Anxiety Disorders. <i>American Journal on Addictions</i> , 1995 , 4, 107-117	3.7	13
199	Determination of fluvoxamine concentration in plasma by reversed-phase liquid chromatography. <i>Biomedical Chromatography</i> , 1994 , 8, 278-82	1.7	13
198	Phenothiazine-associated lupus anticoagulant and thrombotic disease. <i>Psychosomatics</i> , 1988 , 29, 109-132.6		13
197	Issues in the definition and diagnosis of alcoholism: implications for a reformulation. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1986 , 10, 113-28	5.5	13
196	Validating Harmful Alcohol Use as a Phenotype for Genetic Discovery Using Phosphatidylethanol and a Polymorphism in ADH1B. <i>Alcoholism: Clinical and Experimental Research</i> , 2017 , 41, 998-1003	3.7	12
195	Exploring the genetic architecture of alcohol dependence in African-Americans via analysis of a genomewide set of common variants. <i>Human Genetics</i> , 2014 , 133, 617-24	6.3	12
194	Variation in regulator of G-protein signaling 17 gene (RGS17) is associated with multiple substance dependence diagnoses. <i>Behavioral and Brain Functions</i> , 2012 , 8, 23	4.1	12
193	Autosomal linkage scan for loci predisposing to comorbid dependence on multiple substances. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 361-9	3.5	12
192	Association study of DTNBP1 with schizophrenia in a US sample. <i>Psychiatric Genetics</i> , 2009 , 19, 292-304	2.9	12
191	Memantine for Alcohol Dependence: An Open-label Pilot Study. <i>Addictive Disorders and Their Treatment</i> , 2007 , 6, 77-83	0.5	12
190	The effects of naltrexone on alcohol consumption and affect reactivity to daily interpersonal events among heavy drinkers. <i>Experimental and Clinical Psychopharmacology</i> , 2006 , 14, 199-208	3.2	12
189	Treatment of co-occurring alcohol and other drug use disorders. <i>Alcohol Research</i> , 2008 , 31, 155-67		12
188	Shared genetic risk between eating disorder- and substance-use-related phenotypes: Evidence from genome-wide association studies. <i>Addiction Biology</i> , 2021 , 26, e12880	4.6	12
187	Urgency traits moderate daily relations between affect and drinking to intoxication among young adults. <i>Drug and Alcohol Dependence</i> , 2017 , 170, 59-65	4.9	11

186	Cognitive Behavioral Therapy for Insomnia in Alcohol-Dependent Veterans: A Randomized, Controlled Pilot Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2019 , 43, 1244-1253	3.7	11
185	Nf1 regulates alcohol dependence-associated excessive drinking and gamma-aminobutyric acid release in the central amygdala in mice and is associated with alcohol dependence in humans. <i>Biological Psychiatry</i> , 2015 , 77, 870-879	7.9	11
184	Systematic review and meta-analysis of the moderating effect of rs1799971 in OPRM1, the mu-opioid receptor gene, on response to naltrexone treatment of alcohol use disorder. <i>Addiction</i> , 2020 , 115, 1426-1437	4.6	11
183	Variation in AKR1C3, which encodes the neuroactive steroid synthetic enzyme 3 β HSD type 2 (17 β HSD type 5), moderates the subjective effects of alcohol. <i>Psychopharmacology</i> , 2014 , 231, 3597-608	4.7	11
182	Genetic factor common to schizophrenia and HIV infection is associated with risky sexual behavior: antagonistic vs. synergistic pleiotropic SNPs enriched for distinctly different biological functions. <i>Human Genetics</i> , 2017 , 136, 75-83	6.3	11
181	ADH1A variation predisposes to personality traits and substance dependence. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 376-386	3.5	11
180	A double-blind comparison of abecarnil and diazepam in the treatment of uncomplicated alcohol withdrawal. <i>Psychopharmacology</i> , 1997 , 131, 123-9	4.7	11
179	Effects of prenatal tobacco exposure on gene expression profiling in umbilical cord tissue. <i>Pediatric Research</i> , 2008 , 64, 147-53	3.2	11
178	Medications for alcohol dependence--new vistas. <i>JAMA - Journal of the American Medical Association</i> , 2000 , 284, 1016-7	27.4	11
177	Alcohol and drug abuse treatment at the University of Connecticut Health Center. <i>Addiction</i> , 1992 , 87, 521-6	4.6	11
176	Identification of POMC exonic variants associated with substance dependence and body mass index. <i>PLoS ONE</i> , 2012 , 7, e45300	3.7	11
175	Genome-wide association study of over 40,000 bipolar disorder cases provides new insights into the underlying biology		11
174	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. <i>Biological Psychiatry</i> , 2021 ,	7.9	11
173	Genome-Wide Association Study of Opioid Cessation. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	10
172	Apolipoprotein E gene polymorphism, posttraumatic stress disorder, and cognitive function in older U.S. veterans: Results from the National Health and Resilience in Veterans Study. <i>Depression and Anxiety</i> , 2019 , 36, 834-845	8.4	10
171	GABRA2 genotype, impulsivity, and body mass. <i>American Journal on Addictions</i> , 2012 , 21, 404-10	3.7	10
170	Variation in OPRM1 and risk of suicidal behavior in drug-dependent individuals. <i>American Journal on Addictions</i> , 2012 , 21, 5-10	3.7	10
169	Identification of population substructure among Jews using STR markers and dependence on reference populations included. <i>BMC Genetics</i> , 2010 , 11, 48	2.6	10

168	CALCYON gene variation, schizophrenia, and cocaine dependence. <i>American Journal of Medical Genetics Part A</i> , 2004 , 125B, 25-30		10
167	Utility of a brief cognitive screening instrument in substance abuse patients: initial investigation. <i>Journal of Substance Abuse Treatment</i> , 1991 , 8, 247-51	4.2	10
166	ANKRD7 and CYTL1 are novel risk genes for alcohol drinking behavior. <i>Chinese Medical Journal</i> , 2012 , 125, 1127-34	2.9	10
165	Genome wide meta-analysis identifies genomic relationships, novel loci, and pleiotropic mechanisms across eight psychiatric disorders		10
164	Which alcohol use disorder criteria contribute to the association of ADH1B with alcohol dependence?. <i>Addiction Biology</i> , 2016 , 21, 924-38	4.6	10
163	Multivariate analysis of 1.5 million people identifies genetic associations with traits related to self-regulation and addiction. <i>Nature Neuroscience</i> , 2021 , 24, 1367-1376	25.5	10
162	Evaluation and treatment of anxiety symptoms and disorders in alcoholics. <i>Journal of Clinical Psychiatry</i> , 1996 , 57 Suppl 7, 15-21; discussion 22-4	4.6	10
161	Alcohol-responsive genes identified in human iPSC-derived neural cultures. <i>Translational Psychiatry</i> , 2019 , 9, 96	8.6	9
160	Randomized Trial of Nicotine Inhaler for Pregnant Smokers. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2019 , 1, 10-18	7.4	9
159	Opioid Misuse as a Predictor of Alcohol Treatment Outcomes in the COMBINE Study: Mediation by Medication Adherence. <i>Alcoholism: Clinical and Experimental Research</i> , 2018 , 42, 1249-1259	3.7	9
158	The Mandomannosidase gene (MANEA) is associated with panic disorder and social anxiety disorder. <i>Translational Psychiatry</i> , 2014 , 4, e353	8.6	9
157	Agitated depression in substance dependence. <i>Drug and Alcohol Dependence</i> , 2011 , 116, 163-9	4.9	9
156	Confirmation and generalization of an alcohol-dependence locus on chromosome 10q. <i>Neuropsychopharmacology</i> , 2010 , 35, 1325-32	8.7	9
155	Sources of unreliability in the diagnosis of substance dependence. <i>Journal of Studies on Alcohol and Drugs</i> , 2009 , 70, 475-81	1.9	9
154	Recessive genetic mode of an ADH4 variant in substance dependence in African-Americans: A model of utility of the HWD test. <i>Behavioral and Brain Functions</i> , 2008 , 4, 42	4.1	9
153	Brief motivational enhancement and coping skills interventions for heavy drinking. <i>Addictive Behaviors</i> , 2007 , 32, 1105-18	4.2	9
152	Salty and Sour Taste Characteristics and Risk of Alcoholism. <i>Alcoholism: Clinical and Experimental Research</i> , 2003 , 27, 955-961	3.7	9
151	Closing the gap between alcoholism research and practice: the case for pharmacotherapy. <i>Psychiatric Services</i> , 1996 , 47, 917-20	3.3	9

150	Longitudinal findings from a randomized clinical trial of naltrexone for young adult heavy drinkers. <i>Journal of Consulting and Clinical Psychology</i> , 2016 , 84, 185-90	6.5	9
149	Drinking goals and attainment in a naltrexone trial of young adult heavy drinkers. <i>Journal of Consulting and Clinical Psychology</i> , 2018 , 86, 765-774	6.5	9
148	Molecular genetic overlap between posttraumatic stress disorder and sleep phenotypes. <i>Sleep</i> , 2020 , 43,	1.1	9
147	Balancing risk and benefit in heavy drinkers treated with topiramate: implications for personalized care. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, e278-82	4.6	9
146	Genome-Wide Meta-Analyses of FTND and TTFC Phenotypes. <i>Nicotine and Tobacco Research</i> , 2020 , 22, 900-909	4.9	9
145	Sex-specific linkage scans in opioid dependence. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017 , 174, 261-268	3.5	8
144	Cumulative proportion of responders analysis (CPRA) as a tool to assess treatment outcome in alcohol clinical trials. <i>Journal of Studies on Alcohol and Drugs</i> , 2014 , 75, 335-46	1.9	8
143	ACSL6 is associated with the number of cigarettes smoked and its expression is altered by chronic nicotine exposure. <i>PLoS ONE</i> , 2011 , 6, e28790	3.7	8
142	A revised allele frequency estimate and haplotype analysis of the DBH deficiency mutation IVS1+2T --> C in African- and European-Americans 2003 , 123A, 190-2		8
141	Giving ethanol to alcoholics in a research setting: its effect on compliance with disulfiram treatment. <i>Addiction</i> , 1990 , 85, 119-23	4.6	8
140	A genome-wide association study of cocaine use disorder accounting for phenotypic heterogeneity and gene-environment interaction. <i>Journal of Psychiatry and Neuroscience</i> , 2020 , 45, 34-44	4.5	8
139	Implications of recent neuropsychopharmacologic research for understanding the etiology and development of alcoholism. <i>Journal of Consulting and Clinical Psychology</i> , 1994 , 62, 1116-26	6.5	8
138	Post-GWAS analysis of six substance use traits improves the identification and functional interpretation of genetic risk loci. <i>Drug and Alcohol Dependence</i> , 2020 , 206, 107703	4.9	8
137	Trauma exposure interacts with the genetic risk of bipolar disorder in alcohol misuse of US soldiers. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 148-156	6.5	8
136	Genome-wide association study identifies glutamate ionotropic receptor GRIA4 as a risk gene for comorbid nicotine dependence and major depression. <i>Translational Psychiatry</i> , 2018 , 8, 208	8.6	8
135	Risk Locus Identification Ties Alcohol Withdrawal Symptoms to SORCS2. <i>Alcoholism: Clinical and Experimental Research</i> , 2018 , 42, 2337-2348	3.7	8
134	A protocadherin gene cluster regulatory variant is associated with nicotine withdrawal and the urge to smoke. <i>Molecular Psychiatry</i> , 2017 , 22, 242-249	15.1	7
133	Effects of LY466195, a selective kainate receptor antagonist, on ethanol preference and drinking in rats. <i>Neuroscience Letters</i> , 2017 , 639, 8-12	3.3	7

132	Salivary microRNAs identified by small RNA sequencing and machine learning as potential biomarkers of alcohol dependence. <i>Epigenomics</i> , 2019 , 11, 739-749	4.4	7
131	Reduction in World Health Organization Risk Drinking Levels and Cardiovascular Disease. <i>Alcoholism: Clinical and Experimental Research</i> , 2020 , 44, 1625-1635	3.7	7
130	Daily relations among affect, urge, targeted naltrexone, and alcohol use in young adults. <i>Experimental and Clinical Psychopharmacology</i> , 2016 , 24, 367-375	3.2	7
129	Should the reorganization of addiction-related research across all the National Institutes of Health be structural?--The devil is truly in the details. <i>Alcoholism: Clinical and Experimental Research</i> , 2011 , 35, 572-80	3.7	7
128	Variation in NGFB is associated with primary affective disorders in women. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 401-12	3.5	7
127	Population admixture modulates risk for alcohol dependence. <i>Human Genetics</i> , 2009 , 125, 605-13	6.3	7
126	Self-Efficacy as a Predictor of Relapse During Treatment for Alcohol Dependence. <i>Addictive Disorders and Their Treatment</i> , 2003 , 2, 135-145	0.5	7
125	Patient Predictors of Irregular Discharge From Inpatient Substance Abuse Treatment. <i>American Journal on Addictions</i> , 1994 , 3, 122-128	3.7	7
124	Trans-ancestral GWAS of alcohol dependence reveals common genetic underpinnings with psychiatric disorders		7
123	Sex-stratified gene-by-environment genome-wide interaction study of trauma, posttraumatic-stress, and suicidality. <i>Neurobiology of Stress</i> , 2021 , 14, 100309	7.6	7
122	Using DNA methylation to validate an electronic medical record phenotype for smoking. <i>Addiction Biology</i> , 2019 , 24, 1056-1065	4.6	7
121	Genome-wide scan identifies opioid overdose risk locus close to MCOLN1. <i>Addiction Biology</i> , 2020 , 25, e12811	4.6	7
120	Genetic underpinnings of risky behaviour relate to altered neuroanatomy. <i>Nature Human Behaviour</i> , 2021 , 5, 787-794	12.8	7
119	Examining FKBP5 mRNA expression in human iPSC-derived neural cells. <i>Psychiatry Research</i> , 2017 , 247, 172-181	9.9	6
118	Eye color: A potential indicator of alcohol dependence risk in European Americans. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015 , 168B, 347-53	3.5	6
117	Survey of Addiction Specialists' Use of Medications to Treat Alcohol Use Disorder. <i>Frontiers in Psychiatry</i> , 2020 , 11, 47	5	6
116	An analysis of the effect of mu-opioid receptor gene (OPRM1) promoter region DNA methylation on the response of naltrexone treatment of alcohol dependence. <i>Pharmacogenomics Journal</i> , 2020 , 20, 672-680	3.5	6
115	Patterns and Correlates of Prescription Opioid Receipt Among US Veterans: A National, 18-Year Observational Cohort Study. <i>AIDS and Behavior</i> , 2019 , 23, 3340-3349	4.3	6

114	Characteristics and course of dependence in cocaine-dependent individuals who never used alcohol or marijuana or used cocaine first. <i>Journal of Studies on Alcohol and Drugs</i> , 2014 , 75, 423-7	1.9	6
113	GRIK1 genotype and daily expectations of alcohol's positive effects moderate the reduction of heavy drinking by topiramate. <i>Experimental and Clinical Psychopharmacology</i> , 2014 , 22, 494-501	3.2	6
112	Effects of Recent Alcohol Consumption Level on Neurocognitive Performance in HIV+ Individuals. <i>Addictive Disorders and Their Treatment</i> , 2017 , 16, 95-107	0.5	6
111	Analysis of extreme drinking in patients with alcohol dependence using Pareto regression. <i>Statistics in Medicine</i> , 2010 , 29, 1250-8	2.3	6
110	Effects of naltrexone treatment for alcohol-related disorders on healthcare costs in an insured population. <i>Alcoholism: Clinical and Experimental Research</i> , 2010 , 34, 1090-7	3.7	6
109	Incentive program decreases no-shows in nontreatment substance abuse research. <i>Experimental and Clinical Psychopharmacology</i> , 2005 , 13, 376-80	3.2	6
108	Atypical koro. <i>British Journal of Psychiatry</i> , 1988 , 152, 579-80	5.4	6
107	Multivariate genomic analysis of 1.5 million people identifies genes related to addiction, antisocial behavior, and health		6
106	Largest genome-wide association study for PTSD identifies genetic risk loci in European and African ancestries and implicates novel biological pathways		6
105	Meta-analysis of problematic alcohol use in 435,563 individuals identifies 29 risk variants and yields insights into biology, pleiotropy and causality		6
104	Genomewide Gene-by-Sex Interaction Scans Identify ADGRV1 for Sex Differences in Opioid Dependent African Americans. <i>Scientific Reports</i> , 2019 , 9, 18070	4.9	6
103	identified in a genome-wide gene x cannabis dependence interaction analysis of risky sexual behaviours. <i>Journal of Psychiatry and Neuroscience</i> , 2017 , 42, 252-261	4.5	5
102	Multi-view biclustering for genotype-phenotype association studies of complex diseases 2013 ,		5
101	Translating the semi-structured assessment for drug dependence and alcoholism in the Western Pacific: rationale, study design and reliability of alcohol dependence. <i>Alcohol and Alcoholism</i> , 2014 , 49, 525-30	3.5	5
100	Major depression and PTSD in pregnant smokers enrolled in nicotine gum treatment trial. <i>American Journal on Addictions</i> , 2013 , 22, 54-9	3.7	5
99	An Effective Method to Identify Heritable Components from Multivariate Phenotypes. <i>PLoS ONE</i> , 2015 , 10, e0144418	3.7	5
98	Sertraline Treatment for Alcohol Dependence: Interactive Effects of Medication and Alcoholic Subtype 2000 , 24, 1041		5
97	Efficacy of Naltrexone and Acamprosate for Alcoholism Treatment: A Meta-Analysis 2001 , 25, 1335		5

96	Multimodal brain imaging study of 36,678 participants reveals adverse effects of moderate drinking		5
95	Validating a non-invasive, ALT-based non-alcoholic fatty liver phenotype in the million veteran program. <i>PLoS ONE</i> , 2020 , 15, e0237430	3.7	5
94	The World Health Organization Risk Drinking Levels Measure of Alcohol Consumption: Prevalence and Health Correlates in Nationally Representative Surveys of U.S. Adults, 2001-2002 and 2012-2013. <i>American Journal of Psychiatry</i> , 2021 , 178, 548-559	11.9	5
93	Opioid Use and Rate of Nicotine Metabolism Among Pregnant Smokers. <i>Nicotine and Tobacco Research</i> , 2020 , 22, 1046-1050	4.9	5
92	A trans-ancestry genome-wide association study of unexplained chronic ALT elevation as a proxy for nonalcoholic fatty liver disease with histological and radiological validation		5
91	Effects of topiramate on neural responses to alcohol cues in treatment-seeking individuals with alcohol use disorder: preliminary findings from a randomized, placebo-controlled trial. <i>Neuropsychopharmacology</i> , 2021 , 46, 1414-1420	8.7	5
90	Topiramate versus naltrexone for alcohol use disorder: study protocol for a genotype-stratified, double-blind randomised controlled trial (TOP study). <i>Trials</i> , 2018 , 19, 443	2.8	4
89	Topiramate's reduction of body mass index in heavy drinkers: lack of moderation by a GRIK1 polymorphism. <i>Experimental and Clinical Psychopharmacology</i> , 2014 , 22, 419-23	3.2	4
88	Evaluating the role of a galanin enhancer genotype on a range of metabolic, depressive and addictive phenotypes. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014 , 165B, 654-64	3.5	4
87	Persistent Urinary Benzoylcegonine Following Cocaine Use. <i>American Journal on Addictions</i> , 1992 , 1, 265-271	3.7	4
86	Sodium chloride treatment of antidepressant-induced orthostatic hypotension. <i>Journal of Clinical Psychiatry</i> , 1988 , 49, 366-8	4.6	4
85	Effect of Maternal Smoking on Fetal Catecholamine Concentrations at Birth		4
84	Critical evaluation of transcription factor Atf2 as a candidate modulator of alcohol preference in mouse and human populations. <i>Genetics and Molecular Research</i> , 2013 , 12, 5992-6005	1.2	4
83	Differentiating Types of Self-Reported Alcohol Abstinence. <i>AIDS and Behavior</i> , 2020 , 24, 655-665	4.3	4
82	Stability of Drinking Reductions and Long-term Functioning Among Patients with Alcohol Use Disorder. <i>Journal of General Internal Medicine</i> , 2021 , 36, 404-412	4	4
81	Prospective randomized pharmacogenetic study of topiramate for treating alcohol use disorder. <i>Neuropsychopharmacology</i> , 2021 , 46, 1407-1413	8.7	4
80	Multiview comodeling to improve subtyping and genetic association of complex diseases. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2014 , 18, 548-54	7.2	3
79	5-HTTLPR moderates naltrexone and psychosocial treatment responses in heavy drinking men who have sex with men. <i>Alcoholism: Clinical and Experimental Research</i> , 2014 , 38, 2362-8	3.7	3

78	What happens when people discontinue taking medications? Lessons from COMBINE. <i>Addiction</i> , 2014 , 109, 2044-52	4.6	3
77	Ttn as a likely causal gene for QTL of alcohol preference on mouse chromosome 2. <i>BMC Bioinformatics</i> , 2014 , 15, P12	3.6	3
76	Refining multivariate disease phenotypes for high chip heritability. <i>BMC Medical Genomics</i> , 2015 , 8 Suppl 3, S3	3.7	3
75	Commentary on Garbutt et al. (2014): Can we predict who benefits from naltrexone in the treatment of alcohol dependence?. <i>Addiction</i> , 2014 , 109, 1285-6	4.6	3
74	Is the medication bottle half full or half empty?. <i>Addiction</i> , 1997 , 92, 951-953	4.6	3
73	The efficacy and safety of a fixed versus titrated dosage regimen of nicotine gum for smoking cessation or reduction in pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 195, S89	6.4	3
72	Expanding the Genetic Architecture of Nicotine Dependence and its Shared Genetics with Multiple Traits: Findings from the Nicotine Dependence GenOmics (iNDiGO) Consortium		3
71	World Health Organization risk drinking levels as a treatment outcome measure in topiramate trials. <i>Alcoholism: Clinical and Experimental Research</i> , 2021 , 45, 1664-1671	3.7	3
70	A Delta-Opioid Receptor Gene Polymorphism Moderates the Therapeutic Response to Extended-Release Buprenorphine in Opioid Use Disorder. <i>International Journal of Neuropsychopharmacology</i> , 2021 , 24, 89-96	5.8	3
69	Multi-environment gene interactions linked to the interplay between polysubstance dependence and suicidality. <i>Translational Psychiatry</i> , 2021 , 11, 34	8.6	3
68	Epigenomic Profiles of African-American Val122Ile Carriers Reveals Putatively Dysregulated Amyloid Mechanisms. <i>Circulation Genomic and Precision Medicine</i> , 2021 , 14, e003011	5.2	3
67	Enhancing Discovery of Genetic Variants for Posttraumatic Stress Disorder Through Integration of Quantitative Phenotypes and Trauma Exposure Information. <i>Biological Psychiatry</i> , 2021 ,	7.9	3
66	Associations between alcohol consumption and gray and white matter volumes in the UK Biobank.. <i>Nature Communications</i> , 2022 , 13, 1175	17.4	3
65	Quadratic optimization to identify highly heritable quantitative traits from complex phenotypic features 2013 ,		2
64	Smoking and Cellular Telephone Use Among Pregnant Women Seeking Prenatal Care: Opportunities for Intervention. <i>Addictive Disorders and Their Treatment</i> , 2015 , 14, 203-210	0.5	2
63	How Should Addiction-Related Research at the National Institutes of Health be Reorganized?. <i>Frontiers in Psychiatry</i> , 2011 , 2, 2	5	2
62	. <i>Substance Abuse</i> , 1998 , 19, 81-91	3.8	2
61	Sequence variation and linkage disequilibrium in the GABA transporter-1 gene (SLC6A1) in five populations: implications for pharmacogenetic research. <i>BMC Genetics</i> , 2007 , 8, 71	2.6	2

60	Extended-release intramuscular naltrexone: a viewpoint by Henry R Kranzler. <i>Drugs</i> , 2006 , 66, 1753-4	12.1	2
59	Response to Dr. Kopke's comments on haplotypes at the OPRM1 locus. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005 , 135B, 102	3.5	2
58	Psychosocial Issues Concerning a Pregnant Adolescent with Hodgkin's Disease. <i>Journal of Psychosocial Oncology</i> , 1987 , 5, 83-89	2.8	2
57	Salty and sour taste characteristics and risk of alcoholism. <i>Alcoholism: Clinical and Experimental Research</i> , 2003 , 27, 955-61	3.7	2
56	Nutritional Ketosis as a Potential Treatment for Alcohol Use Disorder.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 781668	5	2
55	Circadian Pattern of Deaths Due to Suicide in Intoxicated Alcohol-Dependent Individuals. <i>Journal of Clinical Psychiatry</i> , 2018 , 79,	4.6	2
54	GWAS including 82,707 subjects identifies functional coding variant in OPRM1 gene associated with opioid use disorder		2
53	Trauma and posttraumatic stress interact with sex-specific risk loci for suicidality and converge on brain extracellular matrix biology and synaptic plasticity		2
52	Ancestry May Confound Genetic Machine Learning: Candidate-Gene Prediction of Opioid Use Disorder as an Example		2
51	Leveraging genome-wide data to investigate differences between opioid use vs. opioid dependence in 41,176 individuals from the Psychiatric Genomics Consortium		2
50	Molecular Correlates of Topiramate and GRIK1 rs2832407 Genotype in Pluripotent Stem Cell-Derived Neural Cultures. <i>Alcoholism: Clinical and Experimental Research</i> , 2020 , 44, 1561-1570	3.7	2
49	Reward drinking and naltrexone treatment response among young adult heavy drinkers. <i>Addiction</i> , 2021 , 116, 2360-2371	4.6	2
48	Pregnant Smokers Receiving Opioid Agonist Therapy Have an Elevated Nicotine Metabolite Ratio: A Replication Study. <i>Nicotine and Tobacco Research</i> , 2020 , 22, 1923-1927	4.9	2
47	Study design and implementation of the PReCISION Medicine In MEntal health Care (PRIME Care) Trial. <i>Contemporary Clinical Trials</i> , 2021 , 101, 106247	2.3	2
46	Combined analysis of the moderating effect of a GRIK1 polymorphism on the effects of topiramate for treating alcohol use disorder. <i>Drug and Alcohol Dependence</i> , 2021 , 225, 108762	4.9	2
45	Antagonism of GluK1-containing kainate receptors reduces ethanol consumption by modulating ethanol reward and withdrawal. <i>Neuropharmacology</i> , 2021 , 199, 108783	5.5	2
44	Using phenotype risk scores to enhance gene discovery for generalized anxiety disorder and posttraumatic stress disorder.. <i>Molecular Psychiatry</i> , 2022 ,	15.1	2
43	A multiancestry genome-wide association study of unexplained chronic ALT elevation as a proxy for nonalcoholic fatty liver disease with histological and radiological validation. <i>Nature Genetics</i> ,	36.3	2

42	Diagnostic Reliability and Validity of the Semi-Structured Assessment for Drug Dependence and Alcoholism (SSADDA) Chinese Version. <i>Complex Psychiatry</i> , 2021 , 6, 62-67	2.3	1
41	Long-term use of hydrocodone vs. oxycodone in primary care. <i>Drug and Alcohol Dependence</i> , 2019 , 205, 107524	4.9	1
40	Collaborative Phenotype Inference from Comorbid Substance Use Disorders and Genotypes 2017 , 2017, 392-397	0.8	1
39	Further analyses support the association between light eye color and alcohol dependence. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015 , 168, 757-60	3.5	1
38	2012 ,		1
37	No allelic association of an exon 13 polymorphism of the Gs β gene to alcohol and/or drug dependence. <i>Addiction Biology</i> , 1997 , 2, 309-16	4.6	1
36	Use of a cue exposure paradigm for the evaluation of a potential pharmacotherapeutic agents for cocaine dependence. <i>Addictive Behaviors</i> , 1993 , 18, 599-60	4.2	1
35	Substance use disorders in patients with chronic fatigue. <i>Psychiatric Services</i> , 1991 , 42, 924-8	3.3	1
34	Intragastric Infusion of Ethanol by Alcoholics After Surgery for Head and Neck Cancer. <i>American Journal on Addictions</i> , 1992 , 1, 83-85	3.7	1
33	Post-treatment effects of topiramate on alcohol-related outcomes: A combined analysis of two placebo-controlled trials.. <i>Addiction Biology</i> , 2022 , 27, e13130	4.6	1
32	Examining a brief measure and observed cutoff scores to identify reward and relief drinking profiles: Psychometric properties and pharmacotherapy response.. <i>Drug and Alcohol Dependence</i> , 2021 , 232, 109257	4.9	1
31	Identifying factors associated with opioid cessation in a biracial sample using machine learning. <i>Exploration of Medicine</i> , 2020 , 1, 27-41	1.1	1
30	What is addiction?. <i>Alcohol Research</i> , 2008 , 31, 93-5		1
29	Identifying Clinical Risk Factors for Opioid Use Disorder using a Distributed Algorithm to Combine Real-World Data from a Large Clinical Data Research Network 2020 , 2020, 1220-1229	0.7	1
28	Genetic liability for substance use associated with medical comorbidities in electronic health records of African- and European-ancestry individuals. <i>Addiction Biology</i> , 2021 , e13099	4.6	1
27	Genetic Underpinnings of Risky Behaviour Relate to Altered Neuroanatomy		1
26	Induced pluripotent stem cell reprogramming-associated methylation at the GABRA2 promoter and chr4p12 GABA subunit gene expression in the context of alcohol use disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2020 , 183, 464-474	3.5	1
25	The phenomics and genetics of addictive and affective comorbidity in opioid use disorder. <i>Drug and Alcohol Dependence</i> , 2021 , 221, 108602	4.9	1

24	Accuracy of Consumer-marketed smartphone-paired alcohol breath testing devices: A laboratory validation study. <i>Alcoholism: Clinical and Experimental Research</i> , 2021 , 45, 1091-1099	3.7	1
23	The impact of removing former drinkers from genome-wide association studies of AUDIT-C. <i>Addiction</i> , 2021 , 116, 3044-3054	4.6	1
22	Longitudinal Drinking Patterns and Their Clinical Correlates in Million Veteran Program Participants. <i>Alcoholism: Clinical and Experimental Research</i> , 2019 , 43, 465-472	3.7	1
21	GWAS and network analysis of co-occurring nicotine and alcohol dependence identifies significantly associated alleles and network. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019 , 180, 3-11	3.5	1
20	Genome-wide association study of phenotypes measuring progression from first cocaine or opioid use to dependence reveals novel risk genes. <i>Exploration of Medicine</i> , 2021 , 2, 60-73	1.1	1
19	Reliability and validity of DSM-IV and DSM-5 methamphetamine use disorder diagnoses using the Chinese Version of the Semi-Structured Assessment for Drug Dependence and Alcoholism (SSADDA). <i>Drug and Alcohol Dependence</i> , 2021 , 229, 109047	4.9	1
18	Predictors of Treatment Referral after AUDIT-C Screening for Heavy Drinking. <i>Addictive Disorders and Their Treatment</i> , 2018 , 17, 124-133	0.5	0
17	Genome-wide association study of cognitive flexibility assessed by the Wisconsin Card Sorting Test. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018 , 177, 511-519	3.5	0
16	Non-Drug Addictive Disorders in Cocaine-Dependent Subjects A Response to Merlo et al.. <i>American Journal on Addictions</i> , 2008 , 17, 249-250	3.7	0
15	Ancestry may confound genetic machine learning: Candidate-gene prediction of opioid use disorder as an example. <i>Drug and Alcohol Dependence</i> , 2021 , 229, 109115	4.9	0
14	Prevalence of predicted gene-drug interactions for antidepressants in the treatment of major depressive disorder in the Precision Medicine in Mental Health Care Study. <i>Journal of Affective Disorders</i> , 2021 , 282, 1272-1277	6.6	0
13	Genome-wide association study of stimulant dependence. <i>Translational Psychiatry</i> , 2021 , 11, 363	8.6	0
12	Investigation of convergent and divergent genetic influences underlying schizophrenia and alcohol use disorder. <i>Psychological Medicine</i> , 2021 , 1-9	6.9	0
11	A regulatory variant of CHRM3 is associated with cannabis-induced hallucinations in European Americans. <i>Translational Psychiatry</i> , 2019 , 9, 309	8.6	0
10	Placebo-controlled trial of bupropion for smoking cessation in pregnant women. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2021 , 3, 100315	7.4	0
9	Analysis of genetic and clinical factors associated with buprenorphine response. <i>Drug and Alcohol Dependence</i> , 2021 , 227, 109013	4.9	0
8	ODACH: a one-shot distributed algorithm for Cox model with heterogeneous multi-center data.. <i>Scientific Reports</i> , 2022 , 12, 6627	4.9	0
7	A Functional Serotonin Transporter Gene Polymorphism and Depressive Effects Associated With Interferon-β Treatment. <i>Psychosomatics</i> , 2010 , 51, 137-148	2.6	

6 Treatment of alcohol dependence. *Liver Transplantation*, **1997**, 3, 311-21

5 Genetic variation and drug dependence risk factors **2002**, 372-388

4 How to measure relapse in humans **2005**, 23-39

3 The Effect of Cigarette Smoking on Fetal Heart Rate Characteristics. *Obstetrics and Gynecology*, **2002**, 100, 829 4.9

2 Inferring phenotypes from substance use via collaborative matrix completion. *BMC Systems Biology*, **2018**, 12, 104 3.5

1 Alcohol use and alcohol use disorder differ in their genetic relationships with PTSD: A genomic structural equation modelling approach.. *Drug and Alcohol Dependence*, **2022**, 234, 109430 4.9