

Henry Kranzler

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2882579/henry-kranzler-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

599
papers

29,851
citations

88
h-index

144
g-index

670
ext. papers

35,211
ext. citations

5.7
avg, IF

7.04
L-index

#	Paper	IF	Citations
599	Post-treatment effects of topiramate on alcohol-related outcomes: A combined analysis of two placebo-controlled trials.. <i>Addiction Biology</i> , 2022 , 27, e13130	4.6	1
598	Using phenotype risk scores to enhance gene discovery for generalized anxiety disorder and posttraumatic stress disorder.. <i>Molecular Psychiatry</i> , 2022 ,	15.1	2
597	Associations between alcohol consumption and gray and white matter volumes in the UK Biobank.. <i>Nature Communications</i> , 2022 , 13, 1175	17.4	3
596	Alcohol use and alcohol use disorder differ in their genetic relationships with PTSD: A genomic structural equation modelling approach.. <i>Drug and Alcohol Dependence</i> , 2022 , 234, 109430	4.9	
595	ODACH: a one-shot distributed algorithm for Cox model with heterogeneous multi-center data.. <i>Scientific Reports</i> , 2022 , 12, 6627	4.9	0
594	Diagnostic Reliability and Validity of the Semi-Structured Assessment for Drug Dependence and Alcoholism (SSADDA) Chinese Version. <i>Complex Psychiatry</i> , 2021 , 6, 62-67	2.3	1
593	Examining a brief measure and observed cutoff scores to identify reward and relief drinking profiles: Psychometric properties and pharmacotherapy response.. <i>Drug and Alcohol Dependence</i> , 2021 , 232, 109257	4.9	1
592	Nutritional Ketosis as a Potential Treatment for Alcohol Use Disorder.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 781668	5	2
591	Genetic liability for substance use associated with medical comorbidities in electronic health records of African- and European-ancestry individuals. <i>Addiction Biology</i> , 2021 , e13099	4.6	1
590	Ancestry may confound genetic machine learning: Candidate-gene prediction of opioid use disorder as an example. <i>Drug and Alcohol Dependence</i> , 2021 , 229, 109115	4.9	0
589	Prevalence of predicted gene-drug interactions for antidepressants in the treatment of major depressive disorder in the Precision Medicine in Mental Health Care Study. <i>Journal of Affective Disorders</i> , 2021 , 282, 1272-1277	6.6	0
588	Reward drinking and naltrexone treatment response among young adult heavy drinkers. <i>Addiction</i> , 2021 , 116, 2360-2371	4.6	2
587	The phenomics and genetics of addictive and affective comorbidity in opioid use disorder. <i>Drug and Alcohol Dependence</i> , 2021 , 221, 108602	4.9	1
586	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021 , 53, 817-829	36.3	83
585	Accuracy of Consumer-marketed smartphone-paired alcohol breath testing devices: A laboratory validation study. <i>Alcoholism: Clinical and Experimental Research</i> , 2021 , 45, 1091-1099	3.7	1
584	The impact of removing former drinkers from genome-wide association studies of AUDIT-C. <i>Addiction</i> , 2021 , 116, 3044-3054	4.6	1
583	Sex-stratified gene-by-environment genome-wide interaction study of trauma, posttraumatic-stress, and suicidality. <i>Neurobiology of Stress</i> , 2021 , 14, 100309	7.6	7

582	Genome-wide association study of stimulant dependence. <i>Translational Psychiatry</i> , 2021 , 11, 363	8.6	0
581	The World Health Organization Risk Drinking Levels Measure of Alcohol Consumption: Prevalence and Health Correlates in Nationally Representative Surveys of U.S. Adults, 2001-2002 and 2012-2013. <i>American Journal of Psychiatry</i> , 2021 , 178, 548-559	11.9	5
580	Investigation of convergent and divergent genetic influences underlying schizophrenia and alcohol use disorder. <i>Psychological Medicine</i> , 2021 , 1-9	6.9	0
579	World Health Organization risk drinking levels as a treatment outcome measure in topiramate trials. <i>Alcoholism: Clinical and Experimental Research</i> , 2021 , 45, 1664-1671	3.7	3
578	Shared genetic risk between eating disorder- and substance-use-related phenotypes: Evidence from genome-wide association studies. <i>Addiction Biology</i> , 2021 , 26, e12880	4.6	12
577	Stability of Drinking Reductions and Long-term Functioning Among Patients with Alcohol Use Disorder. <i>Journal of General Internal Medicine</i> , 2021 , 36, 404-412	4	4
576	Study design and implementation of the PRrecision Medicine In MEntal health Care (PRIME Care) Trial. <i>Contemporary Clinical Trials</i> , 2021 , 101, 106247	2.3	2
575	A Delta-Opioid Receptor Gene Polymorphism Moderates the Therapeutic Response to Extended-Release Buprenorphine in Opioid Use Disorder. <i>International Journal of Neuropsychopharmacology</i> , 2021 , 24, 89-96	5.8	3
574	Multi-environment gene interactions linked to the interplay between polysubstance dependence and suicidality. <i>Translational Psychiatry</i> , 2021 , 11, 34	8.6	3
573	Placebo-controlled trial of bupropion for smoking cessation in pregnant women. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2021 , 3, 100315	7.4	0
572	Genetic underpinnings of risky behaviour relate to altered neuroanatomy. <i>Nature Human Behaviour</i> , 2021 , 5, 787-794	12.8	7
571	Prospective randomized pharmacogenetic study of topiramate for treating alcohol use disorder. <i>Neuropsychopharmacology</i> , 2021 , 46, 1407-1413	8.7	4
570	Effects of topiramate on neural responses to alcohol cues in treatment-seeking individuals with alcohol use disorder: preliminary findings from a randomized, placebo-controlled trial. <i>Neuropsychopharmacology</i> , 2021 , 46, 1414-1420	8.7	5
569	Genome-wide association study of phenotypes measuring progression from first cocaine or opioid use to dependence reveals novel risk genes. <i>Exploration of Medicine</i> , 2021 , 2, 60-73	1.1	1
568	Epigenomic Profiles of African-American Val122Ile Carriers Reveals Putatively Dysregulated Amyloid Mechanisms. <i>Circulation Genomic and Precision Medicine</i> , 2021 , 14, e003011	5.2	3
567	Multivariate analysis of 1.5 million people identifies genetic associations with traits related to self-regulation and addiction. <i>Nature Neuroscience</i> , 2021 , 24, 1367-1376	25.5	10
566	Combined analysis of the moderating effect of a GRIK1 polymorphism on the effects of topiramate for treating alcohol use disorder. <i>Drug and Alcohol Dependence</i> , 2021 , 225, 108762	4.9	2
565	Reliability and validity of DSM-IV and DSM-5 methamphetamine use disorder diagnoses using the Chinese Version of the Semi-Structured Assessment for Drug Dependence and Alcoholism (SSADDA). <i>Drug and Alcohol Dependence</i> , 2021 , 229, 109047	4.9	1

564	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. <i>Biological Psychiatry</i> , 2021 ,	7.9	11
563	Enhancing Discovery of Genetic Variants for Posttraumatic Stress Disorder Through Integration of Quantitative Phenotypes and Trauma Exposure Information. <i>Biological Psychiatry</i> , 2021 ,	7.9	3
562	Analysis of genetic and clinical factors associated with buprenorphine response. <i>Drug and Alcohol Dependence</i> , 2021 , 227, 109013	4.9	0
561	Antagonism of GluK1-containing kainate receptors reduces ethanol consumption by modulating ethanol reward and withdrawal. <i>Neuropharmacology</i> , 2021 , 199, 108783	5.5	2
560	Expanding the genetic architecture of nicotine dependence and its shared genetics with multiple traits. <i>Nature Communications</i> , 2020 , 11, 5562	17.4	25
559	Association of OPRM1 Functional Coding Variant With Opioid Use Disorder: A Genome-Wide Association Study. <i>JAMA Psychiatry</i> , 2020 , 77, 1072-1080	14.5	46
558	Survey of Addiction Specialists' Use of Medications to Treat Alcohol Use Disorder. <i>Frontiers in Psychiatry</i> , 2020 , 11, 47	5	6
557	Reduction in World Health Organization Risk Drinking Levels and Cardiovascular Disease. <i>Alcoholism: Clinical and Experimental Research</i> , 2020 , 44, 1625-1635	3.7	7
556	An analysis of the effect of mu-opioid receptor gene (OPRM1) promoter region DNA methylation on the response of naltrexone treatment of alcohol dependence. <i>Pharmacogenomics Journal</i> , 2020 , 20, 672-680	3.5	6
555	World Health Organization risk drinking level reductions are associated with improved functioning and are sustained among patients with mild, moderate and severe alcohol dependence in clinical trials in the United States and United Kingdom. <i>Addiction</i> , 2020 , 115, 1668-1680	4.6	23
554	Genomic influences on self-reported childhood maltreatment. <i>Translational Psychiatry</i> , 2020 , 10, 38	8.6	20
553	Leveraging genome-wide data to investigate differences between opioid use vs. opioid dependence in 41,176 individuals from the Psychiatric Genomics Consortium. <i>Molecular Psychiatry</i> , 2020 , 25, 1673-1687	15.1	30
552	Genome-Wide Association Study of Opioid Cessation. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	10
551	Systematic review and meta-analysis of the moderating effect of rs1799971 in OPRM1, the mu-opioid receptor gene, on response to naltrexone treatment of alcohol use disorder. <i>Addiction</i> , 2020 , 115, 1426-1437	4.6	11
550	A genome-wide association study of cocaine use disorder accounting for phenotypic heterogeneity and gene-environment interaction. <i>Journal of Psychiatry and Neuroscience</i> , 2020 , 45, 34-44	4.5	8
549	Identifying factors associated with opioid cessation in a biracial sample using machine learning. <i>Exploration of Medicine</i> , 2020 , 1, 27-41	1.1	1
548	Identifying Clinical Risk Factors for Opioid Use Disorder using a Distributed Algorithm to Combine Real-World Data from a Large Clinical Data Research Network 2020 , 2020, 1220-1229	0.7	1
547	Genome-wide meta-analysis of problematic alcohol use in 435,563 individuals yields insights into biology and relationships with other traits. <i>Nature Neuroscience</i> , 2020 , 23, 809-818	25.5	69

546	Post-GWAS analysis of six substance use traits improves the identification and functional interpretation of genetic risk loci. <i>Drug and Alcohol Dependence</i> , 2020 , 206, 107703	4.9	8
545	Molecular genetic overlap between posttraumatic stress disorder and sleep phenotypes. <i>Sleep</i> , 2020 , 43,	1.1	9
544	Genome-wide association study of smoking trajectory and meta-analysis of smoking status in 842,000 individuals. <i>Nature Communications</i> , 2020 , 11, 5302	17.4	15
543	A large-scale genome-wide association study meta-analysis of cannabis use disorder. <i>Lancet Psychiatry</i> , 2020 , 7, 1032-1045	23.3	43
542	Induced pluripotent stem cell reprogramming-associated methylation at the GABRA2 promoter and chr4p12 GABA subunit gene expression in the context of alcohol use disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2020 , 183, 464-474	3.5	1
541	Validating a non-invasive, ALT-based non-alcoholic fatty liver phenotype in the million veteran program. <i>PLoS ONE</i> , 2020 , 15, e0237430	3.7	5
540	Molecular Correlates of Topiramate and GRIK1 rs2832407 Genotype in Pluripotent Stem Cell-Derived Neural Cultures. <i>Alcoholism: Clinical and Experimental Research</i> , 2020 , 44, 1561-1570	3.7	2
539	Opioid Use and Rate of Nicotine Metabolism Among Pregnant Smokers. <i>Nicotine and Tobacco Research</i> , 2020 , 22, 1046-1050	4.9	5
538	Differentiating Types of Self-Reported Alcohol Abstinence. <i>AIDS and Behavior</i> , 2020 , 24, 655-665	4.3	4
537	Genome-Wide Meta-Analyses of FTND and TTFC Phenotypes. <i>Nicotine and Tobacco Research</i> , 2020 , 22, 900-909	4.9	9
536	Genome-wide scan identifies opioid overdose risk locus close to MCOLN1. <i>Addiction Biology</i> , 2020 , 25, e12811	4.6	7
535	Pregnant Smokers Receiving Opioid Agonist Therapy Have an Elevated Nicotine Metabolite Ratio: A Replication Study. <i>Nicotine and Tobacco Research</i> , 2020 , 22, 1923-1927	4.9	2
534	Advancing Precision Medicine for Alcohol Use Disorder: Replication and Extension of Reward Drinking as a Predictor of Naltrexone Response. <i>Alcoholism: Clinical and Experimental Research</i> , 2019 , 43, 2395-2405	3.7	22
533	Genetic associations with suicide attempt severity and genetic overlap with major depression. <i>Translational Psychiatry</i> , 2019 , 9, 22	8.6	48
532	Reduction in non-abstinent World Health Organization (WHO) drinking risk levels and drug use disorders: 3-year follow-up results in the US general population. <i>Drug and Alcohol Dependence</i> , 2019 , 201, 16-22	4.9	16
531	Salivary microRNAs identified by small RNA sequencing and machine learning as potential biomarkers of alcohol dependence. <i>Epigenomics</i> , 2019 , 11, 739-749	4.4	7
530	A meta-analysis of the efficacy of gabapentin for treating alcohol use disorder. <i>Addiction</i> , 2019 , 114, 1547-1555	4.6	35
529	Reduction in non-abstinent WHO drinking risk levels and depression/anxiety disorders: 3-year follow-up results in the US general population. <i>Drug and Alcohol Dependence</i> , 2019 , 197, 228-235	4.9	29

528	Cognitive Behavioral Therapy for Insomnia in Alcohol-Dependent Veterans: A Randomized, Controlled Pilot Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2019 , 43, 1244-1253	3.7	11
527	Evaluation of Drinking Risk Levels as Outcomes in Alcohol Pharmacotherapy Trials: A Secondary Analysis of 3 Randomized Clinical Trials. <i>JAMA Psychiatry</i> , 2019 , 76, 374-381	14.5	51
526	Alcohol-responsive genes identified in human iPSC-derived neural cultures. <i>Translational Psychiatry</i> , 2019 , 9, 96	8.6	9
525	Genomewide Study of Epigenetic Biomarkers of Opioid Dependence in European- American Women. <i>Scientific Reports</i> , 2019 , 9, 4660	4.9	14
524	Maintenance of World Health Organization Risk Drinking Level Reductions and Posttreatment Functioning Following a Large Alcohol Use Disorder Clinical Trial. <i>Alcoholism: Clinical and Experimental Research</i> , 2019 , 43, 979-987	3.7	28
523	Genome-wide Association Study of Maximum Habitual Alcohol Intake in >140,000 U.S. European and African American Veterans Yields Novel Risk Loci. <i>Biological Psychiatry</i> , 2019 , 86, 365-376	7.9	37
522	Genome-wide association study of alcohol consumption and use disorder in 274,424 individuals from multiple populations. <i>Nature Communications</i> , 2019 , 10, 1499	17.4	164
521	Randomized Trial of Nicotine Inhaler for Pregnant Smokers. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2019 , 1, 10-18	7.4	9
520	Apolipoprotein E gene polymorphism, posttraumatic stress disorder, and cognitive function in older U.S. veterans: Results from the National Health and Resilience in Veterans Study. <i>Depression and Anxiety</i> , 2019 , 36, 834-845	8.4	10
519	Patterns and Correlates of Prescription Opioid Receipt Among US Veterans: A National, 18-Year Observational Cohort Study. <i>AIDS and Behavior</i> , 2019 , 23, 3340-3349	4.3	6
518	Pharmacogenetics of alcohol use disorder treatments: an update. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2019 , 15, 553-564	5.5	17
517	International meta-analysis of PTSD genome-wide association studies identifies sex- and ancestry-specific genetic risk loci. <i>Nature Communications</i> , 2019 , 10, 4558	17.4	151
516	Long-term use of hydrocodone vs. oxycodone in primary care. <i>Drug and Alcohol Dependence</i> , 2019 , 205, 107524	4.9	1
515	Prevention, screening, and treatment for heavy drinking and alcohol use disorder. <i>Lancet Psychiatry</i> , 2019 , 6, 1054-1067	23.3	36
514	A regulatory variant of CHRM3 is associated with cannabis-induced hallucinations in European Americans. <i>Translational Psychiatry</i> , 2019 , 9, 309	8.6	0
513	Genomewide Gene-by-Sex Interaction Scans Identify ADGRV1 for Sex Differences in Opioid Dependent African Americans. <i>Scientific Reports</i> , 2019 , 9, 18070	4.9	6
512	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , 2019 , 179, 1469-1482.e11	56.2	402
511	Longitudinal Drinking Patterns and Their Clinical Correlates in Million Veteran Program Participants. <i>Alcoholism: Clinical and Experimental Research</i> , 2019 , 43, 465-472	3.7	1

510	Discovery of the first genome-wide significant risk loci for attention deficit/hyperactivity disorder. <i>Nature Genetics</i> , 2019 , 51, 63-75	36.3	826
509	GWAS and network analysis of co-occurring nicotine and alcohol dependence identifies significantly associated alleles and network. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019 , 180, 3-11	3.5	1
508	Using DNA methylation to validate an electronic medical record phenotype for smoking. <i>Addiction Biology</i> , 2019 , 24, 1056-1065	4.6	7
507	Genome-wide Association Study Identifies a Regulatory Variant of RGMA Associated With Opioid Dependence in European Americans. <i>Biological Psychiatry</i> , 2018 , 84, 762-770	7.9	41
506	Predictors of Treatment Referral after AUDIT-C Screening for Heavy Drinking. <i>Addictive Disorders and Their Treatment</i> , 2018 , 17, 124-133	0.5	0
505	Largest GWAS of PTSD (N=20 070) yields genetic overlap with schizophrenia and sex differences in heritability. <i>Molecular Psychiatry</i> , 2018 , 23, 666-673	15.1	248
504	A genome-wide gene-by-trauma interaction study of alcohol misuse in two independent cohorts identifies PRKG1 as a risk locus. <i>Molecular Psychiatry</i> , 2018 , 23, 154-160	15.1	32
503	Genome-wide association study across European and African American ancestries identifies a SNP in DNMT3B contributing to nicotine dependence. <i>Molecular Psychiatry</i> , 2018 , 23, 1911-1919	15.1	52
502	Examining the effects of alcohol on GABA receptor mRNA expression and function in neural cultures generated from control and alcohol dependent donor induced pluripotent stem cells. <i>Alcohol</i> , 2018 , 66, 45-53	2.7	16
501	Genome-wide association meta-analysis of age at first cannabis use. <i>Addiction</i> , 2018 , 113, 2073-2086	4.6	16
500	AUDIT-C and ICD codes as phenotypes for harmful alcohol use: association with ADH1B polymorphisms in two US populations. <i>Addiction</i> , 2018 , 113, 2214-2224	4.6	13
499	Topiramate versus naltrexone for alcohol use disorder: study protocol for a genotype-stratified, double-blind randomised controlled trial (TOP study). <i>Trials</i> , 2018 , 19, 443	2.8	4
498	Genome-wide association study of cognitive flexibility assessed by the Wisconsin Card Sorting Test. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018 , 177, 511-519	3.5	0
497	Diagnosis and Pharmacotherapy of Alcohol Use Disorder: A Review. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 815-824	27.4	205
496	Opioid Misuse as a Predictor of Alcohol Treatment Outcomes in the COMBINE Study: Mediation by Medication Adherence. <i>Alcoholism: Clinical and Experimental Research</i> , 2018 , 42, 1249-1259	3.7	9
495	Translational studies support a role for serotonin 2B receptor (HTR2B) gene in aggression-related cannabis response. <i>Molecular Psychiatry</i> , 2018 , 23, 2277-2286	15.1	14
494	Circadian Pattern of Deaths Due to Suicide in Intoxicated Alcohol-Dependent Individuals. <i>Journal of Clinical Psychiatry</i> , 2018 , 79,	4.6	2
493	Drinking goals and attainment in a naltrexone trial of young adult heavy drinkers. <i>Journal of Consulting and Clinical Psychology</i> , 2018 , 86, 765-774	6.5	9

492	Trauma exposure interacts with the genetic risk of bipolar disorder in alcohol misuse of US soldiers. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 148-156	6.5	8
491	A Genetic Investigation of Sex Bias in the Prevalence of Attention-Deficit/Hyperactivity Disorder. <i>Biological Psychiatry</i> , 2018 , 83, 1044-1053	7.9	93
490	Genome-wide association study identifies a novel locus for cannabis dependence. <i>Molecular Psychiatry</i> , 2018 , 23, 1293-1302	15.1	28
489	Transancestral GWAS of alcohol dependence reveals common genetic underpinnings with psychiatric disorders. <i>Nature Neuroscience</i> , 2018 , 21, 1656-1669	25.5	257
488	Drinking Risk Level Reductions Associated with Improvements in Physical Health and Quality of Life Among Individuals with Alcohol Use Disorder. <i>Alcoholism: Clinical and Experimental Research</i> , 2018 , 42, 2453-2465	3.7	53
487	Inferring phenotypes from substance use via collaborative matrix completion. <i>BMC Systems Biology</i> , 2018 , 12, 104	3.5	
486	Genome-wide association study identifies glutamate ionotropic receptor GRIA4 as a risk gene for comorbid nicotine dependence and major depression. <i>Translational Psychiatry</i> , 2018 , 8, 208	8.6	8
485	Reduction in Nonabstinent WHO Drinking Risk Levels and Change in Risk for Liver Disease and Positive AUDIT-C Scores: Prospective 3-Year Follow-Up Results in the U.S. General Population. <i>Alcoholism: Clinical and Experimental Research</i> , 2018 , 42, 2256-2265	3.7	33
484	Risk Locus Identification Ties Alcohol Withdrawal Symptoms to SORCS2. <i>Alcoholism: Clinical and Experimental Research</i> , 2018 , 42, 2337-2348	3.7	8
483	Meta-Analysis of the Association of Alcohol-Related Social Media Use with Alcohol Consumption and Alcohol-Related Problems in Adolescents and Young Adults. <i>Alcoholism: Clinical and Experimental Research</i> , 2018 , 42, 978-986	3.7	73
482	A protocadherin gene cluster regulatory variant is associated with nicotine withdrawal and the urge to smoke. <i>Molecular Psychiatry</i> , 2017 , 22, 242-249	15.1	7
481	Genome-wide association study of body mass index in subjects with alcohol dependence. <i>Addiction Biology</i> , 2017 , 22, 535-549	4.6	18
480	Effects of LY466195, a selective kainate receptor antagonist, on ethanol preference and drinking in rats. <i>Neuroscience Letters</i> , 2017 , 639, 8-12	3.3	7
479	Urgency traits moderate daily relations between affect and drinking to intoxication among young adults. <i>Drug and Alcohol Dependence</i> , 2017 , 170, 59-65	4.9	11
478	Genome-wide association study of therapeutic opioid dosing identifies a novel locus upstream of OPRM1. <i>Molecular Psychiatry</i> , 2017 , 22, 346-352	15.1	67
477	Genomewide Association Study of Alcohol Dependence Identifies Risk Loci Altering Ethanol-Response Behaviors in Model Organisms. <i>Alcoholism: Clinical and Experimental Research</i> , 2017 , 41, 911-928	3.7	30
476	Temporal Stability of Heavy Drinking Days and Drinking Reductions Among Heavy Drinkers in the COMBINE Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2017 , 41, 1054-1062	3.7	18
475	Alcohol and nicotine codependence-associated DNA methylation changes in promoter regions of addiction-related genes. <i>Scientific Reports</i> , 2017 , 7, 41816	4.9	13

474	Precision medicine and pharmacogenetics: what does oncology have that addiction medicine does not?. <i>Addiction</i> , 2017 , 112, 2086-2094	4.6	25
473	Change in non-abstinent WHO drinking risk levels and alcohol dependence: a 3 year follow-up study in the US general population. <i>Lancet Psychiatry</i> , 2017 , 4, 469-476	23.3	86
472	Examining FKBP5 mRNA expression in human iPSC-derived neural cells. <i>Psychiatry Research</i> , 2017 , 247, 172-181	9.9	6
471	Correlates of Electronic Cigarettes Use Before and During Pregnancy. <i>Nicotine and Tobacco Research</i> , 2017 , 19, 585-590	4.9	71
470	Validating Harmful Alcohol Use as a Phenotype for Genetic Discovery Using Phosphatidylethanol and a Polymorphism in ADH1B. <i>Alcoholism: Clinical and Experimental Research</i> , 2017 , 41, 998-1003	3.7	12
469	Guidelines for biological treatment of substance use and related disorders, part 1: Alcoholism, first revision. <i>World Journal of Biological Psychiatry</i> , 2017 , 18, 86-119	3.8	38
468	Clinical Validation of Reduced Alcohol Consumption After Treatment for Alcohol Dependence Using the World Health Organization Risk Drinking Levels. <i>Alcoholism: Clinical and Experimental Research</i> , 2017 , 41, 179-186	3.7	91
467	Genetic Risk Variants Associated With Comorbid Alcohol Dependence and Major Depression. <i>JAMA Psychiatry</i> , 2017 , 74, 1234-1241	14.5	47
466	Genome-Wide Association Studies of a Broad Spectrum of Antisocial Behavior. <i>JAMA Psychiatry</i> , 2017 , 74, 1242-1250	14.5	124
465	Ancestry-specific and sex-specific risk alleles identified in a genome-wide gene-by-alcohol dependence interaction study of risky sexual behaviors. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017 , 174, 846-853	3.5	14
464	A putative causal relationship between genetically determined female body shape and posttraumatic stress disorder. <i>Genome Medicine</i> , 2017 , 9, 99	14.4	23
463	identified in a genome-wide gene by cannabis dependence interaction analysis of risky sexual behaviours. <i>Journal of Psychiatry and Neuroscience</i> , 2017 , 42, 252-261	4.5	5
462	Oxytocin receptor gene polymorphisms, attachment, and PTSD: Results from the National Health and Resilience in Veterans Study. <i>Journal of Psychiatric Research</i> , 2017 , 94, 139-147	5.2	34
461	Effects of Recent Alcohol Consumption Level on Neurocognitive Performance in HIV+ Individuals. <i>Addictive Disorders and Their Treatment</i> , 2017 , 16, 95-107	0.5	6
460	Polygenic Scores for Major Depressive Disorder and Risk of Alcohol Dependence. <i>JAMA Psychiatry</i> , 2017 , 74, 1153-1160	14.5	56
459	Genetic factor common to schizophrenia and HIV infection is associated with risky sexual behavior: antagonistic vs. synergistic pleiotropic SNPs enriched for distinctly different biological functions. <i>Human Genetics</i> , 2017 , 136, 75-83	6.3	11
458	Sex-specific linkage scans in opioid dependence. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017 , 174, 261-268	3.5	8
457	The Interplay Between Risky Sexual Behaviors and Alcohol Dependence: Genome-Wide Association and Neuroimaging Support for LHPP as a Risk Gene. <i>Neuropsychopharmacology</i> , 2017 , 42, 598-605	8.7	28

456	Collaborative Phenotype Inference from Comorbid Substance Use Disorders and Genotypes 2017 , 2017, 392-397	0.8	1
455	Association of the OPRM1 Variant rs1799971 (A118G) with Non-Specific Liability to Substance Dependence in a Collaborative de novo Meta-Analysis of European-Ancestry Cohorts. <i>Behavior Genetics</i> , 2016 , 46, 151-69	3.2	77
454	Evidence of CNH3 involvement in opioid dependence. <i>Molecular Psychiatry</i> , 2016 , 21, 608-14	15.1	74
453	Genetic Relationship between Schizophrenia and Nicotine Dependence. <i>Scientific Reports</i> , 2016 , 6, 25671	4.9	50
452	Reductions in Alcohol Craving Following Naltrexone Treatment for Heavy Drinking. <i>Alcohol and Alcoholism</i> , 2016 , 51, 562-6	3.5	16
451	Daily relations among affect, urge, targeted naltrexone, and alcohol use in young adults. <i>Experimental and Clinical Psychopharmacology</i> , 2016 , 24, 367-375	3.2	7
450	Self-efficacy mediates the effects of topiramate and GRIK1 genotype on drinking. <i>Addiction Biology</i> , 2016 , 21, 450-9	4.6	18
449	Connecting the dots, genome-wide association studies in substance use. <i>Molecular Psychiatry</i> , 2016 , 21, 733-5	15.1	24
448	Longitudinal findings from a randomized clinical trial of naltrexone for young adult heavy drinkers. <i>Journal of Consulting and Clinical Psychology</i> , 2016 , 84, 185-90	6.5	9
447	Balancing risk and benefit in heavy drinkers treated with topiramate: implications for personalized care. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, e278-82	4.6	9
446	Missing Data in Alcohol Clinical Trials with Binary Outcomes. <i>Alcoholism: Clinical and Experimental Research</i> , 2016 , 40, 1548-57	3.7	21
445	Which alcohol use disorder criteria contribute to the association of ADH1B with alcohol dependence?. <i>Addiction Biology</i> , 2016 , 21, 924-38	4.6	10
444	FKBP5 genotype interacts with early life trauma to predict heavy drinking in college students. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016 , 171, 879-87	3.5	18
443	Genome-wide association study of lifetime cannabis use based on a large meta-analytic sample of 32 330 subjects from the International Cannabis Consortium. <i>Translational Psychiatry</i> , 2016 , 6, e769	8.6	102
442	Genome-wide Association Study of Cannabis Dependence Severity, Novel Risk Variants, and Shared Genetic Risks. <i>JAMA Psychiatry</i> , 2016 , 73, 472-80	14.5	113
441	Phenome-Wide Association Study for Alcohol and Nicotine Risk Alleles in 26394 Women. <i>Neuropsychopharmacology</i> , 2016 , 41, 2688-96	8.7	24
440	Polygenic risk for alcohol dependence associates with alcohol consumption, cognitive function and social deprivation in a population-based cohort. <i>Addiction Biology</i> , 2016 , 21, 469-80	4.6	21
439	FKBP5 variation is associated with the acute and chronic effects of nicotine. <i>Pharmacogenomics Journal</i> , 2015 , 15, 340-6	3.5	13

438	The pharmacogenetics of alcohol use disorder. <i>Alcoholism: Clinical and Experimental Research</i> , 2015 , 39, 391-402	3.7	43
437	Inter-observer reliability of DSM-5 substance use disorders. <i>Drug and Alcohol Dependence</i> , 2015 , 153, 229-35	4.9	20
436	Insomnia in alcohol dependent subjects is associated with greater psychosocial problem severity. <i>Addictive Behaviors</i> , 2015 , 50, 165-72	4.2	34
435	Eye color: A potential indicator of alcohol dependence risk in European Americans. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015 , 168B, 347-53	3.5	6
434	Genetic Vulnerability to Menthol Cigarette Preference in Women. <i>Nicotine and Tobacco Research</i> , 2015 , 17, 1416-20	4.9	26
433	Genome-wide association study of copy number variations (CNVs) with opioid dependence. <i>Neuropsychopharmacology</i> , 2015 , 40, 1016-26	8.7	30
432	Nf1 regulates alcohol dependence-associated excessive drinking and gamma-aminobutyric acid release in the central amygdala in mice and is associated with alcohol dependence in humans. <i>Biological Psychiatry</i> , 2015 , 77, 870-879	7.9	11
431	Refining multivariate disease phenotypes for high chip heritability. <i>BMC Medical Genomics</i> , 2015 , 8 Suppl 3, S3	3.7	3
430	Genomewide Association Study for Maximum Number of Alcoholic Drinks in European Americans and African Americans. <i>Alcoholism: Clinical and Experimental Research</i> , 2015 , 39, 1137-47	3.7	46
429	Alcohol Dependence Genetics: Lessons Learned From Genome-Wide Association Studies (GWAS) and Post-GWAS Analyses. <i>Alcoholism: Clinical and Experimental Research</i> , 2015 , 39, 1312-27	3.7	83
428	Smoking and Cellular Telephone Use Among Pregnant Women Seeking Prenatal Care: Opportunities for Intervention. <i>Addictive Disorders and Their Treatment</i> , 2015 , 14, 203-210	0.5	2
427	Further analyses support the association between light eye color and alcohol dependence. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015 , 168, 757-60	3.5	1
426	Subgroup Identification in Personalized Treatment of Alcohol Dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2015 , 39, 1253-9	3.7	13
425	Guidelines for the Reporting of Treatment Trials for Alcohol Use Disorders. <i>Alcoholism: Clinical and Experimental Research</i> , 2015 , 39, 1571-81	3.7	23
424	GABRA2 Alcohol Dependence Risk Allele is Associated with Reduced Expression of Chromosome 4p12 GABAA Subunit Genes in Human Neural Cultures. <i>Alcoholism: Clinical and Experimental Research</i> , 2015 , 39, 1654-64	3.7	27
423	Recommendations for the Design and Analysis of Treatment Trials for Alcohol Use Disorders. <i>Alcoholism: Clinical and Experimental Research</i> , 2015 , 39, 1557-70	3.7	46
422	Reduction of alcohol drinking in young adults by naltrexone: a double-blind, placebo-controlled, randomized clinical trial of efficacy and safety. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, e207-13	4.6	51
421	Genome-wide meta-analysis reveals common splice site acceptor variant in CHRNA4 associated with nicotine dependence. <i>Translational Psychiatry</i> , 2015 , 5, e651	8.6	68

4 ²⁰	Genome-wide association study of nicotine dependence in American populations: identification of novel risk loci in both African-Americans and European-Americans. <i>Biological Psychiatry</i> , 2015 , 77, 493-503	7.9	56
4 ¹⁹	An Effective Method to Identify Heritable Components from Multivariate Phenotypes. <i>PLoS ONE</i> , 2015 , 10, e0144418	3.7	5
4 ¹⁸	Dutasteride reduces alcohol's sedative effects in men in a human laboratory setting and reduces drinking in the natural environment. <i>Psychopharmacology</i> , 2014 , 231, 3609-18	4.7	25
4 ¹⁷	The effects of a MAP2K5 microRNA target site SNP on risk for anxiety and depressive disorders. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014 , 165B, 175-83	3.5	21
4 ¹⁶	Genome-wide association study of alcohol dependence: significant findings in African- and European-Americans including novel risk loci. <i>Molecular Psychiatry</i> , 2014 , 19, 41-9	15.1	278
4 ¹⁵	Genetic risk prediction and neurobiological understanding of alcoholism. <i>Translational Psychiatry</i> , 2014 , 4, e391	8.6	44
4 ¹⁴	Rate of progression from first use to dependence on cocaine or opioids: a cross-substance examination of associated demographic, psychiatric, and childhood risk factors. <i>Addictive Behaviors</i> , 2014 , 39, 473-9	4.2	40
4 ¹³	Genome-wide association study of cocaine dependence and related traits: FAM53B identified as a risk gene. <i>Molecular Psychiatry</i> , 2014 , 19, 717-23	15.1	124
4 ¹²	Multiview comodeling to improve subtyping and genetic association of complex diseases. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2014 , 18, 548-54	7.2	3
4 ¹¹	5-HTTLPR moderates naltrexone and psychosocial treatment responses in heavy drinking men who have sex with men. <i>Alcoholism: Clinical and Experimental Research</i> , 2014 , 38, 2362-8	3.7	3
4 ¹⁰	ALDH2 is associated to alcohol dependence and is the major genetic determinant of "daily maximum drinks" in a GWAS study of an isolated rural Chinese sample. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014 , 165B, 103-10	3.5	82
4 ⁰⁹	What happens when people discontinue taking medications? Lessons from COMBINE. <i>Addiction</i> , 2014 , 109, 2044-52	4.6	3
4 ⁰⁸	Multi-view singular value decomposition for disease subtyping and genetic associations. <i>BMC Genetics</i> , 2014 , 15, 73	2.6	20
4 ⁰⁷	Variation in AKR1C3, which encodes the neuroactive steroid synthetic enzyme 3 β HSD type 2 (17 β HSD type 5), moderates the subjective effects of alcohol. <i>Psychopharmacology</i> , 2014 , 231, 3597-608	4.7	11
4 ⁰⁶	Identification of methylation quantitative trait loci (mQTLs) influencing promoter DNA methylation of alcohol dependence risk genes. <i>Human Genetics</i> , 2014 , 133, 1093-104	6.3	30
4 ⁰⁵	Association of gamma-aminobutyric acid A receptor α gene (GABRA2) with alcohol use disorder. <i>Neuropsychopharmacology</i> , 2014 , 39, 907-18	8.7	76
4 ⁰⁴	Genome-wide association study of opioid dependence: multiple associations mapped to calcium and potassium pathways. <i>Biological Psychiatry</i> , 2014 , 76, 66-74	7.9	143
4 ⁰³	Pharmacotherapy of Alcohol Use Disorders: Seventy-Five Years of Progress. <i>Journal of Studies on Alcohol and Drugs Supplement</i> , 2014 , 79-88	3.9	54

402	Ttn as a likely causal gene for QTL of alcohol preference on mouse chromosome 2. <i>BMC Bioinformatics</i> , 2014 , 15, P12	3.6	3
401	Characteristics and course of dependence in cocaine-dependent individuals who never used alcohol or marijuana or used cocaine first. <i>Journal of Studies on Alcohol and Drugs</i> , 2014 , 75, 423-7	1.9	6
400	Topiramate's reduction of body mass index in heavy drinkers: lack of moderation by a GRIK1 polymorphism. <i>Experimental and Clinical Psychopharmacology</i> , 2014 , 22, 419-23	3.2	4
399	DSM-5 gambling disorder: prevalence and characteristics in a substance use disorder sample. <i>Experimental and Clinical Psychopharmacology</i> , 2014 , 22, 50-6	3.2	31
398	GRIK1 genotype and daily expectations of alcohol's positive effects moderate the reduction of heavy drinking by topiramate. <i>Experimental and Clinical Psychopharmacology</i> , 2014 , 22, 494-501	3.2	6
397	Risks of alcohol use disorders related to drinking patterns in the U.S. general population. <i>Journal of Studies on Alcohol and Drugs</i> , 2014 , 75, 319-27	1.9	40
396	Cumulative proportion of responders analysis (CPRA) as a tool to assess treatment outcome in alcohol clinical trials. <i>Journal of Studies on Alcohol and Drugs</i> , 2014 , 75, 335-46	1.9	8
395	Topiramate for smoking cessation: a randomized, placebo-controlled pilot study. <i>Nicotine and Tobacco Research</i> , 2014 , 16, 288-96	4.9	46
394	Posttreatment effects of topiramate treatment for heavy drinking. <i>Alcoholism: Clinical and Experimental Research</i> , 2014 , 38, 3017-23	3.7	17
393	GRIK1 genotype moderates topiramate's effects on daily drinking level, expectations of alcohol's positive effects and desire to drink. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 17, 1549-58	5.8	26
392	A GABRA2 variant is associated with increased stimulation and 'high' following alcohol administration. <i>Alcohol and Alcoholism</i> , 2014 , 49, 1-9	3.5	30
391	Evaluating the role of a galanin enhancer genotype on a range of metabolic, depressive and addictive phenotypes. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014 , 165B, 654-64	3.5	4
390	Topiramate treatment for heavy drinkers: moderation by a GRIK1 polymorphism. <i>American Journal of Psychiatry</i> , 2014 , 171, 445-52	11.9	138
389	Comparing the utility of homogeneous subtypes of cocaine use and related behaviors with DSM-IV cocaine dependence as traits for genetic association analysis. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014 , 165B, 148-56	3.5	21
388	Commentary on Garbutt et al. (2014): Can we predict who benefits from naltrexone in the treatment of alcohol dependence?. <i>Addiction</i> , 2014 , 109, 1285-6	4.6	3
387	Deep resequencing of 17 glutamate system genes identifies rare variants in DISC1 and GRIN2B affecting risk of opioid dependence. <i>Addiction Biology</i> , 2014 , 19, 955-64	4.6	20
386	Translating the semi-structured assessment for drug dependence and alcoholism in the Western Pacific: rationale, study design and reliability of alcohol dependence. <i>Alcohol and Alcoholism</i> , 2014 , 49, 525-30	3.5	5
385	Methods to analyze treatment effects in the presence of missing data for a continuous heavy drinking outcome measure when participants drop out from treatment in alcohol clinical trials. <i>Alcoholism: Clinical and Experimental Research</i> , 2014 , 38, 2826-34	3.7	39

384	The joint effects of ADH1B variants and childhood adversity on alcohol related phenotypes in African-American and European-American women and men. <i>Alcoholism: Clinical and Experimental Research</i> , 2014 , 38, 2907-14	3.7	21
383	Exploring the genetic architecture of alcohol dependence in African-Americans via analysis of a genome-wide set of common variants. <i>Human Genetics</i> , 2014 , 133, 617-24	6.3	12
382	The Mankmannosidase gene (MANEA) is associated with panic disorder and social anxiety disorder. <i>Translational Psychiatry</i> , 2014 , 4, e353	8.6	9
381	Pharmacotherapy of Alcohol Use Disorders: Seventy-Five Years of Progress. <i>Journal of Studies on Alcohol and Drugs Supplement</i> , 2014 , 75, 79-88	3.9	20
380	Pharmacotherapy of alcohol use disorders: seventy-five years of progress. <i>Journal of Studies on Alcohol and Drugs Supplement</i> , 2014 , 75 Suppl 17, 79-88	3.9	44
379	GABRA2 markers moderate the subjective effects of alcohol. <i>Addiction Biology</i> , 2013 , 18, 357-69	4.6	39
378	Variation in OPRM1 moderates the effect of desire to drink on subsequent drinking and its attenuation by naltrexone treatment. <i>Addiction Biology</i> , 2013 , 18, 193-201	4.6	41
377	Ordered subset linkage analysis based on admixture proportion identifies new linkage evidence for alcohol dependence in African-Americans. <i>Human Genetics</i> , 2013 , 132, 397-403	6.3	14
376	Circadian clock period inversely correlates with illness severity in cells from patients with alcohol use disorders. <i>Alcoholism: Clinical and Experimental Research</i> , 2013 , 37, 1304-10	3.7	20
375	Quadratic optimization to identify highly heritable quantitative traits from complex phenotypic features 2013 ,		2
374	Multi-view biclustering for genotype-phenotype association studies of complex diseases 2013 ,		5
373	Integrating GWASs and human protein interaction networks identifies a gene subnetwork underlying alcohol dependence. <i>American Journal of Human Genetics</i> , 2013 , 93, 1027-34	11	55
372	Array-based profiling of DNA methylation changes associated with alcohol dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2013 , 37 Suppl 1, E108-15	3.7	75
371	Effects of the 2011 duty hour reforms on interns and their patients: a prospective longitudinal cohort study. <i>JAMA Internal Medicine</i> , 2013 , 173, 657-62; discussion 663	11.5	118
370	Genome-wide association study identifies new susceptibility loci for posttraumatic stress disorder. <i>Biological Psychiatry</i> , 2013 , 74, 656-63	7.9	129
369	Prevalence of DSM-IV and DSM-5 alcohol, cocaine, opioid, and cannabis use disorders in a largely substance dependent sample. <i>Drug and Alcohol Dependence</i> , 2013 , 127, 215-9	4.9	60
368	An Interpersonal Model of Addiction Relapse. <i>Addictive Disorders and Their Treatment</i> , 2013 , 12, 183-192	0.5	15
367	5-HTTLPR genotype and daily negative mood moderate the effects of sertraline on drinking intensity. <i>Addiction Biology</i> , 2013 , 18, 1024-31	4.6	17

366	Major depression and PTSD in pregnant smokers enrolled in nicotine gum treatment trial. <i>American Journal on Addictions</i> , 2013 , 22, 54-9	3.7	5
365	Insomnia in alcohol dependence: predictors of symptoms in a sample of veterans referred from primary care. <i>American Journal on Addictions</i> , 2013 , 22, 266-70	3.7	19
364	Varenicline and neuronal nicotinic acetylcholine receptors: a new approach to the treatment of co-occurring alcohol and nicotine addiction?. <i>American Journal on Addictions</i> , 2013 , 22, 453-9	3.7	29
363	Variation in Mu-Opioid Receptor Gene as a Moderator of Naltrexone Treatment to Reduce Heavy Drinking in a High Functioning Cohort. <i>Journal of Alcoholism and Drug Dependence</i> , 2013 , 1, 101	1	13
362	Profiling of childhood adversity-associated DNA methylation changes in alcoholic patients and healthy controls. <i>PLoS ONE</i> , 2013 , 8, e65648	3.7	36
361	Critical evaluation of transcription factor Atf2 as a candidate modulator of alcohol preference in mouse and human populations. <i>Genetics and Molecular Research</i> , 2013 , 12, 5992-6005	1.2	4
360	GABRG1 and GABRA2 variation associated with alcohol dependence in African Americans. <i>Alcoholism: Clinical and Experimental Research</i> , 2012 , 36, 588-93	3.7	34
359	Post-treatment outcomes in a double-blind, randomized trial of sertraline for alcohol dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2012 , 36, 739-44	3.7	23
358	A randomized clinical trial of naltrexone and behavioral therapy for problem drinking men who have sex with men. <i>Journal of Consulting and Clinical Psychology</i> , 2012 , 80, 863-75	6.5	35
357	GABRA2 genotype, impulsivity, and body mass. <i>American Journal on Addictions</i> , 2012 , 21, 404-10	3.7	10
356	Pilot study of iPS-derived neural cells to examine biologic effects of alcohol on human neurons in vitro. <i>Alcoholism: Clinical and Experimental Research</i> , 2012 , 36, 1678-87	3.7	32
355	2012,		1
354	Improved methods to identify stable, highly heritable subtypes of opioid use and related behaviors. <i>Addictive Behaviors</i> , 2012 , 37, 1138-44	4.2	32
353	Variation in regulator of G-protein signaling 17 gene (RGS17) is associated with multiple substance dependence diagnoses. <i>Behavioral and Brain Functions</i> , 2012 , 8, 23	4.1	12
352	Association of COL25A1 with comorbid antisocial personality disorder and substance dependence. <i>Biological Psychiatry</i> , 2012 , 71, 733-40	7.9	15
351	Linkage analysis followed by association show NRG1 associated with cannabis dependence in African Americans. <i>Biological Psychiatry</i> , 2012 , 72, 637-44	7.9	39
350	Personalized treatment of alcohol dependence. <i>Current Psychiatry Reports</i> , 2012 , 14, 486-93	9.1	49
349	Childhood adversity increases risk for nicotine dependence and interacts with β nicotinic acetylcholine receptor genotype specifically in males. <i>Neuropsychopharmacology</i> , 2012 , 37, 669-76	8.7	37

348	Autosomal linkage scan for loci predisposing to comorbid dependence on multiple substances. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 361-9	3.5	12
347	The 5-HTTLPR polymorphism moderates the effect of stressful life events on drinking behavior in college students of African descent. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 484-90	3.5	29
346	Serotonin transporter 5-HTTLPR genotype moderates the effects of childhood adversity on posttraumatic stress disorder risk: a replication study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 644-52	3.5	56
345	Comparison of alcoholism subtypes as moderators of the response to sertraline treatment. <i>Alcoholism: Clinical and Experimental Research</i> , 2012 , 36, 509-16	3.7	19
344	Variation in OPRM1 and risk of suicidal behavior in drug-dependent individuals. <i>American Journal on Addictions</i> , 2012 , 21, 5-10	3.7	10
343	M(3): an improved SNP calling algorithm for Illumina BeadArray data. <i>Bioinformatics</i> , 2012 , 28, 358-65	7.2	23
342	The Alcohol Clinical Trials Initiative (ACTIVE): purpose and goals for assessing important and salient issues for medications development in alcohol use disorders. <i>Neuropsychopharmacology</i> , 2012 , 37, 402-11	8.7	23
341	Genome-wide association study of alcohol dependence implicates KIAA0040 on chromosome 1q. <i>Neuropsychopharmacology</i> , 2012 , 37, 557-66	8.7	88
340	Hypermethylation of OPRM1 promoter region in European Americans with alcohol dependence. <i>Journal of Human Genetics</i> , 2012 , 57, 670-5	4.3	46
339	No association between ADCYAP1R1 and post-traumatic stress disorder in two independent samples. <i>Molecular Psychiatry</i> , 2012 , 17, 239-41	15.1	44
338	Effects of naltrexone on smoking cessation outcomes and weight gain in nicotine-dependent men and women. <i>Journal of Clinical Psychopharmacology</i> , 2012 , 32, 630-6	1.7	55
337	Identification of POMC exonic variants associated with substance dependence and body mass index. <i>PLoS ONE</i> , 2012 , 7, e45300	3.7	11
336	ANKRD7 and CYTL1 are novel risk genes for alcohol drinking behavior. <i>Chinese Medical Journal</i> , 2012 , 125, 1127-34	2.9	10
335	Rare nonsynonymous variants in alpha-4 nicotinic acetylcholine receptor gene protect against nicotine dependence. <i>Biological Psychiatry</i> , 2011 , 70, 528-36	7.9	55
334	Inter-rater reliability and concurrent validity of DSM-IV opioid dependence in a Hmong isolate using the Thai version of the Semi-Structured Assessment for Drug Dependence and Alcoholism (SSADDA). <i>Addictive Behaviors</i> , 2011 , 36, 156-60	4.2	18
333	Agitated depression in substance dependence. <i>Drug and Alcohol Dependence</i> , 2011 , 116, 163-9	4.9	9
332	How Should Addiction-Related Research at the National Institutes of Health be Reorganized?. <i>Frontiers in Psychiatry</i> , 2011 , 2, 2	5	2
331	ACSL6 is associated with the number of cigarettes smoked and its expression is altered by chronic nicotine exposure. <i>PLoS ONE</i> , 2011 , 6, e28790	3.7	8

330	5-HTTLPR as a potential moderator of the effects of adverse childhood experiences on risk of antisocial personality disorder. <i>Psychiatric Genetics</i> , 2011 , 21, 240-8	2.9	41
329	A double-blind, randomized trial of sertraline for alcohol dependence: moderation by age of onset [corrected] and 5-hydroxytryptamine transporter-linked promoter region genotype. <i>Journal of Clinical Psychopharmacology</i> , 2011 , 31, 22-30	1.7	71
328	Variation in the gene encoding the serotonin transporter is associated with a measure of sociopathy in alcoholics. <i>Addiction Biology</i> , 2011 , 16, 124-32	4.6	22
327	Empirically derived subtypes of opioid use and related behaviors. <i>Addiction</i> , 2011 , 106, 1146-54	4.6	19
326	Variation in genes encoding the neuroactive steroid synthetic enzymes 5 β -reductase type 1 and 3 β -reductase type 2 is associated with alcohol dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2011 , 35, 946-52	3.7	32
325	Should the reorganization of addiction-related research across all the National Institutes of Health be structural?--The devil is truly in the details. <i>Alcoholism: Clinical and Experimental Research</i> , 2011 , 35, 572-80	3.7	7
324	Variation in NGFB is associated with primary affective disorders in women. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 401-12	3.5	7
323	Association of CHRNA4 polymorphisms with smoking behavior in two populations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 421-9	3.5	24
322	Association between polymorphisms in catechol-O-methyltransferase (COMT) and cocaine-induced paranoia in European-American and African-American populations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 651-60	3.5	24
321	A CRHR1 haplotype moderates the effect of adverse childhood experiences on lifetime risk of major depressive episode in African-American women. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 960-8	3.5	49
320	A genomewide linkage scan of cocaine dependence and major depressive episode in two populations. <i>Neuropsychopharmacology</i> , 2011 , 36, 2422-30	8.7	24
319	The World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for the biological treatment of substance use and related disorders. Part 2: Opioid dependence. <i>World Journal of Biological Psychiatry</i> , 2011 , 12, 160-87	3.8	73
318	Methamphetamine and paranoia: the methamphetamine experience questionnaire. <i>American Journal on Addictions</i> , 2010 , 19, 155-68	3.7	23
317	Variation in the nicotinic acetylcholine receptor gene cluster CHRNA5-CHRNA3-CHRNB4 and its interaction with recent tobacco use influence cognitive flexibility. <i>Neuropsychopharmacology</i> , 2010 , 35, 2211-24	8.7	22
316	Confirmation and generalization of an alcohol-dependence locus on chromosome 10q. <i>Neuropsychopharmacology</i> , 2010 , 35, 1325-32	8.7	9
315	Variation in nicotinic acetylcholine receptor genes is associated with multiple substance dependence phenotypes. <i>Neuropsychopharmacology</i> , 2010 , 35, 1921-31	8.7	90
314	A prospective cohort study investigating factors associated with depression during medical internship. <i>Archives of General Psychiatry</i> , 2010 , 67, 557-65		214
313	Interaction of FKBP5 with childhood adversity on risk for post-traumatic stress disorder. <i>Neuropsychopharmacology</i> , 2010 , 35, 1684-92	8.7	262

312	Functional impact of a single-nucleotide polymorphism in the OPRD1 promoter region. <i>Journal of Human Genetics</i> , 2010 , 55, 278-84	4.3	23
311	Adolescent cannabis use increases risk for cocaine-induced paranoia. <i>Drug and Alcohol Dependence</i> , 2010 , 107, 196-201	4.9	19
310	Adverse childhood events as risk factors for substance dependence: partial mediation by mood and anxiety disorders. <i>Addictive Behaviors</i> , 2010 , 35, 7-13	4.2	157
309	A Functional Serotonin Transporter Gene Polymorphism and Depressive Effects Associated With Interferon- β Treatment. <i>Psychosomatics</i> , 2010 , 51, 137-148	2.6	
308	Functional polymorphisms in the serotonin 1B receptor gene (HTR1B) predict self-reported anger and hostility among young men. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 67-78	3.5	32
307	Pharmacogenetics of alcohol and alcohol dependence treatment. <i>Current Pharmaceutical Design</i> , 2010 , 16, 2141-8	3.3	53
306	Placebo-controlled trial of zonisamide for the treatment of alcohol dependence. <i>Journal of Clinical Psychopharmacology</i> , 2010 , 30, 318-22	1.7	34
305	ADH1A variation predisposes to personality traits and substance dependence. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 376-386	3.5	11
304	Identification of population substructure among Jews using STR markers and dependence on reference populations included. <i>BMC Genetics</i> , 2010 , 11, 48	2.6	10
303	Analysis of extreme drinking in patients with alcohol dependence using Pareto regression. <i>Statistics in Medicine</i> , 2010 , 29, 1250-8	2.3	6
302	Effects of naltrexone treatment for alcohol-related disorders on healthcare costs in an insured population. <i>Alcoholism: Clinical and Experimental Research</i> , 2010 , 34, 1090-7	3.7	6
301	A functional serotonin transporter gene polymorphism and depressive effects associated with interferon-alpha treatment. <i>Psychosomatics</i> , 2010 , 51, 137-48	2.6	27
300	Comparison of healthcare utilization among patients treated with alcoholism medications. <i>American Journal of Managed Care</i> , 2010 , 16, 879-88	2.1	15
299	Genetics of drug dependence. <i>Dialogues in Clinical Neuroscience</i> , 2010 , 12, 77-84	5.7	21
298	Sources of unreliability in the diagnosis of substance dependence. <i>Journal of Studies on Alcohol and Drugs</i> , 2009 , 70, 475-81	1.9	9
297	Effects of nicotine patch or nasal spray on nicotine and cotinine concentrations in pregnant smokers. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 751-8	2	19
296	Cognitive flexibility is associated with KIBRA variant and modulated by recent tobacco use. <i>Neuropsychopharmacology</i> , 2009 , 34, 2508-16	8.7	24
295	Interaction between two independent CNR1 variants increases risk for cocaine dependence in European Americans: a replication study in family-based sample and population-based sample. <i>Neuropsychopharmacology</i> , 2009 , 34, 1504-13	8.7	42

294	Interactive effect of stressful life events and the serotonin transporter 5-HTTLPR genotype on posttraumatic stress disorder diagnosis in 2 independent populations. <i>Archives of General Psychiatry</i> , 2009 , 66, 1201-9		195
293	Measurement of admixture proportions and description of admixture structure in different U.S. populations. <i>Human Mutation</i> , 2009 , 30, 1299-309	4.7	54
292	Population admixture modulates risk for alcohol dependence. <i>Human Genetics</i> , 2009 , 125, 605-13	6.3	7
291	Genetics of alcohol dependence. <i>Human Genetics</i> , 2009 , 126, 91-9	6.3	97
290	Subtypes of major depression in substance dependence. <i>Addiction</i> , 2009 , 104, 1700-9	4.6	16
289	A common polymorphism in serotonin receptor 1B mRNA moderates regulation by miR-96 and associates with aggressive human behaviors. <i>Molecular Psychiatry</i> , 2009 , 14, 381-9	15.1	122
288	Effect of extended-release naltrexone (XR-NTX) on quality of life in alcohol-dependent patients. <i>Alcoholism: Clinical and Experimental Research</i> , 2009 , 33, 350-6	3.7	38
287	Association of markers in the 3' region of the GluR5 kainate receptor subunit gene to alcohol dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2009 , 33, 925-30	3.7	52
286	Ethical considerations for administering alcohol or alcohol cues to treatment-seeking alcoholics in a research setting: can the benefits to society outweigh the risks to the individual? A commentary in the context of the National Advisory Council on Alcohol Abuse and Alcoholism -- Recommended Council Guidelines on Ethyl Alcohol Administration in Human Experimentation (2005). <i>Alcoholism: Effects of a diagnosis or family history of alcoholism on the taste intensity and hedonic value of sucrose</i> . <i>American Journal on Addictions</i> , 2009 , 18, 494-9	3.7	86
285	Association of psychiatric and substance use disorder comorbidity with cocaine dependence severity and treatment utilization in cocaine-dependent individuals. <i>Drug and Alcohol Dependence</i> , 2009 , 99, 193-203	4.9	51
284	Alcohol and opioid dependence medications: prescription trends, overall and by physician specialty. <i>Drug and Alcohol Dependence</i> , 2009 , 99, 345-9	4.9	166
283	Dense genomewide linkage scan for alcohol dependence in African Americans: significant linkage on chromosome 10. <i>Biological Psychiatry</i> , 2009 , 65, 111-5	7.9	32
282	Pro-opiomelanocortin gene variation related to alcohol or drug dependence: evidence and replications across family- and population-based studies. <i>Biological Psychiatry</i> , 2009 , 66, 128-36	7.9	27
281	What do we know about the role of pharmacotherapy for smoking cessation before or during pregnancy?. <i>Nicotine and Tobacco Research</i> , 2009 , 11, 1265-73	4.9	32
280	Targeted naltrexone for problem drinkers. <i>Journal of Clinical Psychopharmacology</i> , 2009 , 29, 350-7	1.7	52
279	Association study of DTNBP1 with schizophrenia in a US sample. <i>Psychiatric Genetics</i> , 2009 , 19, 292-304	2.9	12
278	Association of variants in MANEA with cocaine-related behaviors. <i>Archives of General Psychiatry</i> , 2009 , 66, 267-74		18
277			

276	Transient cocaine-associated behavioral symptoms rated with a new instrument, the scale for assessment of positive symptoms for cocaine-induced psychosis (SAPS-CIP). <i>American Journal on Addictions</i> , 2009 , 18, 339-45	3.7	18
275	The OPRD1 and OPRK1 loci in alcohol or drug dependence: OPRD1 variation modulates substance dependence risk. <i>Molecular Psychiatry</i> , 2008 , 13, 531-43	15.1	120
274	Effects of aripiprazole on subjective and physiological responses to alcohol. <i>Alcoholism: Clinical and Experimental Research</i> , 2008 , 32, 573-9	3.7	27
273	Effects of opioid receptor gene variation on targeted nalmefene treatment in heavy drinkers. <i>Alcoholism: Clinical and Experimental Research</i> , 2008 , 32, 1159-66	3.7	59
272	Haplotypic variants in DRD2, ANKK1, TTC12, and NCAM1 are associated with comorbid alcohol and drug dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2008 , 32, 2117-27	3.7	79
271	Tryptophan hydroxylase 2 gene and alcohol use among college students. <i>Addiction Biology</i> , 2008 , 13, 440-8	4.6	18
270	Persistence with oral naltrexone for alcohol treatment: implications for health-care utilization. <i>Addiction</i> , 2008 , 103, 1801-8	4.6	44
269	Recessive genetic mode of an ADH4 variant in substance dependence in African-Americans: A model of utility of the HWD test. <i>Behavioral and Brain Functions</i> , 2008 , 4, 42	4.1	9
268	The validity of cocaine dependence subtypes. <i>Addictive Behaviors</i> , 2008 , 33, 41-53	4.2	27
267	Correlates of co-occurring ADHD in drug-dependent subjects: prevalence and features of substance dependence and psychiatric disorders. <i>Addictive Behaviors</i> , 2008 , 33, 1199-207	4.2	161
266	Interpopulation linkage disequilibrium patterns of GABRA2 and GABRG1 genes at the GABA cluster locus on human chromosome 4. <i>Genomics</i> , 2008 , 91, 61-9	4.3	17
265	World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for Biological Treatment of Substance Use and Related Disorders, Part 1: Alcoholism. <i>World Journal of Biological Psychiatry</i> , 2008 , 9, 6-23	3.8	50
264	Effects of prenatal tobacco exposure on gene expression profiling in umbilical cord tissue. <i>Pediatric Research</i> , 2008 , 64, 147-53	3.2	11
263	Markers in the 5'-region of GABRG1 associate to alcohol dependence and are in linkage disequilibrium with markers in the adjacent GABRA2 gene. <i>Neuropsychopharmacology</i> , 2008 , 33, 837-48	8.7	74
262	Improvement of physical health and quality of life of alcohol-dependent individuals with topiramate treatment: US multisite randomized controlled trial. <i>Archives of Internal Medicine</i> , 2008 , 168, 1188-99		87
261	A serotonin transporter gene polymorphism (5-HTTLPR), drinking-to-cope motivation, and negative life events among college students. <i>Journal of Studies on Alcohol and Drugs</i> , 2008 , 69, 814-23	1.9	20
260	Nicotine gum for pregnant smokers: a randomized controlled trial. <i>Obstetrics and Gynecology</i> , 2008 , 112, 859-67	4.9	96
259	A randomized, multicenter, double-blind, placebo-controlled study of the efficacy and safety of aripiprazole for the treatment of alcohol dependence. <i>Journal of Clinical Psychopharmacology</i> , 2008 , 28, 5-12	1.7	76

258	Substance dependence low-density whole genome association study in two distinct American populations. <i>Human Genetics</i> , 2008 , 123, 495-506	6.3	21
257	ADH7 variation modulates extraversion and conscientiousness in substance-dependent subjects. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 179-86	3.5	17
256	Multiple OPR genes influence personality traits in substance dependent and healthy subjects in two American populations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1028-39	3.5	22
255	Acamprosate efficacy in alcohol-dependent patients: summary of results from three pivotal trials. <i>American Journal on Addictions</i> , 2008 , 17, 70-6	3.7	120
254	Non-Drug Addictive Disorders in Cocaine-Dependent Subjects: A Response to Merlo et al.. <i>American Journal on Addictions</i> , 2008 , 17, 249-250	3.7	0
253	What is addiction?. <i>Alcohol Research</i> , 2008 , 31, 93-5		1
252	Treatment of co-occurring alcohol and other drug use disorders. <i>Alcohol Research</i> , 2008 , 31, 155-67		12
251	Personality traits of agreeableness and extraversion are associated with ADH4 variation. <i>Biological Psychiatry</i> , 2007 , 61, 599-608	7.9	22
250	Interactive effects of the serotonin transporter 5-HTTLPR polymorphism and stressful life events on college student drinking and drug use. <i>Biological Psychiatry</i> , 2007 , 61, 609-16	7.9	146
249	Genomewide linkage scan for nicotine dependence: identification of a chromosome 5 risk locus. <i>Biological Psychiatry</i> , 2007 , 61, 119-26	7.9	69
248	CNR1 variation modulates risk for drug and alcohol dependence. <i>Biological Psychiatry</i> , 2007 , 62, 616-26	7.9	96
247	Mutation screen of the GAD2 gene and association study of alcoholism in three populations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007 , 144B, 183-92	3.5	21
246	Demographic changes and marker properties affect detection of human population differentiation. <i>BMC Genetics</i> , 2007 , 8, 21	2.6	22
245	Sequence variation and linkage disequilibrium in the GABA transporter-1 gene (SLC6A1) in five populations: implications for pharmacogenetic research. <i>BMC Genetics</i> , 2007 , 8, 71	2.6	2
244	Opioid receptor gene (OPRM1, OPRK1, and OPRD1) variants and response to naltrexone treatment for alcohol dependence: results from the VA Cooperative Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2007 , 31, 555-63	3.7	100
243	Variation in GABRA2 predicts drinking behavior in project MATCH subjects. <i>Alcoholism: Clinical and Experimental Research</i> , 2007 , 31, 1780-7	3.7	76
242	Comorbid psychiatric diagnoses and their association with cocaine-induced psychosis in cocaine-dependent subjects. <i>American Journal on Addictions</i> , 2007 , 16, 343-51	3.7	41
241	Topiramate for treating alcohol dependence: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2007 , 298, 1641-51	27.4	398

240	CHRM2 variation predisposes to personality traits of agreeableness and conscientiousness. <i>Human Molecular Genetics</i> , 2007 , 16, 1557-68	5.6	20
239	Association of haplotypic variants in DRD2, ANKK1, TTC12 and NCAM1 to alcohol dependence in independent case control and family samples. <i>Human Molecular Genetics</i> , 2007 , 16, 2844-53	5.6	104
238	Multiple ADH genes modulate risk for drug dependence in both African- and European-Americans. <i>Human Molecular Genetics</i> , 2007 , 16, 380-90	5.6	37
237	Serotonin transporter gene polymorphism (5-HTTLPR) and anxiety reactivity in daily life: a daily process approach to gene-environment interaction. <i>Psychosomatic Medicine</i> , 2007 , 69, 762-8	3.7	97
236	Population-specific effects of the Asn40Asp polymorphism at the mu-opioid receptor gene (OPRM1) on HPA-axis activation. <i>Pharmacogenetics and Genomics</i> , 2007 , 17, 1031-8	1.9	50
235	Efficacy of extended-release naltrexone in alcohol-dependent patients who are abstinent before treatment. <i>Journal of Clinical Psychopharmacology</i> , 2007 , 27, 507-12	1.7	86
234	Memantine for Alcohol Dependence: An Open-label Pilot Study. <i>Addictive Disorders and Their Treatment</i> , 2007 , 6, 77-83	0.5	12
233	Transdermal nicotine for smoking cessation in postmenopausal women. <i>Addictive Behaviors</i> , 2007 , 32, 296-309	4.2	30
232	Brief motivational enhancement and coping skills interventions for heavy drinking. <i>Addictive Behaviors</i> , 2007 , 32, 1105-18	4.2	9
231	Alcohol treatment utilization: findings from the National Epidemiologic Survey on Alcohol and Related Conditions. <i>Drug and Alcohol Dependence</i> , 2007 , 86, 214-21	4.9	349
230	Reliability of DSM-IV diagnostic criteria using the semi-structured assessment for drug dependence and alcoholism (SSADDA). <i>Drug and Alcohol Dependence</i> , 2007 , 91, 85-90	4.9	100
229	Subjective effects and changes in steroid hormone concentrations in humans following acute consumption of alcohol. <i>Psychopharmacology</i> , 2006 , 186, 451-61	4.7	42
228	Association study of the CNR1 gene exon 3 alternative promoter region polymorphisms and substance dependence. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006 , 141B, 499-503	3.5	56
227	Brain derived neurotrophic factor (BDNF) gene variants and Alzheimer's disease, affective disorders, posttraumatic stress disorder, schizophrenia, and substance dependence. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006 , 141B, 387-93	3.5	144
226	Association between two mu-opioid receptor gene (OPRM1) haplotype blocks and drug or alcohol dependence. <i>Human Molecular Genetics</i> , 2006 , 15, 807-19	5.6	138
225	Haplotype spanning TTC12 and ANKK1, flanked by the DRD2 and NCAM1 loci, is strongly associated to nicotine dependence in two distinct American populations. <i>Human Molecular Genetics</i> , 2006 , 15, 3498-507	5.6	137
224	ADH4 gene variation is associated with alcohol dependence and drug dependence in European Americans: results from HWD tests and case-control association studies. <i>Neuropsychopharmacology</i> , 2006 , 31, 1085-95	8.7	87
223	Evidence-based treatments for alcohol dependence: new results and new questions. <i>JAMA - Journal of the American Medical Association</i> , 2006 , 295, 2075-6	27.4	14

222	Intronic variants in the dopa decarboxylase (DDC) gene are associated with smoking behavior in European-Americans and African-Americans. <i>Human Molecular Genetics</i> , 2006 , 15, 2192-9	5.6	43
221	Genomewide linkage scan for opioid dependence and related traits. <i>American Journal of Human Genetics</i> , 2006 , 78, 759-769	11	98
220	Diplotype trend regression analysis of the ADH gene cluster and the ALDH2 gene: multiple significant associations with alcohol dependence. <i>American Journal of Human Genetics</i> , 2006 , 78, 973-87 ¹¹	11	99
219	Extended-release intramuscular naltrexone: a viewpoint by Henry R Kranzler. <i>Drugs</i> , 2006 , 66, 1753-4	12.1	2
218	Variation at APOE and STH loci and Alzheimer's disease. <i>Behavioral and Brain Functions</i> , 2006 , 2, 13	4.1	38
217	Association of an Asn40Asp (A118G) polymorphism in the mu-opioid receptor gene with substance dependence: a meta-analysis. <i>Drug and Alcohol Dependence</i> , 2006 , 83, 262-8	4.9	190
216	Risk factors for cocaine-induced paranoia in cocaine-dependent sibling pairs. <i>Drug and Alcohol Dependence</i> , 2006 , 84, 77-84	4.9	36
215	The effects of naltrexone on alcohol consumption and affect reactivity to daily interpersonal events among heavy drinkers. <i>Experimental and Clinical Psychopharmacology</i> , 2006 , 14, 199-208	3.2	12
214	Human clock, PER1 and PER2 polymorphisms: lack of association with cocaine dependence susceptibility and cocaine-induced paranoia. <i>Psychiatric Genetics</i> , 2006 , 16, 245-9	2.9	25
213	Sertraline treatment of co-occurring alcohol dependence and major depression. <i>Journal of Clinical Psychopharmacology</i> , 2006 , 26, 13-20	1.7	71
212	Analysis of variations in the tryptophan hydroxylase-2 (TPH2) gene in cocaine dependence. <i>Addiction Biology</i> , 2006 , 11, 76-83	4.6	16
211	Targeted versus daily naltrexone: secondary analysis of effects on average daily drinking. <i>Alcoholism: Clinical and Experimental Research</i> , 2006 , 30, 860-5	3.7	62
210	The efficacy and safety of a fixed versus titrated dosage regimen of nicotine gum for smoking cessation or reduction in pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 195, S89	6.4	3
209	Rating the severity and character of transient cocaine-induced delusions and hallucinations with a new instrument, the Scale for Assessment of Positive Symptoms for Cocaine-Induced Psychosis (SAPS-CIP). <i>Drug and Alcohol Dependence</i> , 2005 , 80, 23-33	4.9	50
208	Diagnostic reliability of the Semi-structured Assessment for Drug Dependence and Alcoholism (SSADDA). <i>Drug and Alcohol Dependence</i> , 2005 , 80, 303-12	4.9	147
207	Drinking to cope: a comparison of questionnaire and electronic diary reports. <i>Journal of Studies on Alcohol and Drugs</i> , 2005 , 66, 121-9		41
206	ADH4 gene variation is associated with alcohol and drug dependence: results from family controlled and population-structured association studies. <i>Pharmacogenetics and Genomics</i> , 2005 , 15, 755-68	1.9	82
205	Incentive program decreases no-shows in nontreatment substance abuse research. <i>Experimental and Clinical Psychopharmacology</i> , 2005 , 13, 376-80	3.2	6

204	Association between alcoholism and gamma-amino butyric acid alpha2 receptor subtype in a Russian population. <i>Alcoholism: Clinical and Experimental Research</i> , 2005 , 29, 493-8	3.7	160
203	Does effect size in naltrexone trials for alcohol dependence differ for single-site vs. multi-center studies?. <i>Alcoholism: Clinical and Experimental Research</i> , 2005 , 29, 983-8	3.7	22
202	The contribution of genetics to addiction therapy approaches 2005 , 108, 86-93		30
201	Practical population group assignment with selected informative markers: characteristics and properties of Bayesian clustering via STRUCTURE. <i>Genetic Epidemiology</i> , 2005 , 28, 302-12	2.6	103
200	Response to Dr. Kopke's comments on haplotypes at the OPRM1 locus. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005 , 135B, 102	3.5	2
199	Meta-analysis of the association of a functional serotonin transporter promoter polymorphism with alcohol dependence. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005 , 133B, 79-84	3.5	227
198	Genomewide linkage scan for cocaine dependence and related traits: significant linkages for a cocaine-related trait and cocaine-induced paranoia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005 , 136B, 45-52	3.5	111
197	Characterization of a likelihood based method and effects of markers informativeness in evaluation of admixture and population group assignment. <i>BMC Genetics</i> , 2005 , 6, 50	2.6	23
196	How to measure relapse in humans 2005 , 23-39		
195	Efficacy and tolerability of long-acting injectable naltrexone for alcohol dependence: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 293, 1617-25	27.4	427
194	GABRA2 alleles moderate the subjective effects of alcohol, which are attenuated by finasteride. <i>Neuropsychopharmacology</i> , 2005 , 30, 1193-203	8.7	126
193	CHRM2 gene predisposes to alcohol dependence, drug dependence and affective disorders: results from an extended case-control structured association study. <i>Human Molecular Genetics</i> , 2005 , 14, 2421-34 ⁶	5.6	157
192	Confirmation and fine mapping of the chromosome 1 alcohol dependence risk locus. <i>Molecular Psychiatry</i> , 2004 , 9, 312-9	15.1	20
191	Nefazodone treatment of comorbid alcohol dependence and major depression. <i>Alcoholism: Clinical and Experimental Research</i> , 2004 , 28, 433-40	3.7	29
190	Naltrexone depot for treatment of alcohol dependence: a multicenter, randomized, placebo-controlled clinical trial. <i>Alcoholism: Clinical and Experimental Research</i> , 2004 , 28, 1051-9	3.7	127
189	Using daily interactive voice response technology to measure drinking and related behaviors in a pharmacotherapy study. <i>Alcoholism: Clinical and Experimental Research</i> , 2004 , 28, 1060-4	3.7	54
188	Effects of rapid tryptophan depletion on mood and urge to drink in patients with co-morbid major depression and alcohol dependence. <i>Psychopharmacology</i> , 2004 , 171, 340-8	4.7	19
187	Mutation screen of the glutamate decarboxylase-67 gene and haplotype association to unipolar depression. <i>American Journal of Medical Genetics Part A</i> , 2004 , 124B, 81-6		13

186	CALCYON gene variation, schizophrenia, and cocaine dependence. <i>American Journal of Medical Genetics Part A</i> , 2004 , 125B, 25-30		10
185	Association of a long-chain fatty acid-CoA ligase 4 gene polymorphism with depression and with enhanced niacin-induced dermal erythema. <i>American Journal of Medical Genetics Part A</i> , 2004 , 127B, 42-7		35
184	Allelic and haplotypic association of GABRA2 with alcohol dependence. <i>American Journal of Medical Genetics Part A</i> , 2004 , 129B, 104-9		229
183	Typologies of drug dependence: comparative validity of a multivariate and four univariate models. <i>Drug and Alcohol Dependence</i> , 2004 , 73, 289-300	4.9	33
182	Opioid-, cannabis- and alcohol-dependent women show more rapid progression to substance abuse treatment. <i>Drug and Alcohol Dependence</i> , 2004 , 74, 265-72	4.9	395
181	Nogo 3'-untranslated region CAA insertion: failure to replicate association with schizophrenia and demonstration of marked population difference in frequency of the insertion. <i>Molecular Brain Research</i> , 2004 , 120, 197-200		14
180	NOTCH4 gene haplotype is associated with schizophrenia in African Americans. <i>Biological Psychiatry</i> , 2004 , 55, 112-7	7.9	26
179	Association study of personality factors and the Asn40Asp polymorphism at the mu-opioid receptor gene (OPRM1). <i>Psychiatric Genetics</i> , 2004 , 14, 89-92	2.9	29
178	A multi-site dose ranging study of nalmefene in the treatment of alcohol dependence. <i>Journal of Clinical Psychopharmacology</i> , 2004 , 24, 421-8	1.7	81
177	Targeted naltrexone treatment moderates the relations between mood and drinking behavior among problem drinkers. <i>Journal of Consulting and Clinical Psychology</i> , 2004 , 72, 317-27	6.5	35
176	A functional polymorphism of the mu-opioid receptor gene is associated with naltrexone response in alcohol-dependent patients. <i>Neuropsychopharmacology</i> , 2003 , 28, 1546-52	8.7	525
175	Self-Efficacy as a Predictor of Relapse During Treatment for Alcohol Dependence. <i>Addictive Disorders and Their Treatment</i> , 2003 , 2, 135-145	0.5	7
174	Targeted naltrexone for early problem drinkers. <i>Journal of Clinical Psychopharmacology</i> , 2003 , 23, 294-304	1.7	48
173	. <i>Journal of Clinical Psychopharmacology</i> , 2003 , 23, 294-304	1.7	27
172	Quantitative real-time PCR for gene dosage determinations in microdeletion genotypes. <i>BioTechniques</i> , 2003 , 35, 594-6, 598	2.5	21
171	Salty and Sour Taste Characteristics and Risk of Alcoholism. <i>Alcoholism: Clinical and Experimental Research</i> , 2003 , 27, 955-961	3.7	9
170	Pharmacotherapies to enhance smoking cessation during pregnancy. <i>Drug and Alcohol Review</i> , 2003 , 22, 191-202	3.2	37
169	A revised allele frequency estimate and haplotype analysis of the DBH deficiency mutation IVS1+2T --> C in African- and European-Americans 2003 , 123A, 190-2		8

168	Association between the cortisol response to opioid blockade and the Asn40Asp polymorphism at the mu-opioid receptor locus (OPRM1). <i>American Journal of Medical Genetics Part A</i> , 2003 , 118B, 60-5		116
167	Haplotypes at the OPRM1 locus are associated with susceptibility to substance dependence in European-Americans. <i>American Journal of Medical Genetics Part A</i> , 2003 , 120B, 97-108		90
166	Effects of nicotine deprivation on urges to drink and smoke in alcoholic smokers. <i>Addiction</i> , 2003 , 98, 913-21	4.6	41
165	Physicians' opinions about medications to treat alcoholism. <i>Addiction</i> , 2003 , 98, 617-26	4.6	84
164	Dual diagnosis: alcoholism and co-morbid psychiatric disorders. <i>American Journal on Addictions</i> , 2003 , 12, s26-s40	3.7	53
163	Barriers to the Use of Medications to Treat Alcoholism. <i>American Journal on Addictions</i> , 2003 , 12, 281-294	3.7	41
162	Effects of ondansetron in early- versus late-onset alcoholics: a prospective, open-label study. <i>Alcoholism: Clinical and Experimental Research</i> , 2003 , 27, 1150-5	3.7	85
161	Measurement and prediction of medication compliance in problem drinkers. <i>Alcoholism: Clinical and Experimental Research</i> , 2003 , 27, 1286-92	3.7	20
160	Alleles of a functional serotonin transporter promoter polymorphism are associated with major depression in alcoholics. <i>Alcoholism: Clinical and Experimental Research</i> , 2003 , 27, 1402-8	3.7	35
159	Psychometric properties of the short index of problems as a measure of recent alcohol-related problems. <i>Alcoholism: Clinical and Experimental Research</i> , 2003 , 27, 1436-41	3.7	71
158	Understanding US addiction physicians' low rate of naltrexone prescription. <i>Drug and Alcohol Dependence</i> , 2003 , 71, 219-28	4.9	95
157	Barriers to the Use of Medications to Treat Alcoholism. <i>American Journal on Addictions</i> , 2003 , 12, 281-294	3.7	41
156	The status of serotonin-selective pharmacotherapy in the treatment of alcohol dependence. <i>Recent Developments in Alcoholism: an Official Publication of the American Medical Society on Alcoholism, and the Research Society on Alcoholism, and the National Council on Alcoholism</i> , 2003 , 16, 247-62		13
155	Salty and sour taste characteristics and risk of alcoholism. <i>Alcoholism: Clinical and Experimental Research</i> , 2003 , 27, 955-61	3.7	2
154	Genetic variation and drug dependence risk factors 2002 , 372-388		
153	Polymorphism of the 5-HT1B receptor gene (HTR1B): strong within-locus linkage disequilibrium without association to antisocial substance dependence. <i>Neuropsychopharmacology</i> , 2002 , 26, 115-22	8.7	41
152	Mecamylamine Modifies the Pharmacokinetics and Reinforcing Effects of Alcohol. <i>Alcoholism: Clinical and Experimental Research</i> , 2002 , 26, 326-331	3.7	66
151	Association Study of Alcoholism Subtypes with a Functional Promoter Polymorphism in the Serotonin Transporter Protein Gene. <i>Alcoholism: Clinical and Experimental Research</i> , 2002 , 26, 1330-1335	3.7	54

150	A functional neuropeptide Y Leu7Pro polymorphism associated with alcohol dependence in a large population sample from the United States. <i>Archives of General Psychiatry</i> , 2002 , 59, 825-31		141
149	The Effect of Cigarette Smoking on Fetal Heart Rate Characteristics. <i>Obstetrics and Gynecology</i> , 2002 , 100, 829	4.9	
148	Adrenocorticotropin and cortisol responses to a naloxone challenge and risk of alcoholism. <i>Biological Psychiatry</i> , 2002 , 51, 652-8	7.9	36
147	The effect of cigarette smoking on fetal heart rate characteristics. <i>Obstetrics and Gynecology</i> , 2002 , 99, 751-5	4.9	30
146	Screening for health behaviors in ambulatory clinical settings: does smoking status predict hazardous drinking?. <i>Addictive Behaviors</i> , 2002 , 27, 737-49	4.2	19
145	Mecamylamine modifies the pharmacokinetics and reinforcing effects of alcohol. <i>Alcoholism: Clinical and Experimental Research</i> , 2002 , 26, 326-31	3.7	33
144	Association study of alcoholism subtypes with a functional promoter polymorphism in the serotonin transporter protein gene. <i>Alcoholism: Clinical and Experimental Research</i> , 2002 , 26, 1330-5	3.7	18
143	Reliability of personality disorder symptoms and personality traits in substance-dependent inpatients.. <i>Journal of Abnormal Psychology</i> , 2001 , 110, 341-352	7	72
142	Sweet taste preference as a risk factor for alcohol dependence. <i>American Journal of Psychiatry</i> , 2001 , 158, 813-5	11.9	55
141	Adverse effects of oral naltrexone: analysis of data from two clinical trials. <i>Psychopharmacology</i> , 2001 , 154, 397-402	4.7	61
140	An in-frame deletion in the alpha(2C) adrenergic receptor is common in African-Americans. <i>Molecular Psychiatry</i> , 2001 , 6, 168-72	15.1	18
139	Association study of cannabinoid receptor gene (CNR1) alleles and drug dependence. <i>Molecular Psychiatry</i> , 2001 , 6, 501-2	15.1	44
138	Efficacy of Naltrexone and Acamprosate for Alcoholism Treatment: A Meta-Analysis. <i>Alcoholism: Clinical and Experimental Research</i> , 2001 , 25, 1335-1341	3.7	311
137	Double-blind clinical trial of sertraline treatment for alcohol dependence. <i>Journal of Clinical Psychopharmacology</i> , 2001 , 21, 143-53	1.7	94
136	Efficacy of Naltrexone and Acamprosate for Alcoholism Treatment: A Meta-Analysis 2001 , 25, 1335		5
135	Efficacy of naltrexone and acamprosate for alcoholism treatment: a meta-analysis. <i>Alcoholism: Clinical and Experimental Research</i> , 2001 , 25, 1335-41	3.7	118
134	Axis I and Axis II disorders in alcoholics and drug addicts: fact or artifact?. <i>Journal of Studies on Alcohol and Drugs</i> , 2000 , 61, 101-10		57
133	Does affect mediate the association between daily events and alcohol use?. <i>Journal of Studies on Alcohol and Drugs</i> , 2000 , 61, 862-71		70

132	Give them prizes and they will come: Contingency management for treatment of alcohol dependence.. <i>Journal of Consulting and Clinical Psychology</i> , 2000 , 68, 250-257	6.5	323
131	Family-based study of DRD2 alleles in alcohol and drug dependence. <i>American Journal of Medical Genetics Part A</i> , 2000 , 96, 659-64		33
130	Co-occurrence of Axis I and Axis II disorders in substance abusers. <i>Acta Psychiatrica Scandinavica</i> , 2000 , 101, 110-8	6.5	43
129	A haplotype at the DBH locus, associated with low plasma dopamine beta-hydroxylase activity, also associates with cocaine-induced paranoia. <i>Molecular Psychiatry</i> , 2000 , 5, 56-63	15.1	161
128	Sertraline Treatment for Alcohol Dependence: Interactive Effects of Medication and Alcoholic Subtype. <i>Alcoholism: Clinical and Experimental Research</i> , 2000 , 24, 1041-1049	3.7	165
127	Naltrexone vs. nefazodone for treatment of alcohol dependence. A placebo-controlled trial. <i>Neuropsychopharmacology</i> , 2000 , 22, 493-503	8.7	156
126	Variant detection at the μ opioid receptor (OPRD1) locus and population genetics of a novel variant affecting protein sequence. <i>Human Genetics</i> , 2000 , 107, 86-88	6.3	14
125	Pharmacotherapy of alcoholism: gaps in knowledge and opportunities for research. <i>Alcohol and Alcoholism</i> , 2000 , 35, 537-47	3.5	86
124	Medications for alcohol dependence--new vistas. <i>JAMA - Journal of the American Medical Association</i> , 2000 , 284, 1016-7	27.4	11
123	Personality and substance use disorders as predictors of criminality. <i>Comprehensive Psychiatry</i> , 2000 , 41, 276-83	7.3	33
122	Variant detection at the delta opioid receptor (OPRD1) locus and population genetics of a novel variant affecting protein sequence. <i>Human Genetics</i> , 2000 , 107, 86-8	6.3	31
121	Give them prizes, and they will come: contingency management for treatment of alcohol dependence. <i>Journal of Consulting and Clinical Psychology</i> , 2000 , 68, 250-7	6.5	211
120	Sertraline Treatment for Alcohol Dependence: Interactive Effects of Medication and Alcoholic Subtype 2000 , 24, 1041		5
119	Sertraline treatment for alcohol dependence: interactive effects of medication and alcoholic subtype. <i>Alcoholism: Clinical and Experimental Research</i> , 2000 , 24, 1041-9	3.7	61
118	Rates of personality disorders in substance abusers: a comparison between DSM-III-R and DSM-IV. <i>Journal of Personality Disorders</i> , 1999 , 13, 375-84	2.6	18
117	Using cue reactivity to evaluate medications for treatment of cocaine dependence: a critical review. <i>Addiction</i> , 1999 , 94, 1639-51	4.6	16
116	Validity of the Obsessive Compulsive Drinking Scale (OCDS): Does Craving Predict Drinking Behavior?. <i>Alcoholism: Clinical and Experimental Research</i> , 1999 , 23, 108-114	3.7	40
115	Genetics of two mu opioid receptor gene (OPRM1) exon I polymorphisms: population studies, and allele frequencies in alcohol- and drug-dependent subjects. <i>Molecular Psychiatry</i> , 1999 , 4, 476-83	15.1	239

114	D2 dopamine receptor gene (DRD2) allele and haplotype frequencies in alcohol dependent and control subjects: no association with phenotype or severity of phenotype. <i>Neuropsychopharmacology</i> , 1999 , 20, 640-9	8.7	70
113	No association between D2 dopamine receptor (DRD2) alleles or haplotypes and cocaine dependence or severity of cocaine dependence in European- and African-Americans. <i>Biological Psychiatry</i> , 1999 , 45, 340-5	7.9	52
112	Pharmacologic treatments for drug and alcohol dependence. <i>Psychiatric Clinics of North America</i> , 1999 , 22, 401-23	3.1	25
111	The validity of self-reported cocaine use in two groups of cocaine abusers.. <i>Journal of Consulting and Clinical Psychology</i> , 1999 , 67, 37-42	6.5	66
110	Factor replicability and validity of the Temperament and Character Inventory in substance-dependent patients.. <i>Psychological Assessment</i> , 1999 , 11, 514-524	5.3	68
109	Concurrent and predictive validity of antisocial personality disorder subtyping among substance abusers. <i>Journal of Nervous and Mental Disease</i> , 1999 , 187, 478-86	1.8	21
108	Validity of the Obsessive Compulsive Drinking Scale (OCDS): does craving predict drinking behavior?. <i>Alcoholism: Clinical and Experimental Research</i> , 1999 , 23, 108-14	3.7	27
107	. <i>Substance Abuse</i> , 1998 , 19, 81-91	3.8	2
106	Sustained-Release Naltrexone for Alcoholism Treatment: A Preliminary Study. <i>Alcoholism: Clinical and Experimental Research</i> , 1998 , 22, 1074-1079	3.7	69
105	Association of Alcohol or Other Drug Dependence with Alleles of the μ Opioid Receptor Gene (OPRM1). <i>Alcoholism: Clinical and Experimental Research</i> , 1998 , 22, 1359-1362	3.7	40
104	Variants in the alpha2A AR adrenergic receptor gene in psychiatric patients. <i>American Journal of Medical Genetics Part A</i> , 1998 , 81, 405-10		14
103	Naltrexone treatment of comorbid alcohol and cocaine use disorders. <i>Psychopharmacology</i> , 1998 , 139, 44-52	4.7	75
102	PROP taster status and parental history of alcohol dependence. <i>Drug and Alcohol Dependence</i> , 1998 , 52, 109-13	4.9	19
101	Neuropsychologic findings in cocaine-dependent outpatients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1998 , 22, 1061-76	5.5	36
100	Stage of Change as a Predictor of Abstinence Among Alcohol-Dependent Subjects in Pharmacotherapy Trials. <i>Substance Abuse</i> , 1998 , 19, 81-91	3.8	18
99	DRD2 allele frequencies and linkage disequilibria, including the -141CIns/Del promoter polymorphism, in European-American, African-American, and Japanese subjects. <i>Genomics</i> , 1998 , 51, 21-6	4.3	47
98	Population studies of polymorphisms at loci of neuropsychiatric interest (tryptophan hydroxylase (TPH), dopamine transporter protein (SLC6A3), D3 dopamine receptor (DRD3), apolipoprotein E (APOE), mu opioid receptor (OPRM1), and ciliary neurotrophic factor (CNTF)). <i>Genomics</i> , 1998 , 52, 289-97	4.3	65
97	Serotonin transporter protein gene polymorphism and personality measures in African American and European American subjects. <i>American Journal of Psychiatry</i> , 1998 , 155, 1332-8	11.9	154

96	Treatment of inhalant-induced psychotic disorder with carbamazepine versus haloperidol. <i>Psychiatric Services</i> , 1998 , 49, 812-5	3.3	27
95	Levels and patterns of alcohol consumption using timeline follow-back, daily diaries and real-time "electronic interviews". <i>Journal of Studies on Alcohol and Drugs</i> , 1998 , 59, 447-54		144
94	Personality disorder and dimension differences between type A and type B substance abusers. <i>Journal of Personality Disorders</i> , 1998 , 12, 1-12	2.6	45
93	Personality disorders in substance abusers: relation to substance use. <i>Journal of Nervous and Mental Disease</i> , 1998 , 186, 87-95	1.8	113
92	Sustained-release naltrexone for alcoholism treatment: a preliminary study. <i>Alcoholism: Clinical and Experimental Research</i> , 1998 , 22, 1074-9	3.7	31
91	Association of alcohol or other drug dependence with alleles of the mu opioid receptor gene (OPRM1). <i>Alcoholism: Clinical and Experimental Research</i> , 1998 , 22, 1359-62	3.7	22
90	Personality, temperament, and character dimensions and the DSM-IV personality disorders in substance abusers.. <i>Journal of Abnormal Psychology</i> , 1997 , 106, 545-553	7	160
89	D4 dopamine-receptor (DRD4) alleles and novelty seeking in substance-dependent, personality-disorder, and control subjects. <i>American Journal of Human Genetics</i> , 1997 , 61, 1144-52	11	162
88	Targeted naltrexone treatment of early problem drinkers. <i>Addictive Behaviors</i> , 1997 , 22, 431-6	4.2	58
87	Effects of naltrexone on cue-elicited craving for alcohol and cocaine. <i>Drug and Alcohol Dependence</i> , 1997 , 49, 9-16	4.9	40
86	Validity of the longitudinal, expert, all data procedure for psychiatric diagnosis in patients with psychoactive substance use disorders. <i>Drug and Alcohol Dependence</i> , 1997 , 45, 93-104	4.9	54
85	Utility of the AUDIT for identification of hazardous or harmful drinking in drug-dependent patients. <i>Drug and Alcohol Dependence</i> , 1997 , 45, 157-63	4.9	92
84	Is the medication bottle half full or half empty?. <i>Addiction</i> , 1997 , 92, 951-953	4.6	3
83	No allelic association of an exon 13 polymorphism of the Gsβ gene to alcohol and/or drug dependence. <i>Addiction Biology</i> , 1997 , 2, 309-16	4.6	1
82	Serotonin transporter protein (SLC6A4) allele and haplotype frequencies and linkage disequilibria in African- and European-American and Japanese populations and in alcohol-dependent subjects. <i>Human Genetics</i> , 1997 , 101, 243-6	6.3	367
81	A double-blind comparison of abecarnil and diazepam in the treatment of uncomplicated alcohol withdrawal. <i>Psychopharmacology</i> , 1997 , 131, 123-9	4.7	11
80	Treatment of alcohol dependence. <i>Liver Transplantation</i> , 1997 , 3, 311-21		
79	Population genetics of a functional variant of the dopamine beta-hydroxylase gene (DBH). <i>American Journal of Medical Genetics Part A</i> , 1997 , 74, 374-9		91

78	Serotonergic and noradrenergic dysregulation in alcoholism: m-chlorophenylpiperazine and yohimbine effects in recently detoxified alcoholics and healthy comparison subjects. <i>American Journal of Psychiatry</i> , 1996 , 153, 83-92	11.9	474
77	Comorbid psychiatric diagnosis predicts three-year outcomes in alcoholics: a posttreatment natural history study. <i>Journal of Studies on Alcohol and Drugs</i> , 1996 , 57, 619-26		133
76	Closing the gap between alcoholism research and practice: the case for pharmacotherapy. <i>Psychiatric Services</i> , 1996 , 47, 917-20	3.3	9
75	No association between D3 dopamine receptor (DRD3) alleles and cocaine dependence. <i>Addiction Biology</i> , 1996 , 1, 281-7	4.6	25
74	Ritanserin in the treatment of alcohol dependence--a multi-center clinical trial. Ritanserin Study Group. <i>Psychopharmacology</i> , 1996 , 128, 206-15	4.7	69
73	Elevated rates of early discontinuation from pharmacotherapy trials in alcoholics and drug abusers. <i>Alcoholism: Clinical and Experimental Research</i> , 1996 , 20, 16-20	3.7	31
72	Assessment of medication compliance in alcoholics through UV light detection of a riboflavin tracer. <i>Alcoholism: Clinical and Experimental Research</i> , 1996 , 20, 1412-7	3.7	93
71	No association of PROP taster status and paternal history of alcohol dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 1996 , 20, 1496-500	3.7	18
70	Fluoxetine treatment seems to reduce the beneficial effects of cognitive-behavioral therapy in type B alcoholics. <i>Alcoholism: Clinical and Experimental Research</i> , 1996 , 20, 1534-41	3.7	151
69	Validity of the SCID in substance abuse patients. <i>Addiction</i> , 1996 , 91, 859-868	4.6	16
68	Generalizability of the type A/type B distinction across different psychoactive substances. <i>American Journal of Drug and Alcohol Abuse</i> , 1996 , 22, 449-62	3.7	36
67	Validity of the SCID in substance abuse patients. <i>Addiction</i> , 1996 , 91, 859-868	4.6	120
66	Evaluation and treatment of anxiety symptoms and disorders in alcoholics. <i>Journal of Clinical Psychiatry</i> , 1996 , 57 Suppl 7, 15-21; discussion 22-4	4.6	10
65	Validity of the SCID in substance abuse patients. <i>Addiction</i> , 1996 , 91, 859-68	4.6	59
64	Placebo-controlled trial of fluoxetine as an adjunct to relapse prevention in alcoholics. <i>American Journal of Psychiatry</i> , 1995 , 152, 391-7	11.9	251
63	Validity of the Distinction Between Substance-Induced and Independent Depression and Anxiety Disorders. <i>American Journal on Addictions</i> , 1995 , 4, 107-117	3.7	13
62	Evaluation of a point-of-care testing product for drugs of abuse; testing site is a key variable. <i>Drug and Alcohol Dependence</i> , 1995 , 40, 55-62	4.9	30
61	Validity of psychiatric diagnoses in patients with substance use disorders: is the interview more important than the interviewer?. <i>Comprehensive Psychiatry</i> , 1995 , 36, 278-88	7.3	62

60	Carbamazepine treatment of cocaine dependence: a placebo-controlled trial. <i>Drug and Alcohol Dependence</i> , 1995 , 38, 203-11	4.9	60
59	Carbamazepine and cocaine-cue reactivity. <i>Drug and Alcohol Dependence</i> , 1995 , 39, 213-21	4.9	26
58	The Alcohol Use Disorders Identification Test (AUDIT): validation of a screening instrument for use in medical settings. <i>Journal of Studies on Alcohol and Drugs</i> , 1995 , 56, 423-32		788
57	Validity of the Distinction Between Substance-Induced and Independent Depressive and Anxiety Disorders. <i>American Journal on Addictions</i> , 1995 , 4, 107-117	3.7	23
56	Buspirone treatment of anxious alcoholics. A placebo-controlled trial. <i>Archives of General Psychiatry</i> , 1994 , 51, 720-31		196
55	Specificity of ethanol-like effects elicited by serotonergic and noradrenergic mechanisms. <i>Archives of General Psychiatry</i> , 1994 , 51, 898-911		80
54	Determination of fluvoxamine concentration in plasma by reversed-phase liquid chromatography. <i>Biomedical Chromatography</i> , 1994 , 8, 278-82	1.7	13
53	Genetic association between dopamine transporter protein alleles and cocaine-induced paranoia. <i>Neuropsychopharmacology</i> , 1994 , 11, 195-200	8.7	183
52	A randomized clinical trial of brief interventions in primary care: summary of a WHO project. <i>Addiction</i> , 1994 , 89, 657-60; discussion 660-78	4.6	69
51	Electroencephalographic activity and mood in cocaine-dependent outpatients: effects of cocaine cue exposure. <i>Biological Psychiatry</i> , 1994 , 36, 189-97	7.9	42
50	The type A/type B distinction. Subtyping alcoholics according to indicators of vulnerability and severity. <i>Annals of the New York Academy of Sciences</i> , 1994 , 708, 23-33	6.5	35
49	Naltrexone and Brief Counseling to Reduce Heavy Drinking. <i>American Journal on Addictions</i> , 1994 , 3, 91-99	3.7	23
48	Patient Predictors of Irregular Discharge From Inpatient Substance Abuse Treatment. <i>American Journal on Addictions</i> , 1994 , 3, 122-128	3.7	7
47	Personality disorders and associated features in cocaine-dependent inpatients. <i>Comprehensive Psychiatry</i> , 1994 , 35, 335-40	7.3	38
46	Implications of recent neuropsychopharmacologic research for understanding the etiology and development of alcoholism.. <i>Journal of Consulting and Clinical Psychology</i> , 1994 , 62, 1116-1126	6.5	71
45	Longitudinal, expert, all data procedure for psychiatric diagnosis in patients with psychoactive substance use disorders. <i>Journal of Nervous and Mental Disease</i> , 1994 , 182, 277-83	1.8	29
44	Implications of recent neuropsychopharmacologic research for understanding the etiology and development of alcoholism. <i>Journal of Consulting and Clinical Psychology</i> , 1994 , 62, 1116-26	6.5	8
43	Adverse effects limit the usefulness of fluvoxamine for the treatment of alcoholism. <i>Journal of Substance Abuse Treatment</i> , 1993 , 10, 283-7	4.2	20

42	Use of a cue exposure paradigm for the evaluation of a potential pharmacotherapeutic agents for cocaine dependence. <i>Addictive Behaviors</i> , 1993 , 18, 599-60	4.2	1
41	Cross system agreement for substance use disorders: DSM-III-R, DSM-IV and ICD-10. <i>Addiction</i> , 1993 , 88, 337-48	4.6	64
40	Serum prolactin level, craving, and early discharge from treatment in cocaine-dependent patients. <i>American Journal of Drug and Alcohol Abuse</i> , 1992 , 18, 187-95	3.7	30
39	Intragastric Infusion of Ethanol by Alcoholics After Surgery for Head and Neck Cancer. <i>American Journal on Addictions</i> , 1992 , 1, 83-85	3.7	1
38	Persistent Urinary Benzoyllecgonine Following Cocaine Use. <i>American Journal on Addictions</i> , 1992 , 1, 265-271	3.7	4
37	Alcohol and drug abuse treatment at the University of Connecticut Health Center. <i>Addiction</i> , 1992 , 87, 521-6	4.6	11
36	Bromocriptine and cocaine cue reactivity in cocaine-dependent patients. <i>Addiction</i> , 1992 , 87, 1537-48	4.6	49
35	Self-reports by alcohol and drug abuse inpatients: factors affecting reliability and validity. <i>Addiction</i> , 1992 , 87, 1013-24	4.6	127
34	Substance use disorders in patients with chronic fatigue. <i>Psychiatric Services</i> , 1991 , 42, 924-8	3.3	1
33	Headaches and psychoactive substance use. <i>Headache</i> , 1991 , 31, 584-7	4.2	20
32	Utility of a brief cognitive screening instrument in substance abuse patients: initial investigation. <i>Journal of Substance Abuse Treatment</i> , 1991 , 8, 247-51	4.2	10
31	Problems associated with average alcohol consumption and frequency of intoxication in a medical population. <i>Alcoholism: Clinical and Experimental Research</i> , 1990 , 14, 119-26	3.7	41
30	Giving ethanol to alcoholics in a research setting: its effect on compliance with disulfiram treatment. <i>Addiction</i> , 1990 , 85, 119-23	4.6	8
29	Dental pathology and alcohol-related indicators in an outpatient clinic sample. <i>Community Dentistry and Oral Epidemiology</i> , 1990 , 18, 204-7	2.8	28
28	Determination of fluoxetine and norfluoxetine by high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 1990 , 499, 601-8	4.5	59
27	Early detection of harmful alcohol consumption: comparison of clinical, laboratory, and self-report screening procedures. <i>Addictive Behaviors</i> , 1989 , 14, 139-57	4.2	181
26	Buspirone treatment of anxiety in a patient dependent on alprazolam. <i>Journal of Clinical Psychopharmacology</i> , 1989 , 9, 153	1.7	21
25	Use of buspirone in an adolescent with overanxious disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1988 , 27, 789-90	7.2	37

24	Phenothiazine-associated lupus anticoagulant and thrombotic disease. <i>Psychosomatics</i> , 1988 , 29, 109-132.6		13
23	Anxiety and depression in substance abuse: clinical implications. <i>Medical Clinics of North America</i> , 1988 , 72, 867-85	7	46
22	Atypical koro. <i>British Journal of Psychiatry</i> , 1988 , 152, 579-80	5.4	6
21	Sodium chloride treatment of antidepressant-induced orthostatic hypotension. <i>Journal of Clinical Psychiatry</i> , 1988 , 49, 366-8	4.6	4
20	Psychosocial Issues Concerning a Pregnant Adolescent with Hodgkin's Disease. <i>Journal of Psychosocial Oncology</i> , 1987 , 5, 83-89	2.8	2
19	Social drinking as a health and psychosocial risk factor. Anstie's limit revisited. <i>Recent Developments in Alcoholism: an Official Publication of the American Medical Society on Alcoholism, and the Research Society on Alcoholism, and the National Council on Alcoholism</i> , 1987 , 5, 373-402		48
18	Issues in the definition and diagnosis of alcoholism: implications for a reformulation. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1986 , 10, 113-28	5.5	13
17	Effect of Maternal Smoking on Fetal Catecholamine Concentrations at Birth		4
16	Discovery of the first genome-wide significant risk loci for ADHD		62
15	GWAS including 82,707 subjects identifies functional coding variant in OPRM1 gene associated with opioid use disorder		2
14	Expanding the Genetic Architecture of Nicotine Dependence and its Shared Genetics with Multiple Traits: Findings from the Nicotine Dependence GenOmics (iNDiGO) Consortium		3
13	Multimodal brain imaging study of 36,678 participants reveals adverse effects of moderate drinking		5
12	Trauma and posttraumatic stress interact with sex-specific risk loci for suicidality and converge on brain extracellular matrix biology and synaptic plasticity		2
11	Ancestry May Confound Genetic Machine Learning: Candidate-Gene Prediction of Opioid Use Disorder as an Example		2
10	Genome-wide association study of over 40,000 bipolar disorder cases provides new insights into the underlying biology		11
9	Multivariate genomic analysis of 1.5 million people identifies genes related to addiction, antisocial behavior, and health		6
8	Trans-ancestral GWAS of alcohol dependence reveals common genetic underpinnings with psychiatric disorders		7
7	Largest genome-wide association study for PTSD identifies genetic risk loci in European and African ancestries and implicates novel biological pathways		6

6	Genome wide meta-analysis identifies genomic relationships, novel loci, and pleiotropic mechanisms across eight psychiatric disorders	10
5	Meta-analysis of problematic alcohol use in 435,563 individuals identifies 29 risk variants and yields insights into biology, pleiotropy and causality	6
4	Leveraging genome-wide data to investigate differences between opioid use vs. opioid dependence in 41,176 individuals from the Psychiatric Genomics Consortium	2
3	Genetic Underpinnings of Risky Behaviour Relate to Altered Neuroanatomy	1
2	A trans-ancestry genome-wide association study of unexplained chronic ALT elevation as a proxy for nonalcoholic fatty liver disease with histological and radiological validation	5
1	A multi-ancestry genome-wide association study of unexplained chronic ALT elevation as a proxy for nonalcoholic fatty liver disease with histological and radiological validation. <i>Nature Genetics</i> ,	36.3 2