

# Besim Ogretmen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2883317/publications.pdf>

Version: 2024-02-01

109  
papers

14,474  
citations

34076

52  
h-index

29127

104  
g-index

110  
all docs

110  
docs citations

110  
times ranked

23846  
citing authors

#	ARTICLE	IF	CITATIONS
1	Dependence of ABCB1 transporter expression and function on distinct sphingolipids generated by ceramide synthases-2 and -6 in chemoresistant renal cancer. <i>Journal of Biological Chemistry</i> , 2022, 298, 101492.	1.6	6
2	Targeting Sphingolipid Metabolism as a Therapeutic Strategy in Cancer Treatment. <i>Cancers</i> , 2022, 14, 2183.	1.7	27
3	Pro-survival lipid metabolism activates intracellular complement signaling to induce inflammasome-mediated tumor metastasis. <i>FASEB Journal</i> , 2022, 36, .	0.2	0
4	Ceramide synthase 6 impacts T-cell allogeneic response and graft-versus-host disease through regulating N-RAS/ERK pathway. <i>Leukemia</i> , 2022, 36, 1907-1915.	3.3	7
5	Ceramide Synthase 6 Maximizes p53 Function to Prevent Progeny Formation from Polyploid Giant Cancer Cells. <i>Cancers</i> , 2021, 13, 2212.	1.7	17
6	Aging-dependent mitochondrial dysfunction mediated by ceramide signaling inhibits antitumor T cell response. <i>Cell Reports</i> , 2021, 35, 109076.	2.9	35
7	The Role of Ceramide Metabolism and Signaling in the Regulation of Mitophagy and Cancer Therapy. <i>Cancers</i> , 2021, 13, 2475.	1.7	45
8	Comparative analysis of antibodies to SARS-CoV-2 between asymptomatic and convalescent patients. <i>IScience</i> , 2021, 24, 102489.	1.9	11
9	<sup>1</sup> HN, <sup>13</sup> C, and <sup>15</sup> N backbone resonance assignments of the SET/TAF-1 <sup>2</sup> /I2PP2A oncoprotein (residues) Tj ETQq1 1,0,784314 rgBT /C 0.4	1.0	1
10	Alterations of lipid metabolism provide serologic biomarkers for the detection of asymptomatic versus symptomatic COVID-19 patients. <i>Scientific Reports</i> , 2021, 11, 14232.	1.6	28
11	Ceramide synthase 6 mediates sex-specific metabolic response to dietary folic acid in mice. <i>Journal of Nutritional Biochemistry</i> , 2021, 98, 108832.	1.9	5
12	Dietary Folic Acid Alters Metabolism of Multiple Vitamins in a CerS6- and Sex-Dependent Manner. <i>Frontiers in Nutrition</i> , 2021, 8, 758403.	1.6	2
13	S1P/S1PR1 Signaling Required for Optimal T-Cell Pathogenicity to Induce Gvhd By Regulating Drp1/mTOR Axis. <i>Blood</i> , 2021, 138, 643-643.	0.6	0
14	Targeting Acid Ceramidase to Improve the Radiosensitivity of Rectal Cancer. <i>Cells</i> , 2020, 9, 2693.	1.8	14
15	The Evolution of Care of Cancers of the Head and Neck Region: State of the Science in 2020. <i>Cancers</i> , 2020, 12, 1543.	1.7	18
16	Targeting tyrosine phosphatase SHP2 in oral cancers. <i>FASEB Journal</i> , 2020, 34, 1-1.	0.2	0
17	Pro-Survival Lipid Sphingosine-1-Phosphate Metabolically Programs T Cells to Limit Anti-tumor Activity. <i>Cell Reports</i> , 2019, 28, 1879-1893.e7.	2.9	71
18	Mitochondrial protein import is regulated by p17/PERMIT to mediate lipid metabolism and cellular stress. <i>Science Advances</i> , 2019, 5, eaax1978.	4.7	39

#	ARTICLE	IF	CITATIONS
19	Thioredoxin-1 improves the immunometabolic phenotype of antitumor T cells. <i>Journal of Biological Chemistry</i> , 2019, 294, 9198-9212.	1.6	28
20	Targeting glutamine-addiction and overcoming CDK4/6 inhibitor resistance in human esophageal squamous cell carcinoma. <i>Nature Communications</i> , 2019, 10, 1296.	5.8	73
21	The NMR-based characterization of the FTY720-SET complex reveals an alternative mechanism for the attenuation of the inhibitory SET-PP2A interaction. <i>FASEB Journal</i> , 2019, 33, 7647-7666.	0.2	30
22	Receptor-interacting Ser/Thr kinase 1 (RIPK1) and myosin IIA-dependent ceramidosomes form membrane pores that mediate blebbing and necroptosis. <i>Journal of Biological Chemistry</i> , 2019, 294, 502-519.	1.6	19
23	Thioredoxin-1 confines T cell alloresponse and pathogenicity in graft-versus-host disease. <i>Journal of Clinical Investigation</i> , 2019, 129, 2760-2774.	3.9	28
24	Ceramide Synthase 6 Deficiency Enhances Inflammation in the DSS model of Colitis. <i>Scientific Reports</i> , 2018, 8, 1627.	1.6	28
25	CD38-NAD+Axis Regulates Immunotherapeutic Anti-Tumor T Cell Response. <i>Cell Metabolism</i> , 2018, 27, 85-100.e8.	7.2	197
26	Complement C3a and C5a receptors promote GVHD by suppressing mitophagy in recipient dendritic cells. <i>JCI Insight</i> , 2018, 3, .	2.3	22
27	EXTH-51. C18-CERAMIDE ANALOGUE DRUG OVERCOMES RESISTANCE TO TEMOZOLOMIDE IN GLIOBLASTOMA. <i>Neuro-Oncology</i> , 2018, 20, vi96-vi96.	0.6	3
28	Smoking-induced control of miR-133a-3p alters the expression of EGFR and HuR in HPV-infected oropharyngeal cancer. <i>PLoS ONE</i> , 2018, 13, e0205077.	1.1	22
29	Mechanisms of Ceramide-Dependent Cancer Cell Death. <i>Advances in Cancer Research</i> , 2018, 140, 1-25.	1.9	63
30	Balance between senescence and apoptosis is regulated by telomere damage-induced association between p16 and caspase-3. <i>Journal of Biological Chemistry</i> , 2018, 293, 9784-9800.	1.6	28
31	Sphingolipid metabolism in cancer signalling and therapy. <i>Nature Reviews Cancer</i> , 2018, 18, 33-50.	12.8	756
32	S.Âpombe Uba1-Ubc15 Structure Reveals a Novel Regulatory Mechanism of Ubiquitin E2 Activity. <i>Molecular Cell</i> , 2017, 65, 699-714.e6.	4.5	40
33	A Phase I Study of ABC294640, a First-in-Class Sphingosine Kinase-2 Inhibitor, in Patients with Advanced Solid Tumors. <i>Clinical Cancer Research</i> , 2017, 23, 4642-4650.	3.2	124
34	HPV/E7 induces chemotherapy-mediated tumor suppression by ceramide-dependent mitophagy. <i>EMBO Molecular Medicine</i> , 2017, 9, 1030-1051.	3.3	44
35	TGF-Î² receptor I/II trafficking and signaling at primary cilia are inhibited by ceramide to attenuate cell migration and tumor metastasis. <i>Science Signaling</i> , 2017, 10, .	1.6	84
36	Adoptive Transfer of Ceramide Synthase 6 Deficient Splenocytes Reduces the Development of Colitis. <i>Scientific Reports</i> , 2017, 7, 15552.	1.6	24

#	ARTICLE	IF	CITATIONS
37	Ceramide synthesis regulates T cell activity and GVHD development. <i>JCI Insight</i> , 2017, 2, .	2.3	49
38	Targeting FLT3-ITD signaling mediates ceramide-dependent mitophagy and attenuates drug resistance in AML. <i>Blood</i> , 2016, 128, 1944-1958.	0.6	139
39	CerS6 Is a Novel Transcriptional Target of p53 Protein Activated by Non-genotoxic Stress. <i>Journal of Biological Chemistry</i> , 2016, 291, 16586-16596.	1.6	42
40	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222.	4.3	4,701
41	Solenopsin A and analogs exhibit ceramide-like biological activity. <i>Vascular Cell</i> , 2015, 7, 5.	0.2	18
42	Ceramide induced mitophagy and tumor suppression. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2015, 1853, 2834-2845.	1.9	94
43	Binding of the sphingolipid S1P to hTERT stabilizes telomerase at the nuclear periphery by allosterically mimicking protein phosphorylation. <i>Science Signaling</i> , 2015, 8, ra58.	1.6	114
44	Expression of Ceramide Synthase 6 Transcriptionally Activates Acid Ceramidase in a c-Jun N-terminal Kinase (JNK)-dependent Manner. <i>Journal of Biological Chemistry</i> , 2015, 290, 13157-13167.	1.6	31
45	Endoplasmic reticulum heat shock protein gp96 maintains liver homeostasis and promotes hepatocellular carcinogenesis. <i>Journal of Hepatology</i> , 2015, 62, 879-888.	1.8	63
46	Regulation of TGF $\beta$ Receptor Signaling and Cell Migration by Ceramide Metabolism. <i>FASEB Journal</i> , 2015, 29, 715.7.	0.2	0
47	Sphingosine Kinase-2 Maintains Viral Latency and Survival for KSHV-Infected Endothelial Cells. <i>PLoS ONE</i> , 2014, 9, e102314.	1.1	28
48	Inhibition of sphingosine kinase 2 downregulates the expression of c-Myc and Mcl-1 and induces apoptosis in multiple myeloma. <i>Blood</i> , 2014, 124, 1915-1925.	0.6	89
49	Autophagy paradox and ceramide. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2014, 1841, 783-792.	1.2	87
50	Regulation of PP2A by Sphingolipid Metabolism and Signaling. <i>Frontiers in Oncology</i> , 2014, 4, 388.	1.3	57
51	Diverse Functions of Ceramide in Cancer Cell Death and Proliferation. <i>Advances in Cancer Research</i> , 2013, 117, 37-58.	1.9	143
52	Ceramide stress in survival versus lethal autophagy paradox. <i>Autophagy</i> , 2013, 9, 258-259.	4.3	44
53	Sphingosine analogue drug FTY720 targets I2PP2A/SET and mediates lung tumour suppression via activation of PP2A $\rightarrow$ RIPK1 $\rightarrow$ dependent necroptosis. <i>EMBO Molecular Medicine</i> , 2013, 5, 105-121.	3.3	217
54	Sphingosine Kinase/Sphingosine 1-Phosphate Signaling in Cancer Therapeutics and Drug Resistance. <i>Handbook of Experimental Pharmacology</i> , 2013, , 3-27.	0.9	40

#	ARTICLE	IF	CITATIONS
55	LCL124, a Cationic Analog of Ceramide, Selectively Induces Pancreatic Cancer Cell Death by Accumulating in Mitochondria. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2013, 344, 167-178.	1.3	47
56	Folate Stress Induces Apoptosis via p53-dependent de Novo Ceramide Synthesis and Up-regulation of Ceramide Synthase 6. <i>Journal of Biological Chemistry</i> , 2013, 288, 12880-12890.	1.6	57
57	Plasma Sphingolipids and Lung Cancer: A Population-Based, Nested Caseâ€“Control Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 1374-1382.	1.1	48
58	Antagonistic activities of the immunomodulator and PP2A-activating drug FTY720 (Fingolimod,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 6.	0.6	104
59	PP2A-activating drugs selectively eradicate TKI-resistant chronic myeloid leukemic stem cells. <i>Journal of Clinical Investigation</i> , 2013, 123, 4144-4157.	3.9	192
60	Targeting Sphingosine Kinase Induces Apoptosis and Regression Of Virus-Associated Lymphoma In Vivo. <i>Blood</i> , 2013, 122, 4414-4414.	0.6	0
61	Off-Target Function of the Sonic Hedgehog Inhibitor Cyclopamine in Mediating Apoptosis via Nitric Oxideâ€“Dependent Neutral Sphingomyelinase 2/Ceramide Induction. <i>Molecular Cancer Therapeutics</i> , 2012, 11, 1092-1102.	1.9	38
62	Sorafenib and pemetrexed toxicity in cancer cells is mediated via SRC-ERK signaling. <i>Cancer Biology and Therapy</i> , 2012, 13, 793-803.	1.5	27
63	Communication between host organism and cancer cells is transduced by systemic sphingosine kinase 1/sphingosine 1â€“phosphate signalling to regulate tumour metastasis. <i>EMBO Molecular Medicine</i> , 2012, 4, 761-775.	3.3	127
64	Ceramide targets autophagosomes to mitochondria and induces lethal mitophagy. <i>Nature Chemical Biology</i> , 2012, 8, 831-838.	3.9	402
65	Concerted functions of HDAC1 and microRNAâ€“574â€“5p repress alternatively spliced <i>ceramide synthase 1</i> expression in human cancer cells. <i>EMBO Molecular Medicine</i> , 2012, 4, 78-92.	3.3	53
66	Alteration of Ceramide Synthase 6/C16-Ceramide Induces Activating Transcription Factor 6-mediated Endoplasmic Reticulum (ER) Stress and Apoptosis via Perturbation of Cellular Ca <sup>2+</sup> and ER/Golgi Membrane Network. <i>Journal of Biological Chemistry</i> , 2011, 286, 42446-42458.	1.6	108
67	Sphingosine kinase-1 and sphingosine 1-phosphate receptor 2 mediate Bcr-Abl1 stability and drug resistance by modulation of protein phosphatase 2A. <i>Blood</i> , 2011, 117, 5941-5952.	0.6	101
68	A Role of Sphingosine Kinase 1 in Head and Neck Carcinogenesis. <i>Cancer Prevention Research</i> , 2011, 4, 454-462.	0.7	68
69	Results of a Phase II Trial of Gemcitabine Plus Doxorubicin in Patients with Recurrent Head and Neck Cancers: Serum C18-Ceramide as a Novel Biomarker for Monitoring Response. <i>Clinical Cancer Research</i> , 2011, 17, 6097-6105.	3.2	60
70	FTY720 Restores PP2A Tumor Suppressor Activity in Polycythemia Vera CD34+ Progenitors Through Inhibition of Jak2 V617F- and PI-3K <sup>Î³</sup> -Dependent SET Serine Phosphorylation and Enhancement of NOS-Dependent PP2A Tyrosine Nitration. <i>Blood</i> , 2011, 118, 2494-2494.	0.6	3
71	Vorinostat and Sorafenib Increase CD95 Activation in Gastrointestinal Tumor Cells through a Ca <sup>2+</sup> - <i>De novo</i> Ceramide-PP2A-Reactive Oxygen Speciesâ€“Dependent Signaling Pathway. <i>Cancer Research</i> , 2010, 70, 6313-6324.	0.4	95
72	Sphingolipids and cancer: ceramide and sphingosine-1-phosphate in the regulation of cell death and drug resistance. <i>Future Oncology</i> , 2010, 6, 1603-1624.	1.1	275

#	ARTICLE	IF	CITATIONS
73	Antiapoptotic roles of ceramide synthase-generated C <sub>16</sub> -ceramide via selective regulation of the ATF6/ CHOP arm of ER stress response pathways. <i>FASEB Journal</i> , 2010, 24, 296-308.	0.2	226
74	PERK-Dependent Regulation of Ceramide Synthase 6 and Thioredoxin Play a Key Role in IL-24-Induced Killing of Primary Human Glioblastoma Multiforme Cells. <i>Cancer Research</i> , 2010, 70, 1120-1129.	0.4	95
75	Pharmacologic Restoration of PP2A Activity and Interference with the SET-PP2A Interplay by FTY720 and Its Non-Immunosuppressive Derivative as a Novel and Efficient Therapy for Ph-Negative Myeloproliferative Disorders. <i>Blood</i> , 2010, 116, 775-775.	0.6	2
76	A New Mixed-Backbone Oligonucleotide against Glucosylceramide Synthase Sensitizes Multidrug-Resistant Tumors to Apoptosis. <i>PLoS ONE</i> , 2009, 4, e6938.	1.1	42
77	Direct interaction between the inhibitor 2 and ceramide sphingolipid-protein binding is involved in the regulation of protein phosphatase 2A activity and signaling. <i>FASEB Journal</i> , 2009, 23, 751-763.	0.2	189
78	Direct Binding of Glyceraldehyde 3-Phosphate Dehydrogenase to Telomeric DNA Protects Telomeres against Chemotherapy-Induced Rapid Degradation. <i>Journal of Molecular Biology</i> , 2009, 394, 789-803.	2.0	75
79	FTY720 but Not Its Immunosuppressive Phosphorylated Form FTY720-P Exerts Anti-Leukemic Activity towards Ph(+) and Ph(â) Myeloproliferative Disorders through Reactivation of the PP2A Tumor Suppressor.. <i>Blood</i> , 2009, 114, 3259-3259.	0.6	3
80	Roles of Bioactive Sphingolipids in Cancer Biology and Therapeutics. <i>Sub-Cellular Biochemistry</i> , 2008, 49, 413-440.	1.0	208
81	Regulation of Telomere Length by Fatty Acid Elongase 3 in Yeast. <i>Journal of Biological Chemistry</i> , 2008, 283, 27514-27524.	1.6	29
82	Mechanisms of ceramide-mediated repression of the human telomerase reverse transcriptase promoter via deacetylation of Sp3 by histone deacetylase 1. <i>FASEB Journal</i> , 2007, 21, 3386-3397.	0.2	68
83	Involvement of Dihydroceramide Desaturase in Cell Cycle Progression in Human Neuroblastoma Cells. <i>Journal of Biological Chemistry</i> , 2007, 282, 16718-16728.	1.6	153
84	Alterations of Ceramide/Sphingosine 1-Phosphate Rheostat Involved in the Regulation of Resistance to Imatinib-induced Apoptosis in K562 Human Chronic Myeloid Leukemia Cells*. <i>Journal of Biological Chemistry</i> , 2007, 282, 10922-10934.	1.6	193
85	Role of human longevity assurance gene 1 and C18-ceramide in chemotherapy-induced cell death in human head and neck squamous cell carcinomas. <i>Molecular Cancer Therapeutics</i> , 2007, 6, 712-722.	1.9	150
86	Clinical relevance of ceramide metabolism in the pathogenesis of human head and neck squamous cell carcinoma (HNSCC): Attenuation of C18-ceramide in HNSCC tumors correlates with lymphovascular invasion and nodal metastasis. <i>Cancer Letters</i> , 2007, 256, 101-111.	3.2	157
87	Sphingolipids in cancer: Regulation of pathogenesis and therapy. <i>FEBS Letters</i> , 2006, 580, 5467-5476.	1.3	78
88	Regulation of the sphingosine-recycling pathway for ceramide generation by oxidative stress, and its role in controlling c-Myc/Max function. <i>Biochemical Journal</i> , 2006, 393, 513-521.	1.7	49
89	Potent Antitumor Activity of a Novel Cationic Pyridinium-Ceramide Alone or in Combination with Gemcitabine against Human Head and Neck Squamous Cell Carcinomas in Vitro and in Vivo. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006, 317, 1188-1199.	1.3	86
90	Immunohistochemical Distribution of Sphingosine Kinase 1 in Normal and Tumor Lung Tissue. <i>Journal of Histochemistry and Cytochemistry</i> , 2005, 53, 1159-1166.	1.3	164

#	ARTICLE	IF	CITATIONS
91	Sp1/Sp3-dependent Regulation of Human Telomerase Reverse Transcriptase Promoter Activity by the Bioactive Sphingolipid Ceramide. <i>Journal of Biological Chemistry</i> , 2005, 280, 28867-28876.	1.6	45
92	Inhibition of growth and telomerase activity by novel cationic ceramide analogs with high solubility in human head and neck squamous cell carcinoma cells. <i>Otolaryngology - Head and Neck Surgery</i> , 2005, 132, 55-62.	1.1	48
93	Defects in Cell Growth Regulation by C18:0-Ceramide and Longevity Assurance Gene 1 in Human Head and Neck Squamous Cell Carcinomas. <i>Journal of Biological Chemistry</i> , 2004, 279, 44311-44319.	1.6	196
94	Rapid Shortening of Telomere Length in Response to Ceramide Involves the Inhibition of Telomere Binding Activity of Nuclear Glyceraldehyde-3-phosphate Dehydrogenase. <i>Journal of Biological Chemistry</i> , 2004, 279, 6152-6162.	1.6	117
95	Biologically active sphingolipids in cancer pathogenesis and treatment. <i>Nature Reviews Cancer</i> , 2004, 4, 604-616.	12.8	1,133
96	Involvement of endogenous ceramide in the inhibition of telomerase activity and induction of morphologic differentiation in response to all-trans-retinoic acid in human neuroblastoma cells. <i>Archives of Biochemistry and Biophysics</i> , 2003, 419, 110-119.	1.4	37
97	Biochemical Mechanisms of the Generation of Endogenous Long Chain Ceramide in Response to Exogenous Short Chain Ceramide in the A549 Human Lung Adenocarcinoma Cell Line. <i>Journal of Biological Chemistry</i> , 2002, 277, 12960-12969.	1.6	193
98	De Novo Ceramide Regulates the Alternative Splicing of Caspase 9 and Bcl-x in A549 Lung Adenocarcinoma Cells. <i>Journal of Biological Chemistry</i> , 2002, 277, 12587-12595.	1.6	299
99	Updates on functions of ceramide in chemotherapy-induced cell death and in multidrug resistance. <i>Drug Resistance Updates</i> , 2001, 4, 368-377.	6.5	93
100	Immunoprecipitation of Human Telomerase Reverse Transcriptase with Telomerase Activity. <i>Analytical Biochemistry</i> , 2001, 291, 166-169.	1.1	2
101	FAS Activation Induces Dephosphorylation of SR Proteins. <i>Journal of Biological Chemistry</i> , 2001, 276, 44848-44855.	1.6	142
102	Molecular Mechanisms of Ceramide-mediated Telomerase Inhibition in the A549 Human Lung Adenocarcinoma Cell Line. <i>Journal of Biological Chemistry</i> , 2001, 276, 32506-32514.	1.6	92
103	Role of Ceramide in Mediating the Inhibition of Telomerase Activity in A549 Human Lung Adenocarcinoma Cells. <i>Journal of Biological Chemistry</i> , 2001, 276, 24901-24910.	1.6	106
104	Identification and Characterization of the MDR1 Promoter-Enhancing Factor 1 (MEF1) in the Multidrug Resistant HL60/VCR Human Acute Myeloid Leukemia Cell Line. <i>Biochemistry</i> , 2000, 39, 194-204.	1.2	49
105	Negative Regulation of MDR1 Promoter Activity in MCF-7, but Not in Multidrug Resistant MCF-7/Adr, Cells by Cross-Coupled NF- $\kappa$ B/p53 and c-Fos Transcription Factors and Their Interaction with the CAAT Region. <i>Biochemistry</i> , 1999, 38, 2189-2199.	1.2	85
106	Co-ordinated over-expression of the MRP and $\beta$ -glutamylcysteine synthetase genes, but not MRD1, correlates with doxorubicin resistance in human malignant mesothelioma cell lines. , 1998, 75, 757-761.		34
107	Lack of correlation of MRP and $\beta$ -glutamylcysteine synthetase overexpression with doxorubicin resistance due to increased apoptosis in SV40 large T-antigen-transformed human mesothelial cells. <i>Cancer Chemotherapy and Pharmacology</i> , 1998, 42, 441-446.	1.1	3
108	Molecular Mechanisms of Loss of $\beta$ 2-Microglobulin Expression in Drug-Resistant Breast Cancer Sublines and Its Involvement in Drug Resistance. <i>Biochemistry</i> , 1998, 37, 11679-11691.	1.2	33

#	ARTICLE	IF	CITATIONS
109	Expression of the mutated p53 tumor suppressor protein and its molecular and biochemical characterization in multidrug resistant MCF-7/Adr human breast cancer cells. <i>Oncogene</i> , 1997, 14, 499-506.	2.6	88