

# Wenkui Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2884109/publications.pdf>

Version: 2024-02-01

33  
papers

1,371  
citations

706676

14  
h-index

488211

31  
g-index

71  
all docs

71  
docs citations

71  
times ranked

1419  
citing authors

#	ARTICLE	IF	CITATIONS
1	Sensitive LC-MS/MS quantification of unconjugated maytansinoid DM4 and its metabolite S-methyl-DM4 in human plasma. <i>Bioanalysis</i> , 2022, 14, 357-368.	0.6	2
2	Critical considerations of matrix selection in LC-MS bioanalysis for toxicokinetic and pharmacokinetic assessment in drug development. <i>Bioanalysis</i> , 2021, 13, 605-608.	0.6	1
3	An integrated outsourcing practice of nonclinical LC-MS bioanalysis and toxicokinetics at Novartis small molecule drug development. <i>Bioanalysis</i> , 2021, 13, 1001-1010.	0.6	1
4	Evaluation, identification and impact assessment of abnormal internal standard response variability in regulated LC-MS bioanalysis. <i>Bioanalysis</i> , 2020, 12, 545-559.	0.6	12
5	Application of tail vein serial microsampling for plasma or dried plasma spots in toxicokinetic assessment in rats using acetaminophen as the model compound. <i>Biomedical Chromatography</i> , 2020, 34, e4917.	0.8	2
6	Dixon's Q-test and Student's t-test to assess analog internal standard response in nonregulated LC-MS/MS bioanalysis. <i>Bioanalysis</i> , 2020, 12, 1535-1543.	0.6	1
7	Quantitative analysis of clofazimine (Lamprene®), an antileprosy agent, in human dried blood spots using liquid chromatography-tandem mass spectrometry. <i>Biomedical Chromatography</i> , 2018, 32, e4068.	0.8	4
8	Highly selective and sensitive LC-MS/MS quantification of a therapeutic protein in human serum using immunoaffinity capture enrichment. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018, 1100-1101, 83-90.	1.2	7
9	LC-MS/MS determination of a human mAb drug candidate in rat serum using an isotopically labeled universal mAb internal standard. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017, 1044-1045, 166-176.	1.2	14
10	Clinical Exposure Boost Predictions by Integrating Cytochrome P450 3A4-Humanized Mouse Studies With PBPK Modeling. <i>Journal of Pharmaceutical Sciences</i> , 2016, 105, 1398-1404.	1.6	4
11	Quantitative analysis of factor P (Properdin) in monkey serum using immunoaffinity capturing in combination with LC-MS/MS. <i>Bioanalysis</i> , 2016, 8, 425-438.	0.6	6
12	Quantitative analysis of pasireotide (SOM230), a cyclic peptide, in monkey plasma using liquid chromatography in combination with tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016, 1008, 242-249.	1.2	12
13	Evaluation of plasma microsampling for dried plasma spots (DPS) in quantitative LC-MS/MS bioanalysis using ritonavir as a model compound. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015, 991, 46-52.	1.2	18
14	LC-MS/MS bioanalysis of loratadine (Claritin) in dried blood spot (DBS) samples collected by subjects in a clinical research study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015, 983-984, 117-124.	1.2	5
15	Implementing Dried Blood Spot Sampling for Clinical Pharmacokinetic Determinations: Considerations from the IQ Consortium Microsampling Working Group. <i>AAPS Journal</i> , 2015, 17, 292-300.	2.2	56
16	An industry perspective on tiered approach to the investigation of metabolites in drug development. <i>Bioanalysis</i> , 2014, 6, 617-628.	0.6	2
17	A semi-automated LC-MS/MS method for the determination of LCI699, a steroid 11 $\beta$ -hydroxylase inhibitor, in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014, 960, 182-193.	1.2	6
18	Practical Approaches to Incurred Sample LC-MS/MS Reanalysis: Confirming Unexpected Results. <i>Analytical Chemistry</i> , 2013, 85, 2405-2413.	3.2	4

#	ARTICLE	IF	CITATIONS
19	Simultaneous LC-MS/MS quantitation of acetaminophen and its glucuronide and sulfate metabolites in human dried blood spot samples collected by subjects in a pilot clinical study. <i>Bioanalysis</i> , 2012, 4, 1429-1443.	0.6	26
20	Strategies in quantitative LC-MS/MS analysis of unstable small molecules in biological matrices. <i>Biomedical Chromatography</i> , 2011, 25, 258-277.	0.8	117
21	Developing a robust ultrafiltration-LC-MS/MS method for quantitative analysis of unbound vadimezan (ASA404) in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011, 879, 1927-1933.	1.2	26
22	Quantitative analysis of NIM811, a cyclophilin inhibitor, in human dried blood spots using liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011, 879, 2376-2382.	1.2	13
23	An investigation of incurred human urine sample reanalysis failure. <i>Bioanalysis</i> , 2011, 3, 967-972.	0.6	10
24	Supported liquid extraction in combination with LC-MS/MS for high-throughput quantitative analysis of hydrocortisone in mouse serum. <i>Biomedical Chromatography</i> , 2010, 24, 632-638.	0.8	26
25	Dried blood spot sampling in combination with LC-MS/MS for quantitative analysis of small molecules. <i>Biomedical Chromatography</i> , 2010, 24, 49-65.	0.8	518
26	Quantitative determination of BAF312, a S1P-R modulator, in human urine by LC-MS/MS: Prevention and recovery of lost analyte due to container surface adsorption. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010, 878, 583-589.	1.2	46
27	Determination of N-methyl-4-isoleucine-cyclosporin (NIM811) in human whole blood by high performance liquid chromatography-tandem mass spectrometry. <i>Biomedical Chromatography</i> , 2007, 21, 249-256.	0.8	8
28	Simultaneous determination of midazolam and 1-hydroxymidazolam in human plasma by liquid chromatography with tandem mass spectrometry. <i>Biomedical Chromatography</i> , 2007, 21, 841-851.	0.8	17
29	Simultaneous determination of ribavirin and ribavirin base in monkey plasma by high performance liquid chromatography with tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007, 846, 57-68.	1.2	26
30	Application of LC-MS for quantitative analysis and metabolite identification of therapeutic oligonucleotides. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007, 44, 330-341.	1.4	99
31	Liquid chromatographic-electrospray tandem mass spectrometric determination of clarithromycin in human plasma. <i>Biomedical Chromatography</i> , 2006, 20, 1242-1251.	0.8	29
32	Simultaneous determination of norethindrone and ethinyl estradiol in human plasma by high performance liquid chromatography with tandem mass spectrometry—experiences on developing a highly selective method using derivatization reagent for enhancing sensitivity. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2005, 825, 223-232.	1.2	79
33	Hydrophilic interaction liquid chromatographic tandem mass spectrometric determination of atenolol in human plasma. <i>Biomedical Chromatography</i> , 2005, 19, 385-393.	0.8	42