

Paolo Zola

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2884186/paolo-zola-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

56
papers

2,327
citations

22
h-index

48
g-index

57
ext. papers

2,570
ext. citations

2.8
avg. IF

3.73
L-index

#	Paper	IF	Citations
56	Response to Chemotherapy and Clinical Outcome of Patients With Recurrent Epithelial Ovarian Cancer After PARP Inhibitor Maintenance Treatment: A Multicenter Retrospective Italian Study.. <i>Anticancer Research</i> , 2022 , 42, 2017-2022	2.3	1
55	A simplified fascial model of pelvic anatomical surgery: going beyond parametrium-centered surgical anatomy. <i>Anatomical Science International</i> , 2021 , 96, 20-29	2	4
54	Adjuvant chemotherapy in early-stage endometrioid endometrial cancer with >50% myometrial invasion and negative lymph nodes. <i>International Journal of Gynecological Cancer</i> , 2021 , 31, 537-544	3.5	0
53	Prognostic and predictive value of combined HE-4 and CA-125 biomarkers during chemotherapy in patients with epithelial ovarian cancer. <i>International Journal of Biological Markers</i> , 2020 , 35, 20-27	2.8	6
52	ENGOT-OV43/KEYLYNK-001: A phase III, randomized, double-blind, active- and placebo-controlled study of pembrolizumab plus chemotherapy with olaparib maintenance for first-line treatment of BRCA-nonmutated advanced epithelial ovarian cancer.. <i>Journal of Clinical Oncology</i> , 2019 , 37, TPS5603-TPS5603	2.2	6
51	Neoadjuvant Platinum-based Chemotherapy Followed by Radical Hysterectomy for Stage Ib2-IIb Adenocarcinoma of the Uterine Cervix - An Italian Multicenter Retrospective Study. <i>Anticancer Research</i> , 2018 , 38, 3627-3634	2.3	8
50	Follow-up in Gynecological Malignancies: A State of Art. <i>International Journal of Gynecological Cancer</i> , 2015 , 25, 1151-64	3.5	19
49	Economic Considerations on the Follow-Up Practice in Gynecologic Cancers: Few Lights and Many Shadows From a Literature Review. <i>International Journal of Gynecological Cancer</i> , 2015 , 25, 1144-50	3.5	2
48	Complications after the treatment of endometrial cancer: a prospective study using the French-Italian glossary. <i>International Journal of Gynecological Cancer</i> , 2014 , 24, 418-26	3.5	8
47	The role of HE4 in ovarian cancer follow-up: a review. <i>International Journal of Gynecological Cancer</i> , 2014 , 24, 1359-65	3.5	26
46	Prognostic factors and clinical outcome of patients with recurrent early-stage epithelial ovarian cancer: an Italian multicenter retrospective study. <i>International Journal of Gynecological Cancer</i> , 2013 , 23, 461-8	3.5	15
45	Daily administration of low molecular weight heparin increases Hepatocyte Growth Factor serum levels in gynaecological patients: pharmacokinetic parameters and clinical implications. <i>BMC Research Notes</i> , 2012 , 5, 517	2.3	2
44	Analysis of treatment failures and survival of patients with uterine papillary serous carcinoma: a Cooperation Task Force (CTF) Study. <i>International Journal of Gynecological Cancer</i> , 2012 , 22, 1355-60	3.5	11
43	Could different follow-up modalities play a role in the diagnosis of asymptomatic endometrial cancer relapses?: an Italian multicentric retrospective analysis. <i>International Journal of Gynecological Cancer</i> , 2012 , 22, 1013-9	3.5	25
42	Cancer antigen 125: lost to follow-up?: a European society of gynaecological oncology consensus statement. <i>International Journal of Gynecological Cancer</i> , 2012 , 22, 170-4	3.5	9
41	Aggressive clinical course of primary invasive vaginal carcinoma associated with type 61 HPV: a case report. <i>Tumori</i> , 2012 , 98, 57e-58e	1.7	
40	Syringoid eccrine carcinoma: Case report of a rare tumor occasionally detected in the vulva. <i>Gynecologic Oncology Case Reports</i> , 2011 , 1, 17-9		8

39	Variation in gynecological oncology follow-up practice: Attributable to cancer centers or to patient characteristics? A Piedmont Regional Oncology Network Study. <i>Tumori</i> , 2011 , 97, 551-558	1.7	8
38	Angiogenesis and molecular markers in advanced epithelial ovarian cancer: a retrospective study. <i>Gynecologic Oncology</i> , 2011 , 123, 301-7	4.9	7
37	Chemotherapy plus radiation in advanced-stage endometrial cancer. <i>International Journal of Gynecological Cancer</i> , 2011 , 21, 1622-7	3.5	8
36	Sequential adjuvant chemotherapy and radiotherapy in endometrial cancer--results from two randomised studies. <i>European Journal of Cancer</i> , 2010 , 46, 2422-31	7.5	324
35	Surveillance procedures for patients treated for endometrial cancer: a review of the literature. <i>International Journal of Gynecological Cancer</i> , 2010 , 20, 985-92	3.5	49
34	The clinical outcome of epithelial ovarian cancer patients with apparently isolated lymph node recurrence: a multicenter retrospective Italian study. <i>Gynecologic Oncology</i> , 2010 , 116, 358-63	4.9	25
33	Analysis of vitamin D receptor expression and clinical correlations in patients with ovarian cancer. <i>Gynecologic Oncology</i> , 2010 , 119, 121-4	4.9	21
32	Surveillance procedures for patients with cervical carcinoma: a review of the literature. <i>International Journal of Gynecological Cancer</i> , 2009 , 19, 194-201	3.5	19
31	Modified radical hysterectomy versus extrafascial hysterectomy in the treatment of stage I endometrial cancer: results from the ILIADE randomized study. <i>Annals of Surgical Oncology</i> , 2009 , 16, 3431-41	3.1	26
30	Weekly low-dose paclitaxel as maintenance treatment in patients with advanced ovarian cancer who had microscopic residual disease at second-look surgery after 6 cycles of paclitaxel/platinum-based chemotherapy: results of an open noncomparative phase 2 multicenter Italian study (After-6 Protocol 2). <i>International Journal of Gynecological Cancer</i> , 2009 , 19, 615-9	3.5	12
29	Surveillance procedures for patients for cervical carcinoma: a review of the literature. <i>International Journal of Gynecological Cancer</i> , 2009 , 19, 306-13	3.5	22
28	Are surveillance procedures of clinical benefit for patients treated for ovarian cancer?: A retrospective Italian multicentric study. <i>International Journal of Gynecological Cancer</i> , 2009 , 19, 367-74	3.5	56
27	Adjuvant treatment and survival in obese women with endometrial cancer: an international collaborative study. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 198, 89.e1-8	6.4	27
26	Management of borderline ovarian tumors: results of an Italian multicenter study. <i>Gynecologic Oncology</i> , 2006 , 101, 255-60	4.9	99
25	Attitudes of Italian gynaecologists towards prophylactic oophorectomy at hysterectomy for non-malignant conditions. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2006 , 124, 82-7	2.4	7
24	Intratumoral microvessel density in advanced epithelial ovarian cancer and its use as a prognostic variable. <i>Anticancer Research</i> , 2006 , 26, 3925-32	2.3	15
23	Pre-chemotherapy hemoglobin levels and survival in patients with advanced epithelial ovarian cancer who received a first-line taxane/platinum-based regimen: results of a multicenter retrospective Italian study. <i>Gynecologic Oncology</i> , 2005 , 98, 118-23	4.9	7
22	Pretreatment serum hemoglobin level as a predictive factor of response to neoadjuvant chemotherapy in patients with locally advanced squamous cervical carcinoma: a preliminary report. <i>Gynecologic Oncology</i> , 2005 , 99, S187-91	4.9	17

21	Relationship between time interval from primary surgery to the start of taxane- plus platinum-based chemotherapy and clinical outcome of patients with advanced epithelial ovarian cancer: results of a multicenter retrospective Italian study. <i>Journal of Clinical Oncology</i> , 2005 , 23, 751-8	2.2	44
20	Randomized trial of neoadjuvant chemotherapy comparing paclitaxel, ifosfamide, and cisplatin with ifosfamide and cisplatin followed by radical surgery in patients with locally advanced squamous cell cervical carcinoma: the SNAP01 (Studio Neo-Adjuvante Portio) Italian Collaborative Study. <i>Journal of Clinical Oncology</i> , 2005 , 23, 4137-45	2.2	167
19	Pretreatment serum hemoglobin level and a preliminary investigation of intratumoral microvessel density in advanced ovarian cancer. <i>Gynecologic Oncology</i> , 2004 , 95, 323-9	4.9	6
18	The role of the French-Italian glossary of complications in the outcome evaluation of cervical cancer treatment: an Italian multicentric study. <i>Critical Reviews in Oncology/Hematology</i> , 2003 , 48, 317-21	7	2
17	Analysis of treatment failures and survival of patients with fallopian tube carcinoma: a cooperation task force (CTF) study. <i>Gynecologic Oncology</i> , 2001 , 81, 150-9	4.9	77
16	Patterns of recurrence in patients with squamous cell carcinoma of the vulva. A multicenter CTF Study. <i>Cancer</i> , 2000 , 89, 116-22	6.4	190
15	A proposed glossary of terminology related to the surgical treatment of vulvar carcinoma. <i>Cancer</i> , 1998 , 83, 1369-1375	6.4	21
14	Analysis of failures after negative second-look in patients with advanced ovarian cancer: an Italian multicenter study. <i>Gynecologic Oncology</i> , 1998 , 68, 150-5	4.9	69
13	An analysis of approaches to the management of endometrial cancer in North America: a CTF study. <i>Gynecologic Oncology</i> , 1998 , 68, 274-9	4.9	70
12	A proposed glossary of terminology related to the surgical treatment of vulvar carcinoma 1998 , 83, 1369		2
11	Carcinosarcoma of the uterus: a clinicopathological multicenter CTF study. <i>Gynecologic Oncology</i> , 1997 , 67, 70-5	4.9	108
10	Uterine leiomyosarcoma: analysis of treatment failures and survival. <i>Gynecologic Oncology</i> , 1996 , 62, 25-32	4.9	182
9	The relationship between postoperative decline of serum CA 125 levels and size of residual disease after initial surgery in patients with advanced ovarian cancer: a CTF study. <i>Gynecologic Oncology</i> , 1996 , 63, 234-7	4.9	12
8	Endometrial stromal sarcoma: analysis of treatment failures and survival. <i>Gynecologic Oncology</i> , 1996 , 63, 247-53	4.9	167
7	PhysiciansSview of practice guidelines. A survey of Italian physicians. <i>Social Science and Medicine</i> , 1996 , 43, 1283-7	5.1	20
6	Mutant p53 protein overexpression is associated with poor outcome in patients with well or moderately differentiated ovarian carcinoma. <i>Cancer</i> , 1995 , 75, 1327-38	6.4	109
5	Serum half-life of CA 125 during early chemotherapy as an independent prognostic variable for patients with advanced epithelial ovarian cancer: results of a multicentric Italian study. <i>Gynecologic Oncology</i> , 1995 , 58, 42-7	4.9	69
4	The impact of patient management guidelines on the care of breast, colorectal, and ovarian cancer patients in Italy. <i>Medical Care</i> , 1991 , 29, 50-63	3.1	58

3	Complications of uterine cervix carcinoma treatments: the problem of a uniform classification. <i>Radiotherapy and Oncology</i> , 1989 , 14, 9-17	5-3	33
2	Results of treatment of uterine cervix cancer by radiotherapy. <i>Radiotherapy and Oncology</i> , 1988 , 13, 257-55	5-5	15
1	Prognostic value of estrogen receptors determined by radiochemical vs. histochemical methods in breast cancer. <i>Breast Cancer Research and Treatment</i> , 1985 , 6, 67-73	4-4	2