

Marjan van den Akker

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2884853/publications.pdf>

Version: 2024-02-01

125
papers

5,726
citations

136885

32
h-index

82499

72
g-index

125
all docs

125
docs citations

125
times ranked

7230
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Impact of comorbidities on physical function and survival of middle-aged, as compared to older, individuals with cancer. <i>Supportive Care in Cancer</i> , 2022, 30, 1625-1632. | 1.0 | 10 |
| 2 | Control in the Hospital by Extensive Clinical rules for Unplanned hospitalizations in older Patients (CHECKUP); study design of a multicentre randomized study. <i>BMC Geriatrics</i> , 2022, 22, 36. | 1.1 | 6 |
| 3 | Evidence-Based Decision Support for a Structured Care Program on Polypharmacy in Multimorbidity: A Guideline Upgrade Based on a Realist Synthesis. <i>Journal of Personalized Medicine</i> , 2022, 12, 69. | 1.1 | 6 |
| 4 | Response to Schell and colleagues. <i>Supportive Care in Cancer</i> , 2022, 30, 1897-1897. | 1.0 | 0 |
| 5 | Use of an electronic medication management support system in patients with polypharmacy in general practice: study protocol of a quantitative process evaluation of the AdAM trial. <i>Therapeutic Advances in Drug Safety</i> , 2022, 13, 204209862110732. | 1.0 | 2 |
| 6 | Care practices of specialized outpatient pediatric palliative care teams in collaboration with parents: Results of participatory observations. <i>Palliative Medicine</i> , 2022, 36, 386-394. | 1.3 | 6 |
| 7 | Fifteen-year trajectories of multimorbidity and polypharmacy in Dutch primary care – A longitudinal analysis of age and sex patterns. <i>PLoS ONE</i> , 2022, 17, e0264343. | 1.1 | 10 |
| 8 | A Resampling Method to Improve the Prognostic Model of End-Stage Kidney Disease: A Better Strategy for Imbalanced Data. <i>Frontiers in Medicine</i> , 2022, 9, 730748. | 1.2 | 5 |
| 9 | Everyday Lives of Middle-Aged Persons with Multimorbidity: A Mixed Methods Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6. | 1.2 | 7 |
| 10 | Development of an intervention to improve informational continuity of care in older patients with polypharmacy at the interface between general practice and hospital care: protocol for a participatory qualitative study in Germany. <i>BMJ Open</i> , 2022, 12, e058016. | 0.8 | 4 |
| 11 | Psychosocial Well-Being of Older Spouses During End-of-Life Caregiving for Their Partners With Cancer: A Phenomenological Study. <i>Journal of Gerontological Nursing</i> , 2022, 48, 33-39. | 0.3 | 1 |
| 12 | Use of an Electronic Medication Management Support System in Patients with Polypharmacy in General Practice: A Quantitative Process Evaluation of the AdAM Trial. <i>Pharmaceuticals</i> , 2022, 15, 759. | 1.7 | 2 |
| 13 | Children and adolescents are not small adults: toward a better understanding of multimorbidity in younger populations. <i>Journal of Clinical Epidemiology</i> , 2022, 149, 165-171. | 2.4 | 7 |
| 14 | Stakeholder Perspectives on the Development and Implementation of a Polypharmacy Management Program in Germany: Results of a Qualitative Study. <i>Journal of Personalized Medicine</i> , 2022, 12, 1115. | 1.1 | 0 |
| 15 | Caregiver burden: An increasing problem related to an aging cancer population. <i>Journal of Health Psychology</i> , 2021, 26, 1833-1849. | 1.3 | 17 |
| 16 | Development of Multimorbidity Over Time: An Analysis of Belgium Primary Care Data Using Markov Chains and Weighted Association Rule Mining. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 1234-1241. | 1.7 | 8 |
| 17 | A prognostic model predicted deterioration in health-related quality of life in older patients with multimorbidity and polypharmacy. <i>Journal of Clinical Epidemiology</i> , 2021, 130, 1-12. | 2.4 | 7 |
| 18 | Specialised outpatient paediatric palliative care team – parent collaboration: narrative interviews with parents. <i>BMJ Supportive and Palliative Care</i> , 2021, , bmjspcare-2020-002576. | 0.8 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Comorbidity versus multimorbidity: Why it matters. <i>Journal of Multimorbidity and Comorbidity</i> , 2021, 11, 263355652199399. | 0.8 | 50 |
| 20 | Polypharmacy and excessive polypharmacy in community-dwelling middle aged and aged adults between 2011 and 2015. <i>International Journal of Clinical Practice</i> , 2021, 75, e13942. | 0.8 | 10 |
| 21 | Prevalence of Upper Extremity Musculoskeletal Disorders in Patients with Type 2 Diabetes in General Practice. <i>Medicines (Basel, Switzerland)</i> , 2021, 8, 8. | 0.7 | 2 |
| 22 | The Effect of a Comprehensive, Interdisciplinary Medication Review on Quality of Life and Medication Use in Community Dwelling Older People with Polypharmacy. <i>Journal of Clinical Medicine</i> , 2021, 10, 600. | 1.0 | 8 |
| 23 | Predicting negative health outcomes in older general practice patients with chronic illness: Rationale and development of the PROPERmed harmonized individual participant data database. <i>Mechanisms of Ageing and Development</i> , 2021, 194, 111436. | 2.2 | 3 |
| 24 | Fast and optimal algorithm for case-control matching using registry data: application on the antibiotics use of colorectal cancer patients. <i>BMC Medical Research Methodology</i> , 2021, 21, 62. | 1.4 | 14 |
| 25 | Managing diabetes mellitus with comorbidities in primary healthcare facilities in urban settings: a qualitative study among physicians in Odisha, India. <i>BMC Family Practice</i> , 2021, 22, 99. | 2.9 | 10 |
| 26 | Primary care professionals' attitudes towards digital health interventions for common mental disorders: study protocol for a mixed methods systematic review. <i>BMJ Open</i> , 2021, 11, e045657. | 0.8 | 0 |
| 27 | Changes in social, psychological and physical well-being in the last 5 years of life of older people with cancer: a longitudinal study. <i>Age and Ageing</i> , 2021, 50, 1829-1833. | 0.7 | 6 |
| 28 | Supporting an informal care group "Social contacts and communication as important aspects in the psychosocial well-being of informal caregivers of older patients in Belgium. <i>Health and Social Care in the Community</i> , 2021, , . | 0.7 | 1 |
| 29 | "I must, and I can live with that": a thematic analysis of patients' perspectives on polypharmacy and a digital decision support system for GPs. <i>BMC Family Practice</i> , 2021, 22, 168. | 2.9 | 2 |
| 30 | Predicting hospital admissions from individual patient data (IPD): an applied example to explore key elements driving external validity. <i>BMJ Open</i> , 2021, 11, e045572. | 0.8 | 1 |
| 31 | Psychosocial care for cancer survivors: A systematic literature review on the role of general practitioners. <i>Psycho-Oncology</i> , 2021, 30, 444-454. | 1.0 | 5 |
| 32 | End-of-Life Care Preferences of Older Patients with Multimorbidity: A Mixed Methods Systematic Review. <i>Journal of Clinical Medicine</i> , 2021, 10, 91. | 1.0 | 21 |
| 33 | Multimorbidity and Health Systems: Challenges and Priorities. <i>European Journal of Public Health</i> , 2021, 31, . | 0.1 | 0 |
| 34 | Everyday lives of middle-aged persons living with multimorbidity: protocol of a mixed-methods systematic review. <i>BMJ Open</i> , 2021, 11, e050990. | 0.8 | 4 |
| 35 | Use of antibiotics and colorectal cancer risk: a primary care nested case-control study in Belgium. <i>BMJ Open</i> , 2021, 11, e053511. | 0.8 | 1 |
| 36 | Bayesian Hierarchical Models for Meta-Analysis of Quality-of-Life Outcomes: An Application in Multimorbidity. <i>Pharmacoeconomics</i> , 2020, 38, 85-95. | 1.7 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Role of clinical, functional and social factors in the association between multimorbidity and quality of life: Findings from the Survey of Health, Ageing and Retirement in Europe (SHARE). PLoS ONE, 2020, 15, e0240024. | 1.1 | 17 |
| 38 | End-of-life care preferences of older patients with multimorbidity: protocol of a mixed-methods systematic review. BMJ Open, 2020, 10, e038682. | 0.8 | 2 |
| 39 | Describing deprescribing trials better: an elaboration of the CONSORT statement. Journal of Clinical Epidemiology, 2020, 127, 87-95. | 2.4 | 11 |
| 40 | Development and internal validation of prognostic models to predict negative health outcomes in older patients with multimorbidity and polypharmacy in general practice. BMJ Open, 2020, 10, e039747. | 0.8 | 7 |
| 41 | Identifying disease trajectories with predicate information from a knowledge graph. Journal of Biomedical Semantics, 2020, 11, 9. | 0.9 | 4 |
| 42 | Magnitude and determinants of multimorbidity and health care utilization among patients attending public versus private primary care: a cross-sectional study from Odisha, India. International Journal for Equity in Health, 2020, 19, 57. | 1.5 | 33 |
| 43 | Impact of comorbidity on health-related quality of life among type 2 diabetic patients in primary care. Primary Health Care Research and Development, 2020, 21, e9. | 0.5 | 25 |
| 44 | Are Anticholinergic Symptoms a Risk Factor for Falls in Older General Practice Patients With Polypharmacy? Study Protocol for the Development and Validation of a Prognostic Model. Frontiers in Pharmacology, 2020, 11, 577747. | 1.6 | 4 |
| 45 | Health related quality of life in multimorbidity: a primary-care based study from Odisha, India. Health and Quality of Life Outcomes, 2019, 17, 116. | 1.0 | 60 |
| 46 | Multimorbidity and quality of life: Systematic literature review and meta-analysis. Ageing Research Reviews, 2019, 53, 100903. | 5.0 | 279 |
| 47 | Multimorbidity Frameworks Impact Prevalence and Relationships with Patientâ€™important Outcomes. Journal of the American Geriatrics Society, 2019, 67, 1632-1640. | 1.3 | 43 |
| 48 | Trends in multimorbidity and polypharmacy in the Flemish-Belgian population between 2000 and 2015. PLoS ONE, 2019, 14, e0212046. | 1.1 | 54 |
| 49 | Health-related preferences of older patients with multimorbidity: the protocol for an evidence map. BMJ Open, 2019, 9, e029724. | 0.8 | 2 |
| 50 | Health-related preferences of older patients with multimorbidity: an evidence map. BMJ Open, 2019, 9, e034485. | 0.8 | 18 |
| 51 | eHealth-supported case management for patients with panic disorder or depression in primary care: Study protocol for a cRCT (PREMA). Trials, 2019, 20, 662. | 0.7 | 5 |
| 52 | Burden of heart failure in Flemish general practices: a registry-based study in the Intego database. BMJ Open, 2019, 9, e022972. | 0.8 | 31 |
| 53 | Multimorbidity and comorbidity revisited: refining the concepts for international health research. Journal of Clinical Epidemiology, 2019, 105, 142-146. | 2.4 | 96 |
| 54 | Patient- and tumor-related predictors of chemotherapy intolerance in older patients with cancer: A systematic review. Journal of Geriatric Oncology, 2019, 10, 31-41. | 0.5 | 37 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Long-term distress in older patients with cancer: a longitudinal cohort study. <i>BJGP Open</i> , 2019, 3, bjgpopen19X101658. | 0.9 | 7 |
| 56 | The influence of coping strategies on subsequent well-being in older patients with cancer: A comparison with 2 control groups. <i>Psycho-Oncology</i> , 2018, 27, 864-870. | 1.0 | 10 |
| 57 | A systematic literature review on the association between loneliness and coping strategies. <i>Psychology, Health and Medicine</i> , 2018, 23, 899-916. | 1.3 | 39 |
| 58 | Occurrence of malnutrition and associated factors in community-dwelling older adults: Those with a recent diagnosis of cancer are at higher risk. <i>Journal of Nutrition, Health and Aging</i> , 2018, 22, 191-198. | 1.5 | 26 |
| 59 | Lifestyle for Brain Health (LIBRA): a new model for dementia prevention. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 167-175. | 1.3 | 82 |
| 60 | Estimating the prevalence of diabetes mellitus and thyroid disorders using medication data in Flanders, Belgium. <i>European Journal of Public Health</i> , 2018, 28, 193-198. | 0.1 | 10 |
| 61 | Cardiovascular disease patients have increased risk for comorbidity: A cross-sectional study in the Netherlands. <i>European Journal of General Practice</i> , 2018, 24, 45-50. | 0.9 | 71 |
| 62 | Time trends in statin use and incidence of recurrent cardiovascular events in secondary prevention between 1999 and 2013: a registry-based study. <i>BMC Cardiovascular Disorders</i> , 2018, 18, 209. | 0.7 | 17 |
| 63 | Is there a correlation between an eGFR slope measured over a 5-year period and incident cardiovascular events in the following 5 years among a Flemish general practice population: a retrospective cohort study. <i>BMJ Open</i> , 2018, 8, e023594. | 0.8 | 8 |
| 64 | Patients with Multimorbidity and Their Treatment Burden in Different Daily Life Domains: A Qualitative Study in Primary Care in the Netherlands and Belgium. <i>Journal of Comorbidity</i> , 2018, 8, 9-15. | 3.9 | 38 |
| 65 | Prevalence and predictors of psychosocial problems in informal caregivers of older cancer survivors - A systematic review: Still major gaps in current research. <i>European Journal of Cancer Care</i> , 2018, 27, e12899. | 0.7 | 26 |
| 66 | Effectiveness of a complex intervention on Prioritising Multimедication in Multimorbidity (PRIMUM) in primary care: results of a pragmatic cluster randomised controlled trial. <i>BMJ Open</i> , 2018, 8, e017740. | 0.8 | 63 |
| 67 | Functional status decline in older patients with breast and colorectal cancer after cancer treatment: A prospective cohort study. <i>Journal of Geriatric Oncology</i> , 2017, 8, 176-184. | 0.5 | 63 |
| 68 | Estimating incidence and prevalence rates of chronic diseases using disease modeling. <i>Population Health Metrics</i> , 2017, 15, 13. | 1.3 | 7 |
| 69 | Factors associated with Prolonged Inaction in the hypoglycaemic treatment in people with non-insulin dependent Type 2 Diabetes and elevated glycated haemoglobin: A registry-based cohort study. <i>Primary Care Diabetes</i> , 2017, 11, 482-489. | 0.9 | 4 |
| 70 | The link between self-perceptions of aging, cancer view and physical and mental health of older people with cancer: A cross-sectional study. <i>Journal of Geriatric Oncology</i> , 2017, 8, 64-68. | 0.5 | 19 |
| 71 | Pattern and severity of multimorbidity among patients attending primary care settings in Odisha, India. <i>PLoS ONE</i> , 2017, 12, e0183966. | 1.1 | 70 |
| 72 | Dementia incidence trend over 1992-2014 in the Netherlands: Analysis of primary care data. <i>PLoS Medicine</i> , 2017, 14, e1002235. | 3.9 | 45 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | The utilization of formal and informal home care by older patients with cancer: a Belgian cohort study with two control groups. <i>BMC Health Services Research</i> , 2017, 17, 644. | 0.9 | 2 |
| 74 | The Journal of Comorbidity Affiliates with the North American Primary Care Research Group. <i>Journal of Comorbidity</i> , 2017, 7, 114-116. | 3.9 | 0 |
| 75 | The Journal of Comorbidity Affiliates with the Scottish School of Primary Care. <i>Journal of Comorbidity</i> , 2017, 7, 112-113. | 3.9 | 1 |
| 76 | Synergistic Effects of Six Chronic Disease Pairs on Decreased Physical Activity: The SMILE Cohort Study. <i>BioMed Research International</i> , 2016, 2016, 1-11. | 0.9 | 4 |
| 77 | Development and Validation of a Questionnaire to Assess Multimorbidity in Primary Care: An Indian Experience. <i>BioMed Research International</i> , 2016, 2016, 1-9. | 0.9 | 41 |
| 78 | Disease Combinations Associated with Physical Activity Identified: The SMILE Cohort Study. <i>BioMed Research International</i> , 2016, 2016, 1-10. | 0.9 | 5 |
| 79 | Pilot study to test the feasibility of a trial design and complex intervention on<i>PRI</i>oritising<i>MU</i>ltimedication in<i>M</i>ultimorbidity in general practices (PRIMUM<i>pilot</i>)</i>. <i>BMJ Open</i> , 2016, 6, e011613. | 0.8 | 30 |
| 80 | Collecting and validating experiential expertise is doable but poses methodological challenges. <i>Journal of Clinical Epidemiology</i> , 2016, 72, 10-15. | 2.4 | 7 |
| 81 | Factors associated with appropriate knowledge of the indications for prescribed drugs among community-dwelling older patients with polypharmacy. <i>Age and Ageing</i> , 2016, 45, 402-408. | 0.7 | 36 |
| 82 | Prognostic value of handgrip strength in people aged 60 years and older: A systematic review and meta-analysis. <i>Geriatrics and Gerontology International</i> , 2016, 16, 5-20. | 0.7 | 248 |
| 83 | Blood pressure targets in primary care. <i>BMJ, The</i> , 2016, 352, i813. | 3.0 | 2 |
| 84 | Research Considerations in Patients with Cancer and Comorbidity. , 2016, , 341-369. | | 1 |
| 85 | A Validation of the French Version of the Attitudes to Aging Questionnaire (AAQ): Factor Structure, Reliability and Validity. <i>Psychologica Belgica</i> , 2016, 56, 80-100. | 1.0 | 19 |
| 86 | The Value of Fatigue Severity to Rule Out Depression in Older Adult Patients With Cancer. <i>Oncology Nursing Forum</i> , 2015, 42, E302-E309. | 0.5 | 5 |
| 87 | Prevalence and outcomes of multimorbidity in South Asia: a systematic review. <i>BMJ Open</i> , 2015, 5, e007235. | 0.8 | 129 |
| 88 | Loneliness in patients with cancer: the first year after cancer diagnosis. <i>Psycho-Oncology</i> , 2015, 24, 1521-1528. | 1.0 | 33 |
| 89 | Reducing dementia risk by targeting modifiable risk factors in mid-life: study protocol for the Innovative Midlife Intervention for Dementia Deterrence (In-MINDD) randomised controlled feasibility trial. <i>Pilot and Feasibility Studies</i> , 2015, 1, 40. | 0.5 | 30 |
| 90 | The relation between depression, coping and health locus of control: differences between older and younger patients, with and without cancer. <i>Psycho-Oncology</i> , 2015, 24, 950-957. | 1.0 | 54 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Secondary Analysis of Data on Comorbidity/Multimorbidity: A Call for Papers. <i>Journal of Comorbidity</i> , 2015, 5, 120-121. | 3.9 | 0 |
| 92 | Disease or no disease? Disagreement on diagnoses between self-reports and medical records of adult patients. <i>European Journal of General Practice</i> , 2015, 21, 45-51. | 0.9 | 43 |
| 93 | Trajectories of multimorbidity: exploring patterns of multimorbidity in patients with more than ten chronic health problems in life course. <i>BMC Family Practice</i> , 2015, 16, 2. | 2.9 | 33 |
| 94 | Geriatric screening tools are of limited value to predict decline in functional status and quality of life: results of a cohort study. <i>BMC Family Practice</i> , 2015, 16, 30. | 2.9 | 26 |
| 95 | A cohort study on the evolution of psychosocial problems in older patients with breast or colorectal cancer: comparison with younger cancer patients and older primary care patients without cancer. <i>BMC Geriatrics</i> , 2015, 15, 79. | 1.1 | 39 |
| 96 | Low socioeconomic status and perceptions of social inadequacy and shame: findings from the Dutch SMILE study. <i>European Journal of Public Health</i> , 2015, 25, 311-313. | 0.1 | 13 |
| 97 | Multimorbidity's research challenges and priorities from a clinical perspective: The case of "Mr Curran". <i>European Journal of General Practice</i> , 2014, 20, 139-147. | 0.9 | 26 |
| 98 | The Ariadne principles: how to handle multimorbidity in primary care consultations. <i>BMC Medicine</i> , 2014, 12, 223. | 2.3 | 205 |
| 99 | Cancer in the Elderly. <i>Journal of Cancer Epidemiology</i> , 2014, 2014, 1-3. | 0.5 | 5 |
| 100 | Risk factors for loneliness in patients with cancer: A systematic literature review and meta-analysis. <i>European Journal of Oncology Nursing</i> , 2014, 18, 466-477. | 0.9 | 119 |
| 101 | Current guidelines poorly address multimorbidity: pilot of the interaction matrix method. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 1242-1250. | 2.4 | 35 |
| 102 | Finding potentially new multimorbidity patterns of psychiatric and somatic diseases: exploring the use of literature-based discovery in primary care research. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2014, 21, 139-145. | 2.2 | 13 |
| 103 | Multimorbidity patterns: a systematic review. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 254-266. | 2.4 | 509 |
| 104 | Similar Multimorbidity Patterns in Primary Care Patients from Two European Regions: Results of a Factor Analysis. <i>PLoS ONE</i> , 2014, 9, e100375. | 1.1 | 42 |
| 105 | The 2014 Updated GOLD Strategy: A Comparison of the Various Scenarios. <i>Chronic Obstructive Pulmonary Diseases (Miami, Fla)</i> , 2014, 1, 212-220. | 0.5 | 7 |
| 106 | Supporting People With Diabetes Mellitus in Applying for and Participating Effectively in Paid Work. <i>Journal of Occupational and Environmental Medicine</i> , 2012, 54, 1491-1499. | 0.9 | 2 |
| 107 | Identifying Experiential Expertise to Support People With Diabetes Mellitus in Applying for and Participating Effectively in Paid Work. <i>Journal of Occupational and Environmental Medicine</i> , 2012, 54, 92-100. | 0.9 | 11 |
| 108 | Easing the transition: the final year of medical education at Maastricht University. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , 2012, 106, 92-97. | 0.7 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Harvesting Experiential Expertise to Support Safe Driving for People with Diabetes Mellitus. <i>Patient</i> , 2012, 5, 251-264. | 1.1 | 1 |
| 110 | The electronic Cumulative Illness Rating Scale: a reliable and valid tool to assess multi-morbidity in primary care. <i>Journal of Evaluation in Clinical Practice</i> , 2011, 17, 1089-1093. | 0.9 | 18 |
| 111 | Study protocol of KLIMOP: a cohort study on the wellbeing of older cancer patients in Belgium and the Netherlands. <i>BMC Public Health</i> , 2011, 11, 825. | 1.2 | 16 |
| 112 | Learning and Caring in Communities of Practice: Using Relationships and Collective Learning to Improve Primary Care for Patients with Multimorbidity. <i>Annals of Family Medicine</i> , 2010, 8, 170-177. | 0.9 | 92 |
| 113 | The SMILE study: a study of medical information and lifestyles in Eindhoven, the rationale and contents of a large prospective dynamic cohort study. <i>BMC Public Health</i> , 2008, 8, 19. | 1.2 | 24 |
| 114 | Multimorbidity's many challenges. <i>BMJ: British Medical Journal</i> , 2007, 334, 1016-1017. | 2.4 | 400 |
| 115 | Industrial air pollution and children's respiratory health: A natural experiment in CÄflÄfraÅyi. <i>European Journal of General Practice</i> , 2007, 13, 135-143. | 0.9 | 13 |
| 116 | Improving the Transfer of Care to General Practice for People With Intellectual Disabilities: Development of a Guideline. <i>Journal of Policy and Practice in Intellectual Disabilities</i> , 2007, 4, 241-247. | 1.7 | 2 |
| 117 | In an exploratory prospective study on multimorbidity general and disease-related susceptibility could be distinguished. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 934-939. | 2.4 | 15 |
| 118 | Problems in determining occurrence rates of multimorbidity. <i>Journal of Clinical Epidemiology</i> , 2001, 54, 675-679. | 2.4 | 172 |
| 119 | Psychosocial patient characteristics and GP-registered chronic morbidity. <i>Journal of Psychosomatic Research</i> , 2001, 50, 95-102. | 1.2 | 32 |
| 120 | The relation between health locus of control and multimorbidity: a case-control study. <i>Personality and Individual Differences</i> , 2001, 30, 1189-1197. | 1.6 | 13 |
| 121 | Barriers in the care of patients who have experienced a traumatic event: the perspective of general practice. <i>Family Practice</i> , 2001, 18, 214-216. | 0.8 | 10 |
| 122 | Marginal impact of psychosocial factors on multimorbidity: results of an explorative nested case-control study. <i>Social Science and Medicine</i> , 2000, 50, 1679-1693. | 1.8 | 46 |
| 123 | Multimorbidity in General Practice: Prevalence, Incidence, and Determinants of Co-Occurring Chronic and Recurrent Diseases. <i>Journal of Clinical Epidemiology</i> , 1998, 51, 367-375. | 2.4 | 849 |
| 124 | Comorbidity or multimorbidity. <i>European Journal of General Practice</i> , 1996, 2, 65-70. | 0.9 | 661 |
| 125 | Multimorbidity in middle-aged persons: experiences of patients and their health care providers: Protocol of a qualitative stakeholder analysis. <i>F1000Research</i> , 0, 11, 655. | 0.8 | 0 |