Richard F Mott

List of Publications by Citations

Source: https://exaly.com/author-pdf/2884882/richard-f-mott-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66 28,691 169 179 g-index h-index citations papers 12.8 6.99 32,827 199 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
179	A novel gene containing a trinucleotide repeat that is expanded and unstable on Huntingtonß disease chromosomes. The Huntingtonß Disease Collaborative Research Group. <i>Cell</i> , 1993 , 72, 971-83	56.2	6854
178	Initial sequencing and comparative analysis of the mouse genome. <i>Nature</i> , 2002 , 420, 520-62	50.4	5376
177	Mouse genomic variation and its effect on phenotypes and gene regulation. <i>Nature</i> , 2011 , 477, 289-94	50.4	1087
176	The Collaborative Cross, a community resource for the genetic analysis of complex traits. <i>Nature Genetics</i> , 2004 , 36, 1133-7	36.3	822
175	Chromatin accessibility pre-determines glucocorticoid receptor binding patterns. <i>Nature Genetics</i> , 2011 , 43, 264-8	36.3	711
174	1,135 Genomes Reveal the Global Pattern of Polymorphism in Arabidopsis thaliana. <i>Cell</i> , 2016 , 166, 481	- 49 .2	620
173	Recent improvements to the SMART domain-based sequence annotation resource. <i>Nucleic Acids Research</i> , 2002 , 30, 242-4	20.1	535
172	Multiple reference genomes and transcriptomes for Arabidopsis thaliana. <i>Nature</i> , 2011 , 477, 419-23	50.4	495
171	Genome-wide genetic association of complex traits in heterogeneous stock mice. <i>Nature Genetics</i> , 2006 , 38, 879-87	36.3	442
170	A Multiparent Advanced Generation Inter-Cross to fine-map quantitative traits in Arabidopsis thaliana. <i>PLoS Genetics</i> , 2009 , 5, e1000551	6	421
169	Strategies for mapping and cloning quantitative trait genes in rodents. <i>Nature Reviews Genetics</i> , 2005 , 6, 271-86	30.1	418
168	Epigenomic Diversity in a Global Collection of Arabidopsis thaliana Accessions. <i>Cell</i> , 2016 , 166, 492-505	56.2	353
167	A first-generation linkage disequilibrium map of human chromosome 22. <i>Nature</i> , 2002 , 418, 544-8	50.4	342
166	Subspecific origin and haplotype diversity in the laboratory mouse. <i>Nature Genetics</i> , 2011 , 43, 648-55	36.3	332
165	The 1001 genomes project for Arabidopsis thaliana. <i>Genome Biology</i> , 2009 , 10, 107	18.3	325
164	Modularly assembled designer TAL effector nucleases for targeted gene knockout and gene replacement in eukaryotes. <i>Nucleic Acids Research</i> , 2011 , 39, 6315-25	20.1	324
163	Instability of highly expanded CAG repeats in mice transgenic for the Huntingtonß disease mutation. <i>Nature Genetics</i> , 1997 , 15, 197-200	36.3	275

162	Genetic analysis of complex traits in the emerging Collaborative Cross. <i>Genome Research</i> , 2011 , 21, 12	13 ₉ 2 7 2	263
161	Positional cloning of a quantitative trait locus on chromosome 13q14 that influences immunoglobulin E levels and asthma. <i>Nature Genetics</i> , 2003 , 34, 181-6	36.3	263
160	Replication timing of the human genome. Human Molecular Genetics, 2004, 13, 191-202	5.6	259
159	Genome-wide analysis reveals novel molecular features of mouse recombination hotspots. <i>Nature</i> , 2011 , 472, 375-8	50.4	257
158	Genetic dissection of a behavioral quantitative trait locus shows that Rgs2 modulates anxiety in mice. <i>Nature Genetics</i> , 2004 , 36, 1197-202	36.3	249
157	Finding the molecular basis of quantitative traits: successes and pitfalls. <i>Nature Reviews Genetics</i> , 2001 , 2, 437-45	30.1	242
156	High resolution cosmid and P1 maps spanning the 14 Mb genome of the fission yeast S. pombe. <i>Cell</i> , 1993 , 73, 109-20	56.2	237
155	Sequence-based characterization of structural variation in the mouse genome. <i>Nature</i> , 2011 , 477, 326-	9 50.4	230
154	Adaptive introgression of anticoagulant rodent poison resistance by hybridization between old world mice. <i>Current Biology</i> , 2011 , 21, 1296-301	6.3	221
153	A high-resolution single nucleotide polymorphism genetic map of the mouse genome. <i>PLoS Biology</i> , 2006 , 4, e395	9.7	218
152	Genomic clusters, putative pathogen recognition molecules, and antimicrobial genes are induced by infection of C. elegans with M. nematophilum. <i>Genome Research</i> , 2006 , 16, 1005-16	9.7	193
151	Linkage analysis of extremely discordant and concordant sibling pairs identifies quantitative-trait loci that influence variation in the human personality trait neuroticism. <i>American Journal of Human Genetics</i> , 2003 , 72, 879-90	11	170
150	Molecular signatures of major depression. <i>Current Biology</i> , 2015 , 25, 1146-56	6.3	162
149	SNP and haplotype mapping for genetic analysis in the rat. <i>Nature Genetics</i> , 2008 , 40, 560-6	36.3	150
148	Environmentally responsive genome-wide accumulation of de novo Arabidopsis thaliana mutations and epimutations. <i>Genome Research</i> , 2014 , 24, 1821-9	9.7	145
147	Candidate-gene screening and association analysis at the autism-susceptibility locus on chromosome 16p: evidence of association at GRIN2A and ABAT. <i>American Journal of Human Genetics</i> , 2005 , 76, 950-66	11	143
146	Simulating the collaborative cross: power of quantitative trait loci detection and mapping resolution in large sets of recombinant inbred strains of mice. <i>Genetics</i> , 2006 , 172, 1783-97	4	136
145	Genetic and environmental effects on complex traits in mice. <i>Genetics</i> , 2006 , 174, 959-84	4	134

144	Combined sequence-based and genetic mapping analysis of complex traits in outbred rats. <i>Nature Genetics</i> , 2013 , 45, 767-75	36.3	131
143	Prevalence of sexual dimorphism in mammalian phenotypic traits. <i>Nature Communications</i> , 2017 , 8, 154	17 5 7.4	130
142	Genetic architecture of flowering-time variation in Arabidopsis thaliana. <i>Genetics</i> , 2011 , 188, 421-33	4	128
141	Quantifying the similarities within fold space. <i>Journal of Molecular Biology</i> , 2002 , 323, 909-26	6.5	121
140	ROS-mediated vascular homeostatic control of root-to-shoot soil Na delivery in Arabidopsis. <i>EMBO Journal</i> , 2012 , 31, 4359-70	13	120
139	Collaborative Cross mice and their power to map host susceptibility to Aspergillus fumigatus infection. <i>Genome Research</i> , 2011 , 21, 1239-48	9.7	116
138	Mapping in structured populations by resample model averaging. <i>Genetics</i> , 2009 , 182, 1263-77	4	110
137	Status and access to the Collaborative Cross population. <i>Mammalian Genome</i> , 2012 , 23, 706-12	3.2	103
136	Accurate formula for P-values of gapped local sequence and profile alignments. <i>Journal of Molecular Biology</i> , 2000 , 300, 649-59	6.5	103
135	Commercially available outbred miss for gonome wide association studies. DLoS Constict 2010 C e10/		
	Commercially available outbred mice for genome-wide association studies. <i>PLoS Genetics</i> , 2010 , 6, e100	010085	102
134	Genomewide analysis of the host response to malaria in Kenyan children. <i>Journal of Infectious Diseases</i> , 2005 , 191, 1599-611	7	102
	Genomewide analysis of the host response to malaria in Kenyan children. <i>Journal of Infectious</i>		
134	Genomewide analysis of the host response to malaria in Kenyan children. <i>Journal of Infectious Diseases</i> , 2005 , 191, 1599-611 A cosmid contig and high resolution restriction map of the 2 megabase region containing the	7	100
134	Genomewide analysis of the host response to malaria in Kenyan children. <i>Journal of Infectious Diseases</i> , 2005 , 191, 1599-611 A cosmid contig and high resolution restriction map of the 2 megabase region containing the Huntingtonß disease gene. <i>Nature Genetics</i> , 1993 , 4, 181-6 Ablating adult neurogenesis in the rat has no effect on spatial processing: evidence from a novel	7 36.3	100
134 133 132	Genomewide analysis of the host response to malaria in Kenyan children. <i>Journal of Infectious Diseases</i> , 2005 , 191, 1599-611 A cosmid contig and high resolution restriction map of the 2 megabase region containing the Huntington® disease gene. <i>Nature Genetics</i> , 1993 , 4, 181-6 Ablating adult neurogenesis in the rat has no effect on spatial processing: evidence from a novel pharmacogenetic model. <i>PLoS Genetics</i> , 2013 , 9, e1003718 Sixteen diverse laboratory mouse reference genomes define strain-specific haplotypes and novel	7 36.3 6	100 93 91
134 133 132	Genomewide analysis of the host response to malaria in Kenyan children. <i>Journal of Infectious Diseases</i> , 2005, 191, 1599-611 A cosmid contig and high resolution restriction map of the 2 megabase region containing the Huntington® disease gene. <i>Nature Genetics</i> , 1993, 4, 181-6 Ablating adult neurogenesis in the rat has no effect on spatial processing: evidence from a novel pharmacogenetic model. <i>PLoS Genetics</i> , 2013, 9, e1003718 Sixteen diverse laboratory mouse reference genomes define strain-specific haplotypes and novel functional loci. <i>Nature Genetics</i> , 2018, 50, 1574-1583 Quantitative prediction of NF-kappa B DNA-protein interactions. <i>Proceedings of the National</i>	7 36.3 6 36.3	100 93 91 91
134 133 132 131	Genomewide analysis of the host response to malaria in Kenyan children. <i>Journal of Infectious Diseases</i> , 2005, 191, 1599-611 A cosmid contig and high resolution restriction map of the 2 megabase region containing the Huntingtonß disease gene. <i>Nature Genetics</i> , 1993, 4, 181-6 Ablating adult neurogenesis in the rat has no effect on spatial processing: evidence from a novel pharmacogenetic model. <i>PLoS Genetics</i> , 2013, 9, e1003718 Sixteen diverse laboratory mouse reference genomes define strain-specific haplotypes and novel functional loci. <i>Nature Genetics</i> , 2018, 50, 1574-1583 Quantitative prediction of NF-kappa B DNA-protein interactions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 8167-72 Complete coverage of the Schizosaccharomyces pombe genome in yeast artificial chromosomes.	7 36.3 6 36.3	100 93 91 91 90

(2014-2006)

126	A protocol for high-throughput phenotyping, suitable for quantitative trait analysis in mice. <i>Mammalian Genome</i> , 2006 , 17, 129-46	3.2	88
125	Genome-wide analysis of mutations in mutant lineages selected following fast-neutron irradiation mutagenesis of Arabidopsis thaliana. <i>Genome Research</i> , 2012 , 22, 1306-15	9.7	87
124	Predicting protein cellular localization using a domain projection method. <i>Genome Research</i> , 2002 , 12, 1168-74	9.7	81
123	Genome-wide association of multiple complex traits in outbred mice by ultra-low-coverage sequencing. <i>Nature Genetics</i> , 2016 , 48, 912-8	36.3	81
122	SW-ARRAY: a dynamic programming solution for the identification of copy-number changes in genomic DNA using array comparative genome hybridization data. <i>Nucleic Acids Research</i> , 2005 , 33, 345	5 2 -6 4	79
121	Rapid genotype imputation from sequence without reference panels. <i>Nature Genetics</i> , 2016 , 48, 965-96	5 9 36.3	79
120	Recognizing the fold of a protein structure. <i>Bioinformatics</i> , 2003 , 19, 1748-59	7.2	74
119	An integrated YAC-overlap and Rosmid-pocketRmap of the human chromosome 21. <i>Human Molecular Genetics</i> , 1994 , 3, 759-70	5.6	70
118	Maximum-likelihood estimation of the statistical distribution of Smith-Waterman local sequence similarity scores. <i>Bulletin of Mathematical Biology</i> , 1992 , 54, 59-75	2.1	70
117	Simultaneous detection and fine mapping of quantitative trait loci in mice using heterogeneous stocks. <i>Genetics</i> , 2002 , 160, 1609-18	4	70
116	Model for a transcript map of human chromosome 21: isolation of new coding sequences from exon and enriched cDNA libraries. <i>Human Molecular Genetics</i> , 1995 , 4, 1291-304	5.6	68
115	Quantitative high-throughput analysis of transcription factor binding specificities. <i>Nucleic Acids Research</i> , 2004 , 32, e44	20.1	67
114	Algorithms and software tools for ordering clone libraries: application to the mapping of the genome of Schizosaccharomyces pombe. <i>Nucleic Acids Research</i> , 1993 , 21, 1965-74	20.1	66
113	Sequencing and characterization of the FVB/NJ mouse genome. <i>Genome Biology</i> , 2012 , 13, R72	18.3	65
112	Regenerant Arabidopsis lineages display a distinct genome-wide spectrum of mutations conferring variant phenotypes. <i>Current Biology</i> , 2011 , 21, 1385-90	6.3	65
111	A quantitative trait locus influencing anxiety in the laboratory rat. <i>Genome Research</i> , 2002 , 12, 618-26	9.7	64
110	A resource for the simultaneous high-resolution mapping of multiple quantitative trait loci in rats: the NIH heterogeneous stock. <i>Genome Research</i> , 2009 , 19, 150-8	9.7	63
109	Cardamine hirsuta: a versatile genetic system for comparative studies. <i>Plant Journal</i> , 2014 , 78, 1-15	6.9	61

108	High resolution mapping of expression QTLs in heterogeneous stock mice in multiple tissues. <i>Genome Research</i> , 2009 , 19, 1133-40	9.7	60
107	The architecture of parent-of-origin effects in mice. <i>Cell</i> , 2014 , 156, 332-42	56.2	59
106	Genetic Control over mtDNA and Its Relationship to Major Depressive Disorder. <i>Current Biology</i> , 2015 , 25, 3170-7	6.3	59
105	Applying the ARRIVE Guidelines to an In Vivo Database. <i>PLoS Biology</i> , 2015 , 13, e1002151	9.7	56
104	The Cardamine hirsuta genome offers insight into the evolution of morphological diversity. <i>Nature Plants</i> , 2016 , 2, 16167	11.5	56
103	Approximate statistics of gapped alignments. <i>Journal of Computational Biology</i> , 1999 , 6, 91-112	1.7	56
102	Multi-parent populations in crops: a toolbox integrating genomics and genetic mapping with breeding. <i>Heredity</i> , 2020 , 125, 396-416	3.6	53
101	A multiple-phenotype imputation method for genetic studies. <i>Nature Genetics</i> , 2016 , 48, 466-72	36.3	52
100	Haplotypic analysis of the TNF locus by association efficiency and entropy. <i>Genome Biology</i> , 2003 , 4, R2-	418.3	50
99	Susceptibility to Klebsiella pneumonaie infection in collaborative cross mice is a complex trait controlled by at least three loci acting at different time points. <i>BMC Genomics</i> , 2014 , 15, 865	4.5	46
98	Comparative gene expression profiling by oligonucleotide fingerprinting. <i>Nucleic Acids Research</i> , 1998 , 26, 2216-23	20.1	42
97	Screening for recently selected alleles by analysis of human haplotype similarity. <i>American Journal of Human Genetics</i> , 2006 , 78, 153-9	11	41
96	LD mapping of maternally and non-maternally derived alleles and atopy in FcepsilonRI-beta. <i>Human Molecular Genetics</i> , 2003 , 12, 2577-85	5.6	40
95	Genotype is an important determinant factor of host susceptibility to periodontitis in the Collaborative Cross and inbred mouse populations. <i>BMC Genetics</i> , 2013 , 14, 68	2.6	39
94	Genome-wide sexually antagonistic variants reveal long-standing constraints on sexual dimorphism in fruit flies. <i>PLoS Biology</i> , 2019 , 17, e3000244	9.7	38
93	Robust and sensitive analysis of mouse knockout phenotypes. <i>PLoS ONE</i> , 2012 , 7, e52410	3.7	38
92	High-fat-diet induced development of increased fasting glucose levels and impaired response to intraperitoneal glucose challenge in the collaborative cross mouse genetic reference population. <i>BMC Genetics</i> , 2016 , 17, 10	2.6	37
91	Failed gene conversion leads to extensive end processing and chromosomal rearrangements in fission yeast. <i>EMBO Journal</i> , 2009 , 28, 3400-12	13	34

(2009-2008)

90	Applying mouse complex-trait resources to behavioural genetics. <i>Nature</i> , 2008 , 456, 724-7	50.4	34
89	Genetic Fine-Mapping and Identification of Candidate Genes and Variants for Adiposity Traits in Outbred Rats. <i>Obesity</i> , 2018 , 26, 213-222	8	33
88	Unstable Inheritance of 45S rRNA Genes in. <i>G3: Genes, Genomes, Genetics</i> , 2017 , 7, 1201-1209	3.2	32
87	Heritability and coefficient of genetic variation analyses of phenotypic traits provide strong basis for high-resolution QTL mapping in the Collaborative Cross mouse genetic reference population. <i>Mammalian Genome</i> , 2014 , 25, 109-19	3.2	32
86	Impact of temporal variation on design and analysis of mouse knockout phenotyping studies. <i>PLoS ONE</i> , 2014 , 9, e111239	3.7	32
85	Efficient high-resolution genetic mapping of mouse interspersed repetitive sequence PCR products, toward integrated genetic and physical mapping of the mouse genome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995 , 92, 5302-6	11.5	30
84	11,670 whole-genome sequences representative of the Han Chinese population from the CONVERGE project. <i>Scientific Data</i> , 2017 , 4, 170011	8.2	29
83	Collaborative cross mice in a genetic association study reveal new candidate genes for bone microarchitecture. <i>BMC Genomics</i> , 2015 , 16, 1013	4.5	29
82	Structural Variation Shapes the Landscape of Recombination in Mouse. <i>Genetics</i> , 2017 , 206, 603-619	4	27
81	A genetic and functional relationship between T cells and cellular proliferation in the adult hippocampus. <i>PLoS Biology</i> , 2010 , 8, e1000561	9.7	27
80	Heterogeneous Stock Populations for Analysis of Complex Traits. <i>Methods in Molecular Biology</i> , 2017 , 1488, 31-44	1.4	25
79	Cofilin-1: a modulator of anxiety in mice. <i>PLoS Genetics</i> , 2012 , 8, e1002970	6	25
78	A 3,000-year-old Egyptian emmer wheat genome reveals dispersal and domestication history. <i>Nature Plants</i> , 2019 , 5, 1120-1128	11.5	25
77	Functional Mapping of Quantitative Trait Loci (QTLs) Associated With Plant Performance in a Wheat MAGIC Mapping Population. <i>Frontiers in Plant Science</i> , 2018 , 9, 887	6.2	24
76	Dissecting quantitative traits in mice. Annual Review of Genomics and Human Genetics, 2013, 14, 421-39	9.7	24
75	Glucose tolerance female-specific QTL mapped in collaborative cross mice. <i>Mammalian Genome</i> , 2017 , 28, 20-30	3.2	23
74	Dynamic and physical clustering of gene expression during epidermal barrier formation in differentiating keratinocytes. <i>PLoS ONE</i> , 2009 , 4, e7651	3.7	23
73	GLIDERSa web-based search engine for genome-wide linkage disequilibrium between HapMap SNPs. <i>BMC Bioinformatics</i> , 2009 , 10, 367	3.6	23

72	Determining Phenological Patterns Associated with the Onset of Senescence in a Wheat MAGIC Mapping Population. <i>Frontiers in Plant Science</i> , 2016 , 7, 1540	6.2	23
71	Elusive copy number variation in the mouse genome. <i>PLoS ONE</i> , 2010 , 5, e12839	3.7	22
70	Complex haplotypic structure of the central MHC region flanking TNF in a West African population. <i>Genes and Immunity</i> , 2003 , 4, 476-86	4.4	22
69	Construction of genetic maps using distance geometry. <i>Genomics</i> , 1995 , 30, 59-70	4.3	22
68	Epistatic and allelic interactions control expression of ribosomal RNA gene clusters in Arabidopsis thaliana. <i>Genome Biology</i> , 2017 , 18, 75	18.3	21
67	Bayesian quantitative trait locus mapping using inferred haplotypes. <i>Genetics</i> , 2010 , 184, 839-52	4	19
66	Host susceptibility to periodontitis: mapping murine genomic regions. <i>Journal of Dental Research</i> , 2013 , 92, 438-43	8.1	18
65	Comparing the fine specificity of DNA binding by NF-kappaB p50 and p52 using principal coordinates analysis. <i>Nucleic Acids Research</i> , 2003 , 31, 1497-501	20.1	18
64	QTL fine-mapping with recombinant-inbred heterogeneous stocks and in vitro heterogeneous stocks. <i>Mammalian Genome</i> , 2003 , 14, 830-8	3.2	18
63	The Amount of Mitochondrial DNA in Blood Reflects the Course of a Depressive Episode. <i>Biological Psychiatry</i> , 2016 , 80, e41-e42	7.9	17
62	Alignment: Statistical Significance 2005,		17
61	Weighted Burden Analysis of Exome-Sequenced Case-Control Sample Implicates Synaptic Genes in Schizophrenia Aetiology. <i>Behavior Genetics</i> , 2018 , 48, 198-208	3.2	16
60	Causes and consequences of chromatin variation between inbred mice. <i>PLoS Genetics</i> , 2013 , 9, e10035	706	16
59	Human-mouse quantitative trait locus concordance and the dissection of a human neuroticism locus. <i>Biological Psychiatry</i> , 2008 , 63, 874-83	7.9	16
58	Mapping liver fat female-dependent quantitative trait loci in collaborative cross mice. <i>Mammalian Genome</i> , 2016 , 27, 565-573	3.2	16
57	Genomic Rearrangements in Considered as Quantitative Traits. <i>Genetics</i> , 2017 , 205, 1425-1441	4	15
56	Integration of Murine and Human Studies for Mapping Periodontitis Susceptibility. <i>Journal of Dental Research</i> , 2018 , 97, 537-546	8.1	15
55	Identification of new loci involved in the host susceptibility to Salmonella Typhimurium in collaborative cross mice. <i>BMC Genomics</i> , 2018 , 19, 303	4.5	14

54	Natural polymorphisms in Tap2 influence negative selection and CD4:CD8 lineage commitment in the rat. <i>PLoS Genetics</i> , 2014 , 10, e1004151	6	14
53	An integrated system for genetic analysis. <i>BMC Bioinformatics</i> , 2006 , 7, 210	3.6	14
52	Genetic analysis of intestinal polyp development in Collaborative Cross mice carrying the Apc (Min/+) mutation. <i>BMC Genetics</i> , 2016 , 17, 46	2.6	13
51	Mapping the genetic basis of ecologically and evolutionarily relevant traits in Arabidopsis thaliana. <i>Current Opinion in Plant Biology</i> , 2012 , 15, 212-7	9.9	13
50	Finding the molecular basis of complex genetic variation in humans and mice. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2006 , 361, 393-401	5.8	13
49	Sequence assembly with CAFTOOLS. <i>Genome Research</i> , 1998 , 8, 260-7	9.7	12
48	Modeling the quantitative nature of neurodevelopmental disorders using Collaborative Cross mice. <i>Molecular Autism</i> , 2018 , 9, 63	6.5	12
47	Schistosoma mansoni: histological analysis of the synergistic interaction between vaccine immunity and praziquantel therapy in the lungs of mice. <i>Parasite Immunology</i> , 1990 , 12, 367-87	2.2	11
46	Dissecting the Effect of Genetic Variation on the Hepatic Expression of Drug Disposition Genes across the Collaborative Cross Mouse Strains. <i>Frontiers in Genetics</i> , 2016 , 7, 172	4.5	11
45	Prospects for complex trait analysis in the mouse. <i>Mammalian Genome</i> , 2008 , 19, 306-8	3.2	10
44	The transcriptional control proteins c-Myb and v-Myb contain a basic region DNA binding motif. <i>FEBS Letters</i> , 1991 , 282, 293-4	3.8	10
43	Bioinformatics tools and database resources for systems genetics analysis in micea short review and an evaluation of future needs. <i>Briefings in Bioinformatics</i> , 2012 , 13, 135-42	13.4	9
42	Limited haplotype diversity underlies polygenic trait architecture across 70 years of wheat breeding. <i>Genome Biology</i> , 2021 , 22, 137	18.3	9
41	Genome-wide association coupled gene to gene interaction studies unveil novel epistatic targets among major effect loci impacting rice grain chalkiness. <i>Plant Biotechnology Journal</i> , 2021 , 19, 910-925	11.6	9
40	Hepatic gene expression variations in response to high-fat diet-induced impaired glucose tolerance using RNAseq analysis in collaborative cross mouse population. <i>Mammalian Genome</i> , 2019 , 30, 260-275	3.2	8
39	Selective breeding and selection mapping using a novel wild-derived heterogeneous stock of mice revealed two closely-linked loci for tameness. <i>Scientific Reports</i> , 2017 , 7, 4607	4.9	8
38	Genetic interactions with sex make a relatively small contribution to the heritability of complex traits in mice. <i>PLoS ONE</i> , 2014 , 9, e96450	3.7	8
37	An algorithm to detect chimeric clones and random noise in genomic mapping. <i>Genomics</i> , 1994 , 22, 482	-64.3	8

36	Differential sensitivity of mouse strains to an N-alkylated imino sugar: glycosphingolipid metabolism and acrosome formation. <i>Pharmacogenomics</i> , 2008 , 9, 717-31	2.6	7
35	Replication profile of PCDH11X and PCDH11Y, a gene pair located in the non-pseudoautosomal homologous region Xq21.3/Yp11.2. <i>Chromosome Research</i> , 2007 , 15, 485-98	4.4	7
34	Dissociation of antibody responses during human schistosomiasis and evidence for enhancement of granuloma size by anti-carbohydrate IgM. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1990 , 84, 808-14	2	7
33	Multiple laboratory mouse reference genomes define strain specific haplotypes and novel functional loci		7
32	Genetic variants in major depression. <i>Novartis Foundation Symposium</i> , 2008 , 289, 23-32; discussion 33-42, 87-93		7
31	Collaborative Cross Mice Yield Genetic Modifiers for Pseudomonas aeruginosa Infection in Human Lung Disease. <i>MBio</i> , 2020 , 11,	7.8	6
30	A Genome-Wide Association Study for Regulators of Micronucleus Formation in Mice. <i>G3: Genes, Genomes, Genetics</i> , 2016 , 6, 2343-54	3.2	6
29	A genome-wide association study in mice reveals a role for Rhbdf2 in skeletal homeostasis. <i>Scientific Reports</i> , 2020 , 10, 3286	4.9	5
28	Toppar: an interactive browser for viewing association study results. <i>Bioinformatics</i> , 2018 , 34, 1922-192	47.2	5
27	Transcriptome Profiling in Rat Inbred Strains and Experimental Cross Reveals Discrepant Genetic Architecture of Genome-Wide Gene Expression. <i>G3: Genes, Genomes, Genetics</i> , 2016 , 6, 3671-3683	3.2	5
26	ROS-mediated vascular homeostatic control of root-to-shoot soil Na delivery in Arabidopsis. <i>EMBO Journal</i> , 2013 , 32, 914-914	13	5
25	Population-specific patterns of linkage disequilibrium in the human 5q31 region. <i>Genes and Immunity</i> , 2005 , 6, 723-7	4.4	5
24	An accurate approximation to the distribution of the length of the longest matching word between two random DNA sequences. <i>Bulletin of Mathematical Biology</i> , 1990 , 52, 773-784	2.1	5
23	Tests for the statistical significance of protein sequence similarities in data-bank searches. <i>Protein Engineering, Design and Selection</i> , 1990 , 4, 149-54	1.9	5
22	Microarray-based ultra-high resolution discovery of genomic deletion mutations. <i>BMC Genomics</i> , 2014 , 15, 224	4.5	4
21	Microarray-based optimization to detect genomic deletion mutations. <i>Genomics Data</i> , 2014 , 2, 53-54		4
20	Replication timing of the human genome. <i>Human Molecular Genetics</i> , 2004 , 13, 575-575	5.6	4
19	Genetic control of differential acetylation in diabetic rats. <i>PLoS ONE</i> , 2014 , 9, e94555	3.7	4

18	Mapping novel genetic loci associated with female liver weight variations using Collaborative Cross mice. <i>Animal Models and Experimental Medicine</i> , 2018 , 1, 212-220	4.2	4
17	Container-aided integrative QTL and RNA-seq analysis of Collaborative Cross mice supports distinct sex-oriented molecular modes of response in obesity. <i>BMC Genomics</i> , 2020 , 21, 761	4.5	3
16	Management, presentation and interpretation of genome scans using GSCANDB. <i>Bioinformatics</i> , 2007 , 23, 1545-9	7.2	3
15	Limited haplotype diversity underlies polygenic trait architecture across 70 years of wheat breeding		3
14	Recovery of novel association loci in Arabidopsis thaliana and Drosophila melanogaster through leveraging INDELs association and integrated burden test. <i>PLoS Genetics</i> , 2018 , 14, e1007699	6	3
13	Conserved properties of genetic architecture of renal and fat transcriptomes in rat models of insulin resistance. <i>DMM Disease Models and Mechanisms</i> , 2019 , 12,	4.1	2
12	Private Genomes and Public SNPs: Homomorphic Encryption of Genotypes and Phenotypes for Shared Quantitative Genetics. <i>Genetics</i> , 2020 , 215, 359-372	4	2
11	Distribution Factors for Short-Haul Vehicular Loads on Prestressed Concrete Open Box Beam (U-Beam) Bridges. <i>Practice Periodical on Structural Design and Construction</i> , 2010 , 15, 101-108	1.2	2
10	Integrated Genome Mapping by Hybridization Techniques 1996 , 319-346		2
9	Genetic differential calculus. <i>Nature Genetics</i> , 2015 , 47, 965-6	36.3	1
8	Genetic differential calculus. <i>Nature Genetics</i> , 2015 , 47, 965-6 Epigenetic interactions <i>EBioMedicine</i> , 2022 , 75, 103804	36.3 8.8	1
8	Epigenetic interactions <i>EBioMedicine</i> , 2022 , 75, 103804 Evidence of a Large-Scale Functional Organization of Mammalian Chromosomes: AuthorsReply.	8.8	1
8	Epigenetic interactions <i>EBioMedicine</i> , 2022 , 75, 103804 Evidence of a Large-Scale Functional Organization of Mammalian Chromosomes: AuthorsReply. <i>PLoS Biology</i> , 2007 , 5, e128 Retraction Note: 11,670 whole-genome sequences representative of the Han Chinese population	8.8 9·7	1
8 7 6	Epigenetic interactions <i>EBioMedicine</i> , 2022 , 75, 103804 Evidence of a Large-Scale Functional Organization of Mammalian Chromosomes: AuthorsReply. <i>PLoS Biology</i> , 2007 , 5, e128 Retraction Note: 11,670 whole-genome sequences representative of the Han Chinese population from the CONVERGE project. <i>Scientific Data</i> , 2020 , 7, 123 Analysis of independent cohorts of outbred CFW mice reveals novel loci for behavioral and	8.8 9·7	1 1
8 7 6 5	Evidence of a Large-Scale Functional Organization of Mammalian Chromosomes: AuthorsReply. PLoS Biology, 2007, 5, e128 Retraction Note: 11,670 whole-genome sequences representative of the Han Chinese population from the CONVERGE project. Scientific Data, 2020, 7, 123 Analysis of independent cohorts of outbred CFW mice reveals novel loci for behavioral and physiological traits and identifies factors determining reproducibility Coping-Style Behavior Identified by a Survey of Parent-of-Origin Effects in the Rat. G3: Genes,	8.8 9.7 8.2	1 1 1
8 7 6 5 4	Evidence of a Large-Scale Functional Organization of Mammalian Chromosomes: Authors Reply. PLoS Biology, 2007, 5, e128 Retraction Note: 11,670 whole-genome sequences representative of the Han Chinese population from the CONVERGE project. Scientific Data, 2020, 7, 123 Analysis of independent cohorts of outbred CFW mice reveals novel loci for behavioral and physiological traits and identifies factors determining reproducibility Coping-Style Behavior Identified by a Survey of Parent-of-Origin Effects in the Rat. G3: Genes, Genomes, Genetics, 2018, 8, 3283-3291 ADDO: a comprehensive toolkit to detect, classify and visualize additive and non-additive	8.8 9.7 8.2	1 1 1 1 1