

Xiaonan H Wang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2885334/xiaonan-h-wang-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76 papers	4,133 citations	30 h-index	64 g-index
83 ext. papers	4,884 ext. citations	5.8 avg, IF	5.55 L-index

#	Paper	IF	Citations
76	Acute effect of air pollutantsVpeak-hour concentrations on ischemic stroke hospital admissions among hypertension patients in Beijing, China, from 2014 to 2018.. <i>Environmental Science and Pollution Research</i> , 2022 , 1	5.1	1
75	Associations between ambient air pollution, meteorology, and daily hospital admissions for ischemic stroke: a time-stratified case-crossover study in Beijing.. <i>Environmental Science and Pollution Research</i> , 2022 , 1	5.1	0
74	Nomograms for Predicting Medical StudentsVPerceptions of the Learning Environment: Multicenter Evidence From Medical Schools in China.. <i>Frontiers in Public Health</i> , 2022 , 10, 825279	6	
73	Spatial-temporal analysis of cause-specific cardiovascular hospital admission in Beijing, China. <i>International Journal of Environmental Health Research</i> , 2021 , 31, 595-606	3.6	3
72	Association of IgG Glycosylation and Esophageal Precancerosis Beyond Inflammation. <i>Cancer Prevention Research</i> , 2021 , 14, 347-354	3.2	1
71	Pathophysiological mechanisms leading to muscle loss in chronic kidney disease. <i>Nature Reviews Nephrology</i> , 2021 ,	14.9	5
70	Interaction of calf thymus DNA and glucose-based gemini cationic surfactants with different spacer length: A spectroscopy and DLS study. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021 , 267, 120606	4.4	0
69	Association between temperature and COVID-19 transmission in 153 countries. <i>Environmental Science and Pollution Research</i> , 2021 , 1	5.1	0
68	Changes in Incidence and Epidemiological Characteristics of Pulmonary Tuberculosis in Mainland China, 2005-2016. <i>JAMA Network Open</i> , 2021 , 4, e215302	10.4	11
67	Variation of IgG N-linked glycosylation profile in diabetic retinopathy. <i>Journal of Diabetes</i> , 2021 , 13, 672-680	5.80	3
66	Downregulation of let-7 by Electrical Acupuncture Increases Protein Synthesis in Mice. <i>Frontiers in Physiology</i> , 2021 , 12, 697139	4.6	1
65	Acute effect of particulate matter pollution on hospital admissions for cause-specific respiratory diseases among patients with and without type 2 diabetes in Beijing, China, from 2014 to 2020. <i>Ecotoxicology and Environmental Safety</i> , 2021 , 226, 112794	7	1
64	MicroRNA-223-3p inhibits vascular calcification and the osteogenic switch of vascular smooth muscle cells. <i>Journal of Biological Chemistry</i> , 2021 , 296, 100483	5.4	6
63	Inhibition of urea transporter ameliorates uremic cardiomyopathy in chronic kidney disease. <i>FASEB Journal</i> , 2020 , 34, 8296-8309	0.9	2
62	14-3-3 α a novel regulator of the large-conductance Ca-activated K channel. <i>American Journal of Physiology - Renal Physiology</i> , 2020 , 319, F52-F62	4.3	1
61	MicroRNA-223-3p promotes skeletal muscle regeneration by regulating inflammation in mice. <i>Journal of Biological Chemistry</i> , 2020 , 295, 10212-10223	5.4	17
60	UT-A1/A3 knockout mice show reduced fibrosis following unilateral ureteral obstruction. <i>American Journal of Physiology - Renal Physiology</i> , 2020 , 318, F1160-F1166	4.3	0

59	Stimulatory Role of SPAK Signaling in the Regulation of Large Conductance Ca-Activated Potassium (BK) Channel Protein Expression in Kidney. <i>Frontiers in Physiology</i> , 2020 , 11, 638	4.6	1
58	IgG Glycosylation Profile and the Glycan Score Are Associated with Type 2 Diabetes in Independent Chinese Populations: A Case-Control Study. <i>Journal of Diabetes Research</i> , 2020 , 2020, 5041346	3.9	5
57	Macrophage-Derived Exosomal Mir-155 Regulating Cardiomyocyte Pyroptosis and Hypertrophy in Uremic Cardiomyopathy. <i>JACC Basic To Translational Science</i> , 2020 , 5, 148-166	8.7	18
56	Exogenous miR-29a Attenuates Muscle Atrophy and Kidney Fibrosis in Unilateral Ureteral Obstruction Mice. <i>Human Gene Therapy</i> , 2020 , 31, 367-375	4.8	9
55	The epidemiology of pulmonary tuberculosis in children in Mainland China, 2009-2015. <i>Archives of Disease in Childhood</i> , 2020 , 105, 319-325	2.2	7
54	Prevalence of somatic-mental multimorbidity and its prospective association with disability among older adults in China. <i>Aging</i> , 2020 , 12, 7218-7231	5.6	2
53	Phagocytosis mediated by scavenger receptor class BI promotes macrophage transition during skeletal muscle regeneration. <i>Journal of Biological Chemistry</i> , 2019 , 294, 15672-15685	5.4	16
52	Overexpression of the wheat trehalose 6-phosphate synthase 11 gene enhances cold tolerance in Arabidopsis thaliana. <i>Gene</i> , 2019 , 710, 210-217	3.8	26
51	Spatial-temporal analysis of tuberculosis in the geriatric population of China: An analysis based on the Bayesian conditional autoregressive model. <i>Archives of Gerontology and Geriatrics</i> , 2019 , 83, 328-337	4	7
50	Limits Muscle Wasting and Cardiac Fibrosis through Exosome-Mediated microRNA Transfer in Chronic Kidney Disease. <i>Theranostics</i> , 2019 , 9, 1864-1877	12.1	60
49	Prospective Study of Glycated Hemoglobin and Trajectories of Depressive Symptoms: The China Health and Retirement Longitudinal Study 2019 , 10, 249-257		5
48	The spatio-temporal analysis of the incidence of tuberculosis and the associated factors in mainland China, 2009-2015. <i>Infection, Genetics and Evolution</i> , 2019 , 75, 103949	4.5	11
47	Exogenous miR-26a suppresses muscle wasting and renal fibrosis in obstructive kidney disease. <i>FASEB Journal</i> , 2019 , 33, 13590-13601	0.9	23
46	Wetting Process and Adsorption Mechanism of Surfactant Solutions on Coal Dust Surface. <i>Journal of Chemistry</i> , 2019 , 2019, 1-9	2.3	11
45	Inner Medullary Urea Transporters Contribute to Development of Renal Fibrosis in Mice With Unilateral Ureteral Obstruction. <i>FASEB Journal</i> , 2019 , 33, 575.9	0.9	
44	Electrically-stimulated acupuncture improves muscle function and increases renal blood flow through exosomes-carried miR-181. <i>FASEB Journal</i> , 2019 , 33, 701.4	0.9	
43	Exosome-Mediated miR-29 Transfer Reduces Muscle Atrophy and Kidney Fibrosis in Mice. <i>Molecular Therapy</i> , 2019 , 27, 571-583	11.7	68
42	Diaphragmatic dysfunction associates with dyspnoea, fatigue, and hiccup in haemodialysis patients: a cross-sectional study. <i>Scientific Reports</i> , 2019 , 9, 19382	4.9	2

41	Disability Transitions and Health Expectancies among Elderly People Aged 65 Years and Over in China: A Nationwide Longitudinal Study 2019 , 10, 1246-1257		5
40	Short-term PM and emergency department admissions for selective cardiovascular and respiratory diseases in Beijing, China. <i>Science of the Total Environment</i> , 2019 , 657, 213-221	10.2	53
39	miRNA-23a/27a attenuates muscle atrophy and renal fibrosis through muscle-kidney crosstalk. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2018 , 9, 755-770	10.3	66
38	Electrically stimulated acupuncture increases renal blood flow through exosome-carried miR-181. <i>American Journal of Physiology - Renal Physiology</i> , 2018 , 315, F1542-F1549	4.3	9
37	Expression and Clinical Significance of Claudin-7 in Patients With Colorectal Cancer. <i>Technology in Cancer Research and Treatment</i> , 2018 , 17, 153303381881777	2.7	4
36	MicroRNA-23a and MicroRNA-27a Mimic Exercise by Ameliorating CKD-Induced Muscle Atrophy. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 2631-2640	12.7	59
35	Chronic kidney disease induces autophagy leading to dysfunction of mitochondria in skeletal muscle. <i>American Journal of Physiology - Renal Physiology</i> , 2017 , 312, F1128-F1140	4.3	54
34	Acupuncture plus low-frequency electrical stimulation (Acu-LFES) attenuates denervation-induced muscle atrophy. <i>Journal of Applied Physiology</i> , 2016 , 120, 426-36	3.7	30
33	Claudin-7 indirectly regulates the integrin/FAK signaling pathway in human colon cancer tissue. <i>Journal of Human Genetics</i> , 2016 , 61, 711-20	4.3	19
32	Urea Transporter B and MicroRNA-200c Differ in Kidney Outer Versus Inner Medulla Following Dehydration. <i>American Journal of the Medical Sciences</i> , 2016 , 352, 296-301	2.2	5
31	Aldosterone modulates thiazide-sensitive sodium chloride cotransporter abundance via DUSP6-mediated ERK1/2 signaling pathway. <i>American Journal of Physiology - Renal Physiology</i> , 2015 , 308, F1119-27	4.3	8
30	Low-frequency electrical stimulation attenuates muscle atrophy in CKD--a potential treatment strategy. <i>Journal of the American Society of Nephrology: JASN</i> , 2015 , 26, 626-35	12.7	49
29	Acupuncture plus Low-Frequency Electrical Stimulation (Acu-LFES) Attenuates Diabetic Myopathy by Enhancing Muscle Regeneration. <i>PLoS ONE</i> , 2015 , 10, e0134511	3.7	30
28	Aging increases CCN1 expression leading to muscle senescence. <i>American Journal of Physiology - Cell Physiology</i> , 2014 , 306, C28-36	5.4	54
27	CD8 T cells are involved in skeletal muscle regeneration through facilitating MCP-1 secretion and Gr1(high) macrophage infiltration. <i>Journal of Immunology</i> , 2014 , 193, 5149-60	5.3	69
26	Mechanisms of muscle wasting in chronic kidney disease. <i>Nature Reviews Nephrology</i> , 2014 , 10, 504-16	14.9	312
25	MicroRNA-29 induces cellular senescence in aging muscle through multiple signaling pathways. <i>Aging</i> , 2014 , 6, 160-75	5.6	86
24	Muscle wasting from kidney failure-a model for catabolic conditions. <i>International Journal of Biochemistry and Cell Biology</i> , 2013 , 45, 2230-8	5.6	53

23	Interactions between p-Akt and Smad3 in injured muscles initiate myogenesis or fibrogenesis. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2013 , 305, E367-75	6	29
22	MicroRNA in myogenesis and muscle atrophy. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2013 , 16, 258-66	3.8	97
21	Interleukin-6/signal transducer and activator of transcription 3 (STAT3) pathway is essential for macrophage infiltration and myoblast proliferation during muscle regeneration. <i>Journal of Biological Chemistry</i> , 2013 , 288, 1489-99	5.4	182
20	Transcription factor FoxO1, the dominant mediator of muscle wasting in chronic kidney disease, is inhibited by microRNA-486. <i>Kidney International</i> , 2012 , 82, 401-11	9.9	135
19	Protein abundance of urea transporters and aquaporin 2 change differently in nephrotic pair-fed vs. non-pair-fed rats. <i>American Journal of Physiology - Renal Physiology</i> , 2012 , 302, F1545-53	4.3	10
18	Decreased miR-29 suppresses myogenesis in CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2011 , 22, 2068-76	12.7	76
17	Pharmacological inhibition of myostatin suppresses systemic inflammation and muscle atrophy in mice with chronic kidney disease. <i>FASEB Journal</i> , 2011 , 25, 1653-63	0.9	200
16	Matrix Gla protein metabolism in vascular smooth muscle and role in uremic vascular calcification. <i>Journal of Biological Chemistry</i> , 2011 , 286, 28715-28722	5.4	63
15	XIAP reduces muscle proteolysis induced by CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2010 , 21, 1174-83	12.7	22
14	PTEN inhibition improves muscle regeneration in mice fed a high-fat diet. <i>Diabetes</i> , 2010 , 59, 1312-20	0.9	90
13	Caspase-3 cleaves specific 19 S proteasome subunits in skeletal muscle stimulating proteasome activity. <i>Journal of Biological Chemistry</i> , 2010 , 285, 21249-57	5.4	60
12	Satellite cell dysfunction and impaired IGF-1 signaling cause CKD-induced muscle atrophy. <i>Journal of the American Society of Nephrology: JASN</i> , 2010 , 21, 419-27	12.7	127
11	Desiccation tolerance mechanism in resurrection fern-ally <i>Selaginella tamariscina</i> revealed by physiological and proteomic analysis. <i>Journal of Proteome Research</i> , 2010 , 9, 6561-77	5.6	91
10	Exercise ameliorates chronic kidney disease-induced defects in muscle protein metabolism and progenitor cell function. <i>Kidney International</i> , 2009 , 76, 751-9	9.9	80
9	Cardiac muscle protein catabolism in diabetes mellitus: activation of the ubiquitin-proteasome system by insulin deficiency. <i>Endocrinology</i> , 2008 , 149, 5384-90	4.8	31
8	Evidence for adipose-muscle cross talk: opposing regulation of muscle proteolysis by adiponectin and Fatty acids. <i>Endocrinology</i> , 2007 , 148, 5696-705	4.8	80
7	PTEN expression contributes to the regulation of muscle protein degradation in diabetes. <i>Diabetes</i> , 2007 , 56, 2449-56	0.9	45
6	Insulin resistance accelerates muscle protein degradation: Activation of the ubiquitin-proteasome pathway by defects in muscle cell signaling. <i>Endocrinology</i> , 2006 , 147, 4160-8	4.8	411

5	Differential regulation of branched-chain alpha-ketoacid dehydrogenase kinase expression by glucocorticoids and acidification in LLC-PK1-GR101 cells. <i>American Journal of Physiology - Renal Physiology</i> , 2004 , 286, F504-8	4.3	6
4	Regulation of muscle protein degradation: coordinated control of apoptotic and ubiquitin-proteasome systems by phosphatidylinositol 3 kinase. <i>Journal of the American Society of Nephrology: JASN</i> , 2004 , 15, 1537-45	12.7	272
3	Activation of caspase-3 is an initial step triggering accelerated muscle proteolysis in catabolic conditions. <i>Journal of Clinical Investigation</i> , 2004 , 113, 115-23	15.9	516
2	Phosphatidylinositol 3-kinase activity is required for epidermal growth factor to suppress proteolysis. <i>Journal of the American Society of Nephrology: JASN</i> , 2002 , 13, 903-909	12.7	30
1	Evaluation of signals activating ubiquitin-proteasome proteolysis in a model of muscle wasting. <i>American Journal of Physiology - Cell Physiology</i> , 1999 , 276, C1132-8	5.4	189