

# Motoki Endo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2886085/publications.pdf>

Version: 2024-02-01

21  
papers

219  
citations

1307594

7  
h-index

1058476

14  
g-index

24  
all docs

24  
docs citations

24  
times ranked

254  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Returning to work after sick leave due to cancer: a 365-day cohort study of Japanese cancer survivors. <i>Journal of Cancer Survivorship</i> , 2016, 10, 320-329.   | 2.9 | 57        |
| 2  | Sickness absence and return to work among Japanese stroke survivors: a 365-day cohort study. <i>BMJ Open</i> , 2016, 6, e009682.  | 1.9 | 26        |
| 3  | Age-, sex-, and diagnosis-specific incidence rate of medically certified long-term sick leave among private sector employees: The Japan Epidemiology Collaboration on Occupational Health (J-ECOH) study. <i>Journal of Epidemiology</i> , 2017, 27, 590-595.       | 2.4 | 22        |
| 4  | Recurrence of Sickness Absence Due to Depression after Returning to Work at a Japanese IT Company. <i>Industrial Health</i> , 2013, 51, 165-171.  | 1.0 | 19        |
| 5  | Risk factors for resignation from work after starting infertility treatment among Japanese women: Japan-Female Employment and Mental health in Assisted reproductive technology (J-FEMA) study. <i>Occupational and Environmental Medicine</i> , 2021, 78, 426-432. | 2.8 | 12        |
| 6  | Work Sustainability Among Male Cancer Survivors After Returning to Work. <i>Journal of Epidemiology</i> , 2018, 28, 88-93.  | 2.4 | 11        |
| 7  | BMI and Medically Certified Long-Term Sickness Absence Among Japanese Employees. <i>Obesity</i> , 2020, 28, 437-444.  | 3.0 | 10        |
| 8  | Predictors of post-cancer diagnosis resignation among Japanese cancer survivors. <i>Journal of Cancer Survivorship</i> , 2020, 14, 106-113.   | 2.9 | 8         |
| 9  | Analysis of severe psychological stressors in women during fertility treatment: Japan-Female Employment and Mental health in Assisted reproductive technology (J-FEMA) study. <i>Archives of Gynecology and Obstetrics</i> , 2021, 304, 253-261.                    | 1.7 | 7         |
| 10 | Depressive and anxiety symptoms among Japanese cancer survivors: Japan cancer survivorship research project. <i>BMC Cancer</i> , 2022, 22, 134.   | 2.6 | 7         |
| 11 | Employment sustainability after return to work among Japanese stroke survivors. <i>International Archives of Occupational and Environmental Health</i> , 2018, 91, 717-724.   | 2.3 | 6         |
| 12 | Durations of first and second periods of depression-induced sick leave among Japanese employees: the Japan sickness absence and return to work (J-SAR) study. <i>Industrial Health</i> , 2019, 57, 22-28.   | 1.0 | 6         |
| 13 | Smoking and Long-Term Sick Leave in a Japanese Working Population: Findings of the Japan Epidemiology Collaboration on Occupational Health Study. <i>Nicotine and Tobacco Research</i> , 2021, 23, 135-142.   | 2.6 | 6         |
| 14 | Predictors of resignation and sick leave after cancer diagnosis among Japanese breast cancer survivors: a cross-sectional study. <i>BMC Public Health</i> , 2021, 21, 138.  | 2.9 | 6         |
| 15 | Recurrent sick leave and resignation rates among female cancer survivors after return to work: the Japan sickness absence and return to work (J-SAR) study. <i>BMC Public Health</i> , 2019, 19, 1248.  | 2.9 | 4         |
| 16 | Visit-to-visit variability of blood pressure and cardiovascular events among the working-age population in Japan: findings from the Japan Epidemiology Collaboration on Occupational Health Study. <i>Hypertension Research</i> , 2021, 44, 1017-1025.              | 2.7 | 4         |
| 17 | A cooperative support model for cancer therapy and employment balance: from focus-group interviews of health and business professionals. <i>Industrial Health</i> , 2019, 57, 40-51.  | 1.0 | 2         |
| 18 | Diagnosis-specific Cumulative Incidence of Return-to-work, Resignation, and Death Among Long-term Sick-listed Employees: Findings From the Japan Epidemiology Collaboration on Occupational Health Study. <i>Journal of Epidemiology</i> , 2022, 32, 431-437.       | 2.4 | 2         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | How do gynecologists face to social problems among women cancer survivors?. Journal of Obstetrics and Gynaecology Research, 2021, 47, 1651-1653.  | 1.3 | 2         |
| 20 | Risk factors for infertility treatment-associated harassment among working women: a Japan-Female Employment and Mental health in assisted reproductive technology (J-FEMA) study. International Archives of Occupational and Environmental Health, 2022, 95, 1453-1461. | 2.3 | 2         |
| 21 | Smoking cessation after long-term sick leave due to cancer in comparison with cardiovascular disease: Japan Epidemiology Collaboration on Occupational Health Study. Industrial Health, 2020, 58, 246-253.  | 1.0 | 0         |