

# Kedma Cristine Yamamoto

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2886467/publications.pdf>

Version: 2024-02-01

15

papers

87

citations

1937685

4

h-index

1474206

9

g-index

16

all docs

16

docs citations

16

times ranked

144

citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Alimentação de <i>Triplophysa angulatus</i> (Spix & Agassiz, 1829) no lago Camaleão, Manaus, AM, Brasil. <i>Acta Amazonica</i> , 2004, 34, 653-659.   | 0.7 | 32        |
| 2  | Fish diversity and species composition in small-scale artificial reefs in Amazonian floodplain lakes: Refugia for rare species?. <i>Ecological Engineering</i> , 2014, 67, 165-170.   | 3.6 | 15        |
| 3  | Fish species richness is associated with the availability of landscape components across seasons in the Amazonian floodplain. <i>PeerJ</i> , 2018, 6, e5080.  | 2.0 | 11        |
| 4  | Ecomorphological correlates of twenty dominant fish species of Amazonian floodplain lakes. <i>Brazilian Journal of Biology</i> , 2017, 77, 199-206.   | 0.9 | 8         |
| 5  | Use of the flooded forest by fish assemblages in lakes of the National Park of Anavilhas (Amazonas,) Tj ETQq1 1 0.784314 rgBT /Overl...   | 0.7 | 0         |
| 6  | INFLUENCE OF HYDROLOGICAL CYCLE ON THE COMPOSITION AND STRUCTURE OF FISH ASSEMBLAGES IN AN IGAPÓ FOREST, AMAZONAS, BRAZIL. <i>Boletim Do Instituto De Pesca</i> , 2019, 45, .   | 0.5 | 4         |
| 7  | Length-weight relationship of six small fish species from the Negro River basin in the Brazilian Amazon. <i>Journal of Applied Ichthyology</i> , 2021, 37, 492-496.   | 0.7 | 3         |
| 8  | A cadeia produtiva de peixes ornamentais no estado do Amazonas. <i>Revista Ibero-americana De Ciências Ambientais</i> , 2021, 12, 186-202.  | 0.1 | 2         |
| 9  | Ichthyofauna of the major urban forest fragment of the Amazon: Surviving concrete and pollution. <i>Neotropical Biology and Conservation</i> , 2018, 13, .  | 0.9 | 2         |
| 10 | Length-weight relationship of 12 species of freshwater fish caught in the middle and lower stretches of the Negro River basin, Brazilian Amazon. <i>Journal of Applied Ichthyology</i> , 2021, 37, 626-630.                             | 0.7 | 1         |
| 11 | Biologia reprodutiva e hábitos alimentares do rodástomo ( <i>Hemigrammus bleheri</i> ) um peixe ornamental da Bacia do Mátio Rio Negro, Estado do Amazonas, Brasil.. <i>Boletim Do Instituto De Pesca</i> , 2017, 43, .                 | 0.1 | 1         |
| 12 | Ontogenetic change in the diet of <i>Semaprochilodus insignis</i> (Characiformes: Prochilodontidae) during migration between two limnologically distinct environments in the Amazon Basin. <i>Neotropical Ichthyology</i> , 2021, 19, . | 1.0 | 1         |
| 13 | Length-weight relationship for <i>Potamotrygon wallacei</i> (Carvalho, Rosa and Araújo, 2016) caught in the middle Negro River, Barcelos, Brazilian Amazon. <i>Brazilian Journal of Biology</i> , 2022, 84, e253497.                    | 0.9 | 1         |
| 14 | Dieta de sarapós da família sternopygidae em ambientes de praia no Rio Negro, Amazonas. <i>Revista Ibero-americana De Ciências Ambientais</i> , 2021, 12, 482-492.  | 0.1 | 0         |
| 15 | Length-weight relationships of fish from sandy beaches. <i>Brazilian Journal of Biology</i> , 2021, 83, e250003.  | 0.9 | 0         |