## Harm Wienbergen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/288866/publications.pdf

Version: 2024-02-01

1040056 839539 22 502 9 18 citations g-index h-index papers 23 23 23 966 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Temporal trends in treatment strategies and clinical outcomes among patients with advanced chronic kidney disease and ST-elevation myocardial infarctions: results from the Bremen STEMI registry. BMC Cardiovascular Disorders, 2022, 22, 142.	1.7	2
2	OUP accepted manuscript. European Journal of Preventive Cardiology, 2022, , .	1.8	1
3	New technologies for intensive prevention programs after myocardial infarction: rationale and design of the NET-IPP trial. Clinical Research in Cardiology, 2021, 110, 153-161.	3.3	8
4	Impact of Ventricular Stroke Work Indices on Mortality in Heart Failure Patients After Percutaneous Mitral Valve Repair. American Journal of Cardiology, 2021, 147, 101-108.	1.6	1
5	Impact of Anesthesia Strategy and Valve Type on Clinical Outcomes After Transcatheter Aortic Valve Replacement. Journal of the American College of Cardiology, 2021, 77, 2204-2215.	2.8	28
6	Efficacy of Drug-Eluting Stents in Diabetic Patients Admitted with ST-Elevation Myocardial Infarctions Treated with Primary Percutaneous Coronary Intervention. Journal of Cardiovascular Development and Disease, 2021, 8, 83.	1.6	0
7	Impact of COVID-19 Pandemic on Presentation and Outcome of Consecutive Patients Admitted to Hospital Due to ST-Elevation Myocardial Infarction. American Journal of Cardiology, 2021, 151, 10-14.	1.6	9
8	Long-Term Effects of an Intensive Prevention Program After Acute Myocardial Infarction. American Journal of Cardiology, 2021, 154, 7-13.	1.6	6
9	Das Leben danach. , 2021, , 131-146.		O
10	Long-term prevention after myocardial infarction in young patients â‰ <b>4</b> 5 years: the Intensive Prevention Program in the Young (IPP-Y) study. European Journal of Preventive Cardiology, 2020, 27, 2264-2266.	1.8	9
11	Comparison of newer generation self-expandable vs. balloon-expandable valves in transcatheter aortic valve implantation: the randomized SOLVE-TAVI trial. European Heart Journal, 2020, 41, 1890-1899.	2.2	159
12	Effects of an intensive long-term prevention programme after myocardial infarction – a randomized trial. European Journal of Preventive Cardiology, 2019, 26, 522-530.	1.8	29
13	Long-term effects of iron deficiency in patients with heart failure with or without anemia: the RAID-HF follow-up study. Clinical Research in Cardiology, 2019, 108, 93-100.	3.3	22
14	Long-Term Risk Factor Control After Myocardial Infarction—A Need for Better Prevention Programmes. Journal of Clinical Medicine, 2019, 8, 1114.	2.4	6
15	Efficacy and Safety of Ticagrelor in Comparison to Clopidogrel in Elderly Patients With STâ€Segment–Elevation Myocardial Infarctions. Journal of the American Heart Association, 2019, 8, e012530.	3.7	33
16	Management and predictors of outcome in unselected patients with cardiogenic shock complicating acute ST-segment elevation myocardial infarction: results from the Bremen STEMI Registry. Clinical Research in Cardiology, 2018, 107, 371-379.	3.3	69
17	Impact of right heart function on outcome in patients with functional mitral regurgitation and chronic heart failure undergoing percutaneous edgeâ€toâ€edgeâ€repair. Journal of Interventional Cardiology, 2018, 31, 916-924.	1.2	27
18	Targeting All Heart Failure Patients WithÂExercise Training. JACC: Heart Failure, 2018, 6, 1020-1022.	4.1	0

#	Article	IF	CITATIONS
19	Bivalirudin versus heparin and provisional GP IIb/IIIa inhibitors in patients treated for STâ€segment elevation myocardial infarctions: Comparison of outcomes in a "realâ€world―setting. Journal of Interventional Cardiology, 2017, 30, 301-308.	1.2	3
20	Usefulness of Iron Deficiency Correction in Management of Patients With Heart Failure [from the Registry Analysis of Iron Deficiency-Heart Failure (RAID-HF) Registry]. American Journal of Cardiology, 2016, 118, 1875-1880.	1.6	33
21	Comparison of Outcomes of Patients With ST-Segment Elevation Myocardial Infarction Treated by Primary Percutaneous Coronary Intervention Analyzed by Age Groups (<75, 75 to 85, and) Tj ETQq1 1 0.7843: 1802-1809.	14 rgBT	/Overlock 10 T
22	Lifestyle and metabolic risk factors in patients with early-onset myocardial infarction: a case-control study. European Journal of Preventive Cardiology, 0, , .	1.8	5