

Qing-Bo Gao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2888943/publications.pdf>

Version: 2024-02-01

36

papers

674

citations

567281

15

h-index

610901

24

g-index

36

all docs

36

docs citations

36

times ranked

506

citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Potential refugium on the Qinghai-Tibet Plateau revealed by the chloroplast DNA phylogeography of the alpine species <i>Metagentiana striata</i> (Gentianaceae). <i>Botanical Journal of the Linnean Society</i> , 2008, 157, 125-140. | 1.6 | 87 |
| 2 | Intraspecific divergences of <i>Rhodiola alsia</i> (Crassulaceae) based on plastid DNA and internal transcribed spacer fragments. <i>Botanical Journal of the Linnean Society</i> , 2012, 168, 204-215. | 1.6 | 71 |
| 3 | The Complete Plastome Sequences of Seven Species in <i>Gentiana</i> sect. <i>Kudoa</i> (Gentianaceae): Insights Into Plastid Gene Loss and Molecular Evolution. <i>Frontiers in Plant Science</i> , 2018, 9, 493. | 3.6 | 45 |
| 4 | Microbial communities inhabiting the fairy ring of <i>< i> Floccularia luteovirens</i> and isolation of potential mycorrhiza helper bacteria. <i>Journal of Basic Microbiology</i> , 2018, 58, 554-563. | 3.3 | 32 |
| 5 | Phylogeographic study revealed microrefugia for an endemic species on the Qinghai-Tibetan Plateau: <i>Rhodiola chrysanthemifolia</i> (Crassulaceae). <i>Plant Systematics and Evolution</i> , 2016, 302, 1179-1193. | 0.9 | 31 |
| 6 | Spirodes shrubs on Qinghai-Tibetan Plateau: Multilocus phylogeography and palaeodistributional reconstruction of <i>Spiraea alpina</i> and <i>S. Mongolica</i> (Rosaceae). <i>Molecular Phylogenetics and Evolution</i> , 2018, 123, 137-148. | 2.7 | 31 |
| 7 | Population Genetic Differentiation and Taxonomy of Three Closely Related Species of <i>Saxifraga</i> (Saxifragaceae) from Southern Tibet and the Hengduan Mountains. <i>Frontiers in Plant Science</i> , 2017, 8, 1325. | 3.6 | 30 |
| 8 | Chloroplast DNA phylogeography of <i>Rhodiola alsia</i> (Crassulaceae) in the Qinghai-Tibet Plateau. <i>Botany</i> , 2009, 87, 1077-1088. | 1.0 | 27 |
| 9 | Phylogeny and speciation in <i>< i> Saxifraga</i> sect. <i>Ciliatae</i> (Saxifragaceae): Evidence from <i>< i> psbA-trnH</i> , <i>< i> trnL-F</i> and ITS sequences. <i>Taxon</i> , 2015, 64, 703-713. | 0.7 | 25 |
| 10 | Phylogeography of <i>< i> Spiraea alpina</i> (Rosaceae) in the Qinghai-Tibetan Plateau inferred from chloroplast DNA sequence variations. <i>Journal of Systematics and Evolution</i> , 2012, 50, 276-283. | 3.1 | 23 |
| 11 | Phylogenetic relationships and sectional delineation within <i>Gentiana</i> (Gentianaceae). <i>Taxon</i> , 2020, 69, 1221-1238. | 0.7 | 23 |
| 12 | Large-scale distribution of bacterial communities in the Qaidam Basin of the Qinghai-Tibet Plateau. <i>MicrobiologyOpen</i> , 2019, 8, e909. | 3.0 | 21 |
| 13 | Phylogenetic analyses of <i>Spiraea</i> (Rosaceae) distributed in the Qinghai-Tibetan Plateau and adjacent regions: insights from molecular data. <i>Plant Systematics and Evolution</i> , 2016, 302, 11-21. | 0.9 | 20 |
| 14 | Rapid Intraspecific Diversification of the Alpine Species <i>Saxifraga sinomontana</i> (Saxifragaceae) in the Qinghai-Tibetan Plateau and Himalayas. <i>Frontiers in Genetics</i> , 2018, 9, 381. | 2.3 | 18 |
| 15 | Target separation of flavonoids from <i>< i> Saxifraga tangutica</i> using two-dimensional hydrophilic interaction chromatography/reversed-phase liquid chromatography. <i>Journal of Separation Science</i> , 2018, 41, 4419-4429. | 2.5 | 17 |
| 16 | The Complete Chloroplast Genomes of Two Lancea Species with Comparative Analysis. <i>Molecules</i> , 2018, 23, 602. | 3.8 | 17 |
| 17 | Molecular phylogeography and intraspecific divergence of <i>Spiraea alpina</i> (Rosaceae) distributed in the Qinghai-Tibetan Plateau and adjacent regions inferred from nrDNA. <i>Biochemical Systematics and Ecology</i> , 2014, 57, 278-286. | 1.3 | 13 |
| 18 | Genetic diversity and population structure of <i>Armillaria luteo-virens</i> (Physalacriaceae) in Qinghai-Tibet Plateau revealed by SSR markers. <i>Biochemical Systematics and Ecology</i> , 2014, 56, 1-7. | 1.3 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Characterization of SSR genomic abundance and identification of SSR markers for population genetics in Chinese jujube (<i>Ziziphus jujuba</i> Mill.). PeerJ, 2016, 4, e1735. | 2.0 | 13 |
| 20 | Genetic variation and phylogenetic relationships of the ectomycorrhizal <i>Floccularia luteovirens</i> on the Qinghai-Tibet Plateau. Journal of Microbiology, 2017, 55, 600-606. | 2.8 | 12 |
| 21 | Development of SSR markers for a Tibetan medicinal plant, <i>Lancea tibetica</i> (Phrymaceae), based on RAD sequencing. Applications in Plant Sciences, 2016, 4, 1600076. | 2.1 | 11 |
| 22 | Plastome structure, phylogenomics and evolution of plastid genes in <i>Swertia</i> (Gentianaceae) in the Qing-Tibetan Plateau. BMC Plant Biology, 2022, 22, 195. | 3.6 | 11 |
| 23 | Westwards and northwards dispersal of <i>Triosteum himalayanum</i> (Caprifoliaceae) from the Hengduan Mountains region based on chloroplast DNA phylogeography. PeerJ, 2018, 6, e4748. | 2.0 | 10 |
| 24 | Isolation of 16 Microsatellite Markers for <i>Spiraea alpina</i> and <i>S. mongolica</i> (Rosaceae) of the Qinghai-Tibet Plateau. Applications in Plant Sciences, 2014, 2, 1300059. | 2.1 | 9 |
| 25 | A Review on the Ethnomedicinal Usage, Phytochemistry, and Pharmacological Properties of Gentianeae (Gentianaceae) in Tibetan Medicine. Plants, 2021, 10, 2383. | 3.5 | 8 |
| 26 | Gene Flow Results in High Genetic Similarity between <i>Sibiraea</i> (Rosaceae) Species in the Qinghai-Tibetan Plateau. Frontiers in Plant Science, 2016, 7, 1596. | 3.6 | 7 |
| 27 | The complete chloroplast genome of <i>Saxifraga sinomontana</i> (Saxifragaceae) and comparative analysis with other Saxifragaceae species. Revista Brasileira De Botanica, 2019, 42, 601-611. | 1.3 | 7 |
| 28 | Deep Intraspecific Divergence in the Endemic Herb <i>Lancea tibetica</i> (Mazaceae) Distributed Over the Qinghai-Tibetan Plateau. Frontiers in Genetics, 2018, 9, 492. | 2.3 | 6 |
| 29 | Development of <sc>EST</sc>-<sc>SSR</sc> markers in <i>Saxifraga sinomontana</i> (Saxifragaceae) and cross-amplification in three related species. Applications in Plant Sciences, 2019, 7, e11269. | 2.1 | 6 |
| 30 | Environmental filtering affects fungal communities more than dispersal limitation in a high-elevation hyperarid basin on Qinghai-Tibet Plateau. FEMS Microbiology Letters, 2021, 368, . | 1.8 | 6 |
| 31 | Development and Characterization of Polymorphic Microsatellite Loci for <i>Saxifraga egregia</i> (Saxifragaceae). Applications in Plant Sciences, 2015, 3, 1500037. | 2.1 | 5 |
| 32 | Genetic Structure and Eco-Geographical Differentiation of <i>Lancea tibetica</i> in the Qinghai-Tibetan Plateau. Genes, 2019, 10, 97. | 2.4 | 5 |
| 33 | Dispersal into the Qinghai-Tibet plateau: evidence from the genetic structure and demography of the alpine plant <i>Triosteum pinnatifidum</i> . PeerJ, 2022, 10, e12754. | 2.0 | 5 |
| 34 | Determination of Salidroside in Medicinal Plants Belonging to the Rhodiola L. Genus Originating from the Qinghai-Tibet Plateau. Chromatographia, 2008, 68, 299-302. | 1.3 | 4 |
| 35 | Complete Chloroplast Genome Sequence of <i>Triosteum sinuatum</i> , Insights into Comparative Chloroplast Genomics, Divergence Time Estimation and Phylogenetic Relationships among Dipsacales. Genes, 2022, 13, 933. | 2.4 | 3 |
| 36 | The complete chloroplast genome of <i>Mazus pumilus</i> (Mazaceae). Mitochondrial DNA Part B: Resources, 2018, 3, 1189-1190. | 0.4 | 2 |