

Yunlong Yu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2889514/publications.pdf>

Version: 2024-02-01

64
papers

2,223
citations

236925

25
h-index

243625

44
g-index

64
all docs

64
docs citations

64
times ranked

2273
citing authors

#	ARTICLE	IF	CITATIONS
1	Enantioselectivity of new chiral triazole fungicide mefentrifluconazole: Bioactivity against phytopathogen, and acute toxicity and bioaccumulation in earthworm (<i>Eisenia fetida</i>). <i>Science of the Total Environment</i> , 2022, 815, 152937.	8.0	21
2	Copper-based fungicide copper hydroxide accelerates the evolution of antibiotic resistance via gene mutations in <i>Escherichia coli</i> . <i>Science of the Total Environment</i> , 2022, 815, 152885.	8.0	20
3	Analysis method development and health risk assessment of pesticide and heavy metal residues in <i>Dendrobium Candidum</i> . <i>RSC Advances</i> , 2022, 12, 6869-6875.	3.6	5
4	Even Incorporation of Nitrogen into Fe ⁰ Nanoparticles as Crystalline Fe ₄ N for Efficient and Selective Trichloroethylene Degradation. <i>Environmental Science & Technology</i> , 2022, 56, 4489-4497.	10.0	26
5	Uptake, translocation, and metabolism of thiamethoxam in soil by leek plants. <i>Environmental Research</i> , 2022, 211, 113084.	7.5	16
6	Carbendazim shapes microbiome and enhances resistome in the earthworm gut. <i>Microbiome</i> , 2022, 10, 63.	11.1	17
7	Herbicidal activity of atrazine to barnyard grass depends upon soil characteristics. <i>Pest Management Science</i> , 2022, 78, 3287-3293.	3.4	1
8	<i>Fusarium</i> fruiting body microbiome member <i>Pantoea agglomerans</i> inhibits fungal pathogenesis by targeting lipid rafts. <i>Nature Microbiology</i> , 2022, 7, 831-843.	13.3	44
9	Uptake, Accumulation, and translocation of azoxystrobin by Vegetable plants in soils: influence of soil characteristics and plant species. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2022, 109, 386-392.	2.7	2
10	Characterization, genome functional analysis, and detoxification of atrazine by <i>Arthrobacter</i> sp. C2. <i>Chemosphere</i> , 2021, 264, 128514.	8.2	25
11	Characterization of a novel carbendazim-degrading strain <i>Rhodococcus</i> sp. CX-1 revealed by genome and transcriptome analyses. <i>Science of the Total Environment</i> , 2021, 754, 142137.	8.0	30
12	Foam shares antibiotic resistomes and bacterial pathogens with activated sludge in wastewater treatment plants. <i>Journal of Hazardous Materials</i> , 2021, 408, 124855.	12.4	25
13	Exposure to fungicide difenoconazole reduces the soil bacterial community diversity and the co-occurrence network complexity. <i>Journal of Hazardous Materials</i> , 2021, 405, 124208.	12.4	53
14	Chemical factors affecting uptake and translocation of six pesticides in soil by maize (<i>Zea mays</i> L.). <i>Journal of Hazardous Materials</i> , 2021, 405, 124269.	12.4	65
15	Determination and Dietary Intake Risk Assessment of Pesticide Residues in <i>Fritillariae Thunbergii</i> Bulbs and Cultivated Soils. <i>Journal of AOAC INTERNATIONAL</i> , 2021, 104, 404-412.	1.5	3
16	Prevalence of Azole-Resistant <i>Aspergillus fumigatus</i> is Highly Associated with Azole Fungicide Residues in the Fields. <i>Environmental Science & Technology</i> , 2021, 55, 3041-3049.	10.0	25
17	Sorption, Desorption and Mobility of Microencapsulated Chlorpyrifos in Two Typical Soils. <i>Archives of Environmental Contamination and Toxicology</i> , 2021, 81, 265-271.	4.1	1
18	Acquired triazole-resistance of <i>Aspergillus fumigatus</i> in soil and earthworm guts exposed to propiconazole and difenoconazole at field-realistic concentrations. <i>Science of the Total Environment</i> , 2021, 786, 147577.	8.0	1

#	ARTICLE	IF	CITATIONS
19	Emergence of Triazole Resistance in <i>Aspergillus fumigatus</i> Exposed to Paclobutrazol. Journal of Agricultural and Food Chemistry, 2021, 69, 15538-15543.	5.2	3
20	Mutation in <i>cyp51A</i> and high expression of efflux pump gene of <i>Aspergillus fumigatus</i> induced by propiconazole in liquid medium and soil. Environmental Pollution, 2020, 256, 113385.	7.5	11
21	Deposition, dissipation, and minimum effective dosage of the fungicide carbendazim in the pepper field ecosystem. Pest Management Science, 2020, 76, 907-916.	3.4	6
22	Upward translocation of acetochlor and atrazine in wheat plants depends on their distribution in roots. Science of the Total Environment, 2020, 703, 135636.	8.0	30
23	Fungicides enhanced the abundance of antibiotic resistance genes in greenhouse soil. Environmental Pollution, 2020, 259, 113877.	7.5	44
24	Increased triazole-resistance and <i>cyp51A</i> mutations in <i>Aspergillus fumigatus</i> after selection with a combination of the triazole fungicides difenoconazole and propiconazole. Journal of Hazardous Materials, 2020, 400, 123200.	12.4	9
25	Five-Year Survey (2014 to 2018) of Azole Resistance in Environmental <i>Aspergillus fumigatus</i> Isolates from China. Antimicrobial Agents and Chemotherapy, 2020, 64, .	3.2	15
26	Competitive Adsorption and Mobility of Propiconazole and Difenoconazole on Five Different Soils. Bulletin of Environmental Contamination and Toxicology, 2020, 105, 927-933.	2.7	7
27	Root Uptake of Imidacloprid and Propiconazole Is Affected by Root Composition and Soil Characteristics. Journal of Agricultural and Food Chemistry, 2020, 68, 15381-15389.	5.2	28
28	Triazole resistance in <i>Aspergillus fumigatus</i> in crop plant soil after tebuconazole applications. Environmental Pollution, 2020, 266, 115124.	7.5	11
29	Subcellular distribution governing accumulation and translocation of pesticides in wheat (<i>Triticum</i>) Tj ETQq1 1 0.784314 rgBT ₁ /Overlock ₄₁	8.2	41
30	Tracking resistomes, virulence genes, and bacterial pathogens in long-term manure-amended greenhouse soils. Journal of Hazardous Materials, 2020, 396, 122618.	12.4	55
31	Enterobacteriaceae predominate in the endophytic microbiome and contribute to the resistome of strawberry. Science of the Total Environment, 2020, 727, 138708.	8.0	29
32	Development of antibiotic resistance genes in soils with ten successive treatments of chlortetracycline and ciprofloxacin. Environmental Pollution, 2019, 253, 152-160.	7.5	24
33	Deposition, Distribution, Metabolism, and Reduced Application Dose of Thiamethoxam in a Pepper-Planted Ecosystem. Journal of Agricultural and Food Chemistry, 2019, 67, 11848-11859.	5.2	17
34	Uptake, Translocation, and Subcellular Distribution of Azoxystrobin in Wheat Plant (<i>Triticum</i>) Tj ETQq0 0 0 rgBT ₁ /Overlock ₁₀ Tf 50 1	5.2	52
35	Exploring microbial community structure and biological function in manured soil during ten repeated treatments with chlortetracycline and ciprofloxacin. Chemosphere, 2019, 228, 469-477.	8.2	14
36	Adsorption and Desorption of Carbendazim and Thiamethoxam in Five Different Agricultural Soils. Bulletin of Environmental Contamination and Toxicology, 2019, 102, 550-554.	2.7	19

#	ARTICLE	IF	CITATIONS
37	Tebuconazole induces triazole-resistance in <i>Aspergillus fumigatus</i> in liquid medium and soil. <i>Science of the Total Environment</i> , 2019, 648, 1237-1243.	8.0	24
38	Repeated treatments of ciprofloxacin and kresoxim-methyl alter their dissipation rates, biological function and increase antibiotic resistance in manured soil. <i>Science of the Total Environment</i> , 2018, 628-629, 661-671.	8.0	25
39	The Effects of Biochar Properties on Fomesafen Adsorption-Desorption Capacity of Biochar-Amended Soil. <i>Water, Air, and Soil Pollution</i> , 2018, 229, 1.	2.4	17
40	Biodegradation and detoxification of chlorimuron-ethyl by <i>Enterobacter ludwigii</i> sp. CE-1. <i>Ecotoxicology and Environmental Safety</i> , 2018, 150, 34-39.	6.0	28
41	Microbial degradation of fomesafen and detoxification of fomesafen-contaminated soil by the newly isolated strain <i>Bacillus</i> sp. FE-1 via a proposed biochemical degradation pathway. <i>Science of the Total Environment</i> , 2018, 616-617, 1612-1619.	8.0	20
42	Exploring bacterial communities and biodegradation genes in activated sludge from pesticide wastewater treatment plants via metagenomic analysis. <i>Environmental Pollution</i> , 2018, 243, 1206-1216.	7.5	63
43	Dissemination of antibiotic resistance genes and human pathogenic bacteria from a pig feedlot to the surrounding stream and agricultural soils. <i>Journal of Hazardous Materials</i> , 2018, 357, 53-62.	12.4	103
44	Biodegradability and ecological safety assessment of <i>Stenotrophomonas</i> sp. DDT-1 in the DDT-contaminated soil. <i>Ecotoxicology and Environmental Safety</i> , 2018, 158, 145-153.	6.0	8
45	Chiral triazole fungicide tebuconazole: enantioselective bioaccumulation, bioactivity, acute toxicity, and dissipation in soils. <i>Environmental Science and Pollution Research</i> , 2018, 25, 25468-25475.	5.3	62
46	Characterization and genome functional analysis of the DDT-degrading bacterium <i>Ochrobactrum</i> sp. DDT-2. <i>Science of the Total Environment</i> , 2017, 592, 593-599.	8.0	47
47	Fungicides induced triazole-resistance in <i>Aspergillus fumigatus</i> associated with mutations of TR46/Y121F/T289A and its appearance in agricultural fields. <i>Journal of Hazardous Materials</i> , 2017, 326, 54-60.	12.4	84
48	Effects of aging process on adsorption-desorption and bioavailability of fomesafen in an agricultural soil amended with rice hull biochar. <i>Journal of Environmental Sciences</i> , 2017, 56, 180-191.	6.1	59
49	Biodegradation of DDT by <i>Stenotrophomonas</i> sp. DDT-1: Characterization and genome functional analysis. <i>Scientific Reports</i> , 2016, 6, 21332.	3.3	56
50	Estimating the combined toxicity of flufenacet and imazaquin to sorghum with pore water herbicide concentration. <i>Journal of Environmental Sciences</i> , 2016, 41, 154-161.	6.1	4
51	Changes in soil microbial community structure and function associated with degradation and resistance of carbendazim and chlortetracycline during repeated treatments. <i>Science of the Total Environment</i> , 2016, 572, 1203-1212.	8.0	63
52	Characterization and genome functional analysis of a novel metamitron-degrading strain <i>Rhodococcus</i> sp. MET via both triazinone and phenyl rings cleavage. <i>Scientific Reports</i> , 2016, 6, 32339.	3.3	13
53	Nanoscale zerovalent iron-mediated degradation of DDT in soil. <i>Environmental Science and Pollution Research</i> , 2016, 23, 6253-6263.	5.3	27
54	Dissipation of fomesafen in biochar-amended soil and its availability to corn (<i>Zea mays</i> L.) and earthworm (<i>Eisenia fetida</i>). <i>Journal of Soils and Sediments</i> , 2016, 16, 2439-2448.	3.0	56

#	ARTICLE	IF	CITATIONS
55	Biochar: A review of its impact on pesticide behavior in soil environments and its potential applications. <i>Journal of Environmental Sciences</i> , 2016, 44, 269-279.	6.1	177
56	Reduced mobility of fomesafen through enhanced adsorption in biochar-amended soil. <i>Environmental Toxicology and Chemistry</i> , 2015, 34, 1258-1266.	4.3	64
57	Bioaugmentation of DDT-contaminated soil by dissemination of the catabolic plasmid pDOD. <i>Journal of Environmental Sciences</i> , 2015, 27, 42-50.	6.1	17
58	Exploring bacterial community structure and function associated with atrazine biodegradation in repeatedly treated soils. <i>Journal of Hazardous Materials</i> , 2015, 286, 457-465.	12.4	96
59	Metagenomic analysis reveals potential biodegradation pathways of persistent pesticides in freshwater and marine sediments. <i>Science of the Total Environment</i> , 2014, 470-471, 983-992.	8.0	92
60	Microencapsulated chlorpyrifos: Degradation in soil and influence on soil microbial community structures. <i>Journal of Environmental Sciences</i> , 2014, 26, 2322-2330.	6.1	12
61	Adsorption, mobility and degradation of diphenamid in Chinese soils. <i>KSCIE Journal of Civil Engineering</i> , 2012, 16, 547-553.	1.9	5
62	Characterization of a bacterial strain capable of degrading DDT congeners and its use in bioremediation of contaminated soil. <i>Journal of Hazardous Materials</i> , 2010, 184, 281-289.	12.4	106
63	Effects of repeated applications of fungicide carbendazim on its persistence and microbial community in soil. <i>Journal of Environmental Sciences</i> , 2009, 21, 179-185.	6.1	68
64	Sorption and genotoxicity of sediment-associated pentachlorophenol and pyrene influenced by crop residue ash. <i>Journal of Soils and Sediments</i> , 2009, 9, 604-612.	3.0	32