

# Manel del Valle

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2889580/publications.pdf>

Version: 2024-02-01

222  
papers

7,316  
citations

44042

48  
h-index

85498

71  
g-index

224  
all docs

224  
docs citations

224  
times ranked

5823  
citing authors

#	ARTICLE	IF	CITATIONS
1	New materials for electrochemical sensing VI: Carbon nanotubes. <i>TrAC - Trends in Analytical Chemistry</i> , 2005, 24, 826-838.	5.8	626
2	Use of nanomaterials for impedimetric DNA sensors: A review. <i>Analytica Chimica Acta</i> , 2010, 678, 7-17.	2.6	163
3	Potentiometric bioelectronic tongue for the analysis of urea and alkaline ions in clinical samples. <i>Biosensors and Bioelectronics</i> , 2007, 22, 2171-2178.	5.3	133
4	Determination of phenolic compounds by a polyphenol oxidase amperometric biosensor and artificial neural network analysis. <i>Biosensors and Bioelectronics</i> , 2005, 20, 1668-1673.	5.3	117
5	Application of a potentiometric electronic tongue as a classification tool in food analysis. <i>Talanta</i> , 2005, 66, 1303-1309.	2.9	110
6	Electrochemical behavior of rigid carbon nanotube composite electrodes. <i>Journal of Electroanalytical Chemistry</i> , 2008, 619-620, 117-124.	1.9	104
7	A review of the use of the potentiometric electronic tongue in the monitoring of environmental systems. <i>Environmental Modelling and Software</i> , 2010, 25, 1023-1030.	1.9	99
8	Crown ether-modified electrodes for the simultaneous stripping voltammetric determination of Cd(II), Pb(II) and Cu(II). <i>Talanta</i> , 2015, 138, 130-137.	2.9	98
9	Electronic Tongues Employing Electrochemical Sensors. <i>Electroanalysis</i> , 2010, 22, 1539-1555.	1.5	97
10	Determination of total polyphenol index in wines employing a voltammetric electronic tongue. <i>Analytica Chimica Acta</i> , 2012, 732, 172-179.	2.6	97
11	Hybrid electronic tongue based on multisensor data fusion for discrimination of beers. <i>Sensors and Actuators B: Chemical</i> , 2013, 177, 989-996.	4.0	97
12	Application of the wavelet transform coupled with artificial neural networks for quantification purposes in a voltammetric electronic tongue. <i>Sensors and Actuators B: Chemical</i> , 2006, 113, 487-499.	4.0	81
13	An electronic tongue using potentiometric all-solid-state PVC-membrane sensors for the simultaneous quantification of ammonium and potassium ions in water. <i>Analytical and Bioanalytical Chemistry</i> , 2003, 377, 248-256.	1.9	80
14	Molecularly imprinted polymers towards electrochemical sensors and electronic tongues. <i>Analytical and Bioanalytical Chemistry</i> , 2021, 413, 6117-6140.	1.9	80
15	Lead(II) ion selective electrodes with PVC membranes based on two bis-thioureas as ionophores: 1,3-bis(N- $\alpha$ -benzoylthioureido)benzene and 1,3-bis(N- $\alpha$ -furoylthioureido)benzene. <i>Journal of Hazardous Materials</i> , 2010, 181, 140-146.	6.5	78
16	Rigid carbon composites: a new transducing material for label-free electrochemical genosensing. <i>Journal of Electroanalytical Chemistry</i> , 2004, 567, 29-37.	1.9	77
17	Genomagnetic assay based on label-free electrochemical detection using magneto-composite electrodes. <i>Sensors and Actuators B: Chemical</i> , 2006, 114, 591-598.	4.0	76
18	Comparison of methods for the processing of voltammetric electronic tongues data. <i>Mikrochimica Acta</i> , 2013, 180, 319-330.	2.5	75

#	ARTICLE	IF	CITATIONS
19	Application of a potentiometric electronic tongue to fertigation strategy in greenhouse cultivation. <i>Computers and Electronics in Agriculture</i> , 2007, 57, 12-22.	3.7	71
20	A flow-injection electronic tongue based on potentiometric sensors for the determination of nitrate in the presence of chloride. <i>Sensors and Actuators B: Chemical</i> , 2004, 101, 72-80.	4.0	70
21	Development and application of an electronic tongue for detection and monitoring of nitrate, nitrite and ammonium levels in waters. <i>Microchemical Journal</i> , 2013, 110, 273-279.	2.3	70
22	Determination of Anionic Surfactants Employing Potentiometric Sensors—A Review. <i>Critical Reviews in Analytical Chemistry</i> , 2005, 35, 15-29.	1.8	69
23	A novel electrochemical aptamer—antibody sandwich assay for lysozyme detection. <i>Analyst, The</i> , 2015, 140, 4148-4153.	1.7	69
24	Impedimetric genosensors for the detection of DNA hybridization. <i>Analytical and Bioanalytical Chemistry</i> , 2006, 385, 1195-1201.	1.9	67
25	Resolution of phenolic antioxidant mixtures employing a voltammetric bio-electronic tongue. <i>Analyst, The</i> , 2012, 137, 349-356.	1.7	67
26	Automated resolution of dichlorvos and methylparaoxon pesticide mixtures employing a Flow Injection system with an inhibition electronic tongue. <i>Biosensors and Bioelectronics</i> , 2009, 24, 1103-1108.	5.3	66
27	Voltammetric Electronic Tongue in the Analysis of Cava Wines. <i>Electroanalysis</i> , 2011, 23, 72-78.	1.5	66
28	Bioelectronic tongue for the simultaneous determination of urea, creatinine and alkaline ions in clinical samples. <i>Biosensors and Bioelectronics</i> , 2008, 23, 795-802.	5.3	64
29	Signal amplification for impedimetric genosensing using gold-streptavidin nanoparticles. <i>Electrochimica Acta</i> , 2008, 53, 4022-4029.	2.6	63
30	Glucose Biosensor Based on Carbon Nanotube Epoxy Composites. <i>Journal of Nanoscience and Nanotechnology</i> , 2005, 5, 1694-1698.	0.9	62
31	Impedimetric genosensors employing COOH-modified carbon nanotube screen-printed electrodes. <i>Biosensors and Bioelectronics</i> , 2009, 24, 2885-2891.	5.3	59
32	Simultaneous identification and quantification of nitro-containing explosives by advanced chemometric data treatment of cyclic voltammetry at screen-printed electrodes. <i>Talanta</i> , 2013, 107, 270-276.	2.9	58
33	A voltammetric electronic tongue made of modified epoxy-graphite electrodes for the qualitative analysis of wine. <i>Mikrochimica Acta</i> , 2010, 169, 261-268.	2.5	56
34	BioElectronic Tongue for the quantification of total polyphenol content in wine. <i>Talanta</i> , 2012, 99, 544-551.	2.9	56
35	Label free aptasensor for Lysozyme detection: A comparison of the analytical performance of two aptamers. <i>Bioelectrochemistry</i> , 2015, 105, 72-77.	2.4	56
36	DNA hybridization detection by electrochemical impedance spectroscopy using interdigitated gold nanoelectrodes. <i>Mikrochimica Acta</i> , 2010, 170, 275-281.	2.5	55

#	ARTICLE	IF	CITATIONS
37	Enhanced electrochemical response of carbon quantum dot modified electrodes. <i>Talanta</i> , 2018, 178, 679-685.	2.9	55
38	Determination of Ammonium Ion Employing an Electronic Tongue Based on Potentiometric Sensors. <i>Analytical Letters</i> , 2003, 36, 2893-2908.	1.0	54
39	Beer classification by means of a potentiometric electronic tongue. <i>Food Chemistry</i> , 2013, 141, 2533-2540.	4.2	53
40	Evaluation of red wines antioxidant capacity by means of a voltammetric e-tongue with an optimized sensor array. <i>Electrochimica Acta</i> , 2014, 120, 180-186.	2.6	53
41	Sensitive stripping voltammetry of heavy metals by using a composite sensor based on a built-in bismuth precursor. <i>Analyst, The</i> , 2005, 130, 971.	1.7	52
42	A flow injection voltammetric electronic tongue applied to paper mill industrial waters. <i>Sensors and Actuators B: Chemical</i> , 2006, 115, 390-395.	4.0	52
43	Instrumental measurement of wine sensory descriptors using a voltammetric electronic tongue. <i>Sensors and Actuators B: Chemical</i> , 2015, 207, 1053-1059.	4.0	52
44	Automated SIA e-Tongue Employing a Voltammetric Biosensor Array for the Simultaneous Determination of Glucose and Ascorbic Acid. <i>Electroanalysis</i> , 2006, 18, 82-88.	1.5	51
45	Sequential injection system with higher dimensional electrochemical sensor signalsPart 2. Potentiometric e-tongue for the determination of alkaline ions. <i>Talanta</i> , 2005, 66, 1197-1206.	2.9	50
46	Data Compression for a Voltammetric Electronic Tongue Modelled with Artificial Neural Networks. <i>Analytical Letters</i> , 2005, 38, 2189-2206.	1.0	50
47	Label-free selective impedimetric detection of Cu <sup>2+</sup> ions using catalytic DNA. <i>Analyst, The</i> , 2013, 138, 1995.	1.7	50
48	Electronic tongues in flow analysis. <i>Analytica Chimica Acta</i> , 2007, 600, 90-96.	2.6	49
49	Impedimetric detection of influenza A (H1N1) DNA sequence using carbon nanotubes platform and gold nanoparticles amplification. <i>Analyst, The</i> , 2010, 135, 1765.	1.7	49
50	Sequential injection system with higher dimensional electrochemical sensor signalsPart 1. Voltammetric e-tongue for the determination of oxidizable compounds. <i>Talanta</i> , 2005, 66, 1187-1196.	2.9	48
51	Electronic tongues to assess wine sensory descriptors. <i>Talanta</i> , 2017, 162, 218-224.	2.9	48
52	Renewable Protein A modified graphite-epoxy composite for electrochemical immunosensing. <i>Journal of Immunological Methods</i> , 2004, 286, 35-46.	0.6	47
53	A sequential injection electronic tongue employing the transient response from potentiometric sensors for anion multidetermination. <i>Analytical and Bioanalytical Chemistry</i> , 2006, 385, 1186-1194.	1.9	47
54	Use of Sequential Injection Analysis to construct a potentiometric electronic tongue: Application to the multidetermination of heavy metals. <i>Sensors and Actuators B: Chemical</i> , 2010, 146, 420-426.	4.0	47

#	ARTICLE	IF	CITATIONS
55	Simultaneous determination of phenolic compounds by means of an automated voltammetric electronic tongue. Analytical and Bioanalytical Chemistry, 2005, 382, 471-476.	1.9	46
56	Automatic sequential injection analysis electronic tongue with integrated reference electrode for the determination of ascorbic acid, uric acid and paracetamol. Mikrochimica Acta, 2007, 157, 1-6.	2.5	45
57	Sensor Arrays and Electronic Tongue Systems. International Journal of Electrochemistry, 2012, 2012, 1-11.	2.4	45
58	Independent comparison study of six different electronic tongues applied for pharmaceutical analysis. Journal of Pharmaceutical and Biomedical Analysis, 2015, 114, 321-329.	1.4	45
59	Nutrient Solution Monitoring in Greenhouse Cultivation Employing a Potentiometric Electronic Tongue. Journal of Agricultural and Food Chemistry, 2008, 56, 1810-1817.	2.4	44
60	Array of peptide-modified electrodes for the simultaneous determination of Pb(II), Cd(II) and Zn(II). Talanta, 2014, 125, 159-166.	2.9	44
61	Electronic Tongue Using an Enzyme Inhibition Biosensor Array for the Resolution of Pesticide Mixtures. Electroanalysis, 2008, 20, 54-60.	1.5	42
62	Electrochemical immunosensor for the diagnosis of celiac disease. Analytical Biochemistry, 2009, 388, 229-234.	1.1	42
63	Use of an Electronic Tongue Based on All-Solid-State Potentiometric Sensors for the Quantitation of Alkaline Ions. Electroanalysis, 2005, 17, 348-355.	1.5	41
64	EIS multianalyte sensing with an automated SIA system. An electronic tongue employing the impedimetric signal. Talanta, 2007, 72, 774-779.	2.9	41
65	Computational design of molecularly imprinted polymer for direct detection of melamine in milk. Separation Science and Technology, 2017, 52, 1441-1453.	1.3	41
66	Bioinspired Sensor Systems. Sensors, 2011, 11, 10180-10186.	2.1	40
67	Determination of Trace Levels of Anionic Surfactants in River Water and Wastewater by a Flow Injection Analysis System with On-Line Preconcentration and Potentiometric Detection. Analytical Chemistry, 1999, 71, 3684-3691.	3.2	39
68	Label-Free Aptasensor for Lysozyme Detection Using Electrochemical Impedance Spectroscopy. Sensors, 2018, 18, 354.	2.1	39
69	Flow-through tubular ion-selective electrodes responsive to anionic surfactants for flow-injection analysis. Analytica Chimica Acta, 1995, 308, 115-121.	2.6	38
70	Integrated Waveguide Absorbance Optode for Chemical Sensing. Analytical Chemistry, 1999, 71, 5037-5044.	3.2	38
71	Label-free impedimetric aptasensor based on epoxy-graphite electrode for the recognition of cytochrome c. Sensors and Actuators B: Chemical, 2014, 191, 860-865.	4.0	38
72	Sandwich Techniques in flow injection analysis. Analytica Chimica Acta, 1987, 199, 191-196.	2.6	37

#	ARTICLE	IF	CITATIONS
73	Use of sequential injection analysis to construct an electronic-tongue. <i>Analytica Chimica Acta</i> , 2007, 600, 97-104.	2.6	37
74	A Solid-Contact Ion Selective Electrode for Copper(II) Using a Succinimide Derivative as Ionophore. <i>Sensors</i> , 2013, 13, 4367-4377.	2.1	37
75	Voltammetric sensor for theophylline using sol-gel immobilized molecularly imprinted polymer particles. <i>Mikrochimica Acta</i> , 2015, 182, 933-942.	2.5	37
76	Application of the avidin-biotin interaction to immobilize DNA in the development of electrochemical impedance genosensors. <i>Analytical and Bioanalytical Chemistry</i> , 2007, 389, 851-861.	1.9	36
77	Application of an all-solid-state ion-selective electrode for the automated titration of anionic surfactants. <i>Analyst</i> , The, 1994, 119, 2319-2322.	1.7	35
78	Construction and development of ion-selective electrodes responsive to anionic surfactants. <i>Sensors and Actuators B: Chemical</i> , 1993, 15, 179-183.	4.0	34
79	Assessment of Individual Polyphenol Content in Beer by Means of a Voltammetric BioElectronic Tongue. <i>Electroanalysis</i> , 2013, 25, 68-76.	1.5	34
80	Resolution of galactose, glucose, xylose and mannose in sugarcane bagasse employing a voltammetric electronic tongue formed by metals oxy-hydroxide/MWCNT modified electrodes. <i>Sensors and Actuators B: Chemical</i> , 2016, 222, 645-653.	4.0	34
81	Voltammetric BioElectronic Tongue for the analysis of phenolic compounds in ros� cava wines. <i>Food Research International</i> , 2014, 55, 455-461.	2.9	33
82	Aptamer-antibody sandwich assay for cytochrome c employing an MWCNT platform and electrochemical impedance. <i>Mikrochimica Acta</i> , 2015, 182, 2045-2053.	2.5	33
83	Cava Wine Authentication Employing a Voltammetric Electronic Tongue. <i>Electroanalysis</i> , 2014, 26, 1504-1512.	1.5	32
84	Signal amplification for thrombin impedimetric aptasensor: Sandwich protocol and use of gold-streptavidin nanoparticles. <i>Biosensors and Bioelectronics</i> , 2014, 54, 408-414.	5.3	32
85	Simultaneous Voltammetric Determination of Heavy Metals by Use of Crown Ether-modified Electrodes and Chemometrics. <i>Electroanalysis</i> , 2016, 28, 663-670.	1.5	32
86	Voltammetric electronic tongue to identify Brett character in wines. On-site quantification of its ethylphenol metabolites. <i>Talanta</i> , 2018, 179, 70-74.	2.9	32
87	Sandwich techniques in flow-injection analysis. <i>Analytica Chimica Acta</i> , 1989, 219, 345-350.	2.6	31
88	Characterization of an ion-selective polypyrrole coating and application to the joint determination of potassium, sodium and ammonium by electrochemical impedance spectroscopy and partial least squares method. <i>Analytica Chimica Acta</i> , 2007, 597, 231-237.	2.6	31
89	Bioelectronic tongue using MIP sensors for the resolution of volatile phenolic compounds. <i>Sensors and Actuators B: Chemical</i> , 2018, 258, 665-671.	4.0	31
90	Development of a new ion-selective field-effect transistor sensor for anionic surfactants: Application to potentiometric titrations. <i>Analytica Chimica Acta</i> , 1999, 382, 157-164.	2.6	30

#	ARTICLE	IF	CITATIONS
91	Voltammetric Electronic Tongue Based on Carbon Paste Electrodes Modified with Biochar for Phenolic Compounds Stripping Detection. <i>Electroanalysis</i> , 2019, 31, 2238-2245.	1.5	30
92	Integration of a glucose biosensor based on an epoxy-graphite-TTFÂ•TCNQ-GOD biocomposite into a FIA system. <i>Sensors and Actuators B: Chemical</i> , 2005, 107, 742-748.	4.0	29
93	Virtual Instrument for an Automated Potentiometric e-Tongue Employing the SIA Technique. <i>Sensors</i> , 2006, 6, 19-29.	2.1	28
94	A Reusable Impedimetric Aptasensor for Detection of Thrombin Employing a Graphite-Epoxy Composite Electrode. <i>Sensors</i> , 2012, 12, 3037-3048.	2.1	28
95	Multivariate calibration model from overlapping voltammetric signals employing wavelet neural networks. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2006, 83, 169-179.	1.8	27
96	Impedimetric detection of double-tagged PCR products using novel amplification procedures based on gold nanoparticles and Protein G. <i>Analyst</i> , The, 2009, 134, 602-608.	1.7	26
97	Impedimetric genosensing of DNA polymorphism correlated to cystic fibrosis: A comparison among different protocols and electrode surfaces. <i>Biosensors and Bioelectronics</i> , 2010, 26, 1245-1251.	5.3	26
98	Spectrophotometric determination of low levels of anionic surfactants in water by solvent extraction in a flow injection system. <i>Analyst</i> , The, 1988, 113, 1677-1681.	1.7	25
99	Determination of polyethoxylated non-ionic surfactants using potentiometric flow injection systems.. <i>Analytica Chimica Acta</i> , 2002, 454, 217-227.	2.6	25
100	Electronic tongue for the determination of alkaline ions using a screen-printed potentiometric sensor array. <i>Mikrochimica Acta</i> , 2008, 163, 81-88.	2.5	25
101	Wavelet neural networks to resolve the overlapping signal in the voltammetric determination of phenolic compounds. <i>Talanta</i> , 2008, 76, 373-381.	2.9	25
102	Rapid determination of chemical oxygen demand using a focused microwave heating system featuring temperature control. <i>Analytica Chimica Acta</i> , 2003, 491, 99-109.	2.6	24
103	Enhancing the electrochemical response of myoglobin with carbon nanotube electrodes. <i>Nanotechnology</i> , 2009, 20, 355502.	1.3	24
104	Potentiometric electronic tongue-flow injection analysis system for the monitoring of heavy metal biosorption processes. <i>Talanta</i> , 2012, 93, 285-292.	2.9	24
105	pH-ISFET with NMOS technology. <i>Electroanalysis</i> , 1991, 3, 355-360.	1.5	23
106	Use of pulse transient response as input information for an automated SIA electronic tongue. <i>Sensors and Actuators B: Chemical</i> , 2008, 131, 77-84.	4.0	23
107	Potentiometric Electronic Tongue to Resolve Mixtures of Sulfide and Perchlorate Anions. <i>Sensors</i> , 2011, 11, 3214-3226.	2.1	23
108	Simultaneous Determination of Zn(II), Cu(II), Cd(II) and Pb(II) in Soil Samples Employing an Array of Potentiometric Sensors and an Artificial Neural Network Model. <i>Electroanalysis</i> , 2012, 24, 2249-2256.	1.5	23

#	ARTICLE	IF	CITATIONS
109	Real time protein recognition in a liquid-gated carbon nanotube field-effect transistor modified with aptamers. <i>Nanoscale</i> , 2012, 4, 5917.	2.8	23
110	Integrating molecularly imprinted polymer beads in graphite-epoxy electrodes for the voltammetric biosensing of histamine in wines. <i>Talanta</i> , 2020, 208, 120348.	2.9	23
111	Modification of electrodes with N-and S-doped carbon dots. Evaluation of the electrochemical response. <i>Talanta</i> , 2020, 212, 120806.	2.9	23
112	Flow-through pH-ISFET as detector in the determination of ammonia. <i>Analytica Chimica Acta</i> , 1990, 231, 53-58.	2.6	22
113	Automated electronic tongue based on potentiometric sensors for the determination of a trinary anionic surfactant mixture. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008, 46, 213-218.	1.4	22
114	Simultaneous Voltammetric Determination of Acetaminophen, Ascorbic Acid and Uric Acid by Use of Integrated Array of Screen-Printed Electrodes and Chemometric Tools. <i>Sensors</i> , 2019, 19, 3286.	2.1	21
115	Evaluation of natural computation techniques in the modelling and optimization of a sequential injection flow system for colorimetric iron(III) determination. <i>Analytica Chimica Acta</i> , 1997, 348, 143-150.	2.6	20
116	Photocurable ISFET for anionic surfactants. Monitoring of photodegradation processes. <i>Talanta</i> , 2001, 54, 893-902.	2.9	20
117	EIS study of potentiometric membranes selective to Ca <sup>2+</sup> employing the new ionophoric antibiotic tetronasin. <i>Electrochimica Acta</i> , 2006, 51, 1569-1575.	2.6	20
118	Quantitative Analysis of Active Pharmaceutical Ingredients (APIs) Using a Potentiometric Electronic Tongue in a SIA Flow System. <i>Electroanalysis</i> , 2016, 28, 626-632.	1.5	20
119	A novel electronic tongue using electropolymerized molecularly imprinted polymers for the simultaneous determination of active pharmaceutical ingredients. <i>Biosensors and Bioelectronics</i> , 2022, 198, 113807.	5.3	20
120	Comparison of the Powell and simplex methods in the optimization of flow-injection systems. Simulation on modelled experimental surfaces and experimental optimizations. <i>Analytica Chimica Acta</i> , 1990, 241, 31-42.	2.6	19
121	Flow-through pH-ISFET + reference-ISE as integrated detector in automated FIA determinations. <i>Sensors and Actuators B: Chemical</i> , 1992, 7, 555-560.	4.0	19
122	Urea impedimetric biosensor based on polymer degradation onto interdigitated electrodes. <i>Sensors and Actuators B: Chemical</i> , 2006, 118, 84-89.	4.0	19
123	Use of a solid-phase extraction disk module in a FI system for the automated preconcentration and determination of surfactants using potentiometric detection. <i>Microchemical Journal</i> , 2006, 83, 48-54.	2.3	19
124	Carbon nanofiber vs. carbon microparticles as modifiers of glassy carbon and gold electrodes applied in electrochemical sensing of NADH. <i>Talanta</i> , 2007, 74, 398-404.	2.9	19
125	Remote environmental monitoring employing a potentiometric electronic tongue. <i>International Journal of Environmental Analytical Chemistry</i> , 2008, 88, 103-117.	1.8	19
126	A comparison of four protocols for the immobilization of an aptamer on graphite composite electrodes. <i>Mikrochimica Acta</i> , 2014, 181, 355-363.	2.5	19



#	ARTICLE	IF	CITATIONS
127	Electronic tongue for nitro and peroxide explosive sensing. <i>Talanta</i> , 2016, 153, 340-346.	2.9	19
128	A novel bio-electronic tongue using different cellobiose dehydrogenases to resolve mixtures of various sugars and interfering analytes. <i>Biosensors and Bioelectronics</i> , 2016, 79, 515-521.	5.3	19
129	Potentiometric flow injection system for the determination of polyethoxylate nonionic surfactants using tubular ion-selective electrodes. <i>Analytica Chimica Acta</i> , 2001, 438, 305-313.	2.6	18
130	Automated SIA System Using an Array of Potentiometric Sensors for Determining Alkaline-Earth Ions in Water. <i>Electroanalysis</i> , 2007, 19, 644-651.	1.5	18
131	Inhibition equivalency factors for microcystin variants in recombinant and wild-type protein phosphatase 1 and 2A assays. <i>Environmental Science and Pollution Research</i> , 2014, 21, 10652-10660.	2.7	18
132	Mathematical modelling of sequential determinations by flow-injection sandwich techniques. <i>Analytica Chimica Acta</i> , 1990, 234, 67-74.	2.6	17
133	Carbon Nanotubes and Electrochemistry. <i>Zeitschrift Fur Physikalische Chemie</i> , 2007, 221, 1161-1173.	1.4	17
134	Application of an electronic tongue towards the analysis of brandies. <i>Analytical Methods</i> , 2013, 5, 1120.	1.3	17
135	Use of a Bioelectronic Tongue for the Monitoring of the Photodegradation of Phenolic Compounds. <i>Electroanalysis</i> , 2015, 27, 225-233.	1.5	17
136	Analysis of Amino Acid Mixtures by Voltammetric Electronic Tongues and Artificial Neural Networks. <i>Electroanalysis</i> , 2016, 28, 1894-1900.	1.5	17
137	Three different signal amplification strategies for the impedimetric sandwich detection of thrombin. <i>Analytica Chimica Acta</i> , 2016, 912, 117-124.	2.6	17
138	A Voltammetric Electronic Tongue for the Resolution of Ternary Nitrophenol Mixtures. <i>Sensors</i> , 2018, 18, 216.	2.1	17
139	Improved Sensing of Capsaicin with TiO <sub>2</sub> Nanoparticles Modified Epoxy Graphite Electrode. <i>Electroanalysis</i> , 2020, 32, 230-237.	1.5	17
140	Simultaneous Optimization of Variables in Fia Systems by Means of the Simplex Method. <i>Analytical Letters</i> , 1987, 20, 1247-1263.	1.0	16
141	Rapid Field Identification of Subjects Involved in Firearm-Related Crimes Based on Electroanalysis Coupled with Advanced Chemometric Data Treatment. <i>Analytical Chemistry</i> , 2012, 84, 10306-10314.	3.2	16
142	Voltammetric Electronic Tongue for the Qualitative Analysis of Beers. <i>Electroanalysis</i> , 2013, 25, 1635-1644.	1.5	16
143	Discrimination of Soils and Assessment of Soil Fertility Using Information from an Ion Selective Electrodes Array and Artificial Neural Networks. <i>Clean - Soil, Air, Water</i> , 2014, 42, 1808-1815.	0.7	16
144	Enhanced electrocatalytic effects of Pd particles immobilized on GC surface on the nitrite oxidation reactions. <i>Journal of Electroanalytical Chemistry</i> , 2019, 839, 1-8.	1.9	16

#	ARTICLE	IF	CITATIONS
145	Voltammetric Electronic Tongue for the Simultaneous Determination of Three Benzodiazepines. <i>Sensors</i> , 2019, 19, 5002.	2.1	16
146	Dual-Genic Hybridization Sensor Employing Electrochemical Impedance Spectroscopy. <i>Electroanalysis</i> , 2008, 20, 941-948.	1.5	15
147	SIA system employing the transient response from a potentiometric sensor array—Correction of a saline matrix effect. <i>Talanta</i> , 2010, 82, 931-938.	2.9	15
148	Resolution of amino acid mixtures by an array of potentiometric sensors based on boronic acid derivative in a SIA flow system. <i>Sensors and Actuators B: Chemical</i> , 2013, 189, 179-186.	4.0	15
149	Evaluation of microwave digestion for chemical oxygen demand determination. <i>Environmental Technology (United Kingdom)</i> , 1990, 11, 1087-1092.	1.2	14
150	Mathematical modelling of two-analyte sequential determinations by flow-injection sandwich techniques. <i>Analytica Chimica Acta</i> , 1991, 254, 177-187.	2.6	14
151	An integrated design strategy for flow-injection analysis based on the coupling of mathematical modelling and optimization algorithms. <i>Analytica Chimica Acta</i> , 1995, 310, 289-296.	2.6	14
152	Graphene electrode platform for impedimetric aptasensing. <i>Electrochimica Acta</i> , 2017, 229, 458-466.	2.6	14
153	A new amperometric bienzymatic biosensor based on biocomposites for the determination of gluconic acid in wines. <i>Talanta</i> , 2011, 85, 1207-1212.	2.9	13
154	A simple approach for DNA detection on carbon nanotube microelectrode arrays. <i>Sensors and Actuators B: Chemical</i> , 2012, 162, 120-127.	4.0	13
155	Dummy Molecularly Imprinted Polymers Using DNP as a Template Molecule for Explosive Sensing and Nitroaromatic Compound Discrimination. <i>Chemosensors</i> , 2021, 9, 255.	1.8	13
156	Flow-through pH-ISFET as detector in automated determinations. <i>Electroanalysis</i> , 1991, 3, 349-354.	1.5	12
157	Automated analytical biosystem for urea monitoring. <i>Analytica Chimica Acta</i> , 1996, 327, 243-251.	2.6	12
158	All-solid-state potentiometric sensors sensitive to nonionic surfactants based on ionophores containing ethoxylate units. <i>Talanta</i> , 2001, 54, 811-820.	2.9	12
159	Simultaneous titration of ternary alkaline earth mixtures employing a potentiometric electronic tongue. <i>Microchemical Journal</i> , 2007, 87, 27-34.	2.3	12
160	Bioelectronic Tongues Employing Electrochemical Biosensors. <i>Bioanalytical Reviews</i> , 2016, , 143-202.	0.1	12
161	Avoiding nonsense in electronic taste sensing. <i>TrAC - Trends in Analytical Chemistry</i> , 2019, 121, 115675.	5.8	12
162	Resolution of opiate illicit drugs signals in the presence of some cutting agents with use of a voltammetric sensor array and machine learning strategies. <i>Sensors and Actuators B: Chemical</i> , 2022, 357, 131345.	4.0	12

#	ARTICLE	IF	CITATIONS
163	Bidimensional planar micro-optics for optochemical absorbance sensing. <i>Optics Letters</i> , 1998, 23, 225.	1.7	11
164	Resolution of Heavy Metal Mixtures from Highly Overlapped ASV Voltammograms Employing a Wavelet Neural Network. <i>Electroanalysis</i> , 2009, 21, 445-451.	1.5	11
165	Simultaneous and automated monitoring of the multimetal biosorption processes by potentiometric sensor array and artificial neural network. <i>Talanta</i> , 2013, 114, 17-24.	2.9	11
166	Artificial Neural Networks for the Resolution of Dopamine and Serotonin Complex Mixtures Using a Graphene-Modified Carbon Electrode. <i>Electroanalysis</i> , 2019, 31, 390-397.	1.5	11
167	Comparison of the simplex and Powell methods with a weighted response function for the optimization of FIA systems. <i>Talanta</i> , 1993, 40, 1113-1126.	2.9	10
168	Resolution of binary mixtures of microorganisms using electrochemical impedance spectroscopy and artificial neural networks. <i>Biosensors and Bioelectronics</i> , 2008, 24, 958-962.	5.3	10
169	Pd Nanoparticles/Multiwalled Carbon Nanotubes Electrode System for Voltammetric Sensing of Tyrosine. <i>Journal of Nanoscience and Nanotechnology</i> , 2014, 14, 6692-6698.	0.9	10
170	Simultaneous Titration of Ternary Mixtures of Pb(II), Cd(II) and Cu(II) with Potentiometric Electronic Tongue Detection. <i>Electroanalysis</i> , 2015, 27, 336-342.	1.5	10
171	Voltammetric sensing using an array of modified SPCE coupled with machine learning strategies for the improved identification of opioids in presence of cutting agents. <i>Journal of Electroanalytical Chemistry</i> , 2021, 902, 115770.	1.9	10
172	Chapter 30 Potentiometric electronic tongues applied in ion multidetermination. <i>Comprehensive Analytical Chemistry</i> , 2007, , 721-753.	0.7	9
173	Computer controlled-flow injection potentiometric system based on virtual instrumentation for the monitoring of metal-biosorption processes. <i>Analytica Chimica Acta</i> , 2010, 668, 26-34.	2.6	9
174	Electronic tongue applications for wastewater and soil analysis. <i>IScience</i> , 2022, 25, 104304.	1.9	9
175	Two analyte calibrations from the transient response of a single potentiometric sensor employed with the SIA technique. <i>Talanta</i> , 2010, 80, 1428-1435.	2.9	8
176	A Tool for General Quality Assessment of Black Tea- Retail Price Prediction by an Electronic Tongue. <i>Food Analytical Methods</i> , 2015, 8, 1088-1092.	1.3	8
177	Determination of Chemical Oxygen Demand (COD) Using Nanoparticle-Modified Voltammetric Sensors and Electronic Tongue Principles. <i>Chemosensors</i> , 2021, 9, 46.	1.8	8
178	Sensors as green tools in analytical chemistry. <i>Current Opinion in Green and Sustainable Chemistry</i> , 2021, 31, 100501.	3.2	8
179	Optimal design of an enzymic reactor for flow injection analysis. <i>Biotechnology Progress</i> , 1993, 9, 473-480.	1.3	7
180	Multiway Processing of Data Generated with a Potentiometric Electronic Tongue in a SIA System. <i>Electroanalysis</i> , 2011, 23, 953-961.	1.5	7

#	ARTICLE	IF	CITATIONS
181	DNA polymorphism sensitive impedimetric detection on gold-nanoislands modified electrodes. <i>Talanta</i> , 2015, 136, 95-101.	2.9	7
182	Graphene for the Building of Electroanalytical Enzyme-Based Biosensors. Application to the Inhibitory Detection of Emerging Pollutants. <i>Nanomaterials</i> , 2021, 11, 2094.	1.9	7
183	Multicomponent Titration of Calcium + Magnesium Mixtures Employing a Potentiometric Electronic Tongue. <i>Analytical Letters</i> , 2007, 40, 1579-1595.	1.0	6
184	Electrochemical micro(bio)sensor arrays. <i>Mikrochimica Acta</i> , 2008, 163, 1-2.	2.5	6
185	Optimization of Sensors to be Used in a Voltammetric Electronic Tongue Based on Clustering Metrics. <i>Sensors</i> , 2020, 20, 4798.	2.1	6
186	A combination of dynamic measurement protocol and advanced data treatment to resolve the mixtures of chemically similar analytes with potentiometric multisensor system. <i>Talanta</i> , 2014, 119, 226-231.	2.9	5
187	Determination of monochloroacetic acid using a flow injection system featuring a flow through ion-selective electrode and an ion-exchange column for the minimization of interference by chloride.. <i>Analytica Chimica Acta</i> , 1998, 359, 311-320.	2.6	4
188	Use of a Focused Microwave System for the Determination of Kjeldahl Nitrogen in Industrial Wastewaters. <i>Analytical Letters</i> , 2005, 38, 2415-2430.	1.0	4
189	Electrocatalyzed O <sub>2</sub> Response of Myoglobin Immobilized on Multi-Walled Carbon Nanotube Forest Electrodes. <i>Journal of Nanoscience and Nanotechnology</i> , 2009, 9, 6132-6138.	0.9	4
190	The Application of an Array of Sensors based on Boronic Acid Derivative for the Quantitative Analysis of Amino Acids. <i>Procedia Engineering</i> , 2012, 47, 522-525.	1.2	4
191	Arsenic Biosensors. , 2015, , 575-588.		4
192	Materials for Electronic Tongues: Smart Sensor Combining Different Materials and Chemometric Tools. , 2017, , 227-265.		4
193	Multivariate Determination of Total Sugar Content and Ethanol in Bioethanol Production Using Carbon Electrodes Modified with MWCNT/MeOOH and Chemometric Data Treatment. <i>Electroanalysis</i> , 2018, 30, 1696-1705.	1.5	3
194	Methanol, Ethanol, and Glycerol Oxidation by Graphite-Epoxy Composite Electrodes with Graphene-Anchored Nickel Oxyhydroxide Nanoparticles. <i>Proceedings (mdpi)</i> , 2019, 42, .	0.2	3
195	Monitoring of environmental systems using electronic tongues as sensor networks. , 2011, , .		2
196	Data fusion in electronic tongue for qualitative analysis of beers. , 2012, , .		2
197	Bioelectronic Tongues. <i>Series in Sensors</i> , 2013, , 339-372.	0.0	2
198	Avidin Epoxy-Graphite Composite Electrodes as Platforms for Genosensing and Aptasensing. <i>Journal of Nanoscience and Nanotechnology</i> , 2014, 14, 6669-6677.	0.9	2

#	ARTICLE	IF	CITATIONS
199	Impedimetric Aptasensors Using Nanomaterials. , 2018, , 233-267.		2
200	Use of Sequential Injection Analysis to construct a Potentiometric Electronic Tongue: Application to the Multidetermination of Heavy Metals. , 2009, , .		1
201	Data Fusion from Voltammetric and Potentiometric Sensors to Build a Hybrid Electronic Tongue Applied in Classification of Beers. , 2011, , .		1
202	Discrimination of soils and assessment of some soil fertility parameters using an electronic tongue. , 2011, , .		1
203	DNA Sensors Employing Nanomaterials for Diagnostic Applications. Springer Series on Chemical Sensors and Biosensors, 2012, , 189-216.	0.5	1
204	Molecularly Imprinted Polymers for TNT Analogues. Development of Electrochemical TNT Biosensors. Proceedings (mdpi), 2017, 1, 731.	0.2	1
205	Coupling of Sensors and Machine Learning Algorithms in the Qualitative Analysis of Wine. Engineering Proceedings, 2021, 6, .	0.4	1
206	Multivariate Calibration Model for a Voltammetric Electronic Tongue Based on a Multiple Output Wavelet Neural Network. Studies in Computational Intelligence, 2009, , 137-167.	0.7	1
207	Determination of Chemical Oxygen Demand (COD) Using Nanoparticle-Modified Voltammetric Sensors and Electronic Tongue Principles. Chemistry Proceedings, 2021, 5, .	0.1	1
208	Experiences in the detection of drugs of abuse in smuggling seizures and forensic samples using electronic tongue principles. , 2022, , .		1
209	Procedure 45 An electronic tongue made of coated wire potentiometric sensors for the determination of alkaline ions: Use of artificial neural networks for its response model. Comprehensive Analytical Chemistry, 2007, 49, e311-e330.	0.7	0
210	Two Analyte Calibration From The Transient Response Of Potentiometric Sensors Employed With The SIA Technique. , 2009, , .		0
211	Bioelectronic Tongue Employing Enzyme-Modified Sensors for the Resolution of Phenolic Antioxidant Mixtures. , 2011, , .		0
212	Electronic Tongue-FIA system for the Monitoring of Heavy Metal Biosorption Processes. , 2011, , .		0
213	Application of electronic tongues in the qualitative and quantitative analysis of beers. , 2014, , .		0
214	Phenolic Compounds Analyzed With an Electronic Tongue. , 2016, , 235-244.		0
215	Novel voltammetric electronic tongue approach using polyelectrolyte modifiers to detect charged species. , 2017, , .		0
216	Voltammetric Electronic Tongue for the Resolution of Ternary Nitrophenol Mixtures. Proceedings (mdpi), 2017, 1, .	0.2	0

#	ARTICLE	IF	CITATIONS
217	Label-Free Aptasensor for Lysozyme Detection Using Electrochemical Impedance Spectroscopy. Proceedings (mdpi), 2017, 1, .	0.2	0
218	Voltammetric Resolution of Dopamine in Complex Mixtures Using Graphene-Modified Electrode and Artificial Neural Networks. Proceedings (mdpi), 2017, 1, .	0.2	0
219	Detection of Biogenic Amines in Canned Tuna Using a Voltammetric Electronic Tongue. Engineering Proceedings, 2021, 6, .	0.4	0
220	Use of Embossing Films in the Construction of Thick-Film Ion-Selective Membrane Electrodes by Screen Printing Technique. Sensor Letters, 2008, 6, 441-445.	0.4	0
221	Wavelet Neural Network as a Multivariate Processing Tool in Electronic Tongues. Advances in Intelligent and Soft Computing, 2009, , 73-81.	0.2	0
222	Voltammetric Electronic Tongue for the Sensing of Explosives and Its Mixtures. Advanced Sciences and Technologies for Security Applications, 2016, , 61-81.	0.4	0